MODULE-2 TW-04 GROUP VERSION







Meeting Agenda

- ► Icebreaking
- ► Workshop Activities Tuesday
- ► Teamwork Activities Friday
 - ▶ Questions
 - ► Interview Questions
- ▶ Video of the week
- ► Retro meeting
- ► Case study / project

Teamwork Schedule

Ice-breaking 10m

- Personal Questions (Stay at home & Corona, Study Environment, Kids etc.)
- Any challenges (Classes, Coding, studying, etc.)
- Ask how they're studying, give personal advice.
- Remind that practice makes perfect.

Workshop Activities (Tuesday)

90m

• Project-006 : Sass Portfolio with React Router

Team Work Activities (Friday)

90m

Ask Questions

20m

1. Why should you use React Router's Link component instead of a basic <a> tag in React?

- **A.** The link component allows the user to use the browser's Back button.
- **B.** There is no difference--the Link component is just another name for the <a> tag.
- **C.** The <a> tag will cause an error when used in React.
- **D.** The <a> tag triggers a full page reload, while the Link component does not.

2. Consider the following code from React Router. What do you call :id in the path prop?

```
<Route path="/:id" />
```

- A. This is a route modal
- **B.** This is a route parameter
- **C.** This is a route splitter
- **D.** This is a route link

| WE 177 O LING |
|---|
| 3. What is React Router used for? |
| A. Managing the state of a React application |
| B. Building a database for a React application |
| C. Handling routing in a React application |
| D. Loading a React Page |
| 4. React Router is a library that provides in a single-page application. |
| 4. React Router is a library that provides in a single-page application. |
| A. Routing |
| B. State management |
| C. Component rendering |
| D. Data fetching |
| |
| 5. React Router uses a component to render a component when its path matches the current URL. |
| A. Link |
| B. Route |
| C. Switch |
| D. Redirect |
| |
| 6. The component in React Router is used to create between routes. |
| A. Navigation |
| B. State management |
| C. Data sharing |
| D. Component rendering |
| |
| 7. Which React Router hook provides access to the current location object? |
| A. useHistory |

- **B.** useLocation
- **C.** useRouteMatch
- **D.** useParams
- 8. How do you handle a 404 error in React Router?
- **A.** By creating a new component for the 404 error page and rendering it in a <Route> component with no path specified
- **B.** By using the <Error404> component provided by React Router
- **C.** By using the <NotFound> component provided by React Router
- **D.** By creating a new route with a path of '*' and rendering a 404 error page component in it

9. What's the purpose of the BrowserRouter component?

| A. To create new routes B. To understand all of its children Route elements, and intelligently choose which ones are the best to render. C. Allows React Router to pass the app's routing information down to any child component it needs (via context) D. To make navigating possible in native applications |
|---|
| 10. The useParams hook in React Router allows you to access URL parameters within a component. |
| A. ClassB. FunctionalC. Higher-orderD. Stateful |
| 11. React Router allows you to perform client-side routing by manipulating the |
| A. ServerB. DatabaseC. Browser historyD. Context API |
| 12. Which of the following React Context methods is used to consume context values? |
| A. useContextB. useStateC. createContextD. useEffect |
| 13 is a technique of delivering data to a deeply nested component by passing it through a number of intermediate children components. |
| A. Context API B. Prop drilling C. Lifting State Up D. Fault isolation |
| 14. How do you handle passing through the component tree without having to pass props down manually at every level? |
| A. React Send B. React Pinpoint C. React Router D. React Context |

| Interview Questions | 15m |
|---|-----------------------------|
| 1. What is React Router? | |
| 2. How does browser history work in React Router? | |
| 3. What is nested routing? | |
| 4. What do you understand about the 'to' attribute in React Rout | er? |
| 5. Explain the difference between server-side rendering and clien | nt-side rendering in React. |
| 6. Explain the concept of a Context in React. | |
| | |
| Coffee Break | 10m |
| | |
| Retro Meeting on a personal and team level | 5m |
| Ask the questions below: | |
| What went well? | |
| What went wrong?What is the improvement areas? | |
| Case study/Project | 15m |

5/6

Project will be announced during the week

Closing 5m

- Next week's plan
- QA Session