

convert_gamelogs

May 7, 2020

Processing Game Logs

The information used here was obtained free of charge from and is copyrighted by Retrosheet. Interested parties may contact Retrosheet at “www.retrosheet.org”.

We’re going to use Retrosheet game logs as input data to our predictive model. The first thing we need to do is process them to fit our needs.

```
[135]: import pandas as pd
import os

[156]: df = pd.read_csv('../core/data/lahman/mlb_data/Teams.csv')
df = df[['teamID', 'franchID']]
team_dict = df.set_index('teamID').to_dict()['franchID']
team_dict['MLN'] = 'ATL'

def get_team(team):
    return team_dict[team] if team_dict[team] is not None else team
```

These are the columns of the Retrosheet game logs. This metadata was obtained here: <https://www.retrosheet.org/gamelogs/glfields.txt>

```
[137]: columns = [
    'date',
    'game_number',
    'day_of_week',
    'visit_team',
    'visit_league',
    'visit_game_number',
    'home_team',
    'home_league',
    'home_game_number',
    'visit_score',
    'home_score',
    'game_length_outs',
    'day_night',
    'completion_info',
    'forfeit_info',
```

```
'protest_info',
'park_id',
'attendance',
'time_minutes',
'visit_line_score',
'home_line_score',
'visit_ab',
'visit_h',
'visit_2b',
'visit_3b',
'visit_hr',
'visit_rbi',
'visit_sh',
'visit_sf',
'visit_hbp',
'visit_bb',
'visit_ibt',
'visit_k',
'visit_sb',
'visit_cs',
'visit_gidp',
'visit_ci',
'visit_lob',
'visit_pitchers_used',
'visit_individual_er',
'visit_team_er',
'visit_wp',
'visit_bk',
'visit_po',
'visit_assists',
'visit_e',
'visit_passed_balls',
'visit_double_plays',
'visit_triple_plays',
'home_ab',
'home_h',
'home_2b',
'home_3b',
'home_hr',
'home_rbi',
'home_sh',
'home_sf',
'home_hbp',
'home_bb',
'home_ibt',
'home_k',
'home_sb',
```

```
'home_cs',
'home_gidp',
'home_ci',
'home_lob',
'home_pitchers_used',
'home_individual_er',
'home_team_er',
'home_wp',
'home_bk',
'home_po',
'home_assists',
'home_e',
'home_passed_balls',
'home_double_plays',
'home_triple_plays',
'hp_ump_id',
'hp_ump_name',
'1b_ump_id',
'1b_ump_name',
'2b_ump_id',
'2b_ump_name',
'3b_ump_id',
'3b_ump_name',
'lf_ump_id',
'lf_ump_name',
'rf_ump_id',
'rf_ump_name',
'visit_manager_id',
'visit_manager_name',
'home_manager_id',
'home_manager_name',
'winning_pitcher_id',
'winning_pitcher_name',
'losing_pitcher_id',
'losing_pitcher_name',
'saving_pitcher_id',
'saving_pitcher_name',
'winning_rbi_batter_id',
'winning_rbi_batter_name',
'visit_sp_id',
'visit_sp_name',
'home_sp_id',
'home_sp_name',
'visit_player_1_id',
'visit_player_1_name',
'visit_player_1_pos',
'visit_player_2_id',
```

```
'visit_player_2_name',  
'visit_player_2_pos',  
'visit_player_3_id',  
'visit_player_3_name',  
'visit_player_3_pos',  
'visit_player_4_id',  
'visit_player_4_name',  
'visit_player_4_pos',  
'visit_player_5_id',  
'visit_player_5_name',  
'visit_player_5_pos',  
'visit_player_6_id',  
'visit_player_6_name',  
'visit_player_6_pos',  
'visit_player_7_id',  
'visit_player_7_name',  
'visit_player_7_pos',  
'visit_player_8_id',  
'visit_player_8_name',  
'visit_player_8_pos',  
'visit_player_9_id',  
'visit_player_9_name',  
'visit_player_9_pos',  
'home_player_1_id',  
'home_player_1_name',  
'home_player_1_pos',  
'home_player_2_id',  
'home_player_2_name',  
'home_player_2_pos',  
'home_player_3_id',  
'home_player_3_name',  
'home_player_3_pos',  
'home_player_4_id',  
'home_player_4_name',  
'home_player_4_pos',  
'home_player_5_id',  
'home_player_5_name',  
'home_player_5_pos',  
'home_player_6_id',  
'home_player_6_name',  
'home_player_6_pos',  
'home_player_7_id',  
'home_player_7_name',  
'home_player_7_pos',  
'home_player_8_id',  
'home_player_8_name',  
'home_player_8_pos',
```

```

        'home_player_9_id',
        'home_player_9_name',
        'home_player_9_pos',
        'additional_info',
        'acquisition_info'
    ]

```

The script is broken up here, then I later explore what I need to do to process the data. At the end I combine that all into one loop.

```

[12]: for year in range(1919, 2020):
        file_path = '../core/data/retrosheet/gamelogs/GL{}'.format(year)
        df = pd.read_csv(file_path + '.TXT', delimiter = ',', header = 0, names = _
        ↪columns)
        if os.path.exists(file_path + '.TXT'):
            os.remove(file_path + '.TXT')
        df.to_csv(file_path + '.csv')

```

```

[109]: df = pd.read_csv('../core/data/retrosheet/gamelogs/GL2015.csv')

```

We don't want every column, so we'll specify exactly which ones to use

```

[110]: df = df[[
        'date',
        'visit_team',
        'home_team',
        'visit_score',
        'home_score',
        'game_length_outs',
        'day_night',
        'park_id',
        'visit_manager_id',
        'home_manager_id',
        'visit_sp_id',
        'home_sp_id',
        'visit_player_1_id',
        'visit_player_2_id',
        'visit_player_3_id',
        'visit_player_4_id',
        'visit_player_5_id',
        'visit_player_6_id',
        'visit_player_7_id',
        'visit_player_8_id',
        'visit_player_9_id',
        'home_player_1_id',
        'home_player_2_id',
        'home_player_3_id',

```

```

        'home_player_4_id',
        'home_player_5_id',
        'home_player_6_id',
        'home_player_7_id',
        'home_player_8_id',
        'home_player_9_id'
    ]]

```

```
[111]: df
```

```

[111]:
      date visit_team home_team  visit_score  home_score \
0    20150406      MIN      DET            0            4
1    20150406      CLE      HOU            0            2
2    20150406      CHA      KCA            1           10
3    20150406      TOR      NYA            6            1
4    20150406      TEX      OAK            0            8
...      ...      ...      ...      ...      ...
2423  20151004      CHN      MIL            3            1
2424  20151004      WAS      NYN            0            1
2425  20151004      MIA      PHI            2            7
2426  20151004      CIN      PIT            0            4
2427  20151004      COL      SFN            7            3

      game_length_outs day_night park_id visit_manager_id home_manager_id \
0                   51         D   DET05      molip001      ausmb001
1                   51         N   HOU03      frant001      hinca001
2                   51         D   KAN06      ventr001      yoste001
3                   54         D   NYC21      gibbj001      giraj001
4                   51         N   OAK01      banij001      melvb001
...      ...      ...      ...      ...      ...
2423          54         D   MIL06      maddj801      councl001
2424          51         D   NYC20      willm003      collt801
2425          51         D   PHI13      jennd801      mackp101
2426          51         D   PIT08      pricb801      hurdc001
2427          54         D   SF003      weisw001      bochb002

      ... visit_player_9_id home_player_1_id home_player_2_id \
0      ...      schaj002      davir003      kinsi001
1      ...      ramij003      altuj001      sprig001
2      ...      johnm006      escoa003      mousm001
3      ...      travd001      ellsj001      gardb001
4      ...      odorr001      gentc001      fulds001
...      ...      ...      ...      ...
2423      ...      hared001      genns001      petes002
2424      ...      roart001      granc001      wrigd002
2425      ...      conla001      galvf001      altha001
2426      ...      smitj004      polag001      harrj002

```

| | | | | | |
|------|------------------|------------------|------------------|------------------|---|
| 2427 | ... | bergc001 | pagaa001 | tomlk001 | |
| | home_player_3_id | home_player_4_id | home_player_5_id | home_player_6_id | \ |
| 0 | cabrm001 | martv001 | martj006 | cespy001 | |
| 1 | valbl001 | gatte001 | cartc002 | castj006 | |
| 2 | cainl001 | hosme001 | morak001 | gora001 | |
| 3 | beltc001 | teixm001 | mccab002 | headc001 | |
| 4 | zobrb001 | butlb003 | davii001 | lawrb002 | |
| ... | ... | ... | ... | ... | |
| 2423 | linda001 | davik003 | santd002 | pereh001 | |
| 2424 | murpd006 | cespy001 | dudal001 | darnt001 | |
| 2425 | franm004 | ruf-d001 | fran-j004 | blana001 | |
| 2426 | mccua001 | walkn001 | marts002 | alvap001 | |
| 2427 | duffm002 | poseb001 | parkj002 | willm008 | |

| | | | |
|------|------------------|------------------|------------------|
| | home_player_7_id | home_player_8_id | home_player_9_id |
| 0 | castn001 | avila001 | iglej001 |
| 1 | lowrj001 | rasmc001 | marij002 |
| 2 | rios002 | peres002 | infao001 |
| 3 | rodra001 | drewn001 | gregd001 |
| 4 | vogts001 | semim001 | sogae001 |
| ... | ... | ... | ... |
| 2423 | seguj002 | maldm001 | lopej004 |
| 2424 | confm001 | tejar001 | degrj001 |
| 2425 | krate001 | ruppc001 | buchd001 |
| 2426 | cervf001 | mercj002 | happj001 |
| 2427 | noonn001 | willj005 | cainm001 |

[2428 rows x 33 columns]

```
[112]: df['date'] = df['date'].astype(str)
```

'date' isn't very useful, so we'll export it to three separate columns.

```
[113]: df['year'] = df['date'].str[0:4].astype(int)
df['month'] = df['date'].str[4:6].astype(int)
df['day'] = df['date'].str[6:8].astype(int)
```

```
[114]: df
```

```
[114]:
```

| | | | | | | |
|-----|----------|------------|-----------|-------------|------------|---|
| | date | visit_team | home_team | visit_score | home_score | \ |
| 0 | 20150406 | MIN | DET | 0 | 4 | |
| 1 | 20150406 | CLE | HOU | 0 | 2 | |
| 2 | 20150406 | CHA | KCA | 1 | 10 | |
| 3 | 20150406 | TOR | NYA | 6 | 1 | |
| 4 | 20150406 | TEX | OAK | 0 | 8 | |
| ... | ... | ... | ... | ... | ... | |

| | | | | | |
|------|----------|-----|-----|---|---|
| 2423 | 20151004 | CHN | MIL | 3 | 1 |
| 2424 | 20151004 | WAS | NYN | 0 | 1 |
| 2425 | 20151004 | MIA | PHI | 2 | 7 |
| 2426 | 20151004 | CIN | PIT | 0 | 4 |
| 2427 | 20151004 | COL | SFN | 7 | 3 |

| | game_length_outs | day_night | park_id | visit_manager_id | home_manager_id | \ |
|------|------------------|-----------|---------|------------------|-----------------|---|
| 0 | 51 | D | DET05 | molip001 | ausmb001 | |
| 1 | 51 | N | HOU03 | frant001 | hinca001 | |
| 2 | 51 | D | KAN06 | ventr001 | yoste001 | |
| 3 | 54 | D | NYC21 | gibbj001 | giraj001 | |
| 4 | 51 | N | OAK01 | banij001 | melvb001 | |
| ... | ... | ... | ... | ... | ... | |
| 2423 | 54 | D | MIL06 | maddj801 | counc001 | |
| 2424 | 51 | D | NYC20 | willm003 | collt801 | |
| 2425 | 51 | D | PHI13 | jennd801 | mackp101 | |
| 2426 | 51 | D | PIT08 | pricb801 | hurdc001 | |
| 2427 | 54 | D | SF003 | weisw001 | bochb002 | |

| | ... | home_player_3_id | home_player_4_id | home_player_5_id | home_player_6_id | \ |
|------|-----|------------------|------------------|------------------|------------------|---|
| 0 | ... | cabrm001 | martv001 | martj006 | cespy001 | |
| 1 | ... | valbl001 | gatte001 | cartc002 | castj006 | |
| 2 | ... | cainl001 | hosme001 | morak001 | gorda001 | |
| 3 | ... | beltc001 | teixm001 | mccab002 | headc001 | |
| 4 | ... | zobrb001 | butlb003 | davii001 | lawrb002 | |
| ... | ... | ... | ... | ... | ... | |
| 2423 | ... | linda001 | davik003 | santd002 | pereh001 | |
| 2424 | ... | murpd006 | cespy001 | dudal001 | darnt001 | |
| 2425 | ... | franm004 | ruf-d001 | franj004 | blana001 | |
| 2426 | ... | mccua001 | walkn001 | marts002 | alvap001 | |
| 2427 | ... | duffm002 | poseb001 | parkj002 | willm008 | |

| | home_player_7_id | home_player_8_id | home_player_9_id | year | month | day |
|------|------------------|------------------|------------------|------|-------|-----|
| 0 | castn001 | avila001 | iglej001 | 2015 | 4 | 6 |
| 1 | lowrj001 | rasmc001 | marij002 | 2015 | 4 | 6 |
| 2 | riosa002 | peres002 | infao001 | 2015 | 4 | 6 |
| 3 | rodra001 | drews001 | gregd001 | 2015 | 4 | 6 |
| 4 | vogts001 | semim001 | sogae001 | 2015 | 4 | 6 |
| ... | ... | ... | ... | ... | ... | ... |
| 2423 | seguj002 | maldm001 | lopej004 | 2015 | 10 | 4 |
| 2424 | confm001 | tejar001 | degrj001 | 2015 | 10 | 4 |
| 2425 | krate001 | ruppc001 | buchd001 | 2015 | 10 | 4 |
| 2426 | cervf001 | mercj002 | happj001 | 2015 | 10 | 4 |
| 2427 | noonn001 | willj005 | cainm001 | 2015 | 10 | 4 |

[2428 rows x 36 columns]

We aren't going to use every column in the final model, but we want to make sure that the ones we will are in the proper format.

```
[115]: night_game = pd.get_dummies(df['day_night'], drop_first=True)
```

```
[116]: night_game
```

```
[116]:
```

| | N |
|------|----|
| 0 | 0 |
| 1 | 1 |
| 2 | 0 |
| 3 | 0 |
| 4 | 1 |
| ... | .. |
| 2423 | 0 |
| 2424 | 0 |
| 2425 | 0 |
| 2426 | 0 |
| 2427 | 0 |

[2428 rows x 1 columns]

```
[117]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 2428 entries, 0 to 2427
Data columns (total 36 columns):
#   Column                Non-Null Count  Dtype
---  -
0   date                  2428 non-null   object
1   visit_team            2428 non-null   object
2   home_team             2428 non-null   object
3   visit_score           2428 non-null   int64
4   home_score            2428 non-null   int64
5   game_length_outs      2428 non-null   int64
6   day_night             2428 non-null   object
7   park_id               2428 non-null   object
8   visit_manager_id      2428 non-null   object
9   home_manager_id       2428 non-null   object
10  winning_pitcher_id    2428 non-null   object
11  losing_pitcher_id     2428 non-null   object
12  saving_pitcher_id     1291 non-null   object
13  visit_sp_id           2428 non-null   object
14  home_sp_id            2428 non-null   object
15  visit_player_1_id     2428 non-null   object
16  visit_player_2_id     2428 non-null   object
17  visit_player_3_id     2428 non-null   object
18  visit_player_4_id     2428 non-null   object
```

```

19 visit_player_5_id    2428 non-null    object
20 visit_player_6_id    2428 non-null    object
21 visit_player_7_id    2428 non-null    object
22 visit_player_8_id    2428 non-null    object
23 visit_player_9_id    2428 non-null    object
24 home_player_1_id     2428 non-null    object
25 home_player_2_id     2428 non-null    object
26 home_player_3_id     2428 non-null    object
27 home_player_4_id     2428 non-null    object
28 home_player_5_id     2428 non-null    object
29 home_player_6_id     2428 non-null    object
30 home_player_7_id     2428 non-null    object
31 home_player_8_id     2428 non-null    object
32 home_player_9_id     2428 non-null    object
33 year                 2428 non-null    int64
34 month                2428 non-null    int64
35 day                  2428 non-null    int64

```

dtypes: int64(6), object(30)

memory usage: 683.0+ KB

```
[118]: df.insert(loc=6, column='night_game', value=night_game)
```

```
[119]: df
```

```

[119]:
      date visit_team home_team visit_score home_score \
0    20150406      MIN      DET           0           4
1    20150406      CLE      HOU           0           2
2    20150406      CHA      KCA           1          10
3    20150406      TOR      NYA           6           1
4    20150406      TEX      OAK           0           8
...      ...      ...      ...      ...      ...
2423  20151004      CHN      MIL           3           1
2424  20151004      WAS      NYN           0           1
2425  20151004      MIA      PHI           2           7
2426  20151004      CIN      PIT           0           4
2427  20151004      COL      SFN           7           3

      game_length_outs  night_game day_night park_id visit_manager_id ... \
0                   51           0         D   DET05      molip001 ...
1                   51           1         N   HOU03      frant001 ...
2                   51           0         D   KAN06      ventr001 ...
3                   54           0         D   NYC21      gibbj001 ...
4                   51           1         N   OAK01      banij001 ...
...      ...      ...      ...      ...      ...
2423                54           0         D   MIL06      maddj801 ...
2424                51           0         D   NYC20      willm003 ...
2425                51           0         D   PHI13      jennd801 ...

```

| | | | | | | |
|------|----|---|---|-------|----------|-----|
| 2426 | 51 | 0 | D | PIT08 | pricb801 | ... |
| 2427 | 54 | 0 | D | SF003 | weisw001 | ... |

| | home_player_3_id | home_player_4_id | home_player_5_id | home_player_6_id | \ |
|------|------------------|------------------|------------------|------------------|---|
| 0 | cabrm001 | martv001 | martj006 | cespy001 | |
| 1 | valbl001 | gatte001 | cartc002 | castj006 | |
| 2 | cainl001 | hosme001 | morak001 | gorda001 | |
| 3 | beltc001 | teixm001 | mccab002 | headc001 | |
| 4 | zobrb001 | butlb003 | davii001 | lawrb002 | |
| ... | ... | ... | ... | ... | |
| 2423 | linda001 | davik003 | santtd002 | pereh001 | |
| 2424 | murpd006 | cespy001 | dudal001 | darnt001 | |
| 2425 | franm004 | ruf-d001 | franjd004 | blana001 | |
| 2426 | mccua001 | walkn001 | marts002 | alvap001 | |
| 2427 | duffm002 | poseb001 | parkj002 | willm008 | |

| | home_player_7_id | home_player_8_id | home_player_9_id | year | month | day |
|------|------------------|------------------|------------------|------|-------|-----|
| 0 | castn001 | avila001 | iglej001 | 2015 | 4 | 6 |
| 1 | lowrj001 | rasmc001 | marij002 | 2015 | 4 | 6 |
| 2 | riosaa002 | peres002 | infao001 | 2015 | 4 | 6 |
| 3 | rodra001 | drews001 | gregd001 | 2015 | 4 | 6 |
| 4 | vogts001 | semim001 | sogae001 | 2015 | 4 | 6 |
| ... | ... | ... | ... | ... | ... | ... |
| 2423 | seguj002 | maldm001 | lopej004 | 2015 | 10 | 4 |
| 2424 | confm001 | tejar001 | degrj001 | 2015 | 10 | 4 |
| 2425 | krate001 | ruppc001 | buchd001 | 2015 | 10 | 4 |
| 2426 | cervf001 | mercj002 | happj001 | 2015 | 10 | 4 |
| 2427 | noonn001 | willj005 | cainm001 | 2015 | 10 | 4 |

[2428 rows x 37 columns]

```
[120]: to_drop = ['date', 'day_night']
```

```
[121]: df = df.drop(columns=to_drop)
```

```
[122]: df
```

```
[122]:
```

| | visit_team | home_team | visit_score | home_score | game_length_outs | \ |
|------|------------|-----------|-------------|------------|------------------|---|
| 0 | MIN | DET | 0 | 4 | 51 | |
| 1 | CLE | HOU | 0 | 2 | 51 | |
| 2 | CHA | KCA | 1 | 10 | 51 | |
| 3 | TOR | NYA | 6 | 1 | 54 | |
| 4 | TEX | OAK | 0 | 8 | 51 | |
| ... | ... | ... | ... | ... | ... | |
| 2423 | CHN | MIL | 3 | 1 | 54 | |
| 2424 | WAS | NYN | 0 | 1 | 51 | |
| 2425 | MIA | PHI | 2 | 7 | 51 | |

| | | | | | |
|------|-----|-----|---|---|----|
| 2426 | CIN | PIT | 0 | 4 | 51 |
| 2427 | COL | SFN | 7 | 3 | 54 |

| | night_game | park_id | visit_manager_id | home_manager_id | winning_pitcher_id | \ |
|------|------------|---------|------------------|-----------------|--------------------|---|
| 0 | 0 | DET05 | molip001 | ausmb001 | pricd001 | |
| 1 | 1 | HOU03 | frant001 | hinca001 | keucd001 | |
| 2 | 0 | KAN06 | ventr001 | yoste001 | venty001 | |
| 3 | 0 | NYC21 | gibbj001 | giraj001 | hutcd001 | |
| 4 | 1 | OAK01 | banij001 | melvb001 | grays001 | |
| ... | ... | ... | ... | ... | ... | |
| 2423 | 0 | MIL06 | maddj801 | counc001 | hared001 | |
| 2424 | 0 | NYC20 | willm003 | collt801 | clipt001 | |
| 2425 | 0 | PHI13 | jenn801 | mackp101 | garcl005 | |
| 2426 | 0 | PIT08 | pricb801 | hurdc001 | happj001 | |
| 2427 | 0 | SF003 | weisw001 | bochb002 | brotr001 | |

| | ... | home_player_3_id | home_player_4_id | home_player_5_id | home_player_6_id | \ |
|------|-----|------------------|------------------|------------------|------------------|---|
| 0 | ... | cabrm001 | martv001 | martj006 | cespy001 | |
| 1 | ... | valbl001 | gatte001 | cartc002 | castj006 | |
| 2 | ... | cainl001 | hosme001 | morak001 | gorda001 | |
| 3 | ... | beltc001 | teixm001 | mccab002 | headc001 | |
| 4 | ... | zobrb001 | butlb003 | davii001 | lawrb002 | |
| ... | ... | ... | ... | ... | ... | |
| 2423 | ... | linda001 | davik003 | santd002 | pereh001 | |
| 2424 | ... | murpd006 | cespy001 | dudal001 | darnt001 | |
| 2425 | ... | franm004 | ruf-d001 | fran004 | blana001 | |
| 2426 | ... | mccua001 | walkn001 | marts002 | alvap001 | |
| 2427 | ... | duffm002 | poseb001 | parkj002 | willm008 | |

| | home_player_7_id | home_player_8_id | home_player_9_id | year | month | day |
|------|------------------|------------------|------------------|------|-------|-----|
| 0 | castn001 | avila001 | iglej001 | 2015 | 4 | 6 |
| 1 | lowrj001 | rasmc001 | marij002 | 2015 | 4 | 6 |
| 2 | riosa002 | peres002 | infao001 | 2015 | 4 | 6 |
| 3 | rodra001 | drews001 | gregd001 | 2015 | 4 | 6 |
| 4 | vogts001 | semim001 | sogae001 | 2015 | 4 | 6 |
| ... | ... | ... | ... | ... | ... | ... |
| 2423 | seguj002 | maldm001 | lopej004 | 2015 | 10 | 4 |
| 2424 | confm001 | tejar001 | degrj001 | 2015 | 10 | 4 |
| 2425 | krate001 | ruppc001 | buchd001 | 2015 | 10 | 4 |
| 2426 | cervf001 | mercj002 | happj001 | 2015 | 10 | 4 |
| 2427 | noonn001 | willj005 | cainm001 | 2015 | 10 | 4 |

[2428 rows x 35 columns]

```
[123]: df['visit_team'] = df['visit_team'].apply(get_team)
```

```
[124]: df['home_team'] = df['home_team'].apply(get_team)
```

Early games only took place during the day, so we need to handle the effects of using one-hot encoding when dropping first with those.

```
[147]: file_path = '../core/data/retrosheet/gamelogs/GL{}'.format(1919)
df = pd.read_csv(file_path + '.TXT', delimiter = ',', header = 0, names = _
    ↪columns)
```

```
[148]: df['day_night'].nunique()
```

```
[148]: 1
```

```
[149]: pd.get_dummies(df['day_night'])
```

```
[149]:      D
0      1
1      1
2      1
3      1
4      1
...   ..
1112   1
1113   1
1114   1
1115   1
1116   1

[1117 rows x 1 columns]
```

Final Script

```
[172]: for year in range(1919, 2020):
    file_path = '../core/data/retrosheet/gamelogs/GL{}'.format(year)
    df = pd.read_csv(file_path + '.TXT', delimiter = ',', header = 0, names = _
        ↪columns)
    df = df[[
        'date',
        'visit_team',
        'home_team',
        'visit_score',
        'home_score',
        'game_length_outs',
        'day_night',
        'park_id',
        'visit_manager_id',
        'home_manager_id',
        'winning_pitcher_id',
        'losing_pitcher_id',
        'saving_pitcher_id',
```

```

        'visit_sp_id',
        'home_sp_id',
        'visit_player_1_id',
        'visit_player_2_id',
        'visit_player_3_id',
        'visit_player_4_id',
        'visit_player_5_id',
        'visit_player_6_id',
        'visit_player_7_id',
        'visit_player_8_id',
        'visit_player_9_id',
        'home_player_1_id',
        'home_player_2_id',
        'home_player_3_id',
        'home_player_4_id',
        'home_player_5_id',
        'home_player_6_id',
        'home_player_7_id',
        'home_player_8_id',
        'home_player_9_id',
    ]]
    df['date'] = df['date'].astype(str)
    df['year'] = df['date'].str[0:4].astype(int)
    df['month'] = df['date'].str[4:6].astype(int)
    df['day'] = df['date'].str[6:8].astype(int)
    night_game = pd.get_dummies(df['day_night'], drop_first=(df['day_night'].
    ↪nunique() > 1))
    df.insert(loc=6, column='night_game', value=night_game)
    df = df.drop(columns=['date', 'day_night'])
    df['visit_team'] = df['visit_team'].apply(get_team)
    df['home_team'] = df['home_team'].apply(get_team)
    if os.path.exists(file_path + '.TXT'):
        os.remove(file_path + '.TXT')
    df.to_csv(file_path + '.csv', index=False)

```

```
[170]: df = pd.read_csv('../core/data/retrosheet/gamelogs/GL2015.csv')
```

```
[173]: df
```

```
[173]:
```

| | visit_team | home_team | visit_score | home_score | game_length_outs | \ |
|------|------------|-----------|-------------|------------|------------------|---|
| 0 | MIN | DET | 0 | 4 | 51 | |
| 1 | CLE | HOU | 0 | 2 | 51 | |
| 2 | CHW | KCR | 1 | 10 | 51 | |
| 3 | TOR | NYN | 6 | 1 | 54 | |
| 4 | TEX | OAK | 0 | 8 | 51 | |
| ... | ... | ... | ... | ... | ... | |
| 2423 | CHC | MIL | 3 | 1 | 54 | |

| | | | | | |
|------|-----|-----|---|---|----|
| 2424 | WSN | NYM | 0 | 1 | 51 |
| 2425 | FLA | PHI | 2 | 7 | 51 |
| 2426 | CIN | PIT | 0 | 4 | 51 |
| 2427 | COL | SFG | 7 | 3 | 54 |

| | night_game | park_id | visit_manager_id | home_manager_id | winning_pitcher_id | \ |
|------|------------|---------|------------------|-----------------|--------------------|---|
| 0 | 0 | DET05 | molip001 | ausmb001 | pricd001 | |
| 1 | 1 | HOU03 | frant001 | hinca001 | keucd001 | |
| 2 | 0 | KAN06 | ventr001 | yoste001 | venty001 | |
| 3 | 0 | NYC21 | gibbj001 | giraj001 | hutcd001 | |
| 4 | 1 | OAK01 | banij001 | melvb001 | grays001 | |
| ... | ... | ... | ... | ... | ... | |
| 2423 | 0 | MIL06 | maddj801 | counc001 | hared001 | |
| 2424 | 0 | NYC20 | willm003 | collt801 | clipt001 | |
| 2425 | 0 | PHI13 | jennd801 | mackp101 | garcl005 | |
| 2426 | 0 | PIT08 | pricb801 | hurdc001 | happj001 | |
| 2427 | 0 | SF003 | weisw001 | bochb002 | brotr001 | |

| | ... | home_player_3_id | home_player_4_id | home_player_5_id | home_player_6_id | \ |
|------|-----|------------------|------------------|------------------|------------------|---|
| 0 | ... | cabrm001 | martv001 | martj006 | cespy001 | |
| 1 | ... | valbl001 | gatte001 | cartc002 | castj006 | |
| 2 | ... | cainl001 | hosme001 | morak001 | gorda001 | |
| 3 | ... | beltc001 | teixm001 | mccab002 | headc001 | |
| 4 | ... | zobrb001 | butlb003 | davii001 | lawrb002 | |
| ... | ... | ... | ... | ... | ... | |
| 2423 | ... | linda001 | davik003 | santd002 | pereh001 | |
| 2424 | ... | murpd006 | cespy001 | dudal001 | darnt001 | |
| 2425 | ... | franm004 | ruf-d001 | franj004 | blana001 | |
| 2426 | ... | mccua001 | walkn001 | marts002 | alvap001 | |
| 2427 | ... | duffm002 | poseb001 | parkj002 | willm008 | |

| | home_player_7_id | home_player_8_id | home_player_9_id | year | month | day |
|------|------------------|------------------|------------------|------|-------|-----|
| 0 | castn001 | avila001 | iglej001 | 2015 | 4 | 6 |
| 1 | lowrj001 | rasmc001 | marij002 | 2015 | 4 | 6 |
| 2 | rios002 | peres002 | infao001 | 2015 | 4 | 6 |
| 3 | rodra001 | drews001 | gregd001 | 2015 | 4 | 6 |
| 4 | vogts001 | semim001 | sogae001 | 2015 | 4 | 6 |
| ... | ... | ... | ... | ... | ... | ... |
| 2423 | seguj002 | maldm001 | lopej004 | 2015 | 10 | 4 |
| 2424 | confm001 | tejar001 | degrj001 | 2015 | 10 | 4 |
| 2425 | krate001 | ruppc001 | buchd001 | 2015 | 10 | 4 |
| 2426 | cervf001 | mercj002 | happj001 | 2015 | 10 | 4 |
| 2427 | noonn001 | willj005 | cainm001 | 2015 | 10 | 4 |

[2428 rows x 35 columns]

When we do the actual script, we don't want the column names hardcoded into it. So I've pasted

those to .csv files but I need to process them a bit.

```
[252]: gla = pd.read_csv('../core/data/retrosheet/rs_gl_cols_all.csv', header=None)
      gl = pd.read_csv('../core/data/retrosheet/rs_gl_cols.csv', header=None)
```

```
[254]: gl
```

```
[254]:
0      0
0      'date',
1      'visit_team',
2      'home_team',
3      'visit_score',
4      'home_score',
5      'game_length_outs',
6      'day_night',
7      'park_id',
8      'visit_manager_id',
9      'home_manager_id',
10     'winning_pitcher_id',
11     'losing_pitcher_id',
12     'saving_pitcher_id',
13     'visit_sp_id',
14     'home_sp_id',
15     'visit_player_1_id',
16     'visit_player_2_id',
17     'visit_player_3_id',
18     'visit_player_4_id',
19     'visit_player_5_id',
20     'visit_player_6_id',
21     'visit_player_7_id',
22     'visit_player_8_id',
23     'visit_player_9_id',
24     'home_player_1_id',
25     'home_player_2_id',
26     'home_player_3_id',
27     'home_player_4_id',
28     'home_player_5_id',
29     'home_player_6_id',
30     'home_player_7_id',
31     'home_player_8_id',
32     'home_player_9_id'
```

We need to get rid of whitespace, commas and quotation marks.

```
[189]: gla.iloc[156][0].replace(',', '')
```

```
[189]: "    'home_player_9_id'"
```



```

[190]: from functools import reduce

[241]: def trim_cell(cell):
        replacements = {' ': '', '"': "'", ',': ''}
        string = cell[0]
        return reduce(lambda a, kv: a.replace(*kv), replacements.items(), string)

[200]: print(trim_cell(gla.iloc[156]))

home_player_9_id

[255]: gla = gla.apply(trim_cell, axis=1)

[256]: type(gla)

pandas.core.series.Series

[257]: gl = gl.apply(trim_cell, axis=1)

[258]: gla.to_csv('../core/data/retrosheet/rs_gl_cols_all.csv', header=None)
gl.to_csv('../core/data/retrosheet/rs_gl_cols.csv', header=None)

[259]: gla = pd.read_csv('../core/data/retrosheet/rs_gl_cols_all.csv', header=None)
gl = pd.read_csv('../core/data/retrosheet/rs_gl_cols.csv', header=None)

[260]: gl

[260]:      0      1
0  0      date
1  1  visit_team
2  2  home_team
3  3  visit_score
4  4  home_score
5  5  game_length_outs
6  6  day_night
7  7  park_id
8  8  visit_manager_id
9  9  home_manager_id
10 10 winning_pitcher_id
11 11 losing_pitcher_id
12 12 saving_pitcher_id
13 13 visit_sp_id
14 14 home_sp_id
15 15 visit_player_1_id
16 16 visit_player_2_id
17 17 visit_player_3_id
18 18 visit_player_4_id

```

```

19 19  visit_player_5_id
20 20  visit_player_6_id
21 21  visit_player_7_id
22 22  visit_player_8_id
23 23  visit_player_9_id
24 24  home_player_1_id
25 25  home_player_2_id
26 26  home_player_3_id
27 27  home_player_4_id
28 28  home_player_5_id
29 29  home_player_6_id
30 30  home_player_7_id
31 31  home_player_8_id
32 32  home_player_9_id

```

```
[261]: gla[1].tolist()
```

```

[261]: ['date',
        'game_number',
        'day_of_week',
        'visit_team',
        'visit_league',
        'visit_game_number',
        'home_team',
        'home_league',
        'home_game_number',
        'visit_score',
        'home_score',
        'game_length_outs',
        'day_night',
        'completion_info',
        'forfeit_info',
        'protest_info',
        'park_id',
        'attendance',
        'time_minutes',
        'visit_line_score',
        'home_line_score',
        'visit_ab',
        'visit_h',
        'visit_2b',
        'visit_3b',
        'visit_hr',
        'visit_rbi',
        'visit_sh',
        'visit_sf',
        'visit_hbp',

```

'visit_bb',
'visit_ibt',
'visit_k',
'visit_sb',
'visit_cs',
'visit_gidp',
'visit_ci',
'visit_lob',
'visit_pitchers_used',
'visit_individual_er',
'visit_team_er',
'visit_wp',
'visit_bk',
'visit_po',
'visit_assists',
'visit_e',
'visit_passed_balls',
'visit_double_plays',
'visit_triple_plays',
'home_ab',
'home_h',
'home_2b',
'home_3b',
'home_hr',
'home_rbi',
'home_sh',
'home_sf',
'home_hbp',
'home_bb',
'home_ibt',
'home_k',
'home_sb',
'home_cs',
'home_gidp',
'home_ci',
'home_lob',
'home_pitchers_used',
'home_individual_er',
'home_team_er',
'home_wp',
'home_bk',
'home_po',
'home_assists',
'home_e',
'home_passed_balls',
'home_double_plays',
'home_triple_plays',

'hp_ump_id',
'hp_ump_name',
'1b_ump_id',
'1b_ump_name',
'2b_ump_id',
'2b_ump_name',
'3b_ump_id',
'3b_ump_name',
'lf_ump_id',
'lf_ump_name',
'rf_ump_id',
'rf_ump_name',
'visit_manager_id',
'visit_manager_name',
'home_manager_id',
'home_manager_name',
'winning_pitcher_id',
'winning_pitcher_name',
'losing_pitcher_id',
'losing_pitcher_name',
'saving_pitcher_id',
'saving_pitcher_name',
'winning_rbi_batter_id',
'winning_rbi_batter_name',
'visit_sp_id',
'visit_sp_name',
'home_sp_id',
'home_sp_name',
'visit_player_1_id',
'visit_player_1_name',
'visit_player_1_pos',
'visit_player_2_id',
'visit_player_2_name',
'visit_player_2_pos',
'visit_player_3_id',
'visit_player_3_name',
'visit_player_3_pos',
'visit_player_4_id',
'visit_player_4_name',
'visit_player_4_pos',
'visit_player_5_id',
'visit_player_5_name',
'visit_player_5_pos',
'visit_player_6_id',
'visit_player_6_name',
'visit_player_6_pos',
'visit_player_7_id',

```

'visit_player_7_name',
'visit_player_7_pos',
'visit_player_8_id',
'visit_player_8_name',
'visit_player_8_pos',
'visit_player_9_id',
'visit_player_9_name',
'visit_player_9_pos',
'home_player_1_id',
'home_player_1_name',
'home_player_1_pos',
'home_player_2_id',
'home_player_2_name',
'home_player_2_pos',
'home_player_3_id',
'home_player_3_name',
'home_player_3_pos',
'home_player_4_id',
'home_player_4_name',
'home_player_4_pos',
'home_player_5_id',
'home_player_5_name',
'home_player_5_pos',
'home_player_6_id',
'home_player_6_name',
'home_player_6_pos',
'home_player_7_id',
'home_player_7_name',
'home_player_7_pos',
'home_player_8_id',
'home_player_8_name',
'home_player_8_pos',
'home_player_9_id',
'home_player_9_name',
'home_player_9_pos',
'additional_info',
'acquisition_info']

```

[247]: g1

```

[247]:          0
0      visit_team
1      home_team
2      visit_score
3      home_score
4  game_length_outs
5      day_night

```

```
6         park_id
7     visit_manager_id
8     home_manager_id
9     winning_pitcher_id
10    losing_pitcher_id
11    saving_pitcher_id
12        visit_sp_id
13        home_sp_id
14    visit_player_1_id
15    visit_player_2_id
16    visit_player_3_id
17    visit_player_4_id
18    visit_player_5_id
19    visit_player_6_id
20    visit_player_7_id
21    visit_player_8_id
22    visit_player_9_id
23    home_player_1_id
24    home_player_2_id
25    home_player_3_id
26    home_player_4_id
27    home_player_5_id
28    home_player_6_id
29    home_player_7_id
30    home_player_8_id
31    home_player_9_id
```

[]: