









**Figure 17.12** The effect of pregnancy on the corpus luteum and endometrium.

If pregnancy occurs, the corpus luteum does not regress. Instead, the corpus luteum is maintained and secretes increasing amounts of progesterone. Therefore, menstruation does not occur and the uterine lining, where the embryo resides, is maintained.



# Mammalian Oocyte





例子:海胆

例子:哺乳类

胶质膜 (jelly coat)

放射冠 (corona radiata)

卵黄膜 (vitelline membrane)

透明带 (zona pellucida)



**Human sperm as seen in the  
scanning electron microscope**


**Head**

**Midpiece**


**Endpiece**


**Tail**

**Magnified x 12,000**




## 皮质颗粒






A、刚从卵巢排出的次级卵母细胞




B、一个精子进入卵内，卵细胞已完成第二次成熟分裂




C、雌性原核和雄性原核已形成并互相靠近




D、雌性原核和雄性原核互相融合




E、受精过程已完成并进入第一次卵裂的中期




A. 开始卵裂




B. 2细胞期




C. 4细胞期




D. 8细胞期




E. 桑椹胚




F. 早期胚泡



G. 胚泡



受精卵 2 4  
8 桑椹胚





极  
体



**TR-滋养层**

T  
T

**ICM-内细胞群**



**Hatching**

1Pellucid zone

2 Trophoblast

(outer cell mass)

3 Hypoblast

(part of the inner cell mass) 4Blastocyst cavity

5Epiblast

(part of the inner cell mass)

子宮内膜

囊胚

滋



养层

内细胞群

囊胚腔



羊膜腔 内胚 胚盘

层

绒毛膜

羊膜

羊膜腔


外胚层

内胚层

卵黄囊

绒毛间隙

子宫内膜



胚盘

脐带

绒毛











总结胎盘的功能：

妊娠期间体内激素的变化：



