

Container API 3.24.4 OAS3

https://demo.service.avalog.com/capi/specifications/obj_cont

Servers

/api1/ - Development server

API endpoints

GET /obj-contrs Get Container objects.



POST /obj-contrs Create a new Container object



GET /obj-contrs/{obj_cont_id} Get a Container object



PATCH /obj-contrs/{obj_cont_id} Modify/update an existing Container object



DELETE /obj-contrs/{obj_cont_id} Delete a Container object



Schemas

code_tab_ref

code_tab_ref_action

doc_ref

mba\$closing

mba\$compli_block_list

mba\$compli_block_list_mba\$compli_block

mba\$docm

mba\$docm_mba\$docm_det

mba\$inactive

mba\$intl

mba\$name_extn

mba\$perf_det

mba\$realty_list

mba\$realty_list_mba\$cont_realty_det

mba\$recon

obj_add

obj_add_val

obj_classif

obj_classif_

obj_classif_set_

obj_cont

obj_cont_extn

obj_cont_in

obj_cont_ref_curry

List of obj_cont

obj_dfacc_ref

obj_direct_resp_rel

obj_key

obj_key_ref_

obj_key_single_

obj_minstr

obj_minstr_item

obj_name

obj_ref

obj_rel

obj_rel_addr

obj_rel_docm

obj_remark

obj_remark_det

obj_secevt2_sinstr

obj_trans

user_ref

xrate_pin_ref

obj_id_ref

code_tab_id_ref

timeseries

period

perfDet

performance_pillar

code_access

validationResult