

Position API 3.31.0 OAS3

https://demo.service.avalog.com/capi/specifications/obj_pos

Servers

/api1/ - Development server

API endpoints



GET /obj-poss Get Position objects.



POST /obj-poss Create a new Position object



GET /obj-poss/{obj_pos_id} Get a Position object



PATCH /obj-poss/{obj_pos_id} Modify/update an existing Position object



DELETE /obj-poss/{obj_pos_id} Delete a Position object



Schemas



cldr

cldr_day

cldr_period

code_tab_ref

code_tab_ref_action

compo_accr_contri

compo_accr_contri_fix

compo_accr_grad

compo_intr

compo_macc

doc_ref

intr_rate_rec

mba\$add_acc_descn

mba\$cash_mngt

mba\$compli_block_list

mba\$compli_block_list_mba\$compli_block

mba\$docm

mba\$docm_mba\$docm_det

mba\$last_seq_nr

mba\$name_extn

mba\$recon

mba\$rsp

mba\$rsp_mba\$rsp_det

obj_add

obj_add_val

obj_classif

obj_classif_

obj_classif_set_

obj_dfacc_ref

obj_key

obj_key_ref_

obj_key_single_

obj_minstr

obj_minstr_item

obj_name

obj_pos

obj_pos_asset

obj_pos_extn

List of obj_pos

obj_ref

obj_rel

obj_rel_addr

obj_rel_docm

obj_remark

obj_remark_det

obj_trans

pos_block

pos_collat_rule

pos_cred_block

pos_metal

pos_widrw_notice

user_ref

xrate_pin_ref

obj_id_ref

code_tab_id_ref

timeseries

credit_id_ref

performance_pillar

position_pillar

booking_pillar

collat_det

credit_pillar

avl_qty_det

avl_qty_pillar

validationResult