src/components/LocationAdmin.vue

```
<template>
 2
      <div class="admin-container">
 3
        <router-link to="/">Voltar para o Mapa</router-link>
 4
        <h1>Admin de Locais</h1>
 6
        <div v-if="localLoading" class="loading">Carregando...</div>
        <div v-if="localError" class="error">{{ localError }}</div>
 7
        <div v-if="localSuccessMessage" class="success">{{ localSuccessMessage }}</div>
 8
 9
10
        <button @click="showAddForm" :disabled="localLoading || showForm" class="btn btn-primary">Adicionar Novo Local</button>
11
12
        <div v-if="showForm" class="form-section">
13
          <h2>{{ isEditing ? 'Editar Local' : 'Adicionar Local' }}</h2>
14
          <form @submit.prevent="handleSubmit">
15
            <div class="form-group" v-if="isEditing">
16
              <label for="id">ID:</label>
17
              <input type="text" id="id" :value="formData.id" disabled>
18
            </div>
           <div class="form-group">
19
              <label for="tipo">Tipo:</label>
20
21
              <select id="tipo" v-model="formData.tipo" required>
22
                <option v-for="tipo in tiposDisponiveis" :key="tipo" :value="tipo">
23
                  {{ tipo.charAt(0).toUpperCase() + tipo.slice(1) }}
                </option>
24
25
              </select>
26
            </div>
            <div class="form-group">
27
28
              <label for="nome">Nome:</label>
29
              <input type="text" id="nome" v-model="formData.nome" required>
30
            </div>
            <div class="form-group">
31
              <label for="andar">Andar:</label>
32
33
              <select id="andar" v-model="formData.andar" required>
                <option v-for="andar in andaresDisponiveis" :key="andar" :value="andar">
34
```

```
35
              {{ andar.charAt(0).toUpperCase() + andar.slice(1) }}
            </option>
36
37
           </select>
38
         </div>
39
         <div class="form-group">
           <label for="x">Coordenada X (0-100):</label>
40
           <input type="number" id="x" v-model="formData.x" required step="0.01" min="0" max="100">
41
42
         </div>
         <div class="form-group">
43
           <label for="y">Coordenada Y (0-100):</label>
44
           <input type="number" id="y" v-model="formData.y" required step="0.01" min="0" max="100">
45
46
         </div>
47
         <div class="form-actions">
           <button type="submit" :disabled="localLoading" class="btn btn-success">{{ isEditing ? 'Salvar Alterações' :
48
   'Criar Local' }}</button>
           <button type="button" @click="cancelForm" :disabled="localLoading" class="btn btn-secondary">Cancelar</button>
49
50
         </div>
51
        </form>
52
      </div>
53
54
      <h2>Locais Existentes</h2>
55
      <div class="table-container">
56
        57
         <thead>
58
           59
            ID
60
            Tipo
61
            Nome
62
            X
63
            Y
64
            Andar
65
            Ações
66
           </thead>
67
68
         69
           70
            Nenhum local cadastrado.
```

```
71
            72
            Falha ao carregar locais.
 73
 74
            75
            {{ loc.id }}
 76
             {{ loc.tipo || 'N/A' }}
 77
78
             {{ loc.nome }}
 79
             {{ loc.x?.toFixed ? loc.x.toFixed(2) : loc.x }}
             {{ loc.y?.toFixed ? loc.y.toFixed(2) : loc.y }}
 80
 81
             {{ loc.andar }}
 82
             <button @click="showEditForm(loc)" :disabled="localLoading || showForm" class="btn btn-warning btn-</pre>
 83
    sm">Editar</button>
               <button @click="confirmDelete(loc.id)" :disabled="localLoading || showForm" class="btn btn-danger btn-</pre>
 84
    sm">Excluir</button>
 85
             86
            87
          88
         89
       </div>
 90
     </div>
 91
    </template>
 92
 93
   <script setup>
   import { ref, onMounted, watch } from 'vue';
   import { useRouter } from 'vue-router';
   import locationService from '@/services/LocationService.js'; // Importe a instância
 96
97
 98
   const router = useRouter();
   const locations = ref([]);
 99
   const localLoading = ref(false);
100
   const localError = ref(null);
101
   const localSuccessMessage = ref(null);
102
103
104 const showForm = ref(false);
105 const isEditing = ref(false);
```

```
const tiposDisponiveis = ['location', 'Waypoints'];
106
107
     const andaresDisponiveis = ['terreo', 'primeiro'];
108
109
     const saveFormToStorage = () => {
      localStorage.setItem('locationFormData', JSON.stringify({
110
         ...formData.value,
111
         showForm: showForm.value,
112
113
        isEditing: isEditing.value,
114
      }));
115 };
116
117
    const loadFormFromStorage = () => {
       const savedData = localStorage.getItem('locationFormData');
118
      if (savedData) {
119
120
         const parsed = JSON.parse(savedData);
121
         showForm.value = parsed.showForm;
         isEditing.value = parsed.isEditing;
122
123
         delete parsed.showForm;
         delete parsed.isEditing;
124
        formData.value = parsed;
125
126
      }
127
    };
128
129
    const validateCoordinates = (value) => {
130
       if (value === null || value === undefined) return 0;
       const num = parseFloat(value);
131
132
       return Math.max(0, Math.min(100, num));
133 };
134
    const formData = ref({
135
      id: null,
136
137
      tipo: 'location',
      nome: '',
138
139
       andar: 'terreo',
140
      x: null,
141
      y: null,
142 });
```

```
143
144
    const resetForm = () => {
      formData.value = {
145
146
        id: null,
        tipo: 'location',
147
        nome: '',
148
        andar: 'terreo',
149
150
        x: null,
        y: null,
151
152
      };
153
      localStorage.removeItem('locationFormData');
154
    };
155
156
    onMounted(() => {
157
      loadLocations();
158
      loadFormFromStorage();
159
    });
160
    watch([formData, showForm, isEditing], () => {
161
      saveFormToStorage();
162
    }, { deep: true });
163
164
    function clearLocalMessages() {
165
166
      setTimeout(() => {
        localError.value = null;
167
        localSuccessMessage.value = null;
168
169
      }, 5000);
170
    }
171
    async function loadLocations() {
172
173
      localLoading.value = true;
174
      localError.value = null;
175
      locations.value = [];
176
      try {
177
        localLoading.value = true;
178
        const result = await locationService.getAllLocations(); // Use a instância
179
        locations.value = result;
```

```
} catch (error) {
180
        localError.value = `Erro ao carregar locais: ${error.message}`;
181
        locations.value = []:
182
183
      } finally {
        localLoading.value = false;
184
        if (localError.value) clearLocalMessages();
185
186
187 }
188
    async function handleAddLocation() {
189
190
      localLoading.value = true;
191
      localError.value = null:
      localSuccessMessage.value = null;
192
      try {
193
194
         const dataToSend = {
           nome: formData.value.nome,
195
           andar: formData.value.andar,
196
          x: formData.value.x,
197
198
          y: formData.value.y,
199
        };
        const success = await locationService.createLocation(dataToSend); // Use a instância
200
        if (success) {
201
          localSuccessMessage.value = 'Local adicionado com sucesso!';
202
203
           await loadLocations();
204
          cancelForm();
205
          clearLocalMessages();
206
        } else {
          localError.value = 'Falha ao adicionar local.';
207
           clearLocalMessages();
208
209
      } catch (err) {
210
211
        console.error('Erro ao adicionar local:', err);
212
        localError.value = `Erro ao criar: ${err.message}`;
213
        clearLocalMessages();
214
      } finally {
215
        localLoading.value = false;
216
```

```
217 }
218
    async function handleUpdateLocation() {
219
220
       localLoading.value = true;
       localError.value = null:
221
       localSuccessMessage.value = null;
222
223
       try {
         const dataToSend = {
224
225
           id: formData.value.id.
           nome: formData.value.nome.
226
227
           andar: formData.value.andar,
228
           x: formData.value.x.
           v: formData.value.v,
229
230
         };
         const success = await locationService.updateLocation(dataToSend.id, dataToSend); // Use a instância
231
         if (success) {
232
233
           localSuccessMessage.value = 'Local atualizado com sucesso!';
           await loadLocations();
234
235
           cancelForm();
           clearLocalMessages();
236
237
         } else {
238
           localError.value = 'Falha ao atualizar local.';
           clearLocalMessages();
239
240
       } catch (err) {
241
242
         console.error('Erro ao atualizar local:', err);
243
         localError.value = `Erro ao atualizar: ${err.message}`;
244
         clearLocalMessages();
245
       } finally {
         localLoading.value = false;
246
247
      }
248
    }
249
250
    async function handleDeleteLocation(id) {
251
      localLoading.value = true;
252
      localError.value = null;
       localSuccessMessage.value = null;
253
```

```
254
       try {
255
        const success = await locationService.deleteLocation(id); // Use a instância
        if (success) {
256
257
          localSuccessMessage.value = 'Local excluído com sucesso!';
           await loadLocations();
258
           clearLocalMessages();
259
        } else {
260
          localError.value = 'Falha ao excluir local.':
261
           clearLocalMessages();
262
263
        }
264
      } catch (err) {
265
        console.error('Erro ao excluir local:', err);
        localError.value = `Erro ao excluir: ${err.message}`;
266
        clearLocalMessages();
267
268
      } finally {
        localLoading.value = false;
269
270
      }
271 }
272
    const handleSubmit = async () => {
273
274
      try {
275
        if (localLoading.value) return;
        formData.value.x = validateCoordinates(formData.value.x);
276
277
        formData.value.y = validateCoordinates(formData.value.y);
        localLoading.value = true;
278
279
        localError.value = '';
        if (isEditing.value) {
280
281
           await handleUpdateLocation();
282
        } else {
           await handleAddLocation();
283
284
285
        resetForm();
286
        showForm.value = false;
287
        isEditing.value = false;
288
        localStorage.removeItem('locationFormData');
        await loadLocations();
289
290
       } catch (error) {
```

```
console.error('Erro ao salvar local:', error);
291
292
         localError.value = 'Erro ao salvar local. Por favor, tente novamente.';
293
      } finally {
        localLoading.value = false;
294
295
      }
296
    };
297
    function showAddForm() {
298
299
      resetForm();
300
      isEditing.value = false;
301
      showForm.value = true;
      localError.value = null:
302
303
      localSuccessMessage.value = null;
304 }
305
    function showEditForm(location) {
306
      isEditing.value = true;
307
308
      formData.value = {
309
        id: location.id,
        nome: location.nome || '',
310
        andar: location.andar || '',
311
312
        x: location.x,
313
        y: location.y,
314
      };
315
       showForm.value = true;
316
      localError.value = null;
317
      localSuccessMessage.value = null;
318 }
319
    function cancelForm() {
320
321
      resetForm();
322
      showForm.value = false;
323
      isEditing.value = false;
324
      localStorage.removeItem('locationFormData');
325 }
326
    function confirmDelete(id) {
```

```
328
      if (window.confirm(`Tem certeza que deseja excluir o local com ID "${id}"? Esta ação não pode ser desfeita.`)) {
329
        handleDeleteLocation(id);
330
      }
331 }
332
    </script>
333
334
    <style scoped>
    /* ... (seus estilos CSS) ... */
335
336
    </style>
337
338
    <style scoped>
339
     .admin-container {
      padding: 20px;
340
341
      height: 100vh;
342
      overflow-v: auto;
343
      max-width: 1200px;
      margin: 0 auto;
344
345
      font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu, Cantarell, sans-serif;
346
      background-color: #f8f9fa;
347 }
348
349
     .admin-container h1 {
      color: #2c3e50;
350
351
      margin-bottom: 1.5rem;
352
      font-size: 2rem;
353
      font-weight: 600;
354 }
355
     .admin-container h2 {
356
357
      color: #2c3e50;
358
      margin: 1.5rem 0;
      font-size: 1.5rem;
359
360
      font-weight: 500;
361 }
362
363 a {
364
      color: #3498db;
```

```
text-decoration: none;
365
366
      margin-right: 10px;
367
      padding: 8px 12px;
      border-radius: 4px;
368
369
      background-color: #fff;
      box-shadow: 0 1px 3px rgba(0,0,0,0.1);
370
371
      transition: all 0.2s ease;
372 }
373
374
    a:hover {
      background-color: #3498db;
375
376
      color: #fff;
      text-decoration: none;
377
378 }
379
380
     .form-section {
      margin: 20px 0;
381
382
      padding: 25px;
383
      background-color: #fff;
      border-radius: 8px;
384
385
      box-shadow: 0 2px 4px rgba(0,0,0,0.1);
386 }
387
388
     .form-group {
389
      margin-bottom: 1.2rem;
390
391
392 label {
393
      display: block;
394
      margin-bottom: 0.5rem;
      color: #2c3e50;
395
396
      font-weight: 500;
397
      font-size: 0.95rem;
398 }
399
    input[type="text"],
400
401 input[type="number"],
```

```
402 | select {
403
       width: 100%;
       padding: 10px 12px;
404
       border: 2px solid #e2e8f0;
405
       border-radius: 6px;
406
407
      font-size: 1rem;
       background-color: #fff;
408
      transition: all 0.2s ease;
409
410 }
411
412
    input[type="text"]:hover,
    input[type="number"]:hover {
413
       border-color: #cbd5e0;
414
415 }
416
    input[type="text"]:focus,
417
    input[type="number"]:focus {
418
419
       outline: none:
420
      border-color: #3498db;
421
      box-shadow: 0 0 0 3px rgba(52,152,219,0.2);
422 }
423
424
     .form-actions {
425
      margin-top: 1.5rem;
426
      display: flex;
427
      gap: 12px;
428 }
429
    /* Estilos para a tabela */
430
     .table-container {
431
432
       margin-top: 20px;
433
       max-height: calc(100vh - 500px);
434
       overflow-v: auto;
435
       background-color: #fff;
436
       border-radius: 8px;
437
       box-shadow: 0 2px 4px rgba(0,0,0,0.1);
438
       scrollbar-width: thin;
```

```
439
      scrollbar-color: #94a3b8 #f1f5f9;
440 }
441
     .table-container::-webkit-scrollbar {
442
443
      width: 8px;
444
445
446
     .table-container::-webkit-scrollbar-track {
447
      background: #f1f5f9;
      border-radius: 8px;
448
449
450
     .table-container::-webkit-scrollbar-thumb {
451
452
      background-color: #94a3b8;
453
      border-radius: 8px;
      border: 2px solid #f1f5f9;
454
455 }
456
457
     .locations-table {
      width: 100%;
458
      border-collapse: separate;
459
      border-spacing: 0;
460
461 }
462
463
     .locations-table thead {
464
      position: sticky;
465
      top: 0;
      z-index: 1;
466
467
468
469
     .locations-table th {
470
      background-color: #f8fafc;
471
      color: #1e293b;
472
      font-weight: 600;
473
      padding: 16px;
474
      text-align: left;
475
      border-bottom: 2px solid #e2e8f0;
```

```
476
      white-space: nowrap;
477 }
478
     .locations-table td {
479
480
      padding: 14px 16px;
      border-bottom: 1px solid #e2e8f0;
481
482
      color: #475569;
483 }
484
485
     .locations-table tr:last-child td {
486
      border-bottom: none;
487 }
488
     .locations-table tbody tr {
489
      transition: all 0.2s ease;
490
491 }
492
493
     .locations-table tbody tr:hover {
      background-color: #f1f5f9;
494
495 }
496
497
     .locations-table td button {
498
      margin-right: 8px;
499
      padding: 6px 12px;
500
      border-radius: 4px;
      font-size: 0.875rem;
501
502
      transition: all 0.2s ease;
503 }
504
    /* Estilos para os botões */
505
    .btn {
506
507
      padding: 8px 16px;
508
      border: none;
509
      border-radius: 6px;
510
      font-weight: 500;
511
      cursor: pointer;
      transition: all 0.2s ease;
512
```

```
513 }
514
     .btn:disabled {
515
516
      opacity: 0.6;
      cursor: not-allowed;
517
518 }
519
520
     .btn-primary {
      background-color: #3498db;
521
522
      color: white;
523 }
524
525
     .btn-primary:hover:not(:disabled) {
      background-color: #2980b9;
526
527 }
528
529
     .btn-success {
530
      background-color: #2ecc71;
       color: white;
531
532 }
533
     .btn-success:hover:not(:disabled) {
534
535
      background-color: #27ae60;
536 }
537
538
     .btn-warning {
      background-color: #f1c40f;
539
      color: #2c3e50;
540
541 }
542
     .btn-warning:hover:not(:disabled) {
543
544
       background-color: #f39c12;
545 }
546
547
     .btn-danger {
       background-color: #e74c3c;
548
549
       color: white;
```

```
550 }
551
552
    .btn-danger:hover:not(:disabled) {
553
      background-color: #c0392b;
554 }
555
556
    .btn-secondary {
557
      background-color: #95a5a6;
558
      color: white;
559 }
560
561
    .btn-secondary:hover:not(:disabled) {
      background-color: #7f8c8d;
562
563 }
564 </style>
```