



OTEKHNÒTHERA RATIRIHWISAKS ETHO:ONHWENTSYÁKE

APPLICATION STYLE GUIDE

Interface system, components, typography, colour, accessibility, and developer standards

For OTEKH desktop, local-network, and web applications

macOS / Linux / Web

VERSION 1.0 / JULY 2026

01 THE ESSENTIAL SYSTEM

The complete identity and interface system on one page



OTEKHNÒTHERA
RATIRIHWISAKS
ETHO:ONHWENTSYÁKE

OTEKH OLIVE
#646A44
PRIMARY IDENTITY

OTEKH OCHRE
#CAA133
ACCENT

CHARCOAL
#181A16
TEXT / CHROME

WARM WHITE
#F2F1E9
PRIMARY SURFACE

BAI JAMJUREE

Titles, headings, navigation, and short display text

INTER

Body copy, captions, labels, controls, tables, and everyday documents

01 CLEAR WORK

The current task, selection, status, and next action are always visible.

03 RESTRAINED GOLD

Gold marks selection, active data, primary action, and priority—not decoration.

02 FLAT STRUCTURE

Use borders, alignment, and tonal blocks—never gloss, gradients, or faux hardware.

04 LOCAL + DURABLE

Offline, local, server, sync, storage, and processing state must be explicit.

02 APPLICATION CHARACTER

Flat, technical, clear, and dense without becoming cramped



CHROME Charcoal top and status bars establish global context.	WORK AREA Warm-grey canvas carries the primary task.	PANELS Borders and tonal shifts group controls—no floating cards.
ACTIVE STATE Gold marks the selected tab, row, value, or primary action.	DATA Dark plotting fields preserve contrast for live traces.	STATUS Connected, offline, unsaved, error, and progress states remain visible.

03 COLOUR

Three brand colours, supporting neutrals, and explicit functional states

OTEKH OLIVE
#646A44
IDENTITY / SELECTED FAMILY SURFACES

HARVEST GOLD
#CAA133
ACCENT / ACTIVE / PRIMARY ACTION

BLACK
#000000
PICTOGRAMS / HIGHEST CONTRAST

SILVER
#C0C0C0
SMALL LOGO DETAILS ONLY

INTERFACE SURFACES

APPLICATION CHROME
#282B24
Top/bottom chrome and dark panels

DARK OLIVE
#4E4F37
Secondary dark surface

WORK CANVAS
#C1C1BD
Principal light workspace

RAISED PANEL
#C7C7C4
Cards, inspectors, grouped regions

RECESSED
#ADACA6
Selected wells and inactive fields

MUTED OLIVE-GREY
#818377
Secondary navigation and disabled regions

FUNCTIONAL STATES

GOOD / CONNECTED
#AEC76F
online, valid, operational

ATTENTION
#CFA134
pending, changed, review

ERROR
#A52B32
failed, blocked, destructive

INFORMATION
#5C7880
neutral system information

Use gold for normal text only at display scale. State must always be paired with text, an icon, or both.

04 TYPOGRAPHY

Bai Jamjuree for identity and hierarchy; Inter for reading and controls

OTEKH PROJECT SPACE

Research-Creation and Teaching
Clear typography makes complex work easier to navigate.

PROJECT / DATE / LOCATION

- Bai Jamjuree / 600**
Major titles / 20–26 pt
- Bai Jamjuree / 600**
Section headings / 14–16 pt
- Inter / 400**
Body and interface text / 8.5–10.5 pt
- Inter / 600**
Labels and metadata / 7.5–9 pt

ROLE	FONT	WEIGHT	SIZE / LINE	USE
PRODUCT NAME	Bai Jamjuree	600	20 / 24	Persistent product identity
PAGE TITLE	Bai Jamjuree	600	18 / 24	Primary working view
PANEL TITLE	Bai Jamjuree	600	12 / 16	Inspector and grouped regions
NAVIGATION	Inter	600	11 / 16	Short labels and destinations
BUTTON / CONTROL	Inter	600	10 / 14	Commands and compact labels
BODY	Inter	400	10 / 15	Instructions and longer reading
SUPPORTING	Inter	400	8.5 / 12	Hints, captions, secondary metadata
DATA / IDENTIFIER	Inter	500	9 / 13	Timestamps, values, IDs, paths

The font families are embedded in this Word document. Application packages should bundle licensed font files for reliable offline use.

05 LAYOUT

A flat modular application frame derived from the OTEKH identity

OTEKH / PRODUCT	PROJECT / CONTEXT / TOP-LEVEL TABS	STATUS / USER / MENU
NAVIGATION	PAGE TITLE / BREADCRUMB / TOOLBAR	INSPECTOR
Projects Files Processes Reports Settings	PRIMARY WORK CANVAS The active task receives the most space. Charts, media, tables, editors, maps, or project material live here.	Properties Metadata Permissions Parameters History
RESIZABLE	LOCAL ACTIONS / SELECTION / UNSAVED STATE	APPLY / SAVE
SYSTEM	PROGRESS / STORAGE / CONNECTION / ERRORS	VERSION

CORE GEOMETRY

GRID	4 px base; use 4, 8, 12, 16, 24, 32, 48, and 64 px.
CONTROL HEIGHT	32 px compact; 40 px default; 44 px where touch is expected.
APP BAR	64 px desktop. Keep product identity and global context stable.
SIDEBAR / INSPECTOR	240–280 px / 300–360 px. Resizable when content varies.
PANEL PADDING	12 px compact; 16 px default. Control gap: 8 px.
BORDER / RADIUS	1 px border. 0–2 px on controls; 4 px maximum on containers.
DENSITY	Dense is acceptable when labels remain legible, groups are bounded, and targets remain usable.
RESPONSIVE	At compact widths, inspectors become drawers and dense tables become labelled rows.

06 COMPONENTS

Controls look like controls—flat, legible, and explicit

PRIMARY BUTTON Gold fill, charcoal label, one primary action per decision group. 40 px default height.	SECONDARY BUTTON Transparent or panel fill, 1 px strong border, charcoal label.	DESTRUCTIVE Reserve red for the final destructive action. Name the object: Delete recording.
ICON BUTTON 32 px compact or 40 px default. Always provide a tooltip and accessible name.	TEXT FIELD Persistent label, 40 px height, 8 px padding, 1 px border, visible focus without layout shift.	SELECT / STEPPER Show current value and affordance. Keep units attached to numeric controls.
CHECKBOX / RADIO Checkbox for selection; radio for one visible choice. Adjacent text label required.	TOGGLE Immediate on/off setting only. Do not use for staged changes.	SLIDER Use when relative position matters. Always show the exact numeric value.
KNOB Allowed for compact continuous control in audio/sensor tools. Flat circle and position marker only.	TABS Peer views. Active state uses gold text, underline, or fill. Tabs are not buttons.	TOOLTIP Short explanation for unfamiliar icon controls. Never hide essential instructions in a tooltip.

INTERACTION STATES

- Every interactive component defines default, hover, focus, active, selected, disabled, loading, success, warning, and error where relevant.
- Keyboard focus remains clearly visible. Disabled controls retain legible labels and never become the only explanation.
- Do not use shadows, gloss, metallic surfaces, decorative tick marks, or fake physical depth.

07 DATA, TABLES + CHARTS

Exact values, clear units, accessible alternatives, and visible live state

TABLE HEADER	Sticky for long datasets; expose sorting, column labels, and selection state.
ROW	40 px minimum. Selected rows use restrained gold with charcoal text.
ALIGNMENT	Text left; comparable numbers right; timestamps, IDs, and paths use Inter medium.
UNITS	Keep units visible in their own column or next to the value. Never rely on a chart legend alone.
FILTERS	Show active filters and provide a clear reset. Preserve filters when navigating back where useful.
EMPTY DATA	Explain why no data is shown and provide one useful next action.
CHART SERIES	Use no more than four simultaneous series without selection or filtering.
LIVE STATE	Name streaming, paused, stale, disconnected, loading, and failed states.
TOOLTIP	Include timestamp, value, unit, series name, and data-quality state.
ACCESSIBLE DATA	Provide a table or equivalent readable representation for charts.

DATA COLOUR DISCIPLINE

PRIMARY	SECONDARY	NEUTRAL	GOOD	ERROR
---------	-----------	---------	------	-------

Use line weight, pattern, marker, or direct labels in addition to colour. Live motion must never make exact values harder to read.

08 APPLICATION ICONS

One family: olive field, black pictogram, harvest-gold internal detail



AI LLM




ARCHIVE



MEDIA MANAGER



PITFIRE



TEAMS



WAMPUM

ICON CONSTRUCTION

SUBJECT	One instantly recognizable object, process, or relationship.
GEOMETRY	Filled shapes before fine outlines. Strong silhouette and generous empty space.
COLOUR	Olive field, black dominant pictogram, gold internal feature. Must also work in monochrome.
AVOID	Generic AI brains, robots, sparkles, stock clouds, decorative circuitry, and faux-Indigenous patterns.
SMALL SIZE	Test at 16, 24, 32, 64, 128, 256, 512, and 1024 px.
EXPORT	Master SVG; PNG sizes; macOS ICNS; Linux hicolor set; web favicon and PWA assets.

09 LOGO USE

Identity establishes the product family; interface structure supports the work



LOGO RULES

PRIMARY	Use the full mark for launch/about screens, installers, product-family pages, and formal documentation.
PERSISTENT	Use the wordmark or compact mark in application chrome. Do not repeat the full logo in every panel.
CLEAR SPACE	Maintain at least 10% of the mark width around the identity.
NEVER	Do not stretch, redraw, rotate, crop essential parts, recolour individual parts, add shadows, or animate the logo.
APP ICON	Use symbol-only crops where the wordmark becomes illegible. Full lockups belong on promotional tiles and documents.

10 AI, ARCHIVES + MEDIA

Trust, provenance, local processing, permissions, and community care

AI + LANGUAGE

- Identify the model or automated process.
- Show whether processing is on-device, on the lab server, or external.
- Distinguish generated output from community-verified knowledge.
- Provide correction and review paths.
- Never fabricate language material or imply validation that has not occurred.

ARCHIVES

- Show access level, custody, permissions, provenance, and change history.
- Name restricted, community-only, public, and pending-review states.
- Confirm destructive changes and provide recovery where practical.
- Do not call all cultural material “content.”
- Keep community knowledge under the conditions of community care.

MEDIA + FILES

- Show filename, type, size, source, destination, and progress.
- Drag-and-drop must have a file-picker alternative.
- Distinguish ingest, copy, move, rename, transcode, export, sync, and publish.
- Do not begin irreversible migration or cleanup silently.
- Make storage capacity, path, and failed writes visible.

REQUIRED SYSTEM METADATA

PROCESSING	Tool/model, version, location, date/time, and operator where relevant.
SOURCE	Origin, creator/contributor, collection, capture context, and linked permissions.
STATE	Draft, generated, reviewed, approved, restricted, exported, synchronized, or failed.
RESPONSIBILITY	Who may view, edit, approve, export, share, or change access conditions.

11 ACCESSIBILITY

WCAG 2.2 AA for web and equivalent native accessibility support

PERCEIVABLE

- 4.5:1 contrast for normal text.
- 3:1 for large text, control boundaries, and meaningful graphics.
- Status never relies on colour alone.
- Charts include labels, patterns, markers, or direct annotation.
- Meaningful images have alt text.

OPERABLE

- Full keyboard access without traps.
- Visible focus on every interactive element.
- 24×24 px minimum target; prefer 40×40, and 44×44 where touch is expected.
- Reduced-motion settings are respected.
- Long operations expose progress and safe cancellation.

UNDERSTANDABLE

- Persistent labels remain visible after entry.
- Errors identify the problem and recovery action.
- Commands use direct verbs and name the object.
- Save, Sync, Upload, Export, and Publish remain distinct.
- Permissions and access conditions use plain language.

OTEKH LANGUAGE + CULTURAL ACCESS

Support full Unicode and required diacritics. Never normalize or strip Indigenous-language orthography. Where useful, expose language and pronunciation metadata. Cultural permissions and protocols must be understandable to the people carrying and using them.

TEST MATRIX

- | | | |
|----------------------------|--------------------------------|---|
| • Keyboard only | • VoiceOver on macOS and iOS | • Orca on supported Linux |
| • 200% and 400% zoom | • Reduced motion | • High/increased contrast |
| • Colour-vision simulation | • Offline and degraded network | • Long names and Kanien'kéha diacritics |

12 RESPONSIVE + PLATFORM

One design language adapted to native behaviour and available space

WIDE / 1200+	Persistent navigation, work canvas, and inspector may appear together.
MEDIUM / 720-1199	Collapse secondary navigation; inspector becomes overlay or resizable drawer.
COMPACT / BELOW 720	One principal column. Tables become labelled rows. Keep primary action visible.
MACOS	Use native window controls, Command shortcuts, file pickers, drag-and-drop, and accessibility APIs.
LINUX	Respect desktop environment conventions, Control shortcuts, file paths, font packaging, and scalable UI.
WEB	Support browser navigation, responsive reflow, keyboard semantics, reduced motion, and reconnect behaviour.
OFFLINE	App starts and remains understandable without internet when offline operation is promised.
RECONNECT	Show reconnection, queued work, conflicts, failures, and the last confirmed synchronized state.

NATIVE BEHAVIOUR FIRST

Preserve OTEKH identity through colour roles, typography, panels, geometry, and state. Do not override basic operating-system behaviour merely to make every platform look identical.

KEYBOARD BASELINE

- Tab / Shift+Tab moves focus.
 - Escape closes a transient layer or cancels the current mode.
 - Command on macOS and Control on Linux/web for documented shortcuts.
- Enter or Space activates.
 - Arrow keys move within menus, tabs, radios, and data grids.

13 CONTENT, MOTION + STATUS

Direct language, restrained motion, and honest system feedback

CONTENT	MOTION	STATUS + FEEDBACK
• Use direct verbs: Save, Export, Connect, Calibrate, Add member. • Name the object and consequence: Delete recording? This removes the local copy. • Use plain language around AI and generated output. • Never imply that data is safely stored or synchronized when it is not. • Do not describe community knowledge as generic content when a precise term is available.	• Micro-transition: 80–120 ms. • Panel/drawer transition: 160–200 ms. • Use linear or restrained ease-out timing. • Do not animate live data in a way that obscures exact values. • Respect reduced motion; pair loading indicators with labels after two seconds.	• Inline validation for field-level issues. • Toast for completed reversible actions. • Persistent banner for offline, permissions, storage, or system-wide problems. • Modal only when progress cannot safely continue. • Unsaved, queued, paused, failed, and completed states remain visible.

EMPTY + LOADING STATES

EMPTY	Explain why the area is empty and provide one useful next action.
KNOWN LAYOUT	A restrained skeleton may indicate the expected structure.
LONG PROCESS	Show progress, elapsed time, current stage, destination, and cancellation when safe.
FAILURE	State what failed, what was preserved, and how to retry or recover.

14 DEVELOPER HANDOFF

How to implement, review, version, and release an OTEKH application

SOURCE OF TRUTH

COLOUR	Use the exact values in this guide. Do not substitute visually similar olives, greys, or golds.
TYPE	Bai Jamjuree for identity/hierarchy; Inter for UI and reading. Bundle fonts for offline applications.
TOKENS	Centralize colour, type, spacing, control sizes, radius, motion, and breakpoints in one theme layer.
COMPONENTS	Build shared primitives before product-specific variants. Define every state and accessible name.
EXCEPTIONS	Document product-specific additions. They may extend the system but cannot silently replace core roles.
VERSIONING	Use semantic versioning and record token/component changes in a changelog.

RELEASE CHECK

- Correct OTEKH asset and product name.
 - Shared tokens used—no hard-coded near-matches.
 - Keyboard path and visible focus tested.
 - Offline start and reconnection checked.
 - Model/process and storage location accurate.
 - Archive access, permissions, provenance, and recovery tested.
- No stretched, recoloured, or crowded logos.
 - Gold reserved for selection, active data, and primary action.
 - Contrast and zoom/reflow checked.
 - Unsaved work and long-process progress visible.
 - Generated and verified knowledge distinguished.
 - macOS, Linux, and responsive behaviour tested where promised.

APPROVED OTEKH APPLICATION SYSTEM / VERSION 1.0 / JULY 2026