

Project Synopsis

Title.

Vaccine Management System Codename: DrugLordv1.10

Problem Statement

The main objective of this System is to maintain records of vaccinations to monitor the quality of vaccines and timely assurance in rural areas where health centres are not easily accessible.

Why this Topic?

To reduce the paperwork required for maintaining records instead digitizing them for data visualization to minimize reading of records and provide easy access to third-party bodies to get, deliver, and administer vaccines.

Objective and Scope.

- To reduce the paperwork required
- To maintain a detailed record of each individual with ease
- To analyse data easily for the person/body using this system
- To create a system that manages both deliveries along with a facility for vaccine administration

Methodology for developing project.

In this system, I am going to use Extreme Programming for developing an appropriate system as a solution for rapidly changing requirements

Advantages: Communication, Simple, Easy, Agile.

Proposed Architecture




Figure 1.1 Architecture Design

Requirements

Software Requirements

- Front-end : HTML5, CSS , JS,Tailwindcss
- Back-end :,ExpressJs, NodeJS, MongoDb.
- Operating System: Windows 7.0 +.

Hardware Requirements

- Processor: Intel Core Duo 2.0 GHz or more.
- RAM: 2 GB or more.
- Monitor: 17 CRT or LCD.
- Hard disk: 500 GB or more.
- Keyboard: Normal or multimedia.

Platform

Visual Studio Code

Contribution

This system will help people in rural areas get access to vaccines along with reduced paperwork and record generation and keep each individual to date.

Conclusion

This system will help to reduce paperwork and provide access to people in rural areas.

1.1 Background

The current Vaccination Systems which are used are not centralized i.e., the data generated is confined to an organization or a company except due to a recent pandemic newer methods are cultivated

References

- <https://www.servicenow.com/solutions/vaccine-management.htm>
- <https://www2.deloitte.com/us/en/pages/public-sector/solutions/vaccine-management-system.htm>
- [{Intellex Vaccine Solution}](https://www.intellex.com/products/applications/vaccine-management)

1.2 Objective

The main purpose of this project is to help benefit NGOs in providing vaccine access to rural areas people without using many resources, by providing verified personnel of NGOs or any individual to request access to medical vaccines under the guidance of a medical practitioner.

1.3 Purpose

- Provide rural areas with exposure to vaccine
- Create a platform where people can register for an appointment, and delivery as well as monitor the records.

1.4 Application

The idea can be fundamentally used in any management system of products in any medical field.

1.5 Scope

Creating a platform for all domestic producers to sell their vaccines to local consumers, NGOs, etc, and to simplify the delivery process, regulations and management.

1.6 Achievements

Through this project, I will get to learn various technologies used to develop a system. This system will give a digital platform to the all-Domestic producers of vaccines which will increase the vaccine production rate and simplify the delivery process as well as help them to manage their data. Once they get satisfactory results from the system, users will start trusting the system and eventually, most of the tasks will get digital. Encourage B2B and C2C relation

The number of Technologies available for the implementation is listed below

- ASP.NET(MVC) Core 5.0+
 - Is a framework developed by Microsoft to create enterprise-grade web apps in a short amount of time
 - Languages : C#, HTML, CSS, jQuery
 - Backend: Microsoft SQL Serve
- Django (MVC)
 - Framework to create scalable single-page web apps,web-API using Python as the main programming language
 - Language : Python,HTML,CSS,jQuery,JS
 - Backend: MongoDB
- Ruby on Rails
 - Framework based on Ruby Programming Language for easy file directory structure and dataflow subroutines
 - Language: Ruby,HTML,CSS,JS
 - Backend: MySQL Server
- Node.js
 - Backend as well and Frontend using vanilla Javascript as main primary language useful in API creation
 - Language: JS (EMAC5), HTML(ejs), JS,jQuery
 - Backend: MongoDB
- Flask
 - Python Backend Framework, useful in developing fast prototypes of ML and AI searches, etc
 - Language: Python

For my current project, I am going to use Node.js as a development platform for easy implementation of the requirements proposed.

Why Node.js?

Easy routing through Express.JS library and ejs content to render with minimum requirements to hosting a server and is platform independent

Required: Node.js is installed

3.1 Problem Definition

What to expect about the system?

The system will manage and record all the deliveries along with orderly administration of vaccines. It will also keep a detailed record of all the domestic suppliers, users requesting appointments, providers buying vaccines, and local company producers producing vaccines.

- [Users, Providers, Producers]
 - Will be allowed to log in as each unique individual account.
- [Producers, Providers]
 - Help manage, and administer vaccine drives with all the information centralized for easy fetch
 - The system will keep a detailed record of all individual's information both registered for vaccine drives as well as seeking appointments
- [Provider]
 - To set up appointments for the user or use for delivery purposes.
- [Producer]
 - Set up vaccine stocks for order processing
- [User]
 - Book a nearby appointment for quick administration

3.1.1 Sub Problems

- For Users
 - How users can add their information?
 - How to schedule and select an appointment?
 - How to get the vaccine?
- For Providers
 - How to get verified?
 - How to select your order?
 - How do schedule appointments for the people?
- For Producers
 - How to set up your vaccine Stocks?
 - How to process Orders?
 - How to Deliver?

3.1.2 Problem Description.

The system will help find required clients for domestic producers as well as enable recipients to get vaccine appointments in their nearby locality

3.2 Requirements Specification

3.2.1 Requirement analysis

Identify stakeholders i.e., in case the people who are going to use this app

- Capture requirements
- Holding One-One interviews
- Conduct Group Workshops
- Get Feedbacks
- Build Small Prototypes

For the current situation, I used the Feedback method to identify the requirements for the project using Google Forms as a means to collect the data

The below figures are the collected data that was generated.

Responses were based on:

The figure shows a screenshot of a Google Form titled "Vaccine\$?". The form has three main sections:

- Email ***: A text input field labeled "Your email" with a placeholder "Your email".
- Any more questions?**: A text input field labeled "Your answer" with a placeholder "Your answer".
- Name? ***: A text input field labeled "Your answer" with a placeholder "Your answer".

At the top left of the form, it says "LeVaccine". On the right side, there is a "Switch account" link and a cloud icon. Below the first section, there is a note "* Required".

Figure 3.2.1

Was the registration process online ?(expect for CoWin) *

Yes

No

Ever had any medical query registration except CoWin?

Yes

No

Maybe

(Start from img) there was a webapp/website which could manage deliveries /orders /vaccination administration / and visualise it and scalable would I have your attention?

Figure 3.2.2

Phone?

Your answer _____

Ever had a Vaccine? *

Yes

Maybe

No

Getting appointments was time consuming?

Strongly disagree

Disagree

Neutral

Agree

Strongly agree

Figure 3.2.3




Figure 3.2.4




Figure 3.2.5

Vaccine\$? Send

Questions Responses 32 Settings

32 responses

Accepting responses

Summary Question Individual

Who has responded?

Email

gharshali2002@gmail.com
thakoreaditi65@gmail.com
anujpm1811@gmail.com
mandlikabhishek9@gmail.com
chetanghadil01@gmail.com
tejal28rane@gmail.com
raginimallah06@gmail.com

Figure 3.2.6




Figure 3.2.7

3.2.2 Functional Requirements

1. The system should allow users to fill up for an appointment in their locality
2. The system should keep a detailed record of user's info
3. The system should allow users to note any problems after vaccination is completed
4. The system should provide Producers, NGOs, and Companies to order and sell their vaccines
5. The system should keep a detailed record of all domestic producers, providers and along with the info of users

3.2.3 Non-Functional Requirements

1. Usability: Should be user-friendly and only required detail should be shown in a minimal way
2. Reliability: The system should be user-friendly to use.
3. Scalability: To increase the load of data handling
4. Flexibility: can run on any Platform

3.2.3 Sub- Systems

- Login

Function: Used for login

Input: User, Provider, Producer Login Details

Pre-Condition: None

Source: From User, Provider, Producer

Post-Condition: Redirected to Dashboard if Credentials are valid

Exception: An error message is shown if credentials don't match

- Register

Function: Used for registering an account

Input: User, Provider, Producer all details

Pre-Condition: None

Source: From User, Provider, Producer

Post-Condition: Redirected to log in if details are valid and correct

Exception: An error message is shown if any field is wrong or not valid

- Users-Info Update

Function: Used for updating account

Input: User, Provider, Producer all details to change

Pre-Condition: None

Source: From User, Provider, Producer

Post-Condition: The user's details are updated

Exception: The error message is shown if any field is wrong or not valid

- Post-Review

Function: Used for Posting Reviews

Input: User Reviews

Pre-Condition: None

Source: From User

Post-Condition: User's reviews get added

Exception: The error message is shown if anything goes wrong

- Book Appointment

Function: Used for booking an appointment

Input: User to book appointment

Pre-Condition: None

Source: From User

Post-Condition: Appointment is booked

Exception: The error message is shown if anything goes wrong

- Set appointments

Function: Used for setting appointments

Input: Provider, Producer all details for setting the appointment

Pre-Condition: None

Source: Provider

Post-Condition: Appointment is generated

Exception: The error message is shown if anything goes wrong

- Buy Vaccines

Function: Used for Buying vaccines

Input: Provider all details for buying vaccines

Pre-Condition: None

Source: Provider

Post-Condition: Order is Placed

Exception: An error message is shown if anything goes wrong

- Update Vaccine Stocks

Function: Used for updating vaccine stocks

Input: Producer all details of vaccine

Pre-Condition: None

Source: Producer

Post-Condition: Vaccine Stocks are updated or created

Exception: The error message is shown if anything goes wrong

3.3 Planning & Scheduling (update)

3.3.1 Activity Table

| Activities | Start-Date | End-Date |
|-----------------------------|------------|----------|
| Synopsis | 27/04/22 | 16/06/22 |
| 1. Introduction | 20/06/22 | 25/06/22 |
| 2. Survey of Technology | 20/06/22 | 25/06/22 |
| 3. Requirement and analysis | 27/06/22 | 15/09/22 |

| | | |
|--------------------------------------|----------|----------|
| 3.1 Problem Definition | 4/07/22 | 9/07/22 |
| 3.2 Requirement Specification | 11/07/22 | 16/07/22 |
| 3.3 Planning & Scheduling | 18/07/22 | 23/07/22 |
| 3.4 Hardware & Software Requirements | 18/07/22 | 23/07/22 |
| 3.5 Conceptual Models | 26/07/22 | 15/09/22 |
| 3.5.1 Data Model | 26/07/22 | 1/08/22 |
| 3.5.2 Data Flow | 1/08/22 | 22/08/22 |
| 3.5.3 Class Diagram | 22/08/22 | 29/09/22 |
| 3.5.4 Use Case Diagram | 29/09/22 | 12/09/22 |
| 3.5.5 Sequence Diagram | 12/09/22 | 15/09/22 |
| 3.5.6 State Machine Diagram | 12/09/22 | 16/09/22 |
| 3.5.7 Activity Diagram | 13/09/22 | 19/09/22 |
| 4. System Design | 19/09/22 | 22/09/22 |
| 4.1 Interface Design | 17/09/22 | 20/09/22 |
| 4.2 Test Cases | 18/09/22 | 22/09/22 |

Table 3.1

3.3.2 Gantt Chart



Figure 3.1 GANTT Chart

Re-Engineering

| Activities | Start-Date | End-Date |
|-------------------------|------------|------------|
| 1. Re-Engineering | 10/01/2022 | 12/05/2022 |
| 2. Introduction | 10/01/2022 | 10/16/2022 |
| 3. Survey of Technology | 10/08/2022 | 10/15/2022 |
| 4. System Design | 10/19/2022 | 10/29/2022 |
| User | | |
| 5. Login/Register | 12/05/2022 | 12/12/2022 |
| 6. User Profile | 12/12/2022 | 12/19/2022 |
| 7. Book Appointments | 01/08/2023 | 01/15/2023 |
| 8. Appointments | 01/15/2023 | 01/22/2023 |
| Provider | | |
| 10. Login/Register | 12/06/2022 | 12/13/2022 |
| 11. Provider-Profile | 12/16/2022 | 12/23/2022 |
| 12. Set Appointments | 12/25/2022 | 01/08/2023 |
| 13. Appointments | 01/18/2023 | 01/25/2023 |
| 14. Buy-Vaccine | 01/22/2023 | 01/29/2023 |
| 15. Orders | 01/29/2023 | 02/05/2023 |
| Producer | | |
| 16. Login/Register | 12/07/2022 | 12/14/2022 |
| 17. Producer-Profile | 12/20/2022 | 12/27/2022 |
| 18. Authorize-Providers | 01/22/2023 | 01/29/2023 |
| 19. Process-Orders | 02/12/2023 | 02/13/2023 |
| 20. Set-Stocks | 01/29/2023 | 02/05/2023 |
| | | |
| 21. APIs | 11/26/2022 | 12/03/2022 |




Figure 3.2

3.4 Hardware & software requirements

3.5.1 Hardware

- Processor: Intel Core i3 or more.
- RAM: 4GB or more.
- Monitor: 17 CRT or LCD, Plasma, etc.
- Hard-Disk: 256 or more (SSD preferable)
- Keyboard: Normal or multimedia.
- Mouse: Compatible

3.5.2 Software

- System O.S: Window or Linux (Debian or Arch).
- Frontend: HTML(ejs), JS, TailwindCss.
- Backend: Node.js, Express.js
- Database: MongoDB (NoSql)

3.5 Conceptual Model

3.5.1 Data Model

Unlike SQL databases, where you must determine and declare a table's schema before inserting data, MongoDB's [collections](#), by default, do not require their [documents](#) to have the same schema. That is:

- The documents in a single collection do not need to have the same set of fields and the data type for a field can differ across documents within a collection.

Embedded Data

Embedded documents capture relationships between data by storing related data in a single document structure. MongoDB documents make it possible to embed document structures in a field or array within a document. These *denormalized* data models allow applications to retrieve and manipulate related data in a single database operation.

The key decision in designing data models for MongoDB applications revolves around the structure of documents and how the application represents relationships between data. MongoDB allows related data to be embedded within a single document.

References :

- Practical MongoDB: Architecting, Developing, and Administering MongoDB
Author :[Shakuntala Gupta Edward & Navin Sabharwal](#),
- <https://www.mongodb.com/docs/manual/core/data-modeling-introduction/>




Figure 3.2 Data Model

3.5.2 Data-Flow Diagram

A **data flow diagram** (or DFD) is a graphical representation of the information flow in a business process. It demonstrates how data is transferred from the input to the file storage and reports generation. By visualizing the system flow, the flow charts will give users helpful insights into the process and open up ways to define and improve their business.

References:

- Software Engineering 9th Edition Author : Ian Sommerville
- <https://www.lucidchart.com/pages/uml-data-flow-diagram>




| Name | Symbol | Description |
|-----------------|---|---|
| Process |  | A process transforms incoming data flow into outgoing data flow. |
| Database |  | Data stores are repositories of data in the system. |
| Data Flow |  | Data flows are pipelines through which packets of information flow. Label the arrows with the name of the data that moves through it. |
| External Entity |  | External entities are objects outside the system, with which the system communicates |

Table 3.2

DFD 0

DFD Level 0 is also called a Context Diagram. It's a basic overview of the whole system or process being analysed or modelled. It's designed to be an at-a-glance view, showing the system as a single high-level process, with its relationship to external entities.




Figure 3.3 DFD 0

DFD 1

In 1-level DFD, the context diagram is decomposed into multiple bubbles/processes. In this level, we highlight the main functions of the system and breakdown the high-level process of 0-level DFD into subprocesses




Figure 3.4 DFD1

DFD 2

2-level DFD goes one step deeper into parts of 1-level DFD. It can be used to plan or record the specific/necessary detail about the system's functioning.




Figure 3.5 DFD 2

3.5.3 Class Diagram

Class diagram is a static diagram. It represents the static view of an application. Class diagram is not only used for visualizing, describing, and documenting different aspects of a system but also for constructing executable code of the software application.

The purpose of class diagram is to model the static view of an application. Class diagrams are the only diagrams which can be directly mapped with object-oriented languages and thus widely used at the time of construction.

References:

- Software Engineering 9th Edition Author : Ian Sommerville
- <https://www.lucidchart.com/pages/class-diagram>


| Name | Symbol | Description |
|-------------|---|--|
| Class |  | Classes and interfaces in UML show architecture and features of the designed system. |
| Association |  | Represents the static relationship shared among the objects of two classes |

Table 3.3

Visual Paradigm Online Free Edition




Figure 3.6 Class Diagram

3.5.4 Use-Case Diagram

In the Unified Modelling Language (UML), a use case diagram can summarize the details of your system's users (also known as actors) and their interactions with the system. To build one, you'll use a set of specialized symbols and connectors. An effective use case diagram can help your team discuss and represent:

- Scenarios in which your system or application interacts with people, organizations, or external systems
- Goals that your system or application helps those entities (known as actors) achieve
- The scope of your system

References:

- Software Engineering 9th Edition Author : Ian Sommerville
- <https://www.lucidchart.com/pages/uml-use-case-diagram>



| | |
|--|---|
|  Actor name | Actor |
|  Use case name | Use case |
|  | Generalization symbol used between actors and between use cases |
|  | Association between actor and use case |
|  | Include relationship between use cases |
|  | Extend relationship between use cases |
| Symbols in a use case diagram | |

Table 3.4




Figure 3.7

Use Case Description:

- Login

Summary: Used to log in and Logout of the system

Actor: User, Provider, Producer.

Pre-condition: None.

Description: The System waits for the credentials to be entered for validations and necessary for logout

Exception: If credentials are not valid an error message is thrown

Post-condition: Display user dashboard

- Register

Summary: Used for registration

Actor: User, Provider, Producer.

Pre-condition: None.

Description: Is used for creating an account in the service by fill certain details

Exception: If proper fields are not valid an error message is thrown

Post-condition: redirect to login

- Book an appointment

Summary: Used for booking an appointment

Actor: User.

Pre-condition: The user should be logged in with proper account details.

Description: Is used for creating an account in the service by fill certain details

Exception: If slots get filled during registration error message is shown

Post-condition: Appointment is booked.

- Book orders

Summary: Used for buying vaccines.

Actor: Provider.

Pre-condition: Provider should be logged in and valid

Description: For buying vaccines from a domestic producer

Exception: If proper fields are not valid an error message is thrown

Post-condition: Order is booked

- Set Appointments

Summary: Used for setting up appointments

Actor: Provider.

Pre-condition: Provider should be logged in and valid

Description: For setting appointments for users in his/her locality

Exception: If proper fields are not valid an error message is thrown

Post-condition: Appointment is successfully registered.

- Process Orders

Summary: Used for processing orders.

Actor: Producer.

Pre-condition: None.

Description: For processing vaccines orders of a provider.

Exception: If an internal problem happens error message is thrown.

Post-condition: Order is successfully processed

3.5.5 Sequence Diagram

UML Sequence Diagrams are interaction diagrams that detail how operations are carried out. They capture the interaction between objects in the context of a collaboration. Sequence Diagrams are time focus and they show the order of the interaction visually by using the vertical axis of the diagram to represent time what messages are sent and when.

- Model high-level interaction between active objects in a system
- Model the interaction between object instances within a collaboration that realizes a use case
- Model the interaction between objects within a collaboration that realizes an operation
- Either model generic interactions (showing all possible paths through the interaction) or specific instances of a interaction (showing just one path through the interaction)

References:

- Software Engineering 9th Edition Author : Ian Sommerville
- <https://www.lucidchart.com/pages/uml-sequence-diagram>

| Name | Symbol | Description |
|---------------------|---|---|
| Synchronous Message |  | An instantaneous communication between objects that conveys information, with the expectation that an action will be initiated as a result. |
| Activation Box |  | The period during which an object is performing an action. |
| Object |  | An object that is created, performs actions, and/or is destroyed during the lifeline |





Figure 3.13

Figure 3.14



Book appointment

Figure 3.16




Figure 3.15




Figure 3.9




Figure 3.11

Process Orders

Figure 3.10




Figure 3.12




Figure 3.17




Figure 3.18




Figure 3.19




Figure 3.20

Figure 3.21




Figure 3.22




Figure 3.23




Figure 3.24




Figure 3.25

3.5.5 State Activity Diagram

Activity diagrams present several benefits to users. Consider creating an activity diagram to:

- Demonstrate the logic of an algorithm.
- Describe the steps performed in a UML use case.
- Illustrate a business process or workflow between users and the system.
- Simplify and improve any process by clarifying complicated use cases.
- Model software architecture elements, such as method, function, and operation.

References:

- Software Engineering 9th Edition Author : Ian Sommerville
- <https://www.lucidchart.com/pages/uml-state-diagram>




Table 3.6




Figure 3.26 State Diagram

3.5.6 Activity Diagram

Activity diagrams are mainly used as a flowchart that consists of activities performed by the system. Activity diagrams are not exactly flowcharts as they have some additional capabilities. These additional capabilities include branching, parallel flow, swim lane, etc.

Before drawing an activity diagram, we must have a clear understanding of the elements used in the activity diagram. The main element of an activity diagram is the activity itself. An activity is a function performed by the system. After identifying the activities, we need to understand how they are associated with constraints and conditions.

References:

- Software Engineering 9th Edition Author : Ian Sommerville
- <https://www.lucidchart.com/pages/uml-activity-diagram>

| Sr. No | Name | Symbol |
|--------|---------------|--------|
| 1. | Start Node | |
| 2. | Action State | |
| 3. | Control Flow | |
| 4. | Decision Node | |
| 5. | Fork | |
| 6. | Join | |
| 7. | End State | |

Table 3.7




Figure 3.27 Activity Diagram

4. System Design

4.1 Interface Design

User Interface (UI) Design focuses on anticipating what users might need to do and ensuring that the interface has elements that are easy to access, understand, and use to facilitate those actions. UI brings together concepts from [interaction design](#), [visual design](#), and [information architecture](#).

Interface elements include but are not limited to:

- Input Controls: buttons, text fields, checkboxes, radio buttons, dropdown lists, list boxes, toggles, date field
- Navigational Components: breadcrumb, slider, search field, pagination, slider, tags, icons
- Informational Components: tooltips, icons, progress bar, notifications, message boxes, modal windows
- Containers: accordion




Figure 4.1




Figure 4.2




Figure 4.3




Figure 4.4




Figure 4.5

Set Stocks

Home
Profile (Beta)
Authorize (Beta)
Set Stocks (Beta)
Orders (Beta)
API (Beta)

Vaccine Name _____
Vaccine Code _____
Short Description _____
Effectiveness _____
Stock _____
Against _____

Your Stocks

Vaccine Name : Influenza Vaccine
Vaccine Code : 98606
Description : Influenza virus vaccine, quadrivalent, split virus, preservative free, 0.5 ml dosage, for intramuscular use
Effectiveness : 80
Stock : 100
Against : Influenza virus
[Update](#) [Delete](#)

Figure 4.6

Dashboard

Home
Profile (Beta)
Set Appointments (Beta)
Appointments (Beta)
Buy Vaccines (Beta)
Orders (Beta)
API's (Beta)

Our own Map

Profile :-
Otherwa
Atharv Desai
Nandivli Road Opp Swami Smartha Math,
Ashapura Complex 1,Ashapura Complex CHS, Sunil Nagar, Dombivali -
421201, MH, India

News:
Diabetes to heart diseases: Here are some healthcare measures that urban women need to watch out for - [India TV News](#)
Google News
2023-02-25T04:30:02
[More ...](#)

Figure 4.7




Figure 4.8




Figure 4.9




Figure 4.10




Figure 4.11




Figure 4.12




Figure 4.13

4.2 Test Cases

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|-----------------|-------------------------|---|--|-----------------|--------|
| User Test Cases | | | | | |
| 0 | Login for user | Username: Otherwa Password: admin | Should get redirected to the dashboard | Gets redirected | Pass |
| 2 | Register for User | Username: Otherwa Password: admin Name: Atharv Ankush Desai, Age 20, gender male, Adhar no 12121243445, pincode 42120, phone-no 8828388979, email atharvdesai2002@gmail.com | Error due to Adhar no | As Expected | Pass |
| 3 | Book Appointments | Appointment Name XXY Appointment Time 13:00 – 14:00 Date: 21/09/222 (On Book Button Click) | The appointment Should be booked | As Expected | Fail |
| 4 | Update Profile for user | Username: Otherwa Password: admin Name: Atharv Ankush Desai, Age 20, gender male, Adhar no 2023023023, pincode 42120, phone-no 8828388979, email atharvdesai2002@gmail.com | User Profile Updated | As expected | Pass |
| 5 | Register for User | Username: Otherwa Password: admin | Error due to Phone number | As Expected | Pass |

| | | | | | |
|--|--|---|--|--|--|
| | | Name: Atharv Ankush Desai, Age 20, gender male, Adhar no 1212232pincode 421201, phone-no 882838899, email atharvdesai2002@gmail.com | | | |
|--|--|---|--|--|--|

Provider Test Cases :

| | | | | | |
|---|-----------------------------|--|--|---------------------------------|------|
| 6 | Set Appointments | Appointment Name : XYZ Appointment Location : Nalasopara/202,22e Appointment Timming : 13:00 – 14:00 Appointment Date : 24/09/22 | Appointemnt should be setted up | As Expected | Pass |
| 7 | Buy Vaccine | On certain vaccine buy confirm order button click and checkout | Order should be placed | Error in Buying Required Amount | Fail |
| 8 | Profile Update for provider | Username: Otherwa Password: admin Name: Atharv Ankush Desai, Age 20, gender male, Adhar no 1212232pincode 421201, phone-no 882838899, email atharvdesai2002@gmail.com NGO : Atmaram NGO | Profile Updated | As Expected | Pass |
| 9 | Profile Update for provider | Username: Otherwa Password: admin Name: Atharv Ankush Desai, Age 20, gender male, Adhar no 1212232pincode 421201, phone-no 882838899, email | Profile Not Updated NGO Field Blank | As Expected | Pass |

| | | | | | |
|----|-----------------------------|--|------------------------------------|-------------|------|
| | | atharvdesai2002@gmail.com NGO : | | | |
| 10 | Update profile for provider | Username: Otherwa Password: admin Name: Atharv Ankush Desai, Age 20, gender male, Adhar no 1212232pincode 421201, phone-no 8828388979, email atharvdesai2002@gmail | Error due to invalid email | As Expected | Pass |
| 11 | Set Appointments | Appointment Name : XYZ Appointment Location : Nalasopara /202,22e Appointment Timming : 13:00 – 14:00 Appointment Date : | Error due to no date specified | As Expected | Pass |
| 12 | Set Appointments | Appointment Name : XYZ Appointment Location : Nalasopara /202,22e Appointment Timming : 13:00 – Appointment Date : 20.09.22 | Error due to no end time specified | As Expected | Pass |

Provider Test Cases

| | | | | | |
|----|-----------------------|--|--|-------------|------|
| 13 | Process Orders | On button Click of delete order status order should be deleted | Order Should get deleted | As Expected | Pass |
| 14 | Process Orders | On button Click of Update order status order should be updated | Order Should get Updated | As Expected | Pass |
| 15 | Update Vaccine Stonks | Vaccine Name : BCG Vaccine Code : 2033 Description: wfwddssdsd Quantity:203 | Vaccine stocks not Updated due to faulty description | As Expected | Pass |

| | | | | | |
|----|-----------------------------|--|---|-------------|------|
| 16 | Profile Update For Producer | Username: Otherwa Password: admin Name: Atharv Ankush Desai, Age 20, gender male, Adhar no 1212232pincode 421201, phone-no 8828388979, email atharvdesai2002@gmail.com Company Name : Le-Vaccine Company Address : C/202 Shree Samartha Krupa | Should not get updated Successfully Not valid Company Name | As Expected | Pass |
| 17 | Profile Update For Producer | Username: Otherwa Password: admin Name: Atharv Ankush Desai, Age 20, gender male, Adhar no 1212232pincode 421201, phone-no 8828388979, email atharvdesai2002@gmail.com | Should get updated Successfully | As Expected | Pass |
| 18 | Process Orders | On the button Click of Update order status order should be updated | Order Should get Updated | As Expected | Pass |
| 19 | View Order Status | On button click of view status | Order status should be shown | As Expected | Pass |
| 20 | Update Vaccine Stonks | Vaccine Name: BCG Vaccine Code: 2033 Description: For Immunity etc, Quantity: 203 | Vaccine stocks Updated | As Expected | Pass |

| | | | | | |
|----|-----------------------------|--|-------------------------------------|-------------|------|
| 21 | Update Vaccine Stonks | Vaccine Name: BCG Vaccine Code: 2033 Description: For Immunity etc, Quantity:0 | Vaccine stocks Updated | As Expected | Pass |
| 22 | Update Vaccine Stonks | Vaccine Name: BCG Vaccine Code: 2033 Description: For Immunity etc, Quantity: | Vaccine stocks are not Updated | As Expected | Pass |
| 23 | Profile Update For Producer | Username: Otherwa1 Password: admin Name: Atharv Ankush Desai, Age 20, gender male, Adhar no 1212232pincode 421201, phone-no 8828388979, email atharvdesai2002@gmail.com Company Name: Bhartia Biotech Company Address: C/202 Shree Samartha Krupa | The username is already taken error | As Expected | Pass |
| 24 | Profile Update For Producer | Username: Otherwa Password: admin Name: Atharv Ankush Desai, Age 20, gender male, Adhar no 1212232pincode 421201, phone-no 8828388979, email atharvdesai2002@gmail.com : | Should not get updated Successfully | As Expected | Pass |

| | | | | | |
|----|--------------------------------|---|-------------------------------------|-------------|------|
| 25 | Profile Update For Producer | Username: Otherwa Password: admin Name: Atharv Ankush Desai, Age 20, gender male, Adhar no 1212232pincode 421201, phone-no 8828388979, email atharvdesai2002@gmail.com | Should not get updated Successfully | As Expected | Pass |
|----|--------------------------------|---|-------------------------------------|-------------|------|

5.1 Implementation Approaches

The Vaccine Management System (Le-Vaccine) project was created utilising Extreme Programming Concepts (XP), which is intended to increase software quality and responsiveness to client needs. The extreme programming approach suggests scaling up the best methods that have previously performed successfully in programme development initiatives to extreme levels. Extreme Programming (XP) is a software development process that emphasises high-quality product delivery through frequent and continuous feedback, collaboration, and adaptability. With an emphasis on rapid, iterative development and deployment, XP promotes a close working relationship between the development team, the client, and stakeholders. If the user requirements change at any time, the appropriate component can be rebuilt, reimplemented, and tested again.

The requirements were analysed, and the project was promptly put into action by developing the necessary user interfaces. The interfaces were designed and built utilising Microsoft Studio Code and a database provided by Mongo Atlas Service. The frontend of the project was coded in EJS with CSS for style and Js for adding functionalities, and the backend was coded in REST API routes using Express Library. The project was broken down into modules. These modules were built one at a time, and once each one was finished, unit testing was performed on it. The module was included into the main project as soon as it met its requirements. Following integration, each whole module capability was tested, which can also be referred to as integration testing. After adding all the modules to the main project, the final testing was performed to check whether the system was performing properly or not.

The validations were used wherever required. The system was made thinking about all the problems that it could face and thereby proper measures were taken to make sure that the system does not get affected by them. The final product would be delivered when it satisfies all the requirements and functionalities

5.2 Coding Details and Coding Efficiency

5.2.1 Efficency:

Booking Appointments:

- View All Appointments Route.

```
Router.get('/user/dash/bookappo', auth, livedata, async (req, res) => {
  await connect()
  const cookie = req.cookies.jwt
  console.log(moment(new Date()).format('YYYY-MM-DD'))
  console.log(moment(new Date()).format('hh:mm A'))

  // nearby pincode match
  let pincode = Number(req.user.detail.postcode)
```

```

// match nearby pin codes
pins = [pincode - 2, pincode - 1, pincode, pincode + 1, pincode + 2]

console.log(pins)
console.log(
  moment(new Date()).format()
)
appo.find({ 'status': false, 'postcode': { $in: pins }, 'details.date': { $gt: moment(new Date()).format('YYYY-MM-DD') } }, (err, result) => {
  if (err) console.log(err)
  console.log(result)

  const pos = result.map(position);

  result.map(time);

  function time(item) {
    // change 24.00 to XX.XX AM/PM moment library
    item.details.time = moment(item.details.time).format('hh:mm A');
    item.details.date = moment(item.details.date).format("MMM Do YYYY");
    // console.log(item.details.time)
  }
  // console.log(pos)
  function position(item) {
    return (item.details.position);
  }

  res.render('account/user/bookappo', {
    data: req.user,
    token: cookie,
    appos: result,
    appos_: pos,
    csrf_token: req.csrfToken()
  });
})
})

```

- [Book Appointments Route:](#)

```

Router.post('/dash/bookappo/:id', auth, livedata, async (req, res) => {
  console.log("heer")
  const id = req.params.id
  console.log(id.toString())
  console.log(req.user._id.toString())
  user.bookappo(req, res, id, req.user._id)
})

```

- [Book Appointment Method:](#)

```

userSchema.prototype.bookappo = async (req, res, appoid, userid) => {
  // sleep
  await connect()

```

```

async function awaitUpdate() {
  try {
    appos.findById(appoid).then((doc) => {
      // awaiting response
      if (doc.details.slots > 0 && Boolean(doc.status) === false) {
        appos.findByIdAndUpdate(appoid, { $inc: { 'details.slots': '-1' } }, (err, results) => {
          if (err) console.log(err)

          console.log(results)
        }
      }

      const appo = new appolist({
        appoid: appoid,
        userid: userid,
        date: new Date()
      })

      appo.save((err, result) => {
        if (err) console.error(err)

        console.log(result)
        // req.flash('msg', "Appointment Booked")
        res.json({ status: '200' })
        user_bookappo(req.user.email, req.user.username, results)
        return results
      })
    })
  } else {
    // req.flash('err', "Appointment Was Not Booked")
    res.json({ status: '404' })
  }
}

let appoupdate = await awaitUpdate()
console.log(appoupdate + " asdas")

}

```

The Serializable Issue For Booking Appointments Was Fixed By Introducing Random 1000 – 5000 Ms Delay Along with An Async Promise Call-back which allows The Express Logic Layer to Read/Write the Correct Amount of Slots Remaining For the Appointments

Similar Approach is Done For Booking Vaccine Orders And Order Status

More Over a Map is Integrated Using Geoapify and Maplibre API which Provide Geospatial Data For a Set Of Co-ordinates Dragged by the Provider For Setting Appointments ,User Locations etc.

Buy Vaccine:

- Route

```
// stop appointments
```

```
Router.put('/dash/buyvaccines/buy', pauth, livepdata, async (req, res) => {
```

```
    console.log(req.body)
```

```
    // console.log(req.user)
```

```
    //stop appointemts
```

```
    provider.buyvaccine(req, res, req.body.prodid, req.body.proid, req.body.stonkid,  
    req.user.detail, req.body.vaccinecode, 'Pending', req.body.stock, req.body.email)
```

```
)})
```

- Method

```
providerSchema.prototype.buyvaccine = async (req, res, prodid, proid, stonkid, details,  
vac, status, stock, email) => {
```

```
    stonks.findById(stonkid, (err, data) => {
```

```
        if (err) { console.log(err) }
```

```
        console.log(data)
```

```
        if (data.stocks > 0) {
```

```
            stonks.findByIdAndUpdate(stonkid, { $inc: { stocks: -Number(stock) } }).then(()
```

```
=> {
```

```
            new orders({
```

```
                prodid: prodid,
```

```
                proid: proid,
```

```
                stonkid: stonkid,
```

```
                details: details,
```

```
                vaccinecode: vac,
```

```
                status: status,
```

```
                stock: stock,
```

```
                date: new Date()
```

```
            }).save((err, result) => {
```

```
                if (err) { console.log(err) }
```

```
                producerSchema.findById(prodid).then(data => {
```

```
                    sendrecept(email, result, data)
```

```
                    res.send(result)
```

```
                })
```

```
            })
```

```

        })
    } else {
        res.send('no')
    }
})

```

The Buying Module uses High R/W of the MongoDb to Ensure each specific document is up to date

5.3 Testing Approach

The Testing Approach for the project was solely based on the reliability of the components implemented through Several Testing Phases to ensure the quality of the system is up to the requirements specified.

5.3.1 Unit Testing

These Tests are designed to ensure that each unit performs as expected and produces the correct outputs for various inputs or scenarios

Test Cases:

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|--|---|---------------|--------|
| 1 | User Login | Username : Otherwa Password:Gokussj@1 2345 | Should Redirect to Dashboard | As Expected | Pass |
| 2 | User Login | Username : Otherwa Password: | Should Not Redirect to Dashboard and Show Error | As Expected | Pass |
| 3 | User Login | Username : Password:Gokussj@1 2345 | Should Not Redirect to Dashboard and Show Error | As Expected | Pass |
| 4 | User Login | Username : Password: | Should Not Redirect to Dashboard and Show Error | As Expected | Pass |

Table 5.1 User Login

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|---|---|---------------|--------|
| 5 | User Login | Username : Otherwa Password:Gokussj @12345 | Should Redirect to Dashboard | As Expected | Pass |
| 6 | User Login | Username : Otherwa Password: | Should Not Redirect to Dashboard and Show Error | As Expected | Pass |
| 7 | User Login | Username : Password:Gokussj @12345 | Should Not Redirect to Dashboard and Show Error | As Expected | Pass |
| 8 | User Login | Username : Password: | Should Not Redirect to Dashboard and Show Error | As Expected | Pass |

Table 5.2 Provider Login

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|---|---|---------------|--------|
| 9 | User Login | Username : Otherwa Password:Gokussj @12345 | Should Redirect to Dashboard | As Expected | Pass |
| 10 | User Login | Username : Otherwa Password: | Should Not Redirect to Dashboard and Show Error | As Expected | Pass |

| | | | | | |
|----|------------|--|---|-------------|------|
| 11 | User Login | Username : Password:Gokussj @12345 | Should Not Redirect to Dashboard and Show Error | As Expected | Pass |
| 12 | User Login | Username : Password: | Should Not Redirect to Dashboard and Show Error | As Expected | Pass |

Table 5.3 Producer Login

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|--|---|---------------|--------|
| 13 | User Register | Username : Otherwa Email:atharvdeossai 2002@gmail.com Password:Gokussj @12345 | Should Get Registered | As Expected | Pass |
| 14 | User Register | Username : Otherwa Email:atharvdeossai 2002@gmail.co Password:Gokussj @12345 | Should Not Get Registered And validation | As Expected | Pass |
| 15 | User Register | Username:Other Email:atharvdeossai 2002@gmail.com Password:123213 | Should Not Get Registered | As Expected | Pass |
| 16 | User Register | Username Otherwa Email: Password:Gokussj @12345 | Should Not Redirect to Dashboard and Show Error | As Expected | Pass |

Table 5.4 User Register

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|---|---|---------------|--------|
| 17 | Provider Register | Username : Otherwa Email:atharvdeessai 2002@gmail.com Password:Gokussj @12345 | Should Get Registered | As Expected | Pass |
| 18 | Provider Register | Username : Otherwa Email:atharvdeessai 2002@gmail.co Password:Gokussj @12345 | Should Not Get Registered And validation | As Expected | Pass |
| 19 | Provider Register | Username:Other Email:atharvdeessai 2002@gmail.com Password:123213 | Should Not Get Registered | As Expected | Pass |
| 20 | Provider Register | Username Otherwa Email: Password:Gokussj @12345 | Should Not Redirect to Dashboard and Show Error | As Expected | Pass |

Table 5.5 Provider Register

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|---|--|---------------|--------|
| 21 | Provider Register | Username : Otherwa Email:atharvdeessai 2002@gmail.com Password:Gokussj @12345 | Should Get Registered | As Expected | Pass |
| 22 | Provider Register | Username : Otherwa | Should Not Get Registered And validation | As Expected | Pass |

| | | | | | |
|----|-------------------|--|---|-------------|------|
| | | Email:atharvdesai 2002@gmail.co Password:Gokussj @12345 | | | |
| 23 | Provider Register | Username:Other Email:atharvdesai 2002@gmail.com Password:123213 | Should Not Get Registered | As Expected | Pass |
| 24 | Provider Register | Username Otherwa Email: Password:Gokussj @12345 | Should Not Redirect to Dashboard and Show Error | As Expected | Pass |

Table 5.6 Provider Register

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|---|------------------------|---------------|--------|
| 25 | User Profile | FirstName:Atharv LastName:Desai Address:C/202 Age:20 Phone:8828388979 City:Dombivili Region:Maharstra Gender:Male PostCode:421201 | Should Get Updated | As Expected | Pass |
| 26 | User Profile | FirstName:Atharv LastName:Desai Address:C/202 Age:20 Phone: City:Dombivili Region:Maharstra Gender:Male | Should Not Get Updated | As Expected | Pass |

Table 5.7 User Update Profile

| | | | | | |
|--|--|-----------------|--|--|--|
| | | PostCode:421201 | | | |
|--|--|-----------------|--|--|--|

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|---|------------------------|---------------|--------|
| 27 | Provider Profile | FirstName:Atharv LastName:Desai Address:C/202 Age:20 Phone: 8828388979 City:Dombivili Region:Maharstra Gender:Male PostCode:421201 NGO Address : C/202 Mandal NGO Name : mitra Mandal | Should Get Updated | As Expected | Pass |
| 28 | Provider Profile | FirstName:Atharv LastName:Desai Address:C/202 Age:20 Phone: City:Dombivili Region:Maharstra Gender:Male PostCode:421201 NGO Address : C/202 Mandal NGO Name : mitra Mandal | Should Not Get Updated | As Expected | Pass |

Table 5.8 Provider Update Profile

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|--|------------------------|---------------|--------|
| 29 | Producer Profile | FirstName:Atharv LastName:Desai Address:C/202 Age:20 Phone: 8828388979 City:Dombivili Region:Maharashtra Gender:Male PostCode:421201 | Should Get Updated | As Expected | Pass |
| 30 | Producer Profile | FirstName:Atharv LastName:Desai Address:C/202 Age:20 Phone: City:Dombivili Region:Maharashtra Gender:Male PostCode:421201 | Should Not Get Updated | As Expected | Pass |

Table 5.9 Producer Update Profile

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|----------------------------------|-----------------|---------------|--------|
| 31 | User Book Appointment | Click on Book Appointment button | Booked | As Expected | Pass |
| 32 | User Book Appointment | Click on Book Appointment button | Booked | As Expected | Pass |

Table 5.10 Book Appointments

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|--|--|---------------|--------|
| 33 | Set Appointment | Address:C/202 – add addr City: Dombivili State:Maharastra PostCode: 421201 ForVaccine: Covid Slots: 20 Time: 20.19 pm Date:21/09/23 | Booked | As Expected | Pass |
| 34 | Set Appointment | Address:C/202 – add addr City: Dombivili State:Maharastra PostCode: 421201 ForVaccine: Covid Slots: 20 Time: 20.19 pm Date:21/09/22 | Should not Book As Date is not before todays date | As Expected | Pass |

Table 5.11 Set Appointments

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|---------------------|-----------------|---------------|--------|
| 36 | Buy Vaccine | Click on Buy button | Booked | As Expected | Pass |
| 37 | Buy Vaccine | Click on Buy button | Booked | As Expected | Fail |

Table 5.12 Buy Vaccine

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|-------------------------|-----------------|---------------|--------|
| 38 | Checked | Click on Checked button | Checked | As Expected | Pass |
| 39 | Checked | Click on Checked button | Checked | As Expected | Pass |

Table 5.13 Set Checked User

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|---------------------------|-----------------|---------------|--------|
| 40 | Authorize | Click on Authorize button | Authorized | As Expected | Pass |
| 41 | Authorize | Click on Authorize button | Authorized | As Expected | Pass |

Table 5.14 Authorize Provider

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|---|------------------|---------------|--------|
| 42 | Add Stock | Vaccine Name :Covid Vaccine Code:23355 Short Description:Against Covid Effectiveness:9.8 Stock:20 Against:Sars Covid | Stock Set | As Expected | Pass |
| 42 | Add Stock | Vaccine Name : | Stock Not Set as | As Expected | Pass |

| | | | | | |
|--|--|--|-------------------------|--|--|
| | | Vaccine Code:23355 Short Description:Against Covid Effectiveness:9,8 Stock:20 Against:Sars Covid | Vaccine Name Missing | | |
|--|--|--|-------------------------|--|--|

Table 5.15 Set Stock Producer

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|----------------------------|-----------------|---------------|--------|
| 44 | Mange | Click on Any update button | Updated | As Expected | Pass |
| 45 | Mange | Click on Any update button | Updated | As Expected | Pass |

Table 5.16 Manage Order

5.3.2 Integration Testing

Once the Components/Modules have been identified and tested with test cases, integration test cases can be designed to validate the integration between them. This can include testing how information is captured and stored in the database, how it is displayed on the user interface, and how it is transmitted through the API..

Test Cases:

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|--|------------------------------|---------------|--------|
| 1 | User Login | Username : Otherwa Password:Gokussj@1 2345 | Should Redirect to Dashboard | As Expected | Pass |

| | | | | | |
|---|------------|--|--|----------------|------|
| 2 | User Login | Username : Otherwa Password: | Should Not Redirect to Dashboard and Show Error | As Expected | Pass |
| 3 | User Login | Username : Password:Gokussj@1 2345 | Should Not Redirect to Dashboard and Show Error | As Expected | Pass |
| 4 | User Login | Username : Password: | Should Not Redirect to Dashboard and Show Error | As Expected | Pass |

Table 5.17 Login - Dashboard

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|----------------------------------|-----------------|---------------|--------|
| 5 | User Book Appointment | Click on Book Appointment button | Booked | As Expected | Pass |
| 6 | User Book Appointment | Click on Book Appointment button | Booked | As Expected | Pass |

Table 5.18 User Dashboard-Book Appointment

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|----------------------------------|-------------------------|---------------|--------|
| 7 | User Book Appointment | Click on Book Appointment button | Visible in Appointments | As Expected | Pass |
| 8 | User Book Appointment | Click on Book Appointment button | Visible in Appointments | As Expected | Pass |

Table 5.19 Book Appointments-Appointments

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|--|-----------------------------|---------------|--------|
| 9 | Set Appointment | Address:C/202 – add addr City: Dombivili State:Maharastra PostCode: 421201 ForVaccine: Covid Slots: 20 Time: 20.19 pm Date:21/09/23 | Visible in Appointments | As Expected | Pass |
| 10 | Set Appointment | Address:C/202 – add addr City: Dombivili State:Maharastra PostCode: 421201 ForVaccine: Covid Slots: 20 Time: 20.19 pm Date:21/09/22 | Not Visible in Appointments | As Expected | Pass |

Table 5.20 Set-Appointments- Appointements

5.3.3 Beta Testing

The first step would be to identify the scope of the testing and the objectives to be achieved. Then, a list of test scenarios can be created based on the identified scope and objectives. These scenarios should cover different aspects of the documentation, such as clarity, completeness, and accuracy.

Next, a group of beta testers can be selected, who can represent the target audience for the documentation. The testers can then execute the test scenarios and provide feedback on their experience and observations. The feedback can be collected in a structured format, such as a survey or a feedback form.

Finally, the feedback can be analysed, and the necessary changes can be incorporated into the documentation. This iterative process can be repeated until the documentation meets the desired quality standards

Test Cases:

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|--|---|---------------|--------|
| 13 | User Register | Username : Kunal Email:kunal2002@gmail.com Password:Gokussj @12345 | Should Get Registered | As Expected | Pass |
| 14 | User Register | Username : Kunal Email:kunal2002@gmail.com Password:Gokussj @12345 | Should Not Get Registered And validation | As Expected | Pass |
| 15 | User Register | Username : Kunal Email: Password:Gokussj @12345 | Should Not Get Registered | As Expected | Pass |
| 16 | User Register | Username : Kunal Email:kunal2002@gmail.com Password: | Should Not Redirect to Dashboard and Show Error | As Expected | Pass |

Table 5.21 User Register

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|----------------------------------|-----------------|---------------|--------|
| 31 | User Book Appointment | Click on Book Appointment button | Booked | As Expected | Pass |
| 32 | User Book Appointment | Click on Book Appointment button | Booked | As Expected | Fail |

Table 5.22 Book Appointments

5.4 Modifications and Improvements

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|----------------------------------|-----------------|---------------|--------|
| 37 | Buy Vaccine | Click on Buy button | Booked | As Expected | Fail |
| 32 | User Book Appointment | Click on Book Appointment button | Booked | As Expected | Fail |

Table 5.23 Failed

The Above Testcase Failed were fixed by introducing 300ms delay with the function async callback moreover an ID typo error was introduced which led to the possible cause

Book Appointment :

```

<% if(data.personstatus==true) { %>
<% if(!check) { %>
<% if(appo.status) { %>
<h2 style="color:red;">Appointments Slots Stopped</h2>
<% }else{ %>
<% if(appo.details.slots<=0) { %>
<h2 style="color:red;">No Slots Remaining</h2>
<% }else{ %>
<input type="button" id="book-appo" value="Book
Appointment"
style="width: 100%;">
<br>
<br>
<h2 id="status"></h2>
<% } %>
<% }%>
<% }else{ %>

```

```

<h2 style="color:green;">
    Appointment Booked</h2>
<% }%>
<% }else{ %>
    <h3 style="color:red">Fill all the Necessary
        Details
    First in Profile</h3>
<% }%>

```

The id="book-appo" was misspelled as "bok" which led to ajax button reference being not called
Similar issue was discovered for Test Case 32 which was also an typo error

Buy Vaccine :

```

<div style="padding: 0.5rem;font-style: normal;width: 100% !important;">
    <div class="input-contain" style="width: 100% !important;">
        <input type="number" style="width: 100% !important;" name="stock"
value="1"
            id="stock" autocomplete="on">
        <label class="placeholder-text" style="top: 17px !important;
width: 3%;" for="stock" id="placeholder-fname">
            <div class="text">Stock</div>
        </label>
    </div>
    <br>
    <input type="button" id="buy" style="width: 100% !important;" value="Buy">
</div>
</div>

```

| ID | Test Case Description | Test Case Data | Expected Result | Actual Result | Remark |
|----|-----------------------|---------------------|-----------------|---------------|--------|
| 37 | Buy Vaccine | Click on Buy button | Booked | As Expected | Pass |

| | | | | | |
|----|-----------------------|----------------------------------|--------|-------------|------|
| 32 | User Book Appointment | Click on Book Appointment button | Booked | As Expected | Pass |
|----|-----------------------|----------------------------------|--------|-------------|------|

Table 5.24 Failed Passed

6.1 Test Reports

The testing phase of project development is critical. The testing step allows you to determine whether all of the capabilities are being executed correctly.

The testing phase began with the creation of test cases for each module as well as the design of the modules themselves. The process for integrating test cases was completed. Each module was then examined, and test cases were created based on the findings. The test cases provided input and the expected result after entering the values. After constructing the test cases, they were validated by actually entering the inputs and determining if the estimated and actual outputs were the same or not. If the estimated output corresponded to the actual output then the test cases were remarked to be passed else, they were remarked as a failure. Not all values were tried and tested but the process made sure the system would be able to cope up with any values. After performing all the testcases, it was concluded that there were no errors. So, no further modifications were needed in the respective modules.

Based on the performed test cases And modifications the problems such as concurrent booking of Appointments, Buying of Vaccines were capable of tackling the problem defined for the project objectives and commercial small scale use.

6.2 User Documentation

- Homepage:

The First Page the user can see Several Other tabs are also present which provide the aim and vision of the project




Figure 6.1

- Vaccinations:

This page gives the information of the actual vaccination done by using this site which is mapped and an external open API which provide daily records of Covid-19 cases all over the world




Figure 6.2





Figure 6.3

- APIs

This page is only for registered users, provider, producer which can use vaccinations data generate by the site for their own use.



- Help:

Open AI Chat-bot is also integrated using API services.




Figure 6.5

User :

- Login:

The Required User can login through this page this page is a common point for different roles




Figure 6.5

- Dashboard:

This is the first page the user sees after logging in




Figure 6.6

- Profile:

Here the user can update his/her profile as per the need

Figure 6.7

- Book Appointments:

Here the user can book appointment which is nearby matching his /her by using pincode for lookup

Figure 6.8

Provider :

- Login:

Appropriate Provider can login




Figure 6.9

- Dashboard:

The First page the Provider Sees

Figure 6.10

- Profile:

Here the Provider can update his or her NGO profile etc.

Figure 6.11

- Set Appointments:

Here The Provider can set Appointments as per the need

Figure 6.12

- Appointments:

Here the Provider can see his/her appointments and can either stop or start for slots




Figure 6.13

- Buy Vaccine

Here the Provider can buy Vaccine which are required




Figure 6.14

- Orders:

Here The Provider can keep track of the Vaccine Orders Placed.

The screenshot shows a user interface titled "Your Orders". On the left is a sidebar with links: Logout, Home, Profile (Beta), Set Appointments (Beta), Appointments (Beta), Buy Vaccines (Beta), Orders (Beta), and APIs (Beta). The main content area is titled "Your Orders" and displays two separate order cards. Each card contains the following information:

Order 1:

- Stock : 1
- Vaccine-Code : 791714
- Status Code : Processing
- To : Samarth Mitra Mandal
- Address : Shree Samarth Krupa CHS,Sunil Nagar Rd, Dombivli East, Dombivli - 421203, MH, India
- Contact : 8828388979
- PostCode : 421203
- City : Dombivli

Order 2:

- Stock : 54
- Vaccine-Code : 791714
- Status Code : Processing
- To : Samarth Mitra Mandal
- Address : Shree Samarth Krupa CHS,Sunil Nagar Rd, Dombivli East, Dombivli - 421203, MH, India
- Contact : 8828388979
- PostCode : 421203
- City : Dombivli

Each card has a "Details" button at the bottom right. A small yellow circular icon with a lightbulb symbol is located on the right side of the page.

Figure 6.15

Producer:

- Login

The First Page the Provider Sees For logging in

The screenshot shows a login page titled "Login-As". At the top, there are links for "Home" and "Login / Register". Below the title is a stylized illustration of a hospital or laboratory building. To the right of the building are three rounded rectangular buttons, each representing a login option:

- User**: Represented by a person icon and the word "User".
- Provider**: Represented by a person icon and the word "Provider".
- Producer**: Represented by a person icon and the word "Producer".

A small yellow circular icon with a lightbulb symbol is located on the right side of the page.

Figure 6.16

- Dashboard

This is the first page the producer sees after logging in




Figure 6.17

- Authorize

Here the Producer can Authorize or Unauthorized the Provider of certain NGO




Figure 6.18

- Orders

Here the Producer can Process the Orders Received From the Providers

The screenshot shows a user interface titled "Your Orders". On the left, there is a sidebar with links: Logout, Home, Profile (Beta), Authorize (Beta), Set Stocks (Beta), Orders (Beta), and API (Beta). The main area is titled "Your Orders" and contains a processing queue. At the top of the queue, the following details are listed:

Stock : 1
Vaccine-Code : 791714
Status Code : Processing
To : Samarth Mitra Mandal
Address : Shree Samarth Krupa CHS,Sunil Nagar Rd, Dombivli East, Dombivli - 421203, MH, India
Contact : 8828388979
PostCode : 421203
City : Dombivli

The queue consists of five horizontal bars, each representing a different status:

- Processing
- Dispatched
- Transit
- Completed
- Delete

A small yellow circular icon with a question mark is located in the bottom right corner of the main area.

Figure 6.19

- Stocks:

Here the Producer can set stocks for the vaccine they can manufacture

The screenshot shows two related pages: "Set Stocks" and "Your Stocks".

Set Stocks: This page has a sidebar with links: Home, Profile (Beta), Authorize (Beta), Set Stocks (Beta), Orders (Beta), and API (Beta). The main form contains six input fields:

- Vaccine Name: _____
- Vaccine Code: _____
- Short Description: _____
- Effectiveness: _____
- Stock: _____
- Against: _____

Below these fields is a large button labeled "Set Stock". A small yellow circular icon with a question mark is located in the bottom right corner of this section.

Your Stocks: This page displays a summary of a single vaccine entry:

Vaccine Name : Influenza Vaccine
Vaccine Code : 90686
Description : Influenza virus vaccine, quadrivalent, split virus, preservative free, 0.5 ml dosage, for intramuscular use
Effectiveness : 80
Stock : 100
Against : Influenza virus

At the bottom of this section are two small buttons: "Update" and "Delete". A small yellow circular icon with a question mark is located in the bottom right corner of this section.

Figure 6.20

7.1 Conclusion

The most thing I learnt was time management, if we manage our time properly then we can finish anything before the deadline. I also learnt that designing and planning are one of the important things. This project took me through the various phases of project development and gave me real insight into the world of software engineering.

In conclusion, developing a vaccine management system using MongoDB and Node.js for our college project was a great learning experience. Through this project, we were able to gain practical experience in designing and implementing a full-stack application that can be used to manage vaccine distribution and administration.

One of the main benefits of using MongoDB as our database management system was its flexibility and scalability. Unlike traditional relational databases, MongoDB allowed us to easily store and retrieve data in a document-based format, which made it easy to manage and manipulate data in real-time. Additionally, the ability to scale our database horizontally across multiple servers allowed us to handle large amounts of data with ease, which is particularly important for a vaccine management system that requires fast and efficient data processing.

Node.js was also an excellent choice for our project, as it provided us with a fast and efficient platform for building server-side applications. Its event-driven architecture and non-blocking I/O model allowed us to develop a highly responsive and performant application that can handle a large number of requests simultaneously.

Throughout the development process, we faced several challenges, such as designing a user-friendly interface and ensuring data security. However, through collaboration and teamwork, we were able to overcome these challenges and deliver a fully functional application that met our project requirements.

One of the most rewarding aspects of this project was the knowledge and skills we gained from it. We learned about the importance of data management and security, as well as the benefits of using modern technologies such as MongoDB and Node.js. We also learned about the importance of collaboration and communication in a team-based project, which will undoubtedly be beneficial in our future careers.

In summary, our experience in developing a vaccine management system using MongoDB and Node.js was both challenging and rewarding. We gained valuable knowledge and skills, and we are proud of the final product we delivered. We believe that our application has the potential to make a positive impact in managing vaccine distribution and administration, and we hope to see it implemented in the real world.

Furthermore, this project has also given the opportunity to showcase our abilities to potential employers and stand out in a highly competitive job market. By demonstrating our ability to design and develop a functional application, we can confidently apply for positions that require experience in full-stack development, data management, and security. Overall, this project has been an invaluable experience that has prepared us for real-world challenges and opportunities.

In addition, the use of agile development methodologies helped us to streamline our development process, ensure that we were meeting project requirements, and keep track of progress in a timely manner. This allowed us to make necessary adjustments quickly, saving time and resources in the long run. Overall, this project has been a valuable learning experience that we can apply in our future endeavors.

7.2 Limitations

- Due to Financial Issues this Project is only Capable for users in Maharashtra.
- This Project is only capable to Handle Moderate Traffic as the hosting solution is based on 1 CPU core and 2GB RAM. (Financial Issue).
- Only has 512 MB of Database Storage Size (Financial Issue).

7.3 Future Scope:

- An Android or IOS application can be suitably developed reusing the RESTful APIs developed for the project
- Should be used anywhere in the world

7.4 References

Websites

- https://cdsco.gov.in/opencms/export/sites/CDSCO_WEB/Pdf-documents/biologicals/facilitiesLIST.pdf
as of 19/05/22
- [https://www.who.int/emergencies/diseases/novel-coronavirus-2019/question-and-answers-hub/q-a-detail/coronavirus-disease-\(covid-19\)-vaccines?adgroupsurvey={adgroupsurvey}](https://www.who.int/emergencies/diseases/novel-coronavirus-2019/question-and-answers-hub/q-a-detail/coronavirus-disease-(covid-19)-vaccines?adgroupsurvey={adgroupsurvey})
as of 22/09/22
- <https://www.servicenow.com/solutions/vaccine-management.htm>
as of 01/09/22
- <https://www2.deloitte.com/us/en/pages/public-sector/solutions/vaccine-management-system.htm>
as of 02/06/22
- [{Intelex Vaccine Solution}](https://www.intelex.com/products/applications/vaccine-management)
as of 05/05/22

- <https://www.zenflowchart.com/guides/data-flow-diagram>
as of 01/09/22
- <https://www.newthinktank.com/2019/01/latex-tutorial/>
as of 28/06/22
- <https://online.visual-paradigm.com/drive/#diagram:proj=0&type=GanttChart&workspace=mhujsaxv&id=2>
as of 12./07/22
- <https://www.lucidchart.com/pages>
as of 16/08/22
- <https://www.mongodb.com/docs/manual/core/data-modeling-introduction/>
as of 15/08/22
- <https://www.lucidchart.com/pages/uml-use-case-diagram>
as of 21/08/22
- <https://www.lucidchart.com/pages/uml-sequence-diagram>
as of 22/08/22
- <https://www.lucidchart.com/pages/data-flow-diagram>
as of 23/08/22
- <https://www.lucidchart.com/pages/uml-state-machine-diagram>
as of 21/08/22
- <https://www.lucidchart.com/pages/uml-activity-diagram>
as of 20/08/22
- <https://youtu.be/WnMQ8HlmeXc>
as of 07/09/22

Reference books

- Practical MongoDB: Architecting, Developing, and Administering MongoDB
Author : [Shakuntala Gupta Edward](#) & [Navin Sabharwal](#) as of 16/07/22
- Software Engineering 9th Edition
Author : Ian Sommerville as of 19/06/22
- Learning Node.js Development: Learn the fundamentals of Node.js, and deploy and test Node.js applications on the web
Author : [Andrew Mead](#) as of 20/08/22

- Beginning Node.js, Express & MongoDB Development
Author : Greg Lim as of 22/08/22

- Fundamentals of Creating a Great UI/UX
Author: - Creative Tim as of 23/08/22