

Fish Ageing Precision Articles

24 July, 2018

- Allman, R. J., G. R. Fitzhugh, K. J. Starzinger, and R. A. Farsky. 2005. Precision of age estimation in Red Snapper (*Lutjanus Campechanus*). Fisheries Research 73:123–133.
- Anderson, J., A. Morison, and D. Ray. 1992a. Age and growth of Murray Cod, *Maccullochella Peelii* (Perciformes: Percichthyidae), in the Lower Murray-Darling Basin, Australia, from thin-sectioned otoliths. Marine and Freshwater Research 43:983–1013.
- Anderson, J., A. Morison, and D. Ray. 1992b. Validation of the use of thin-sectioned otoliths for determining the age and growth of Golden Perch, *Macquaria Ambigua* (Perciformes: Percichthyidae), in the Lower Murray-Darling Basin, Australia. Marine and Freshwater Research 43:1103–1128.
- Andrade, H. A. 2004. Age and growth of the Searobin (*Prionotus Punctatus*) in Brazilian waters. Bulletin of Marine Science 75:1–9.
- Andrews, A. H., G. M. Cailliet, and K. H. Coale. 1999. Age and growth of the Pacific Grenadier (*Coryphaenoides Acrolepis*) with age estimate validation using an improved radiometric ageing technique. Canadian Journal of Fisheries and Aquatic Sciences 56:1339–1350.
- Baker, T. T., and L. S. Timmons. 1991. Precision of ages estimated from five bony structures of Arctic Char (*Salvelinus Alpinus*) from the Wood River System, Alaska. Canadian Journal of Fisheries and Aquatic Sciences 48:1007–1014.
- Barada, T. J., A. J. Blank, and M. A. Pegg. 2011. Bias, precision, and processing time of otoliths and pectoral spines used for age estimation of Channel Catfish. American Fisheries Society Symposium 77:723–731.
- Barber, W. E., and G. A. McFarlane. 1987. Evaluation of three techniques to age Arctic Char from Alaskan and Canadian waters. Transactions of the American Fisheries Society 116:874–881.
- Barbieri, L. R., M. E. C. Jr, and C. M. Jones. 1994. Age, growth, and mortality of Atlantic Croaker, *Micropogonias Undulatus*, in the Chesapeake Bay region, with a discussion of apparent geographic changes in population dynamics. Fishery Bulletin 91:1–12.
- Barnes, M. A., and G. Power. 1984. A comparison of otolith and scale ages for western Labrador Lake Whitefish, *Coregonus Clupeaformis*. Environmental Biology of Fishes 10:297–299.
- Beamish, R. J. 1981. Use of fin-ray sections to age Walleye Pollock, Pacific Cod, and Albacore, and the importance of this method. Transactions of the American Fisheries Society 110:287–299.
- Beamish, R. J., and D. A. Fournier. 1981. A method for comparing the precision of a set of age determinations. Canadian Journal of Fisheries and Aquatic Sciences 38(8):982–983.
- Belanger, S. E., and S. R. Hogler. 1982. Comparison of five ageing methodologies applied to Walleye (*Stizostedion Vitreum*) in Burt Lake, Michigan. Journal of Great Lakes Research 8:666–671.
- Blackwell, B. G., T. M. Kaufman, and T. S. Moos. 2016. An assessment of calcified structures for estimating Northern Pike ages. North American Journal of Fisheries Management 36:964–974.
- Boxrucker, J. 1986. A comparison of the otolith and scale methods for aging White Crappies in Oklahoma. North American Journal of Fisheries Management 6:122–125.
- Braaten, P. J., M. R. Doeringsfeld, and C. S. Guy. 1999. Comparison of age and growth estimates for River Carpsuckers using scales and dorsal fin ray sections. North American Journal of Fisheries Management 19:786–792.
- Breeggemann, J. J., C.-A. Hayer, J. Krause, L. D. Schultz, K. N. Bertrand, and B. D. S. Graeb. 2014. Estimating the ages of Mountain Sucker *Catostomus Platyrhynchus* from the Black Hills: Precision, maturation,

and growth. *Western North American Naturalist* 74:299–310.

Brenden, T. O., E. M. Hallerman, and B. R. Murphy. 2006. Sectioned pelvic fin ray ageing of muskellunge *Esox Masquinongy* from a Virginia river: Comparisons among readers, with cleithrum estimates, and with tag-recapture growth data. *Fisheries Management and Ecology* 13(1):31–37.

Brennan, J. S., and G. M. Cailliet. 1989. Comparative age-determination techniques for White Sturgeon in California. *Transactions of the American Fisheries Society* 118:296–310.

Brown, P., C. Green, K. P. Sivakumaran, D. Stoessel, and A. Giles. 2004. Validating otolith annuli for annual age determination of Common Carp. *Transactions of the American Fisheries Society* 133(1):190–196.

Brusher, J., and J. Schull. 2009. Non-lethal age determination for juvenile Goliath Grouper *Epinephelus Itajara* from southwest Florida. *Endangered Species Research* 7:205–212.

Bubley, W. J., J. Kneebone, J. A. Sulikowski, and P. C. W. Tsang. 2012. Reassessment of spiny dogfish *Squalus Acanthias* age and growth using vertebrae and dorsal-fin spines. *Journal of Fish Biology* 80:1300–1319.

Buckmeier, D. L. 2002. Assessment of reader accuracy and recommendations to reduce subjectivity in age estimation. *Fisheries* 27(11):10–14.

Buckmeier, D. L., E. R. Irwin, R. K. Betsill, and J. A. Prentice. 2002. Validity of otoliths and pectoral spines for estimating ages of Channel Catfish. *North American Journal of Fisheries Management* 22:934–942.

Buckmeier, D. L., N. G. Smith, and K. S. Reeves. 2012. Utility of Alligator Gar age estimates from otoliths, pectoral fin rays, and scales. *Transactions of the American Fisheries Society* 141:1510–1519.

Calis, E., E. H. Jackson, C. P. Nolan, and F. Jeal. 2005. Preliminary age and growth estimates of the Rabbitfish, *Chimaera Monstrosa*, with implications for future resource management. *Journal of Northwest Atlantic Fishery Science* 35:15–26.

Carlson, J. K., and I. E. Baremore. 2005. Growth dynamics of the spinner shark (*Carcharhinus brevipinna*) off the United States southeast and Gulf of Mexico coasts: A comparison of methods. *Fishery Bulletin* 103:280–291.

Castro-Longoria, R., and O. Sosa-Nishizaki. 1998. Age determination of swordfish, *Xiphias Gladius* L., from waters off Baja California, Mexico, using anal fin rays and otoliths. *Biology and Fisheries of Swordfish, Xiphias gladius*:231–237.

Cerdenares-Ladrón De Guevara, G., E. Morales-Bojórquez, and R. Rodríguez-Sánchez. 2011. Age and growth of the sailfish *Istiophorus Platypterus* (Istiophoridae) in the Gulf of Tehuantepec, Mexico. *Marine Biology Research* 7(5):488–499.

Chilton, D. E., and H. T. Bilton. 1986. New method for ageing Chinook Salmon (*Onchorhynchus Tshawytscha*) using dorsal fin rays, and evidence of its validity. *Canadian Journal of Fisheries and Aquatic Sciences* 43(8):1588–1594.

Choat, J., and L. Axe. 1996. Growth and longevity in acanthurid fishes; an analysis of otolith increments. *Marine Ecology Progress Series* 134:15–26.

Clarke, M. W., P. L. Connolly, and J. J. Bracken. 2002. Age estimation of the exploited deepwater shark *Centrophorus squamosus* from the continental slopes of the Rockall Trough and Porcupine Bank. *Journal of Fish Biology* 60(3):501–514.

Colombo, R. E., Q. E. Phelps, C. M. Miller, J. E. Garvey, R. C. Heidinger, and N. S. Richards. 2010. Comparison of Channel Catfish age estimates and resulting population demographics using two common structures. *North American Journal of Fisheries Management* 30:305–308.

Copeland, T., M. W. Hyatt, and J. Johnson. 2007. Comparison of methods used to age Spring/Summer Chinook Salmon in Idaho: Validation and simulated effects on estimated age composition. *North American*

Journal of Fisheries Management 27:1393–1401.

Dawson, H. A., M. L. Jones, K. T. Scribner, and S. A. Gilmore. 2009. An assessment of age determination methods for Great Lakes larval Sea Lampreys. *North American Journal of Fisheries Management* 29:914–927.

DeCicco, A. L., and R. J. Brown. 2006. Direct validation of annual growth increments on sectioned otoliths from adult Arctic Grayling and a comparison of otolith and scale ages. *North American Journal of Fisheries Management* 26:580–586.

DeMartini, E. E., J. H. Uchiyama, R. L. Humphreys Jr., J. D. Sampaga, and H. A. Williams. 2007. Age and growth of swordfish (*Xiphias Gladius*) caught by the Hawaii-based pelagic longline fishery. *Fishery Bulletin* 105:356–367.

Dutka-Gianelli, J., and D. J. Murie. 2001. Age and growth of Sheepshead, *Archosargus probatocephalus* (Pisces: Sparidae), from the northwest coast of Florida. *Bulletin of Marine Science* 68(1):16.

Edwards, K. R., Q. E. Phelps, J. L. Shepherd, D. W. Willis, and J. D. Jungwirth. 2005. Comparison of scale and otolith age estimates for two South Dakota Bluegill populations. *Proceedings of the South Dakota Academy of Science* 84:181–186.

Eklund, J., R. Parmanne, and G. Aneer. 2000. Between-reader variation in herring otolith ages and effects on estimated population parameters. *Fisheries Research* 46(1):147–154.

Erhardt, J. M., and D. L. Scarnecchia. 2013. Precision and Accuracy of Age and Growth Estimates Based on Fin Rays, Scales, and Mark-Recapture Information for Migratory Bull Trout. *Northwest Science* 87(4):307–316.

Esteves, E., P. Simões, H. M. Silva, and J. P. Andrade. 1995. Ageing of swordfish, *Xiphias gladius* Linnaeus, 1758, from the Azores, using sagittae, anal-fin spines and vertebrae. *ARQUIPÉLAGO. Ciências Biológicas e Marinhas= Life and Marine Sciences* 13:39–51.

Ewing, G. P., J. M. Lyle, R. J. Murphy, J. M. Kalish, and P. E. Ziegler. 2007. Validation of age and growth in a long-lived temperate reef fish using otolith structure, oxytetracycline and bomb radiocarbon methods. *Marine and Freshwater Research* 58(10):944.

Ewing, G. P., D. C. Welsford, A. R. Jordan, and C. Buxton. 2003. Validation of age and growth estimates using thin otolith sections from the purple wrasse, *Notolabrus fucicola*. *Marine and Freshwater Research* 54:985–993.

Faust, M. D., J. J. Breeggemann, S. Bahr, and B. D. Graeb. 2013. Precision and bias of cleithra and sagittal otoliths used to estimate ages of Northern Pike. *Journal of Fish and Wildlife Management* 4:332–341.

Flain, M., and G. J. Glova. 1988. A test of the reliability of otolith and scale readings of Chinook salmon (*Oncorhynchus Tshawytscha*). *New Zealand Journal of Marine and Freshwater Research* 22(4):497–500.

Fossen, I., O. T. Albert, and E. M. Nilssen. 2003a. Improving the precision of ageing assessments for long rough dab by using digitised pictures and otolith measurements. *Fisheries Research* 60(1):53–64.

Fossen, I., O. T. Albert, and E. M. Nilssen. 2003b. Improving the precision of ageing assessments for long rough dab by using digitised pictures and otolith measurements. *Fisheries Research* 60(1):53–64.

Gallagher, C. P., K. L. Howland, and R. J. Wastle. 2016. A comparison of different structures and methods for estimating age of northern-form Dolly Varden *Salvelinus malma malma* from the Canadian Arctic. *Polar Biology* 39(7):1257–1265.

Gallagher, M. J., M. J. Green, and C. P. Nolan. 2006. The potential use of caudal thorns as a non-invasive ageing structure in the thorny skate (*Amblyraja radiata* Donovan, 1808). *Environmental Biology of Fishes* 77(3-4):265–272.

Gburski, C. M., S. K. Gaichas, and D. K. Kimura. 2007. Age and growth of big skate (*Raja binoculata*) and longnose skate (*R. rhina*) in the Gulf of Alaska. *Environmental Biology of Fishes* 80(2-3):337–349.

Glass, W. R., L. D. Corkum, and N. E. Mandrak. 2011. Pectoral fin ray aging: An evaluation of a non-lethal

- method for aging gars and its application to a population of the threatened Spotted Gar. *Environmental Biology of Fishes* 90(3):235–242.
- Goldman, K. J., S. Branstetter, and J. A. Musick. 2006. A re-examination of the age and growth of sand tiger sharks, *Carcharias taurus*, in the western North Atlantic: The importance of ageing protocols and use of multiple back-calculation techniques. *Environmental Biology of Fishes* 77(3-4):241–252.
- Gregg, J. L., D. M. Anderl, and D. K. Kimura. 2006. Improving the precision of otolith-based age estimates for Greenland halibut (*Reinhardtius hippoglossoides*) with preparation methods adapted for fragile sagittae. *Fishery Bulletin* 104(4):643.
- Gu, P.-h., J.-g. Xiang, Y.-f. Chen, Y.-l. Li, J. Tang, S.-g. Xie, and Y. Chen. 2013. A Comparison of Different Age Estimation Methods for the Northern Snakehead. *North American Journal of Fisheries Management* 33(5):994–999.
- Gumus, A., D. Bostanci, S. Yilmaz, and N. Polat. 2007. Age determination of *Scardinius erythrophthalmus* (Cyprinidae) inhabiting Bafra Fish Lakes (Samsun, Turkey) based on otolith readings and marginal increment analysis. *Cybiurn* 31(1):59–66.
- Haas, R. E., and C. W. Recksiek. 1995. Age Verification of Winter Flounder in Narragansett Bay. *Transactions of the American Fisheries Society* 124(1):103–111.
- Haglund, J. M., and M. G. Mitro. 2017. Age Validation of Brown Trout in Driftless Area Streams in Wisconsin using Otoliths. *North American Journal of Fisheries Management* 37(4):829–835.
- Hammers, B. E., and L. E. Miranda. 1991. Comparison of methods for estimating age, growth, and related population characteristics of White Crappies. *North American Journal of Fisheries Management* 11:492–498.
- Herbst, S. J., and J. E. Marsden. 2011. Comparison of precision and bias of scale, fin ray, and otolith age estimates for lake whitefish (*Coregonus clupeaformis*) in Lake Champlain. *Journal of Great Lakes Research* 37(2):386–389.
- Hill, K. T., G. M. Cailliet, and R. L. Radtke. 1989. A Comparative Analysis of Growth Zones in Four Calcified Structures of Pacific Blue Marlin, *Makaim nigricans*. *Fishery Bulletin*. U.S. 87:829–843.
- Horn, P. 2002. Age and growth of Patagonian toothfish (*Dissostichus eleginoides*) and Antarctic toothfish (*D. mawsoni*) in waters from the New Zealand subantarctic to the Ross Sea, Antarctica. *Fisheries Research* 56(3):275–287.
- Howland, K. L., M. Gendron, W. M. Tonn, and R. F. Tallman. 2004. Age determination of a long-lived coregonid from the Canadian North: Comparison of otoliths, fin rays and scales in *inconnu* (*Stenodus leucichthys*). *Annales Zoologici Fennici* 41:205–214.
- Hoxmeier, R. J. H., D. D. Aday, and D. H. Wahl. 2001. Factors Influencing Precision of Age Estimation from Scales and Otoliths of Bluegills in Illinois Reservoirs. *North American Journal of Fisheries Management* 21(2):374–380.
- Hubert, W. A., G. T. Baxter, and M. Harrington. 1987. Comparison of age determinations based on scales, otoliths and fin rays for Cutthroat Trout from Yellowstone Lake. *Northwest Science* 61:32–36.
- Hurley, K. L., R. J. Sheehan, and R. C. Heidinger. 2004. Accuracy and precision of age estimates for Pallid Sturgeon from pectoral fin rays. *North American Journal of Fisheries Management* 24:715–718.
- Isermann, D. A., J. R. Meerbeek, G. D. Scholten, and D. W. Willis. 2003. Evaluation of Three Different Structures Used for Walleye Age Estimation with Emphasis on Removal and Processing Times. *North American Journal of Fisheries Management* 23(2):625–631.
- Isermann, D. A., M. H. Wolter, and J. J. Breeggemann. 2010. Estimating Black Crappie Age: An Assessment of Dorsal Spines and Scales as Nonlethal Alternatives to Otoliths. *North American Journal of Fisheries Management* 30(6):1591–1598.
- Jackson, G. 1999. Analysis of precision in statolith derived age estimates of the tropical squid *Photololigo*

(Cephalopoda: Loliginidae). ICES Journal of Marine Science 56(2):221–227.

Jackson, N. D., J. E. Garvey, and R. E. Colombo. 2007. Comparing aging precision of calcified structures in shovelnose sturgeon. Journal of Applied Ichthyology 23(4):525–528.

Jones, C. D. 2009. Age and growth of Spiny Icefish (*Chaenodraco Wilsoni* Regan, 1914) off Joinville-Durville Islands (Antarctic Peninsula). CCAMLR Science 16:115–130.

Khan, M. A., and S. Khan. 2009. Comparison of age estimates from scale, opercular bone, otolith, vertebrae and dorsal fin ray in *Labeo rohita* (Hamilton), *Catla catla* (Hamilton) and *Channa marulius* (Hamilton). Fisheries Research 100(3):255–259.

Khan, M. A., S. Khan, and K. Miyan. 2011a. Precision of aging structures for Indian major carp, *Cirrhinus Mrigala*, from the River Ganga. Journal of Freshwater Ecology 26:231–239.

Khan, S., M. Afzal Khan, and K. Miyan. 2011b. Comparison of age estimates from otoliths, vertebrae, and pectoral spines in African sharptooth catfish, *Clarias Gariepinus* (Burchell). Estonian Journal of Ecology 60(3):183.

Khan, S., M. A. Khan, and K. Miyan. 2013. Evaluation of ageing precision from different structures of three threatened freshwater fish species, *Clarias batrachus*, *Heteropneustes fossilis* and *Wallago attu*. Folia Zoologica 62(2):103–109.

Khan, S., M. A. Khan, K. Miyan, and F. A. Lone. 2015. Precision of age estimates from different ageing structures in selected freshwater teleosts. Journal of Environmental Biology:6.

King, S. M., S. R. David, and J. A. Stein. 2018. Relative Bias and Precision of Age Estimates among Calcified Structures of Spotted Gar, Shortnose Gar, and Longnose Gar. Transactions of the American Fisheries Society 0(0).

Klein, Z. B., T. F. Bonvechio, B. R. Bowen, and M. C. Quist. 2017. Precision and Accuracy of Age Estimates Obtained from Anal Fin Spines, Dorsal Fin Spines, and Sagittal Otoliths for Known-Age Largemouth Bass. Southeastern Naturalist 16(2):225–234.

Koch, J. D., M. C. Quist, and K. A. Hansen. 2009. Precision of Hard Structures Used to Estimate Age of Bowfin in the Upper Mississippi River. North American Journal of Fisheries Management 29(2):506–511.

Koch, J. D., K. D. Steffensen, and M. A. Pegg. 2011. Validation of age estimates obtained from juvenile pallid sturgeon *Scaphirhynchus albus* pectoral fin spines: Validation of age estimates obtained from juvenile pallid sturgeon. Journal of Applied Ichthyology 27(2):209–212.

Kocovsky, P. M., and R. F. Carline. 2000. A Comparison of Methods for Estimating Ages of Unexploited Walleyes. North American Journal of Fisheries Management 20(4):1044–1048.

Koenigs, R. P., R. M. Bruch, R. S. Stelzer, and K. K. Kamke. 2015. Validation of otolith ages for walleye (*Sander vitreus*) in the Winnebago System. Fisheries Research 167:13–21.

Kotas, J. E., V. Mastrochirico, and M. Petrere Junior. 2011. Age and growth of the Scalloped Hammerhead shark, *Sphyrna lewini* (Griffith and Smith, 1834), from the southern Brazilian coast. Brazilian Journal of Biology 71(3):755–761.

Kruse, C. G., W. A. Hubert, and F. J. Rahel. 1997. Using otoliths and scales to describe age and growth of Yellowstone cutthroat trout in a high-elevation stream system, Wyoming. Northwest Science 71(1):30–38.

Kruse, C., C. Guy, and D. Willis. 1993. Comparison of Otolith and Scale Age Characteristics for Black Crappies Collected from South Dakota Waters. North American Journal of Fisheries Management 13(4):856–858.

Kusher, D. I., S. E. Smith, and G. M. Cailliet. 1992. Validated age and growth of the leopard shark, *Triakis semifasciata*, with comments on reproduction. Environmental Biology of Fishes 35(2):187–203.

LaBay, S. R., and T. E. Lauer. 2006. An Evaluation of the Accuracy of Age Estimation Methods for Southern

- Lake Michigan Alewives. *North American Journal of Fisheries Management* 26(3):571–579.
- Labay, S. R., J. G. Kral, and S. M. Stukel. 2011. Precision of age estimates derived from scales and pectoral fin rays of Blue Sucker. *Fisheries Management and Ecology* 18:424–430.
- Laine, A. O., W. T. Momot, and P. A. Ryan. 1991. Accuracy of Using Scales and Cleithra for Aging Northern Pike from an Oligotrophic Ontario Lake. *North American Journal of Fisheries Management* 11(2):220–225.
- Lepak, T. A., D. H. Ogle, and M. R. Vinson. 2017. Age, Year-Class Strength Variability, and Partial Age Validation of Kiyis from Lake Superior. *North American Journal of Fisheries Management* 37(5):1151–1160.
- Logsdon, D. E. 2007. Use of Unsectioned Dorsal Spines for Estimating Walleye Ages. *North American Journal of Fisheries Management* 27(4):1112–1118.
- Long, J. M., and W. L. Fisher. 2001. Precision and bias of Largemouth, Smallmouth, and Spotted Bass ages estimated from scales, whole otoliths, and sectioned otoliths. *North American Journal of Fisheries Management* 21:636–645.
- Lowerre-Barbieri, S. K., M. E. C. Jr, and C. M. Jones. 1993. A comparison of a validated otolith method to age Weakfish, *Cynoscion Regalis*, with the traditional scale method. *Fishery Bulletin* 92:555–568.
- Maceina, M. J., and S. M. Sammons. 2006. An evaluation of different structures to age freshwater fish from a northeastern US river. *Fisheries Management and Ecology* 13(4):237–242.
- Marriott, R. J., and B. D. Mapstone. 2006. Geographic influences on and the accuracy and precision of age estimates for the red bass, *Lutjanus bohar* (Forsskal 1775): A large tropical reef fish. *Fisheries Research* 80(2):322–328.
- Marriott, R., and M. Cappel. 2000. Comparative Precision and Bias of Five Different Ageing Methods for the Large Tropical Snapper *Lutjanus johnii*. *Asian Fisheries Science* 13:149–160.
- Marwitz, T. D., and W. A. Hubert. 1995. Precision of age estimates of Wyoming walleyes from different calcified structures. *Prairie Naturalist* 27:41–41.
- Matta, M. E., and D. R. Gunderson. 2007. Age, growth, maturity, and mortality of the Alaska skate, *Bathyraja parmifera*, in the eastern Bering Sea. Pages 203–217 *in* D. A. Ebert and J. Sulkowski, editors. *Biology of Skates*. Springer, Dordrecht.
- Mc Dougall, A. 2004. Assessing the use of sectioned otoliths and other methods to determine the age of the centropomid fish, barramundi (*Lates calcarifer*) (Bloch), using known-age fish. *Fisheries Research* 67(2):129–141.
- Meeuwig, M. H., and J. M. Bayer. 2005. Morphology and Aging Precision of Statoliths from Larvae of Columbia River Basin Lampreys. *North American Journal of Fisheries Management* 25(1):38–48.
- Metcalf, S. J., and S. E. Swearer. 2005. Non-destructive ageing in *Notolabrus Tetricus* using dorsal spines with an emphasis on the benefits for protected, endangered and fished species. *Journal of Fish Biology* 66:1740–1747.
- Mills, K. H., and R. J. Beamish. 1980. Comparison of Fin-Ray and Scale Age Determinations for Lake Whitefish (*Coregonus clupeaformis*) and Their Implications for Estimates of Growth and Annual Survival. *Canadian Journal of Fisheries and Aquatic Sciences* 37(3):534–544.
- Morehouse, R. L., S. B. Donabauer, and A. C. Grier. 2013. Estimating Largemouth Bass age: Precision and comparisons among scales, pectoral fin rays, and dorsal fin spines as nonlethal methods. *Fisheries and Aquaculture Journal* 04.
- Morison, A. K., J. Burnett, W. J. McCurdy, and E. Moksness. 2005. Quality issues in the use of otoliths for fish age estimation. *Marine and Freshwater Research* 56(5):773.
- Morison, A. K., P. C. Coutin, and S. G. Robertson. 1998. Age determination of black bream, *Acanthopagrus butcheri* (Sparidae), from the Gippsland Lakes of south-eastern Australia indicates slow growth and episodic

recruitment. *Marine and Freshwater Research* 49(6):491.

Muir, A. M., M. P. Ebener, J. X. He, and J. E. Johnson. 2008a. A comparison of the scale and otolith methods of age estimation for lake whitefish in Lake Huron. *North American Journal of Fisheries Management* 28:625–635.

Muir, A. M., T. M. Sutton, P. J. Peeters, R. M. Claramunt, and R. E. Kinnunen. 2008b. An evaluation of age estimation structures for Lake Whitefish in Lake Michigan: Selecting an aging method based on precision and a decision analysis. *North American Journal of Fisheries Management* 28:1928–1940.

Murie, D., D. Parkyn, C. Koenig, F. Coleman, J. Schull, and S. Frias-Torres. 2009. Evaluation of finrays as a non-lethal ageing method for protected goliath grouper *Epinephelus itajara*. *Endangered Species Research* 7:213–220.

Natanson, L. J., J. J. Mello, and S. E. Campana. 2002. Validated age and growth of the porbeagle shark (*Lamna nasus*) in the western North Atlantic Ocean. *Fishery Bulletin* 100(2):266–278.

Natanson, L. J., J. A. Sulikowski, J. R. Kneebone, and P. C. Tsang. 2007. Age and growth estimates for the smooth skate, *Malacoraja senta*, in the Gulf of Maine. *Environmental Biology of Fishes* 80(2-3):293–308.

Niewinski, B. C., and C. P. Ferreri. 1999. A Comparison of Three Structures for Estimating the Age of Yellow Perch. *North American Journal of Fisheries Management* 19(3):872–877.

Nuevo, M., R. J. Sheehan, and R. C. Heidinger. 2004. Accuracy and precision of age determination techniques for Mississippi River bighead carp *Hypophthalmichthys nobilis* (Richardson 1845) using pectoral spines and scales. *Archiv für Hydrobiologie* 160(1):45–56.

Oele, D. L., Z. J. Lawson, and P. B. McIntyre. 2015. Precision and Bias in Aging Northern Pike: Comparisons among Four Calcified Structures. *North American Journal of Fisheries Management* 35(6):1177–1184.

Oplinger, R. W. 2015. Hard Structure Aging Precision and Length-At-Age Data from Two Northern Leatherside Chub Populations. *Intermountain Journal of Sciences* 21(1-4):9.

Peltonen, H. 2002. Age determination of Baltic herring from whole otoliths and from neutral red stained otolith cross sections. *ICES Journal of Marine Science* 59(2):323–332.

Perry, R. C., and J. M. Casselman. 2012. Comparisons of Precision and Bias with Two Age Interpretation Techniques for Opercular Bones of Longnose Sucker, a Long-Lived Northern Fish. *North American Journal of Fisheries Management* 32(4):790–795.

Phelps, Q. E., K. R. Edwards, and D. W. Willis. 2007. Precision of Five Structures for Estimating Age of Common Carp. *North American Journal of Fisheries Management* 27(1):103–105.

Polat, N., and A. Gümücs. 1996. Ageing of Whiting (*Merlangius Merlangus Euxinus*, Nord., 1840) based on broken and burnt otolith. *Fisheries Research* 28(2):231–236.

Polat, N., D. Bostanci, and S. Yilmaz. 2005. Differences between whole otolith and broken-burnt otolith ages of red mullet (*Mullus barbatus ponticus* Essipov, 1927) sampled from the Black Sea (Samsun, Turkey). *Turkish Journal of Veterinary and Animal Science* 29:429–433.

Polat, N., D. Bostanci, and S. Yilmaz. 2011. Comparable Age Determination in Different Bony Structures of *Pleuronectes flesus luscus* Pallas, 1811 Inhabiting the Black Sea. *Turkish Journal of Zoology* 25:441–446.

Porta, M. J. 2018. Comparison of Saugeye Age Estimates and Population Characteristics Using Otoliths and Dorsal Spines. *Journal of the Southeastern Association of Fish and Wildlife Agencies* 5:23–29.

Power, G. R., P. A. King, C. J. Kelly, D. McGrath, E. Mullins, and O. Gullaksen. 2006. Precision and bias in the age determination of blue whiting, *Micromesistius poutassou* (Risso, 1810), within and between age-readers. *Fisheries Research* 80(2):312–321.

Quist, M. C., Z. J. Jackson, M. R. Bower, and W. A. Hubert. 2007. Precision of Hard Structures Used to Estimate Age of Riverine Catostomids and Cyprinids in the Upper Colorado River Basin. *North American*

Journal of Fisheries Management 27(2):643–649.

Raitaniemi, J., E. Bergstrand, L. Flöystad, R. Hokki, E. Kleiven, M. Rask, M. Reizenstein, R. Saksgård, and C. Ångström. 1998. The reliability of whitefish (*Coregonus lavaretus* (L.)) age determination - differences between methods and between readers. *Ecology of Freshwater Fish* 7(1):25–35.

Rice, J. S., V. F. Gallucci, and G. H. Kruse. 2009. 14. Evaluation of the Precision of Age Estimates for Spiny Dogfish. Pages 161–168 *in* V. F. Gallucci, G. A. McFarlane, and G. G. Bargmann, editors. *Biology and Management of Dogfish Sharks*. American Fisheries Society.

Rien, T. A., and R. C. Beamesderfer. 1994. Accuracy and precision of White Sturgeon age estimates from pectoral fin rays. *Transactions of the American Fisheries Society* 123:255–265.

Robillard, S. R., and J. Ellen Marsden. 1996. Comparison of Otolith and Scale Ages for Yellow Perch from Lake Michigan. *Journal of Great Lakes Research* 22(2):429–435.

Ross, J. R., J. D. Crosby, and J. T. Kosa. 2005. Accuracy and precision of age estimation of crappies. *North American Journal of Fisheries Management* 25:423–428.

Rude, N. P., W. D. Hintz, J. D. Norman, K. L. Kanczuzewski, A. J. Yung, K. D. Hofer, and G. W. Whitledge. 2013. Using pectoral fin rays as a non-lethal aging structure for smallmouth bass: Precision with otolith age estimates and the importance of reader experience. *Journal of Freshwater Ecology* 28(2):199–210.

Sabah, and M. A. Khan. 2014. Precise age estimation and growth of three Schizothoracinae fishes from Kashmir valley. *Zoology and Ecology* 24(1):16–25.

Schrank, S. J., and C. S. Guy. 2002. Age, growth, and gonadal characteristics of adult Bighead Carp, *Hypophthalmichthys Nobilis*, in the Lower Missouri River. *Environmental Biology of Fishes* 64(4):443–450.

Seibert, J. R., and Q. E. Phelps. 2013. Evaluation of aging structures for Silver Carp from Midwestern U.S. rivers. *North American Journal of Fisheries Management* 33:839–844.

Sharp, D., and D. R. Bernard. 1988. Precision of Estimated Ages of Lake Trout from Five Calcified Structures. *North American Journal of Fisheries Management* 8(3):367–372.

Sikstrom, C. B. 1983. Otolith, pectoral fin ray, and scale age determinations for Arctic Grayling. *The Progressive Fish-Culturist* 45:220–223.

Silva, E. A., and D. J. Stewart. 2006. Age structure, growth and survival rates of the commercial fish *Prochilodus nigricans* (bocachico) in North-eastern Ecuador. *Environmental Biology of Fishes* 77(1):63–77.

Sipe, A. M., and M. E. Chittenden Jr. 2002. A comparison of calcified structures for aging Bluefish in the Chesapeake Bay region. *Transactions of the American Fisheries Society* 131:783–790.

Smith, B. J., D. J. Dembkowski, D. A. James, and M. R. Wuellner. 2016. A Simple Method to Reduce Interpretation Error of Ages Estimated from Otoliths. *The Open Fish Science Journal* 9(1):1–7.

Snow, R. A., M. J. Porta, and J. M. Long. 2018. Precision of Four Otolith Techniques for Estimating Age of White Perch from a Thermally Altered Reservoir. *North American Journal of Fisheries Management* 38(3):725–733.

Soekoe, M., F. van der Bank, and N. Smit. 2013. Determining the Most Suitable Method of Otolith Preparation for Estimating the Age of Tigerfish, *Hydrocynus Vittatus* in the Pongolapoort Dam, South Africa. *African Zoology* 48(1):187–192.

Sotola, V. A., G. A. Maynard, E. M. Hayes-Pontius, T. B. Mihuc, M. H. Malchoff, and J. E. Marsden. 2014. Precision and Bias of using Opercles as Compared to Otoliths, Dorsal Spines, and Scales to Estimate Ages of Largemouth and Smallmouth Bass. *Northeastern Naturalist* 21(4):565–573.

Spiegel, J. R., M. C. Quist, and J. E. Morris. 2010. Precision of scales and pectoral fin rays for estimating age of Highfin Carpsucker, Quillback Carpsucker, and River Carpsucker. *Journal of Freshwater Ecology*

25:271–278.

Stewart, N. D., M. J. Dadswell, P. Leblanc, R. G. Bradford, C. Ceapa, and M. J. W. Stokesbury. 2015. Age and Growth of Atlantic Sturgeon from the Saint John River, New Brunswick, Canada. *North American Journal of Fisheries Management* 35(2):364–371.

Stewart, T. R., D. H. Ogle, O. T. Gorman, and M. R. Vinson. 2016. Age, Growth, and Size of Lake Superior Pygmy Whitefish (*Prosopium coulterii*). *The American Midland Naturalist* 175(1):24–36.

Stolarski, J. T., and K. J. Hartman. 2008. An Evaluation of the Precision of Fin Ray, Otolith, and Scale Age Determinations for Brook Trout. *North American Journal of Fisheries Management* 28(6):1790–1795.

Stolarski, J. T., and T. M. Sutton. 2013. Precision Analysis of three aging structures for amphidromous Dolly Varden from Alaskan arctic rivers. *North American Journal of Fisheries Management* 33:732–740.

Stransky, C., S. Gudmundsdottir, T. Sigurdsson, S. Lemvig, K. Nedreaas, and F. Saboridorey. 2005. Age determination and growth of Atlantic redfish (and): Bias and precision of age readers and otolith preparation methods. *ICES Journal of Marine Science* 62(4):655–670.

Sulikowski, J. A., S. B. Irvine, K. C. DeValerio, and J. K. Carlson. 2007. Age, growth and maturity of the roundel skate, *Raja texana*, from the Gulf of Mexico, USA. *Marine and Freshwater Research* 58(1):41.

Sulikowski, J. A., J. Kneebone, S. Elzey, J. Jurek, P. D. Danley, W. H. Howell, and P. C. W. Tsang. 2005. Age and growth estimates of the thorny skate (*Amblyraja radiata*) in the western Gulf of Maine. *Fisheries Bulletin, U.S.* 103:161–168.

Sun, C.-L., S.-P. Wang, and S.-Z. Yeh. 2002. Age and growth of the swordfish (*Xiphias Gladius* L.) in the waters around Taiwan determined from anal-fin rays. *Fishery Bulletin* 100:822–835.

Svedäng, H., H. Wickström, M. Reizenstein, K. Holmgren, and P. Florenius. 1998. Accuracy and precision in eel age estimation, using otoliths of known and unknown age. *Journal of Fish Biology* 53(2):456–464.

Sylvester, R. M., and C. R. Berry. 2006. Comparison of White Sucker age estimates from scales, pectoral fin rays, and otoliths. *North American Journal of Fisheries Management* 26:24–31.

Tribuzio, C. A., G. H. Kruse, and J. T. Fujioka. 2010. Age and growth of spiny dogfish (*Squalus acanthias*) in the Gulf of Alaska: Analysis of alternative growth models. *Fishery Bulletin* 108(2):119–135.

Tyszkowski, S. M., and J. J. Pritt. 2017. Comparing Otoliths and Scales as Structures Used to Estimate Ages of Largemouth Bass: Consequences of Biased Age Estimates. *North American Journal of Fisheries Management* 37(5):1075–1082.

Vandergoot, C. S., M. T. Bur, and K. A. Powell. 2008. Lake Erie Yellow Perch age estimation based on three structures: Precision, processing times, and management implications. *North American Journal of Fisheries Management* 28:563–571.

Vilizzi, L., and G. Copp. 2013. Bias, precision and validation of ageing 0+ European barbel *Barbus barbus* (L.) from their otoliths. *Open Life Sciences* 8(7).

Vilizzi, L., K. Walker, T. Jain, D. McGlennon, and V. Tsymbal. 1998. Interpretability and precision of annulus counts for calcified structures in carp, *Cyprinus carpio* L. *Fundamental and Applied Limnology* 143(1):121–127.

Wakefield, C. B., J. M. O'Malley, A. J. Williams, B. M. Taylor, R. S. Nichols, T. Halafih, R. L. Humphreys, J. Kaltavara, S. J. Nicol, and S. J. Newman. 2017. Ageing bias and precision for deep-water snappers: Evaluating nascent otolith preparation methods using novel multivariate comparisons among readers and growth parameter estimates. *ICES Journal of Marine Science* 74(1):193–203.

Walsh, M. G., A. P. Maloy, and T. P. O'Brien. 2008. Comparison of Rainbow Smelt Age Estimates from Fin Rays and Otoliths. *North American Journal of Fisheries Management* 28(1):42–49.

Watkins, C. J., T. J. Ross, R. S. Hardy, and M. C. Quist. 2015. Precision of Hard Structures Used to

- Estimate Age of Mountain Whitefish (*Prosopium williamsoni*). *Western North American Naturalist* 75(1):1–7.
- Weber, M. J., and M. L. Brown. 2011. Comparison of common carp (*Cyprinus Carpio*) age estimates derived from dorsal fin spines and pectoral fin rays. *Journal of Freshwater Ecology* 26(2):195–202.
- Welch, T. J., M. J. van den Avyle, R. K. Betsill, and E. M. Driebe. 1993. Precision and relative accuracy of Striped Bass age estimates from otoliths, scales, and anal fin rays and spines. *North American Journal of Fisheries Management* 13:616–620.
- Wellenkamp, W., J. X. He, and D. Vercnocke. 2015. Using Maxillae to Estimate Ages of Lake Trout. *North American Journal of Fisheries Management* 35(2):296–301.
- Wells, R. D., S. Kohin, S. L. Teo, O. E. Snodgrass, and K. Uosaki. 2013. Age and growth of North Pacific albacore (*Thunnus alalunga*): Implications for stock assessment. *Fisheries Research* 147:55–62.
- Whiteman, K. W., V. H. Travnichek, M. L. Wildhaber, A. DeLonay, D. Papoulias, and D. Tillett. 2004. Age Estimation for Shovelnose Sturgeon: A cautionary note based on annulus formation in pectoral fin rays. *North American Journal of Fisheries Management* 24:731–734.
- Williamson, C. W., and R. R. Dirnberger. 2010. A Comparison of Techniques Using Dorsal Spines to Estimate Sauger Age. *North American Journal of Fisheries Management* 30(4):1016–1019.
- Withell, A. F., and J. W. Wankowski. 1988. Estimates of age and growth of ocean perch, *Helicolenus percoides* Richardson, in south-eastern Australian waters. *Marine and Freshwater Research* 39(4):441–457.
- Zhu, X., R. J. Wastle, K. L. Howland, D. J. Leonard, S. Mann, T. J. Carmichael, and R. F. Tallman. 2015. A Comparison of Three Anatomical Structures for Estimating Age in a Slow-Growing Subarctic Population of Lake Whitefish. *North American Journal of Fisheries Management* 35(2):262–270.
- Zymonas, N. D., and T. E. McMahon. 2009. Comparison of pelvic fin rays, scales and otoliths for estimating age and growth of bull trout, *Salvelinus confluentus*. *Fisheries Management and Ecology* 16(2):155–164.

Ignore After This

ignoring entry 'hobbs_evaluating_nodate' (line 2444) because :
A bibentry of bibtype 'Article' has to specify the field: year

Polat et al. (2005) Muir et al. (2008a) Maceina and Sammons (2006) Fossen et al. (2003a) Chilton and Bilton (1986) Murie et al. (2009) Belanger and Hogler (1982) Koenigs et al. (2015) Brenden et al. (2006) Baker and Timmons (1991) Morison et al. (1998) Marriott and Cappo (2000) Khan et al. (2013) Polat and Gümücs (1996) Polat et al. (2011) Kotas et al. (2011) Morison et al. (2005) Goldman et al. (2006) Vilizzi et al. (1998) Vilizzi and Copp (2013) Lepak et al. (2017) Barber and McFarlane (1987) Barnes and Power (1984) Beamish and Fournier (1981) Beamish (1981) Erhardt and Scarnecchia (2013) Gallagher et al. (2016) Herbst and Marsden (2011) King et al. (2018) Muir et al. (2008b) Raitaniemi et al. (1998) Robillard and Ellen Marsden (1996) Snow et al. (2018) Wakefield et al. (2017) Zymonas and McMahon (2009) Sabah and Khan (2014) Rude et al. (2013) Morehouse et al. (2013) Klein et al. (2017) Sotola et al. (2014) Howland et al. (2004) Faust et al. (2013) Quist et al. (2007) Porta (2018) Sylvester and Berry (2006) Stransky et al. (2005) Hoxmeier et al. (2001) Oplinger (2015) Watkins et al. (2015) Khan et al. (2011b) Khan et al. (2015) Smith et al. (2016) Ross et al. (2005) Long and Fisher (2001) Isermann et al. (2010) Phelps et al. (2007) Hurley et al. (2004) Isermann et al. (2003) Oele et al. (2015) Silva and Stewart (2006) Jones (2009) Breeggemann et al. (2014) Logsdon (2007) Buckmeier et al. (2002) Stewart et al. (2016) Buckmeier (2002) Rien and Beamesderfer (1994) Vandergoot et al. (2008) Power et al. (2006) Dutka-Gianelli and Murie (2001) Svedäng et al. (1998) Eklund et al. (2000) Sulikowski et al. (2007) Hill et al. (1989) Buckmeier et al. (2012) Stolarski and Hartman (2008) Peltonen (2002) Anderson et al. (1992a) Natanson et al. (2007) Jackson et al. (2007) Gumus et al. (2007) Marriott and Mapstone (2006) Mc Dougall (2004) Brennan and Cailliet (1989) Anderson et al. (1992b) Dawson et al. (2009) Khan and Khan (2009) Barbieri et al. (1994) Meeuwig and Bayer (2005) Niewinski and Ferreri (1999) Sulikowski et al. (2005) Matta and Gunderson (2007) Haas and Recksiek (1995) Rice et al. (2009) Horn (2002) Barada et al. (2011) Gburski et al. (2007) Andrews et al. (1999) Calis et al. (2005) Ewing et al. (2003) Gallagher et al. (2006) Walsh et al. (2008) Carlson and Baremore (2005) Kruse et al. (1997) Gregg et al. (2006) Natanson et al. (2002) Esteves et al. (1995) Tribuzio et al. (2010) Withell and Wankowski (1988) Nuevo et al. (2004) Fossen et al. (2003b) Boxrucker (1986) Welch et al. (1993) Kruse et al. (1993) Brown et al. (2004) Allman et al. (2005) Flain and Glova (1988) Choat and Axe (1996) Edwards et al. (2005) Jackson (1999) Soekoe et al. (2013) Ewing et al. (2007) Andrade (2004) Hammers and Miranda (1991) Mills and Beamish (1980) Sikstrom (1983) Glass et al. (2011) Braaten et al. (1999) Spiegel et al. (2010) Hubert et al. (1987) Whiteman et al. (2004) Marwitz and Hubert (1995) Metcalf and Swearer (2005) Weber and Brown (2011) DeMartini et al. (2007) Schrank and Guy (2002) Labay et al. (2011) Sun et al. (2002) Stolarski and Sutton (2013) Castro-Longoria and Sosa-Nishizaki (1998) Copeland et al. (2007) Khan et al. (2011a) Koch et al. (2009) Seibert and Phelps (2013) Sharp and Bernard (1988) Perry and Casselman (2012) Zhu et al. (2015) Tyszko and Pritt (2017) Haglund and Mitro (2017) Colombo et al. (2010) Gu et al. (2013) LaBay and Lauer (2006) Blackwell et al. (2016) Stewart et al. (2015) Wellenkamp et al. (2015) Kocovsky and Carline (2000) Williamson and Dirnberger (2010) Laine et al. (1991) DeCicco and Brown (2006) Bubley et al. (2012) Lowerre-Barbieri et al. (1993) Sipe and Chittenden Jr (2002) Kusher et al. (1992) Wells et al. (2013) Brusher and Schull (2009) Koch et al. (2011) Clarke et al. (2002) Cerdenares-Ladrón De Guevara et al. (2011)