

DscoreApp: An user-friendly web application for computing the Implicit Association Test D-score

26 luglio, 2019

Summary

The Implicit Association Test (IAT; Greenwald, McGhee, and Schwartz 1998) is one of the most commonly used measures for the implicit assessment of attitudes and preferences. It is based on the speed and accuracy with which stimuli representing four different categories (e.g., flowers and insects, positive and negative words in a Flowers-Insects IAT) are sorted in their belonging category by means of two response keys. The IAT is usually composed of seven blocks, three of which are pure practice blocks where either flowers-insects images or positive-negative words are sorted in their categories. The remaining four blocks are associative practice and associative test blocks. These blocks forms the two contrasting associative conditions under which the categorization task takes place. In one associative condition (i.e., practice blocks Mapping A and test blocks Mapping A), flowers images and positive words share the same response key, while insects images and negative words share the other response key. In the contrasting associative condition (i.e., practice blocks Mapping B and test blocks Mapping B), insects images and positive words share the same response key, while flowers images and negative words share the opposite response key.

The categorization task is supposed to be easier (i.e., faster response times and higher accuracy) in the associative condition consistent with respondents' automatically activated associations. The *IAT effect* results from the difference in respondents' performance between the two contrasting conditions, and the *D-score* (Greenwald, Nosek, and Banaji 2003) is the most common measure used for interpreting the strength and direction of this effect. Despite different options are available for the *D-score* computation (Table 1), the core procedure is the same. The difference between the *D-scores* only concerns the treatment for the error responses and the treatment for the fast responses.

Table 1: *D-score* algorithms overview. Trials with latency $> 10,000$ ms are discarded for all the algorithms.

D-score	Error treatment	Lower tail treatment
D1	Built-in correction	No
D2	Built-in correction	Delete trials < 400 ms
D3	Mean (correct responses) $+2\ sd$	No
D4	Mean (correct responses) $+600$ ms	No
D5	Mean (correct responses) $+2\ sd$	Delete trials < 400 ms
D6	Mean (correct responses) $+600$ ms	Delete trials < 400 ms

During IAT administration, respondents might be given a feedback for the error responses. In this case, participants are presented with a red cross every time they incorrectly sort a stimulus, and they have to correct their response to proceed with the experiment. If a feedback strategy is not included, respondents are not notified when they commit an error and they can continue the experiment. The inclusion of the feedback procedure will influence the *D-score* algorithms that can be computed. When a feedback strategy is given, a *D-score* algorithm employing a built-in correction (i.e., the error responses are increased with the time needed to correct them) must be used (i.e., *D1* and *D2*), otherwise (i.e., *D3* to *D6*) an *a posteriori* correction is used (i.e., error responses are replaced by the average response time increased by a standard penalty, see Table 1). The lower tail treatment strategy deals with the decision to discard responses with latencies faster than 400 ms or not. Once the treatment for error and fast responses have been applied according to the specific algorithm, it is possible to compute the *D-score*, following a 3-step procedure:

1. Compute the *D-score* for the associative practice block (i.e., $D_{practice}$) as the difference between the average response time in the two contrasting associative practice blocks. This difference is divided by the standard deviation of the pooled blocks trials.
2. Compute the *D-score* for the associative test blocks (i.e., D_{test}) as the difference between the average response time in the two contrasting associative test blocks. This difference is divided by the standard deviation of the pooled blocks trials.
3. Compute the actual *D-score* as the mean of the $D_{practice}$ and the D_{test} .

Several options are available for computing the *D-score*, like SPSS syntaxes, Inquisit scripts, and R packages. Nonetheless, all these options come with some drawbacks, such as the need for a license to be used (SPSS syntaxes and Inquisit scripts), the need for programming skills (R packages), or the need for a specific administration procedure to be used (Inquisit scripts)

An open source and user-friendly tool for the computation of the *D-score* was hence created in R (R Core Team 2018) by means of shiny (Chang et al. 2018) and shinijs (Attali 2018) packages. This tool provides an immediate representation of the results, combining graphical representations with descriptive statistics.

DscoreApp

DscoreApp was developed with the aim of providing an Open Source tool able to make the *D-score* computation easier for researchers who commonly employ the IAT but have little or no programming experience. Furthermore, by providing an immediate representation of the results, it allows for an immediate glimpse of the IAT results. The source code of DscoreApp can be retrieved on GitHub.

The app is organized in different panels (“Input”, “Read Me First”, “D-score results”, and “Descriptive statistics”), and it comes with a toy data set that can be used to familiarize with its functions. The setting options and functions in the “Input” panel and the menu in the “Read Me First” panel are interactive, so that users can easily access the information on DscoreApp functions and amenities.

The “Read Me First” panel provides important information on DscoreApp functioning, including an overview of the *D-score* algorithms. It includes a downloadable template suggested for using the app (i.e., **Download template** button), even though it is not necessary to use it. Indeed, DscoreApp is designed to work as long as the uploaded data set is in a CSV format, with comma set as column separator, and includes the following variables: **participant** (i.e., participants’ IDs), **latency** (i.e., response latencies in milliseconds), **correct** (response accuracy, either 0 for error responses or 1 for correct responses), **block** (i.e., labels identifying the four associative blocks of the IAT). This panel also contains information on the downloadable file that can be retrieved after the *D-score* computation.

The “Input panel” is the panel for uploading either the toy data set (**Race IAT dataset** checkbox) or users’ own data set (**Browse** button). Once the data set is read, the app automatically populates the drop-down menus for choosing the labels of the four associative blocks, and the **Prepare data** button is activated. When data are ready for the *D-score* computation, the **Data are ready** message appears next to the **Prepare data** button, and all the options for its computation and graphical display become active. Once a *D-score* algorithm is chosen from the drop-down menu **Select your D**, the **Compute & Update** button is activated. Users can decide whether to eliminate participants whose error percentage exceeds a specified threshold (default is 25% according to Nosek, Banaji, and Greenwald 2002) or whose fast responses (< 300 ms) exceed the 10% of the total responses (Greenwald, Nosek, and Banaji 2003). When these options are selected, participants exceeding the thresholds (if any) will not be displayed in the “D-score results” panel. Every time a change in the configuration is made, the **Compute & Update** button must be clicked to make the changes effective.

The “D-score results” panel (depicted in Figure 1) is populated once the **Compute & Update** button is clicked for the first time. Both descriptive statistics of the results and their graphical representation are available at the same time, and they change interactively as users change the configuration in the “Input panel”. The **Summary** box reports the descriptive statistics of the $D_{practice}$, D_{test} , and the actual *D-score*. The **Trials $> 10,000$ ms** box reports the number of trials discarded because of a slow latency (if any), while the




Figure 1: D-score results panel.

Trials < 400ms box reports the trials discarded because of fast response times, only if a *D-score* algorithm including the fast trials deletion strategy was chosen. The **Practice-Test reliability** box contains the IAT reliability computed as the correlation between associative practice and associative test blocks across participants (Gawronski et al. 2017).

DscoreApp provides users with different options for the graphical representation of the results (depicted in Figure 2), at both the individual and sample level. Graphical representation is a convenient way to identify extreme scores or particular response pattern. Since it might be difficult to link a particular point (or points area) in the graph with the corresponding participants' IDs in the data set, DscoreApp comes with two handy tools designed to access the respondents' IDs from the graph. By clicking on a point in the graph, the ID of the participant corresponding to the selected point, and his/her *D-score*, appear in the **Point** box. By highlighting an area of the graph, the IDs of participants' included in the area, along with their *D-scores*, appear in the **Area** box.

Both the graphical representations and the results of the computation are downloadable. The graphical representations are saved in a PDF format. The downloadable file of the results is saved as a CSV file with comma set as separator. Further details on the variables and information contained in this file are available in the "Read Me First" panel of the app.

DscoreApp is constantly updated by the Authors, and new functions that are not present in this paper might be available in the future (e.g., other IAT reliability indexes).




Figure 2: Results graphical representations.

References

- Attali, Dean. 2018. *Shinyjs: Easily Improve the User Experience of Your Shiny Apps in Seconds*. <https://CRAN.R-project.org/package=shinyjs>.
- Chang, Winston, Joe Cheng, JJ Allaire, Yihui Xie, and Jonathan McPherson. 2018. *Shiny: Web Application Framework for R*. <https://CRAN.R-project.org/package=shiny>.
- Gawronski, Bertram, Mike Morrison, Curtis E Phills, and Silvia Galdi. 2017. “Temporal Stability of Implicit and Explicit Measures: A Longitudinal Analysis.” *Personality and Social Psychology Bulletin* 43 (3): 300–312. <https://doi.org/10.1177/0146167216684131>.
- Greenwald, Anthony G, Debbie E McGhee, and Jordan L K Schwartz. 1998. “Measuring Individual Differences in Implicit Cognition: The Implicit Association Test.” *Journal of Personality and Social Psychology* 74 (6): 1464–80. <https://doi.org/10.1037/0022-3514.74.6.1464>.
- Greenwald, Anthony G, Brian A Nosek, and Mahzarin R Banaji. 2003. “Understanding and Using the Implicit Association Test: I. An Improved Scoring Algorithm.” *Journal of Personality and Social Psychology* 85 (2): 197–216. <https://doi.org/10.1037/0022-3514.85.2.197>.
- Nosek, Brian A., Mahzarin R. Banaji, and Anthony G. Greenwald. 2002. “Harvesting implicit group attitudes and beliefs from a demonstration web site.” *Group Dynamics* 6 (1): 101–15. <https://doi.org/10.1037/1089-2699.6.1.101>.
- R Core Team. 2018. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/>.