Matrici

Andrea & Ottavia

2023-01-02





















































correct r.top d.union wp.matrix ic.flip

















































































































Young035





Young036





Adults











































 ${\it TL-LR-increasing}$

B		B	B	3	B
ß	ß	S S	ß	S	
3	S	3	3	(S (S	


correct	r.top	r.diag	r.left	wp.copy	wp.matrix
@ @ @ @	0 0	3 3	3	3 9	· ·
d.union	ic.scale	ic.flip	ic.inc	ic.neg	
\bigotimes	6 6	& & & & &	© © ©	c c c	

LL-TR





Forma e progressione quantitiva V su entrambe





Forma (H) e progressione quantitiva (V)


Δ				\bigcirc
ΔΔ				
Δ Δ				
correct r.top	r.diag	r.left	wр.сору	wp.matrix
	0 0	_	0	· •
d.union ic.scale	ic.flip	ic.inc	ic.neg	
1	00	٥	• •	

Orientamento (V) e progressione quantitiva (V)

S		S			ß	
& &		G	G		G	G
8 8		8	$\boldsymbol{\otimes}$		8 8	~
correct	r.top	r.diag	r.left	wp.copy З	wp.ma	atrix •
d.union	ic.scale	ic.flip එ එ එ	ic.inc	ic.neg		







Qui bisogna farle a mano perché usiamo papillon che non è realmente una forma dentro il pacchetto

