		1		2	2	27	3	4	1		5	6	
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	6,017	6,107	99.4	99.7	103	82	98.3	98.7	5,646	5,999	5,844	5,658
1	East	3,702	3,573	99.7	100.0	51	36	98.6	99.0	3,355	3,514	3,680	3,493
2	North	179	261	99.4	98.9	3	3	98.4	98.9	178	245	173	238
3	South	1,241	1,332	98.5	98.9	31	23	97.6	98.3	1,228	1,323	1,125	1,134
4	West	895	941	99.4	99.7	18	20	98.0	97.9	885	917	866	793

		7		8	3	ģ	)	1	0	11		12	
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	6,139	6,196	97.1	92.6	102.0	101.5	5,525	5,944	5,491	5,880	5,471	5,961
1	East	3,703	3,574	99.4	97.8	100.0	100.0	2,412	2,726	2,410	2,699	2,373	2,721
2	North	182	270	96.6	91.2	101.7	103.4	388	417	417	423	395	413
3	South	1,308	1,327	90.7	85.1	105.4	99.6	1,394	1,429	1,319	1,387	1,368	1,441
4	West	946	1,025	96.8	84.3	105.7	108.9	1,331	1,372	1,345	1,371	1,335	1,386

		13		1	4	1	5	1	6	17		18	
In	dicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	386	43	327	60	274	60	6,264	6,498	104.1	106.4	6,182	6,439
1	East	386	43	327	60	274	60	2,949	3,110	79.7	87.0	2,927	3,098
2	North	0	0	0	0	0	0	409	415	228.5	159.0	379	410
3	South	0	0	0	0	0	0	1,469	1,485	118.4	111.5	1,446	1,475
4	West	0	0	0	0	0	0	1,437	1,488	160.6	158.1	1,430	1,456

		19		2	0	2	1	2	2	2	3	24	
Indicator		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	-2.0	-4.9	6,163	6,463	102.4	105.8	99.2	90.6	2	1	99.1	99.3
1	East	20.4	13.0	2,921	3,128	78.9	87.5	90.2	60.2	1	1	99.6	99.4
2	North	-124.7	-53.7	400	406	223.5	155.6	74.3	67.2	0	0	96.2	98.1
3	South	-12.3	-11.9	1,469	1,461	118.4	109.7	87.2	120.8	1	0	99.8	99.8
4	West	-51.9	-45.2	1,373	1,468	153.4	156.0	138.5	131.9	0	0	99.3	99.4

Indicator		25  '% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		27  Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		28  Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		29  **Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	87.3	84.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East	78.8	74.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North	92.2	90.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	South	99.2	99.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	West	90.7	88.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		34  Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		36  % Deaths due to Asphyxia to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	0.6	0.4	99.3	99.4	0.1	0.2	127	40	11.2	2.8	11.2	16.7
1	East	0.4	0.2	99.6	99.5	0.0	0.3	69	19	16.4	6.3	11.9	0.0
2	North	0.6	0.8	99.4	99.2	0.0	0.0	9	2	11.1	0.0	0.0	50.0
3	South	1.3	0.0	98.3	99.7	0.4	0.3	20	11	5.0	0.0	20.0	45.5
4	West	0.3	1.1	99.7	98.9	0.0	0.0	29	8	3.4	0.0	6.9	0.0

Indicator		37  % Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		9% Deaths due to Other Causes to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Sikkim	10.4	30.6	18.4	8.3	0.0	0.0	4.0	5.6	0.0	0.0	44.8	36.1
1	East	9.0	37.5	13.4	18.8	0.0	0.0	0.0	6.3	0.0	0.0	49.3	31.3
2	North	0.0	0.0	0.0	0.0	0.0	0.0	22.2	0.0	0.0	0.0	66.7	50.0
3	South	15.0	27.3	10.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	45.0	27.3
4	West	13.8	28.6	41.4	0.0	0.0	0.0	6.9	14.3	0.0	0.0	27.6	57.1