

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Chandigarh	22,262	21,905	98.9	98.4	639	685	97.2	97.0	21,603	20,004	21,859	22,110
1	Chandigarh	22,262	21,905	98.9	98.4	639	685	97.2	97.0	21,603	20,004	21,859	22,110

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Chandigarh	23,852	24,401	98.2	100.9	107.1	111.4	17,928	18,833	16,207	17,028	15,541	16,290
1	Chandigarh	23,852	24,401	98.2	100.9	107.1	111.4	17,928	18,833	16,207	17,028	15,541	16,290

Performance of Key HMIS Indicators for Chandigarh (Across Districts)
 Financial Year: 2010-11
 Provisional Figures for the Period April to March

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Chandigarh							16,109	17,589	72.4	80.3	15,475	15,399
1	Chandigarh							16,109	17,589	72.4	80.3	15,475	15,399

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Chandigarh	32.5	27.9	16,078	17,290	72.2	78.9	53.8	44.6	14	7	94.1	94.0
1	Chandigarh	32.5	27.9	16,078	17,290	72.2	78.9	53.8	44.6	14	7	94.1	94.0

Performance of Key HMIS Indicators for Chandigarh (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to March

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Chandigarh	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Chandigarh	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Chandigarh	0.5	0.4	98.7	96.0	0.6	3.4	1,294	194	20.9	16.6	8.6	27.0
1	Chandigarh	0.5	0.4	98.7	96.0	0.6	3.4	1,294	194	20.9	16.6	8.6	27.0

Performance of Key HMIS Indicators for Chandigarh (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to March

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Chandigarh	4.3	17.2	5.4	5.5	0.7	4.9	1.4	4.3	0.2	0.0	58.4	24.5
1	Chandigarh	4.3	17.2	5.4	5.5	0.7	4.9	1.4	4.3	0.2	0.0	58.4	24.5