		1		2			3		4		5		6	
I	ndicator	Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total N	Total Number of reported Still Births		% o Reported rth	Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)		
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	
	_Delhi	180,527	158,329	99.2	99.8	3,589	3,011	98.1	98.1	170,288	136,032	167,015	146,532	
1	Central	33,593	33,881	99.5	99.7	730	652	97.9	98.1	33,019	33,153	29,621	29,194	
2	East	8,342	7,433	99.2	98.8	125	100	98.5	98.7	7,543	7,046	7,584	6,730	
3	New Delhi	30,329	30,224	98.1	97.9	824	837	97.4	97.3	30,056	29,576	30,078	32,174	
4	North	8,356	6,764	107.1	103.6	119	109	98.6	98.4	6,931	5,085	7,817	7,252	
5	North East	4,093	4,159	101.6	104.0	42	72	99.0	98.3	3,779	3,278	3,852	3,841	
6	North West	24,382	21,175	98.7	100.8	531	475	97.9	97.8	23,049	9,125	22,227	18,527	
7	Shahdara	25,170	17,106	98.1	98.7	531	260	97.9	98.5	24,307	15,612	25,244	15,585	
8	South	8,730	5,930	101.0	100.3	56	19	99.4	99.7	7,333	4,548	6,934	4,881	
9	South East	5,839	4,399	101.8	100.5	36	34	99.4	99.2	4,841	3,898	4,593	4,037	
10	South West	9,070	7,490	99.2	100.9	127	78	98.6	99.0	8,084	6,440	8,399	6,700	
11	West	22,623	19,768	97.3	100.1	468	375	98.0	98.1	21,346	18,271	20,666	17,611	

		_											
		7	7	% Newborns given OPV0 at birth to Reported live birth		9	9		10		1	12	
I	ndicator	Number of Infants given BCG					% given BCG ed live birth	Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Delhi	220,376	200,333	92.5	92.5	122.1	126.5	208,983	191,902	190,306	172,543	181,192	162,285
1	Central	32,808	33,180	88.2	86.2	97.7	97.9	23,225	22,904	19,695	19,293	18,447	17,558
2	East	12,337	11,240	90.9	90.5	147.9	151.2	13,650	13,401	12,877	12,355	12,236	11,558
3	New Delhi	26,244	27,991	99.2	106.5	86.5	92.6	14,173	14,751	12,188	12,630	11,734	12,252
4	North	15,930	13,404	93.5	107.2	190.6	198.2	20,178	15,736	18,165	14,783	17,726	13,706
5	North East	9,288	8,982	94.1	92.4	226.9	216.0	16,006	15,004	14,592	13,498	13,333	12,315
6	North West	30,314	25,828	91.2	87.5	124.3	122.0	25,159	21,382	22,846	19,387	21,461	18,756
7	Shahdara	26,943	19,312	100.3	91.1	107.0	112.9	18,566	16,565	16,526	14,464	15,449	12,856
8	South	12,836	10,746	79.4	82.3	147.0	181.2	14,323	12,317	13,353	11,719	13,011	11,028
9	South East	10,980	10,706	78.7	91.8	188.0	243.4	16,489	14,697	15,636	12,642	14,961	12,145
10	South West	12,466	10,981	92.6	89.5	137.4	146.6	16,872	14,959	16,031	13,800	15,310	13,205
11	West	30,230	27,963	91.3	89.1	133.6	141.5	30,342	30,186	28,397	27,972	27,524	26,906

		1	3	1	4	1	.5	1	6	1	7	18	
Indicator		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2			Number of Infants given Pentavalent 3		Number of Infants given Measles		11 months received raccine to live births	Number of fully immunized children (9-11 months)	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Delhi							186,739	170,442	103.4	107.7	178,896	161,153
1	Central							20,192	19,006	60.1	56.1	19,610	18,567
2	East							13,091	12,103	156.9	162.8	12,402	11,669
3	New Delhi							11,530	12,661	38.0	41.9	10,180	9,086
4	North							17,288	13,880	206.9	205.2	17,537	14,102
5	North East							14,111	13,884	344.8	333.8	13,865	13,319
6	North West							21,752	18,852	89.2	89.0	20,796	18,333
7	Shahdara							14,951	13,650	59.4	79.8	14,824	12,504
8	South							13,734	12,517	157.3	211.1	13,152	12,388
9	South East							14,998	13,148	256.9	298.9	13,738	12,324
10	South West							16,369	13,705	180.5	183.0	14,938	12,810
11	West							28,723	27,036	127.0	136.8	27,854	26,051

		1	9	2	0	2	1	2	2	2	3	24	
Indicator		% Drop Out between BCG & Measles		Vitamin - A dose 1		Children g dose1 to R bir	given Vit A	Children gi A Dose 9 to given Vit	ven Vitamin o Children	Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Delhi	15.3	14.9	76,095	91,680	42.2	57.9	37.3	24.5	41	59	93.1	92.7
1	Central	38.5	42.7	8,826	9,456	26.3	27.9	17.7	24.0	0	1	92.4	92.3
2	East	-6.1	-7.7	5,036	7,109	60.4	95.6	35.8	25.9	0	0	94.1	93.9
3	New Delhi	56.1	54.8	5,162	9,298	17.0	30.8	81.6	41.9	0	0	93.1	92.6
4	North	-8.5	-3.6	4,526	6,834	54.2	101.0	63.2	13.6	0	0	89.4	82.6
5	North East	-51.9	-54.6	6,062	6,136	148.1	147.5	43.0	27.0	14	14	90.6	98.2
6	North West	28.2	27.0	6,408	9,903	26.3	46.8	48.3	13.0	0	4	92.6	90.3
7	Shahdara	44.5	29.3	12,234	8,902	48.6	52.0	41.9	26.9	0	0	94.3	94.6
8	South	-7.0	-16.5	5,707	4,654	65.4	78.5	31.0	22.4	11	19	99.0	94.6
9	South East	-36.6	-22.8	5,134	5,994	87.9	136.3	24.4	9.2	5	4	95.9	96.2
10	South West	-31.3	-24.8	5,634	7,857	62.1	104.9	12.1	14.7	2	0	90.4	90.5
11	West	5.0	3.3	11,366	15,537	50.2	78.6	30.1	35.0	9	17	93.6	94.0

Performance of Key HMIS Indicators for Delhi ( Across Districts) Financial Year: 2012-13

Provisional Figures for the Period April to December

_													
		2	5	2	6	2	27		8	2	9	30	
Indicator		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Pertusis ir 0-5 Years Total R Childhood	% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Others in -5 Years of al Reported Diseases 0-5 ars	% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Delhi	24.0	22.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Central	7.9	9.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0
2	East	26.4	20.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	New Delhi	26.0	12.8	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.2	0.0	0.0
4	North	26.4	26.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	North East	25.2	19.8	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
6	North West	17.4	23.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Shahdara	16.3	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	South	23.1	30.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	South East	9.6	20.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	South West	49.3	36.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West	35.7	32.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Delhi ( Across Districts) Financial Year: 2012-13

Provisional Figures for the Period April to December

		3	1	3	2	3	3	3	4	3	5	36	
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Delhi	0.2	1.9	98.4	96.4	1.3	1.6	1,971	958	22.4	21.0	10.8	7.3
1	Central	0.3	0.5	93.2	95.7	6.5	3.3	280	208	22.7	28.9	14.5	12.6
2	East	0.6	0.2	98.2	97.1	1.2	2.7	281	276	19.9	21.1	6.5	3.0
3	New Delhi	0.2	0.3	97.3	96.5	2.2	2.8	873	132	26.2	22.3	9.0	5.8
4	North	0.1	4.7	99.4	95.0	0.5	0.4	35	18	26.9	0.0	3.8	36.4
5	North East	0.2	5.9	99.4	94.0	0.4	0.1	2		0.0		0.0	
6	North West	0.2	0.1	98.1	97.3	1.8	2.5	226	61	20.5	22.4	28.1	26.5
7	Shahdara	0.5	0.3	98.3	95.3	1.1	4.4	45	26	5.7	13.3	14.3	0.0
8	South	0.2	0.5	98.8	95.9	1.0	3.6	9	1	0.0	100.0	11.1	0.0
9	South East	0.5	0.9	99.0	98.9	0.5	0.2	30	4	0.0	0.0	0.0	0.0
10	South West	0.1	0.0	99.4	98.8	0.5	1.1	13	9	15.4	12.5	0.0	0.0
11	West	0.1	0.1	99.3	99.5	0.5	0.3	177	223	18.4	12.4	4.0	2.5

		3	7	3	8	3	9	4	40		1	42	
Indicator		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Delhi	14.2	12.5	11.3	13.5	2.0	2.3	5.6	4.2	0.0	0.1	33.8	39.1
1	Central	20.4	19.5	8.9	6.8	0.4	2.1	0.4	0.5	0.0	0.0	32.7	29.5
2	East	7.7	0.8	19.5	21.9	1.1	2.3	1.1	0.8	0.0	0.4	44.1	49.8
3	New Delhi	7.0	3.3	10.9	9.9	2.5	2.5	10.5	19.0	0.0	0.0	33.9	37.2
4	North	42.3	27.3	3.8	9.1	0.0	0.0	3.8	0.0	0.0	0.0	19.2	27.3
5	North East	0.0		0.0		0.0		0.0		0.0		100.0	
6	North West	23.8	12.2	6.5	16.3	0.5	2.0	3.2	8.2	0.0	0.0	17.3	12.2
7	Shahdara	17.1	0.0	11.4	20.0	2.9	6.7	8.6	26.7	0.0	0.0	40.0	33.3
8	South	0.0	0.0	55.6	0.0	22.2	0.0	0.0	0.0	0.0	0.0	11.1	0.0
9	South East	3.3	0.0	6.7	33.3	0.0	0.0	0.0	0.0	0.0	0.0	90.0	66.7
10	South West	15.4	0.0	7.7	25.0	23.1	0.0	7.7	12.5	0.0	0.0	30.8	50.0
11	West	35.1	31.7	9.8	8.1	2.3	2.5	1.1	0.0	0.0	0.0	29.3	42.9