		1		2	2		3	4	4		5	6	
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	3,921	2,613	95.3	118.7	83	120	97.9	95.6	3,338	2,367	3,125	1,796
1	East	2,201	777	93.1	142.3	45	11	98.0	98.6	1,851	617	2,244	911
2	North	208	280	98.6	175.0	3	71	98.6	79.8	200	270	148	232
3	South	787	707	98.5	112.8	13	16	98.4	97.8	760	715	227	192
4	West	725	849	98.1	97.8	22	22	97.1	97.5	527	765	506	461

		7		8	3	9	)	1	0	11		12	
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	4,245	3,243	79.7	68.7	108.3	124.1	4,325	3,741	4,135	3,786	4,384	4,008
1	East	2,362	1,009	102.0	117.2	107.3	129.9	2,219	1,350	2,024	1,383	2,123	1,454
2	North	210	306	71.2	82.9	101.0	109.3	247	342	266	372	303	370
3	South	856	996	28.8	27.2	108.8	140.9	966	1,080	917	1,001	988	1,103
4 West		817	932	69.8	54.3	112.7	109.8	893	969	928	1,030	970	1,081

		13		1	4	1	5	1	6	1	7	18	
In	dicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim							4,583	4,042	116.9	154.7	4,563	3,872
1	East							2,124	1,429	96.5	183.9	2,124	1,429
2	North							345	311	165.9	111.1	345	102
3	South							1,058	1,173	134.4	165.9	1,038	1,212
4	West							1,056	1,129	145.7	133.0	1,056	1,129

		19		2	0	2	1	2	2	2	3	24	
Indicator		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	-8.0	-24.6	2,642	4,020	67.4	153.8	134.1	142.2			98.8	92.9
1	East	10.1	-41.6	1,288	1,456	58.5	187.4	79.8	110.2			99.0	90.4
2	North	-64.3	-1.6	178	294	85.6	105.0	14.6	68.4			95.7	89.0
3	South	-23.6	-17.8	546	1,146	69.4	162.1	174.9	123.0			100.0	86.3
4	West	-29.3	-21.1	630	1,124	86.9	132.4	243.3	222.4			99.2	99.4

Indicator		25  '% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		9% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	88.8	89.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East	80.2	84.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North	92.8	78.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	South	80.9	91.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	West	101.4	99.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		31		3	32		3	34		3	5	36	
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	3.5	2.5	96.5	96.2	0.0	1.3	57	1	2.4	0.0	2.4	100.0
1	East	4.8	4.0	95.2	93.4	0.0	2.6	27		6.3		6.3	
2	North	5.4	0.7	94.6	99.3	0.0	0.0	3		0.0		0.0	
3	South	0.0	0.0	100.0	100.0	0.0	0.0	14	1	0.0	0.0	0.0	100.0
4	West	4.4	1.4	95.6	98.6	0.0	0.0	13		0.0		0.0	

		37		38			39		0	4	1	42 %	
Indicator		% Deaths due to LBW to Total Reported Infant Deaths		Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		Deaths due to Other Causes to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	17.1	0.0	19.5	0.0	4.9	0.0	2.4	0.0	0.0	0.0	51.2	0.0
1	East	31.3		0.0		0.0		6.3		0.0		50.0	
2	North	0.0		50.0		0.0		0.0		0.0		50.0	
3	South	7.1	0.0	35.7	0.0	14.3	0.0	0.0	0.0	0.0	0.0	42.9	0.0
4	West	11.1		22.2		0.0		0.0		0.0		66.7	