|    |            | 1  | 2  | 3  | 4  | 5  | 6   | 7   | 8  | 9  | 10  | 11  | 12   | 13   |
|----|------------|--|--|--|--|--|---|---|--|--|---|---|--|--|
| lr | ndicators  | Total<br>number<br>of<br>pregnant<br>women<br>Registere<br>d for ANC | Number<br>of<br>Pregnant<br>women<br>registere<br>d within<br>first<br>trimester | % 1st Trimeste r registrati on to Total ANC Registrati ons | Number<br>of<br>pregnant<br>women<br>received<br>4 or more<br>ANC<br>check ups | TT2 given<br>to<br>Pregnant<br>women<br>(numbers | TT Booster given to Pregnant women (numbers ) | % Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2+ TT Booster to Total ANC Registrati on | Number<br>of<br>Pregnant<br>women<br>given 180<br>IFA<br>tablets | %<br>Pregnant<br>women<br>given 180<br>IFA to<br>Total<br>ANC<br>Registrati<br>on | Number<br>of<br>Pregnant<br>Women<br>having Hb<br>level<11<br>(tested<br>cases) | Number<br>of<br>Pregnant<br>Women<br>having<br>severe<br>anaemia<br>(Hb<7)<br>treated<br>at<br>institutio<br>n | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7 |
|    |            | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18                                       | 2017-18   | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18  | 2017-18  |
|    | _Bageshwar | 3,334  | 2,614  | 78.4   | 961  | 2,739  | 132   | 28.8  | 86.1   | 2,283  | 68.4  | 162   |  |  |
| 1  | Bageshwar  | 1,316  | 908  | 69.0   | 772  | 1,227  | 109   | 58.7  | 101.5  | 1,008  | 76.6  | 54  |  |  |
| 2  | Baijnath   | 998  | 933  | 93.5   | 184  | 780  | 13  | 18.4  | 79.5   | 327  | 32.8  | 108   |  |  |
| 3  | Kapkote    | 1,020  | 773  | 75.8   | 5  | 732  | 10  | 0.5   | 72.7   | 948  | 92.9  | 0   |  |  |

|    |            | 14   | 15                              | 16   | 17   | 18   | 19   | 20   | 21   | 22  | 23  | 24  | 25  | 26  |
|----|------------|--|---------------------------------|--|--|--|--|--|--|---|---|---|---|---|
| lr | ndicators  | % New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrati ons | Number<br>of Home<br>deliveries | Number<br>of home<br>deliveries<br>attended<br>by SBA<br>trained<br>(Doctor/<br>Nurse/<br>ANM) | Number<br>of home<br>deliveries<br>attended<br>by Non<br>SBA<br>trained<br>(trained<br>TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries<br>Conducte<br>d at<br>Public<br>Institutio<br>ns | Number<br>of<br>Women<br>Discharge<br>d under<br>48 hours<br>of<br>delivery<br>in public<br>facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Deliveries<br>Conducte<br>d at<br>Private<br>Institutio<br>ns | Number<br>of<br>Women<br>Discharge<br>d under<br>48 hours<br>of<br>delivery<br>in private<br>institutio<br>ns | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns | Institutio<br>nal<br>deliveries<br>(Public<br>Insts.+Pvt<br>, Insts.) | %<br>Institutio<br>nal<br>Deliveries<br>to total<br>ANC<br>registrati<br>on |
|    |            | 2017-18  | 2017-18                         | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18   | 2017-18   | 2017-18   |
|    | _Bageshwar | 0.0  | 313                             | 216  | 97   | 69.0   | 1,819  | 1,368  | 75.2   |   |   |   | 1,819   | 54.5  |
| 1  | Bageshwar  | 0.0  | 111                             | 47   | 64   | 42.3   | 1,154  | 973  | 84.3   |   |   |   | 1,154   | 87.7  |
| 2  | Baijnath   | 0.0  | 117                             | 100  | 17   | 85.5   | 509  | 325  | 63.9   |   |   |   | 509   | 51.0  |
| 3  | Kapkote    | 0.0  | 85                              | 69   | 16   | 81.2   | 156  | 70   | 44.9   |   |   |   | 156   | 15.3  |

|    |            | 27                              | 28   | 29  | 30  | 31  | 32   | 33   | 34  | 35  | 36   | 37  | 38   | 39   |
|----|------------|---------------------------------|--|---|---|---|--|--|---|---|--|---|--|--|
| Ir | ndicators  | Total<br>reported<br>deliveries | %<br>Institutio<br>nal<br>deliveries<br>to Total<br>Reported<br>Deliveries | %<br>Safe<br>deliveries<br>to Total<br>Reported<br>Deliveries | %<br>Home<br>deliveries<br>to Total<br>Reported<br>Deliveries | Number<br>of<br>C-section<br>deliveries<br>conducte<br>d at<br>public<br>facilities | Number<br>of<br>C-section<br>deliveries<br>conducte<br>d at<br>private<br>facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section s conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries | Women<br>received<br>1st post<br>partum<br>check-up<br>within 48<br>hours of<br>home<br>delivery | Women<br>received<br>1st post<br>partum<br>check up<br>between<br>48 hours<br>and 14<br>days |
|    |            | 2017-18                         | 2017-18  | 2017-18   | 2017-18   | 2017-18   | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18  | 2017-18   | 2017-18  | 2017-18  |
|    | _Bageshwar | 2,132                           | 85.3   | 95.5  | 14.7  | 39  |  | 2.1  | 2.1   |   | 100.0  | 0.0   | 1,576  | 1,065  |
| 1  | Bageshwar  | 1,265                           | 91.2   | 94.9  | 8.8   | 39  |  | 3.4  | 3.4   |   | 100.0  | 0.0   | 743  | 461  |
| 2  | Baijnath   | 626                             | 81.3   | 97.3  | 18.7  | 0   |  | 0.0  | 0.0   |   | 100.0  | 0.0   | 594  | 406  |
| 3  | Kapkote    | 241                             | 64.7   | 93.4  | 35.3  | 0   |  | 0.0  | 0.0   |   | 100.0  | 0.0   | 239  | 198  |

|     |            | 40  | 41  | 42  | 43  | 44   | 45   | 46  | 47   | 48  | 49   | 50   | 51   | 52   |
|-----|------------|---|---|---|---|--|--|---|--|---|--|--|--|--|
| Inc | dicators   | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total<br>Number<br>of<br>reported<br>live<br>births | %<br>Live<br>Births to<br>Total<br>Deliveries | Total<br>Number<br>of<br>reported<br>Still<br>Births | %<br>live birth<br>to<br>Reported<br>Birth | Number<br>of<br>Newborns<br>weighed<br>at birth | %<br>Newborns<br>weighed<br>at birth<br>to live<br>birth | Number<br>of<br>Newborns<br>having<br>weight<br>less than<br>2.5 kg | %<br>Newborns<br>having<br>weight<br>less than<br>2.5 kg to<br>Newborns<br>weighed<br>at birth | Number<br>of New<br>Borns<br>Breast<br>Fed<br>within 1<br>hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio<br>at<br>birth<br>( Female<br>Live<br>Births/<br>Male Live<br>Births<br>*1000) |
|     |            | 2017-18   | 2017-18   | 2017-18   | 2017-18                                       | 2017-18  | 2017-18                                    | 2017-18   | 2017-18  | 2017-18   | 2017-18  | 2017-18  | 2017-18  | 2017-18  |
|     | _Bageshwar | 503.5   | 50.0  | 2,128   | 99.8  | 7  | 99.7                                       | 2,036   | 95.7   | 111   | 5.4  | 2,062  | 96.8   | 922  |
| 1   | Bageshwar  | 669.4   | 36.4  | 1,265   | 100.0   | 7  | 99.4                                       | 1,181   | 93.4   | 65  | 5.5  | 1,213  | 95.9   | 874  |
| 2   | Baijnath   | 507.7   | 64.9  | 622   | 99.4  | 0  | 100.0                                      | 616   | 99.0   | 34  | 5.5  | 610  | 98.1   | 1,019  |
| 3   | Kapkote    | 281.2   | 82.2  | 241   | 100.0   | 0  | 100.0                                      | 239   | 99.2   | 12  | 5.0  | 239  | 99.2   | 944  |

|    |            | 53  | 54  | 55   | 56  | 57   | 58  | 59  | 60  | 61   | 62  | 63   | 64  | 65  |
|----|------------|---|---|--|---|--|---|---|---|--|---|--|---|---|
| In | dicators   | % cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number<br>of PW<br>given 360<br>Calcium<br>tablets | %<br>Pregnant<br>women<br>given 360<br>Calcium<br>to Total<br>ANC<br>Registrati<br>on | Number<br>of PW<br>given one<br>Albendaz<br>ole tablet<br>after 1st<br>trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on | Number<br>of PW<br>tested<br>positive<br>for GDM | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number<br>of<br>pregnant<br>women<br>tested<br>for<br>Syphilis | Number<br>of<br>pregnant<br>women<br>tested<br>found<br>sero<br>positive<br>for<br>Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on |
|    |            | 2017-18   | 2017-18   | 2017-18  | 2017-18   | 2017-18  | 2017-18   | 2017-18   | 2017-18   | 2017-18  | 2017-18   | 2017-18  | 2017-18   | 2017-18   |
|    | _Bageshwar | 0.0   |   | 33   | 1.0   | 11   | 0.3   |   | 0.0   |  | 0.0   | 0  | 0   | 0.0   |
| 1  | Bageshwar  | 0.0   |   | 3  | 0.2   | 4  | 0.3   |   | 0.0   |  | 0.0   |  |   | 0.0   |
| 2  | Baijnath   | 0.0   |   | 30   | 3.0   | 7  | 0.7   |   | 0.0   |  | 0.0   | 0  | 0   | 0.0   |
| 3  | Kapkote    | 0.0   |   | 0  | 0.0   | 0  | 0.0   |   | 0.0   |  | 0.0   | 0  | 0   | 0.0   |

|    |            | 66   | 67   | 68                              | 69  | 70   | 71  | 72                                 | 73  | 74  | 75  | 76   | 77  | 78   |
|----|------------|--|--|---------------------------------|---|--|---|------------------------------------|---|---|---|--|---|--|
| In | dicators   | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis | Total no.<br>maternal<br>deaths | Total<br>Facility<br>Based<br>Maternal<br>Death<br>Reviews<br>(FBMDR)<br>done | Total<br>Number<br>of<br>Abortions<br>( Spontan<br>eous)<br>Reported | Total<br>Number<br>of<br>MTPs<br>( Public)<br>conducte<br>d | %<br>MTPs to<br>total<br>Abortions | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | %<br>MTPs<br>Conducte<br>d at<br>Public<br>Institutio<br>ns to<br>Total<br>MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number<br>of<br>Vasectom<br>ies<br>Conducte<br>d |
|    |            | 2017-18  | 2017-18  | 2017-18                         | 2017-18   | 2017-18  | 2017-18   | 2017-18                            | 2017-18   | 2017-18   | 2017-18   | 2017-18  | 2017-18   | 2017-18  |
|    | _Bageshwar |  |  | 0                               | 0   | 355  | 359   | 50.3                               | 100.0   | 0.0   | 100.0   | 0.0  | 10.8  | 6  |
| 1  | Bageshwar  |  |  | 0                               |   | 331  | 335   | 50.3                               | 100.0   | 0.0   | 100.0   | 0.0  | 25.5  | 6  |
| 2  | Baijnath   |  |  | 0                               | 0   | 24   | 24  | 50.0                               | 100.0   | 0.0   | 100.0   | 0.0  | 2.4   | 0  |
| 3  | Kapkote    |  |  | 0                               | 0   | 0  | 0   |                                    |   |   |   |  | 0.0   | 0  |

|    |            | 79   | 80  | 81  | 82   | 83  | 84  | 85  | 86   | 87  | 88  | 89  | 90   | 91   |
|----|------------|--|---|---|--|---|---|---|--|---|---|---|--|--|
| lr | dicators   | Number<br>of<br>Tubecto<br>mies<br>Conducte<br>d | Total<br>Sterilisati<br>on<br>Conducte<br>d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Female Serlisatio n (Tubecto mies) to Total sterilisati on | Total<br>Sterlisati<br>on<br>(Tubecto<br>mies and<br>Vasectom<br>ies)<br>conducte<br>d at PHC | Total<br>Sterlisati<br>on<br>(Tubecto<br>mies and<br>Vasectom<br>ies)<br>conducte<br>d at CHC | Total<br>Sterlisati<br>on<br>(Tubecto<br>mies and<br>Vasectom<br>ies)<br>conducte<br>d at SDH | Total<br>Sterlisati<br>on<br>(Tubecto<br>mies and<br>Vasectom<br>ies)<br>conducte<br>d at DH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total<br>Sterlisati<br>on<br>(Tubecto<br>mies and<br>Vasectom<br>ies)<br>conducte<br>d at<br>Public<br>institutio<br>ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on | %<br>Laparosc<br>opic<br>sterlisati<br>ons to<br>Total<br>Female<br>Sterilisati<br>ons |
|    |            | 2017-18  | 2017-18                                     | 2017-18   | 2017-18  | 2017-18   | 2017-18   | 2017-18   | 2017-18  | 2017-18   | 2017-18   | 2017-18   | 2017-18  | 2017-18  |
|    | _Bageshwar | 63   | 69  | 8.6   | 91.3   |   |   |   |  |   | 69  | 0.0   | 100.0  | 9.5  |
| 1  | Bageshwar  | 62   | 68  | 8.8   | 91.2   |   |   |   |  |   | 68  | 0.0   | 100.0  | 9.7  |
| 2  | Baijnath   | 1  | 1   | 0.0   | 100.0  |   |   |   |  |   | 1   | 0.0   | 100.0  | 0.0  |
| 3  | Kapkote    | 0  | 0   |   |  |   |   |   |  |   | 0   |   |  |  |

|    |            | 92  | 93   | 94   | 95  | 96  | 97   | 98   | 99  | 100  | 101  | 102  | 103   | 104   |
|----|------------|---|--|--|---|---|--|--|---|--|--|--|---|---|
| lr | ndicators  | %<br>Mini Lap<br>Sterlisati<br>ons to<br>Total<br>Female<br>Sterlisati<br>ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Post Abortion Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total<br>cases of<br>deaths<br>following<br>Sterlisati<br>on<br>( Male +<br>Female) | Total cases of deaths following Male Sterlisati on | Total<br>cases of<br>deaths<br>following<br>Female<br>Sterlisati<br>on | Total cases of failure following Male Sterlisati | Total cases of failure following Female Sterlisati on | Total cases of complicat ion following Male Sterlisati on |
|    |            | 2017-18   | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18  | 2017-18  | 2017-18   | 2017-18  | 2017-18  | 2017-18  | 2017-18   | 2017-18   |
|    | _Bageshwar | 90.5  | 0.0  | 0.0  | 100.0   | 100.0   |  |  | 0   | 0  | 0  | 0  | 0   | 0   |
| 1  | Bageshwar  | 90.3  | 0.0  | 0.0  | 100.0   | 100.0   |  |  |   |  |  |  |   | 0   |
| 2  | Baijnath   | 100.0   | 0.0  | 0.0  |   | 100.0   |  |  | 0   | 0  | 0  | 0  | 0   | 0   |
| 3  | Kapkote    |   |  |  |   |   |  |  | 0   | 0  | 0  | 0  | 0   | 0   |

|    |            | 105  | 106  | 107  | 108   | 109   | 110  | 111   | 112                                    | 113                                   | 114   | 115                                    | 116                                 | 117  |
|----|------------|--|--|--|---|---|--|---|--|---------------------------------------|---|--|-------------------------------------|--|
| Ir | dicators   | Total<br>cases of<br>complicat<br>ion<br>following<br>Female<br>Sterlisati<br>on | IUCD<br>Insertions<br>done<br>(public<br>facilities) | IUCD<br>insertions<br>done<br>(pvt.<br>facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions to all family planning methods ( IUCD plus permane nt) | Total<br>Interval<br>IUCD<br>Insertions<br>done | Total PP<br>IUCD<br>Insertions<br>done | Total<br>PAIUCD<br>insertions<br>done | Combine<br>d Oral<br>Pills<br>distribute<br>d | Emergenc<br>y pills<br>distribute<br>d | Condom<br>pieces<br>distribute<br>d | Centchro<br>man<br>( weekly<br>pills)<br>distribute<br>d |
|    |            | 2017-18  | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18  | 2017-18   | 2017-18                                | 2017-18                               | 2017-18                                       | 2017-18                                | 2017-18                             | 2017-18  |
|    | _Bageshwar | 1  | 1,501  |  | 17.9  | 14.7  | 95.6   | 1,232   | 269                                    | 0                                     | 7,459   | 60                                     | 71,487                              | 0  |
| 1  | Bageshwar  | 1  | 369  |  | 35.8  | 11.4  | 84.4   | 237   | 132                                    | 0                                     | 2,168   | 60                                     | 9,192                               | 0  |
| 2  | Baijnath   | 0  | 676  |  | 20.3  | 26.9  | 99.9   | 539   | 137                                    | 0                                     | 361   | 0                                      | 429                                 | 0  |
| 3  | Kapkote    | 0  | 456  |  | 0.0   | 0.0   | 100.0  | 456   | 0                                      | 0                                     | 4,930   | 0                                      | 61,866                              | 0  |

|    |            | 118  | 119  | 120  | 121   | 122                                | 123   | 124                               | 125   | 126   | 127  | 128   | 129                                   | 130                                   |
|----|------------|--|--|--|---|------------------------------------|---|-----------------------------------|---|---|--|---|---------------------------------------|---------------------------------------|
| lr | ndicators  | Number<br>of<br>beneficia<br>ries given<br>1st dose<br>of<br>Injectabl<br>e<br>(Antara<br>Program) | Number<br>of<br>beneficia<br>ries given<br>2nd<br>dose of<br>Injectabl<br>e<br>(Antara<br>Program) | Number<br>of<br>beneficia<br>ries given<br>3rd dose<br>of<br>Injectabl<br>e<br>(Antara<br>Program) | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc<br>y testing<br>kits used | Number<br>of Infants<br>given<br>OPV 0<br>(Birth<br>Dose) | Number<br>of Infants<br>given BCG | Number<br>of Infants<br>given<br>Hep- B0<br>(birth<br>dose) | % Newborns given OPVO at birth to Reported live birth | %<br>Newborns<br>given BCG<br>to<br>Reported<br>live birth | % Newborns given Hep-80 (Birth Dose)at birth to Reported live birth | Number<br>of Infants<br>given<br>DPT1 | Number<br>of Infants<br>given<br>DPT2 |
|    |            | 2017-18  | 2017-18  | 2017-18  | 2017-18   | 2017-18                            | 2017-18   | 2017-18                           | 2017-18   | 2017-18   | 2017-18  | 2017-18   | 2017-18                               | 2017-18                               |
|    | _Bageshwar | 0  | 0  | 0  | 5   | 416                                | 1,370   | 2,623                             | 767   | 64.4  | 123.3  | 36.0  | 0                                     | 0                                     |
| 1  | Bageshwar  | 0  | 0  | 0  | 5   | 323                                | 719   | 994                               | 115   | 56.8  | 78.6   | 9.1   | 0                                     | 0                                     |
| 2  | Baijnath   | 0  | 0  | 0  | 0   | 66                                 | 515   | 710                               | 513   | 82.8  | 114.1  | 82.5  | 0                                     | 0                                     |
| 3  | Kapkote    | 0  | 0  | 0  | 0   | 27                                 | 136   | 919                               | 139   | 56.4  | 381.3  | 57.7  | 0                                     | 0                                     |

|    | Indicators  _Bageshwar | 131                                   | 132  | 133  | 134  | 135                                      | 136                              | 137   | 138   | 139   | 140   | 141  | 142  | 143   |
|----|------------------------|---------------------------------------|--|--|--|--|----------------------------------|---|---|---|---|--|--|---|
| lr | ndicators              | Number<br>of Infants<br>given<br>DPT3 | Number<br>of Infants<br>given<br>Pentavale<br>nt 1 | Number<br>of Infants<br>given<br>Pentavale<br>nt 2 | Number<br>of Infants<br>given<br>Pentavale<br>nt 3 | Number<br>of Infants<br>given<br>Measles | Number<br>of Infants<br>given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number<br>of fully<br>immunize<br>d<br>children<br>(9-11<br>months) | %<br>Drop Out<br>between<br>BCG &<br>Measles/<br>MR | % Children given Vit A dose1 to Reported live birth | %<br>Children<br>given<br>Vitamin A<br>Dose 9 to<br>Children<br>given Vit<br>A dose1 | Adverse<br>Events<br>Following<br>Imunisati<br>on<br>(Abcess ) | Adverse<br>Events<br>Following<br>Imunisati<br>on<br>(Deaths) |
|    |                        | 2017-18                               | 2017-18  | 2017-18  | 2017-18  | 2017-18                                  | 2017-18                          | 2017-18   | 2017-18   | 2017-18   | 2017-18   | 2017-18  | 2017-18  | 2017-18   |
|    | _Bageshwar             | 0                                     | 2,967  | 2,855  | 2,825  | 1,964                                    | 8                                | 92.6  | 2,068   | 25.1  | 0.0   |  | 0  | 0   |
| 1  | Bageshwar              | 0                                     | 1,139  | 1,118  | 1,089  | 524                                      | 8                                | 42.1  | 624   | 47.3  | 0.0   |  | 0  | 0   |
| 2  | Baijnath               | 0                                     | 791  | 806  | 795  | 731                                      | 0                                | 117.5   | 733   | -3.0  | 0.0   |  | 0  | 0   |
| 3  | Kapkote                | 0                                     | 1,037  | 931  | 941  | 709                                      | 0                                | 294.2   | 711   | 22.9  | 0.0   |  | 0  | 0   |

|    |            | 144   | 145   | 146   | 147   | 148  | 149  | 150  | 151  | 152   | 153   | 154   | 155  | 156   |
|----|------------|---|---|---|---|--|--|--|--|---|---|---|--|---|
| lr | ndicators  | Adverse<br>Events<br>Following<br>Imunisati<br>on<br>(Others) | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | Pneumoni<br>a in<br>Children<br>0-5 Years<br>of Age | Asthma in<br>Children<br>0-5 Years<br>of Age | Sepsis in<br>Children<br>0-5 Years<br>of Age | Diphtheri<br>a in<br>Children<br>0-5 Years<br>of Age | Pertussis<br>in<br>Children<br>0-5 Years<br>of Age | Tetanus<br>Neonator<br>um in<br>Children<br>0-5 Years<br>of Age | Tubercul<br>osis<br>(TB)<br>in<br>Children<br>0-5 Years<br>of Age | Acute<br>Flaccid<br>Paralysis<br>(AFP)in<br>Children<br>0-5 Years<br>of Age | Measles<br>in<br>Children<br>0-5 Years<br>of Age | Malaria in<br>Children<br>0-5 Years<br>of Age |
|    |            | 2017-18   | 2017-18   | 2017-18   | 2017-18   | 2017-18                                      | 2017-18                                      | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18   | 2017-18  | 2017-18                                       |
|    | _Bageshwar | 0   | 99.3  | 100.0   | 0   | 0  | 0  | 0  | 0  | 0   | 0   | 0   | 0  | 0   |
| 1  | Bageshwar  | 0   | 100.0   | 100.0   | 0   | 0  | 0  | 0  | 0  | 0   | 0   | 0   | 0  | 0   |
| 2  | Baijnath   | 0   | 99.1  | 100.0   | 0   | 0  | 0  | 0  | 0  | 0   | 0   | 0   | 0  | 0   |
| 3  | Kapkote    | 0   | 99.0  | 100.0   | 0   | 0  | 0  | 0  | 0  | 0   | 0   | 0   | 0  | 0   |

| Indicators |            | 157  | 158  | 159   | 160   | 161   | 162   | 163  | 164  | 165   | 166   | 167   | 168   | 169             |
|------------|------------|--|--|---|---|---|---|--|--|---|---|---|---|-----------------|
|            |            | Diarrhoea<br>in<br>Children<br>0-5 Years<br>of Age | Diarrhoea<br>treated<br>in<br>Inpatient<br>s in<br>Children<br>0-5 Years<br>of Age | No.<br>of infants<br>given<br>Measles<br>Rubella<br>vaccine<br>1st dose | No.<br>of infants<br>received<br>Rotavirus<br>Vaccine<br>1st dose | No.<br>of infants<br>received<br>Rotavirus<br>Vaccine<br>2nd dose | No.<br>of infants<br>received<br>Rotavirus<br>Vaccine<br>3nd dose | No of<br>children<br>16-24<br>months<br>age given<br>Measles<br>2nd dose | No of<br>children<br>16-24<br>months<br>age given<br>Measles<br>Rubella<br>Vaccine<br>2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | %<br>Children<br>Inpatient<br>to Total<br>Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | %<br>Inpatient<br>Deaths<br>to Total<br>IPD | IPD<br>(Number) |
|            |            | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18   | 2017-18   | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18   | 2017-18                                     | 2017-18         |
|            | _Bageshwar | 4  | 0  | 8   | 1   | 0   | 0   | 1,096  | 0  | 66.5  | 20.6  | 33.3  | 0.4   | 7,397           |
| 1          | Bageshwar  | 4  | 0  | 8   | 1   | 0   | 0   | 221  | 0  | 73.3  | 25.4  | 33.3  | 0.5   | 5,520           |
| 2          | Baijnath   | 0  | 0  | 0   | 0   | 0   | 0   | 156  | 0  | 51.4  | 5.9   |   | 0.0   | 1,125           |
| 3          | Kapkote    | 0  | 0  | 0   | 0   | 0   | 0   | 719  | 0  | 49.4  | 7.4   |   | 0.0   | 752             |

| Indicators |            | 170                     | 171                      | 172                           | 173                | 174                                  | 175                                  | 176                                     | 177   | 178  | 179                                  | 180                       | 181                                   | 182                                      |
|------------|------------|-------------------------|--------------------------|-------------------------------|--------------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------------------|---------------------------|---------------------------------------|--|
|            |            | OPD<br>(Allopathi<br>c) | Ayush<br>OPD<br>(Number) | OPD<br>(Ayush+Al<br>lopathic) | %<br>IPD to<br>OPD | Number<br>of Major<br>Operatio<br>ns | Number<br>of Minor<br>Operatio<br>ns | % Major Operatio ns to Total Operatio n | Number<br>of<br>Hysterect<br>omy<br>Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | %<br>AYUSH<br>OPD to<br>Total<br>OPD | Dental<br>OPD<br>(Number) | %<br>Dental<br>OPD to<br>Total<br>OPD | % Hb < 7 mg to Total Hb Tests Conducte d |
|            |            | 2017-18                 | 2017-18                  | 2017-18                       | 2017-18            | 2017-18                              | 2017-18                              | 2017-18                                 | 2017-18                                       | 2017-18  | 2017-18                              | 2017-18                   | 2017-18                               | 2017-18                                  |
|            | _Bageshwar | 225,889                 | 7,688                    | 233,577                       | 3.2                | 86                                   | 319                                  | 21.2                                    | 49  | 56.9   | 3.2                                  | 69                        | 0.0                                   | 0.7                                      |
| 1          | Bageshwar  | 111,142                 | 6,472                    | 117,614                       | 4.7                | 86                                   | 319                                  | 21.2                                    | 49  | 57.0   | 5.5                                  | 0                         | 0.0                                   | 0.5                                      |
| 2          | Baijnath   | 60,475                  | 1,216                    | 61,691                        | 1.8                | 0                                    | 0                                    |   | 0   |  | 2.0                                  | 0                         | 0.0                                   | 0.0                                      |
| 3          | Kapkote    | 54,272                  | 0                        | 54,272                        | 1.4                | 0                                    | 0                                    |   | 0   |  | 0.0                                  | 69                        | 0.1                                   | 2.2                                      |

|    |            | 183  | 184  | 185   | 186   | 187  | 188  | 189  | 190  | 191  | 192  | 193   | 194   | 195   |
|----|------------|--|--|---|---|--|--|--|--|--|--|---|---|---|
| lr | ndicators  | %<br>Male HIV<br>Positive<br>to Total<br>Males<br>Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested ( Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total<br>Number<br>of Infant<br>Deaths<br>reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths |
|    |            | 2017-18  | 2017-18  | 2017-18                                       | 2017-18   | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18  | 2017-18   | 2017-18   | 2017-18   |
|    | _Bageshwar | 0.2  | 11.9   | 0.3   | 0.2   | 0.0  | 0.0  | 3  | 0.0  | 0.0  | 0.0  | 0.0   | 0.0   | 0.0   |
| 1  | Bageshwar  | 0.2  | 30.2   | 0.3   | 0.2   | 0.0  | 0.0  | 3  | 0.0  | 0.0  | 0.0  | 0.0   | 0.0   | 0.0   |
| 2  | Baijnath   |  | 0.0  |   |   | 0.0  | 0.0  | 0  |  |  |  |   |   |   |
| 3  | Kapkote    |  | 0.0  |   |   | 0.0  | 0.0  | 0  |  |  |  |   |   |   |

|    |            | 196  | 197  | 198   |  |  |
|----|------------|--|--|---|--|--|
| In | dicators   | Institutio<br>nal<br>Deliveries<br>at Urban<br>Heatlh<br>Facilities<br>i.e<br>SC+PHC+<br>CHC+SDH | Institutio<br>nal<br>Deliveries<br>at<br>District<br>Hospitals | Measles<br>immuniza<br>tion at<br>urban<br>Health<br>facilities<br>i.e<br>SC+PHC+<br>CHC+SDH<br>+DH |  |  |
|    |            | 2017-18  | 2017-18  | 2017-18   |  |  |
|    | _Bageshwar |  |  |   |  |  |
| 1  | Bageshwar  |  |  |   |  |  |
| 2  | Baijnath   |  |  |   |  |  |
| 3  | Kapkote    |  |  |   |  |  |