	Indicators  _Bhopal  Berasia		ı	2	2	:	3	4	4	!	5		6
		Total nu pregnant Registered	women	Number of women re within first	egistered	Number o		1st Trii registratio ANC Regi	n to Total	JSY regist Total Regist	ANC	Number of women re ANC ch	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	29,215	31,138	19,553	18,782	24,335	26,444	66.9	60.3	83.3	84.9	28,159	26,129
1	Berasia	4,274	4,250	2,346	2,013	4,271	4,183	54.9	47.4	99.9	98.4	2,986	2,834
2	Phanda (Bhopal)	24,941	26,888	17,207	16,769	20,064	22,261	69.0	62.4	80.4	82.8	25,173	23,295

	Indicators  _Bhopal	7	7	8	3	Ç	)	1	0	1	1	1	2
	Indicators	TT2 or Boo to Pregnai (num	nt women	Pregnant received 3 ups to To Registr	ANC check otal ANC	Pregnant received Booster to Regist	TT2 or Total ANC	Number of women give		Pregnant given 100 ll ANC Regi	FA to Total	Number h leve (tested	l<11
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	23,292	25,206	96.3	83.9	79.7	80.9	33,239	35,266	113.7	113.2	13,883	28,465
1	Berasia	3,034	2,808	69.9	66.7	71.0	66.1	4,497	4,078	105.2	96.0	2,187	5,108
2	Phanda (Bhopal)	20,258	22,398	100.9	86.6	81.2	83.3	28,742	31,188	115.2	116.0	11,696	23,357

	Indicators  _Bhopal	1	3	1	4	1	5	1	6	1	7	1	8
	anaem (Hb<7 treated at in:		emia <7) institution	Pregnant having seve (Hb treated at to women leve	t women ere anaemia <7) institution having hb	New cases at institu hypertensic ANC Regi	detected ution for on to Total strations		eries	Number deliveries a SBA tr (Doctor/N	ttended by rained urse/ANM)	Number deliveries a Non SBA (trained	ttended by trained TB/Dai)
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	1,230	1,379	8.9	4.8	9.9	10.2	749	810	186	304	563	506
1	Berasia	62	62	2.8	1.2	15.9	12.3	206	249	43	92	163	157
2	Phanda (Bhopal)	1,168	1,317	10.0	5.6	8.9	9.9	543	561	143	212	400	349

	Indicators  _Bhopal  Berasia	1	9	2	0	2	.1	2	2	2	3	2	4
	Indicators	SBA attendeliveries Reporte Deliv	ded home s to Total d Home	Mothers incentive deliv	for home	Mothers incentive deliveries Reporte	for home s to Total	Deliveries at Public I				Women dis less than 4 delivery Reported at public in	8 hours of to Total Deliveries
	Rhonal	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	24.8	37.5	7	18	0.9	2.2	16,421	16,614	216	3,917	1.3	23.5
1	Berasia	20.9	36.9	2	2	1.0	0.8	2,061	2,286	116	54	5.6	2.4
2	Phanda (Bhopal)	26.3	37.8	5	16	0.9	2.9	14,360	14,328	100	3,863	0.7	27.0

	Indicators  _Bhopal  Berasia	2	5	2	6	2	7	2	8	2	9	3	0
	Indicators	Institu deliv (Public In Inst	eries sts.+Pvt.	Institu Deliveries ANC regi	s to total	Total re deliv	eported eries	Institu deliveries Reported	to Total	Safe deli Total Re Deliv	eported	Home del Total Re Deliv	eported
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	22,954	22,535	78.5	72.3	23,703	23,345	96.8	96.5	97.6	97.8	3.2	3.5
1	Berasia	2,061	2,286	48.2	53.8	2,267	2,535	90.9	90.2	92.8	93.8	9.1	9.8
2	Phanda (Bhopal)	20,893	20,249	83.8	75.3	21,436	20,810	97.5	97.3	98.1	98.3	2.5	2.7

	Indicators _Bhopal	3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public	conducted	Number of deliveries at private	conducted	% C-section (Public to rep institu (Public deliv	+ Pvt.) orted itional + Pvt.)	C-sections at public f Deliveries at public	acilities to conducted	C-sections at Private f Deliveries at private	acilities to conducted	Deliveries at Public In to Total In: Deliv	nstitutions stitutional
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	3,431	3,345	3,716	2,897	31.1	27.6	20.9	20.1	56.9	48.9	71.5	73.7
1	Berasia	40	100			1.9	4.4	1.9	4.4			100.0	100.0
2	Phanda (Bhopal)	3,391	3,245	3,716	2,897	34.0	30.3	23.6	22.6	56.9	48.9	68.7	70.8

	Indicators  _Bhopal  Berasia	3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	Mothers Incentive fo at Public i to Total Delive	or Delivery nstitution I Public	of cases w Incentive ASHA for D Public inst Total Public	e paid to Delivery at	Deliveries at Private I to Total In: Deliv	nstitutions stitutional	Women rec partum o within 48 deli	heck-up hours of	Post - Care / Wor post partur between 48	men got a n check up	Women rec partum o within 48 delivery Reported I	heck-up hours of to Total
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	87.1	90.4	29.2	37.0	28.5	26.3	23,309	22,707	21,979	14,115	98.3	97.3
1	Berasia	98.6	87.2	73.1	67.2	0.0	0.0	2,192	2,282	2,018	2,003	96.7	90.0
2	Phanda (Bhopal)	85.5	90.9	22.9	32.1	31.3	29.2	21,117	20,425	19,961	12,112	98.5	98.1

	Indicators  _Bhopal  Berasia	4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	Women ge Partum ( between 48 14 days Delive	tting Post Checkup I hours and to Total	Total Nu reported I		7 Total Repo Births t Deliv	orted Live o Total	Total Nu reported S		9 live birth to Bir	Reported	Number of weighed	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	92.7	60.5	23,259	22,975	98.1	98.4	605	537	97.5	97.7	23,085	22,475
1	Berasia	89.0	79.0	2,239	2,502	98.8	98.7	44	50	98.1	98.0	2,173	2,368
2	Phanda (Bhopal)	93.1	58.2	21,020	20,473	98.1	98.4	561	487	97.4	97.7	20,912	20,107

	IndicatorsBhopal	4	9	5	0	5	1	5	2	5	3	5	4
	Indicators	% Newborns v birth to l	weighed at	Number of having w	eight less	Newborr weight les kg to Ne weighed	s than 2.5 wborns	Number of Breast Fed	within 1	Newborns within 1 ho to Total l	our of birth	Number of visited wit of Home	hin 24 hrs
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	99.3	97.8	2,843	2,793	12.3	12.4	21,996	21,823	94.5	94.9	558	592
1	Berasia	97.1	94.6	290	335	13.3	14.1	2,105	2,305	94.0	92.1	121	161
2	Phanda (Bhopal)	99.5	98.2	2,553	2,458	12.2	12.2	19,891	19,518	94.6	95.3	437	431

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	9 newborn within 24h delivery reporte deliv	s visited rs of home to total	Sex Ra birth ( Fe Bitr Male Birtl	male Live ths/	cases of women with Complica attended to deliv	Pregnant h Obstetric tions and	Magsulph ii Total Wo Obst Compli	icated es treated n IV rtensive/ njection to	Compl Pregnanci witl antihype Magsulph i Total No detecte	es treated h IV rtensive/ njection to ew cases	Compl Pregnanci with Transfusio Wome Obst Compli atter	icated es treated Blood n to Total n with etric cations
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	74.4	73.0	937	925	22.2	26.8	14.2	10.0	25.1	19.0	25.3	17.3
1	Berasia	58.7	64.7	961	876	24.6	22.3	13.4	12.4	10.0	12.0	0.2	0.2
2	Phanda (Bhopal)	80.5	76.8	934	931	22.1	27.3	14.3	9.8	29.7	20.4	28.1	18.9

	Indicators  _Bhopal  Berasia	6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	Post - Care / PNC compli attended Deliv	Natal C maternal cations to Total	Total Nu Abort ( Sponta Induced)	ions aneous/	Total Nu MTPs ( repo	Public)	% <i>N</i> (Public) to		% MTPs up to of Pregn Total MTPs Institu	12 weeks ancy to s at Public	MTPs mor weeks of F to Total Public Ins	e than 12 Pregnancy MTPs at
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	0.8	0.4	3,962	3,507	1,044	865	26.4	24.7	98.9	96.5	1.1	3.5
1	Berasia	0.0	0.3	350	322	324	238	92.6	73.9	99.4	98.7	0.6	1.3
2	Phanda (Bhopal)	0.8	0.5	3,612	3,185	720	627	19.9	19.7	98.8	95.7	1.3	4.3

	Indicators  _Bhopal  Berasia	6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	% MTPs Cond Public Instit Total	ducted at tutions to	% MTPs Cond Private Ins to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Regi	blic) to Total	Number of Tests cond Number of STI female which tr	Wet Mount ducted to new RTI/ cases for eatment	Numb Vasect Condi (Public	omies ucted	Numb Tubect Condu (Public	comies icted
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	29.9	28.4	70.1	71.6	3.6	2.8	3.3	2.0	606	130	6,310	5,225
1	Berasia	100.0	100.0	0.0	0.0	7.6	5.6	6.1	0.0	2	0	119	87
2	Phanda (Bhopal)	22.7	22.3	77.3	77.7	2.9	2.3	3.2	2.1	604	130	6,191	5,138

		7	3	7	4	7	5	7	6	7	7	7	8
	Indicators	Total Ster		% Male St (Vasect to Total st	omies)	7 Tubector Total ste	mies to	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasecto conducted	mies and omies)
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	6,916	5,355	8.7	2.4	91.2	97.6	0	12	302	214	1,889	1,898
1	Berasia	121	87	1.7	0.0	98.3	100.0	0	12	121	75		
2	Phanda (Bhopal)	6,795	5,268	8.9	2.5	91.1	97.5	0	0	181	139	1,889	1,898

	Indicators	7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	\ \ Vasect \ conducted	mies and omies)	<b>\</b>	mies and omies) at Private	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at PHC to	% Total Sto (Tubecto Vasect conducted Total Sto	mies and omies) at CHC to	% Total Sto (Tubecto Vasect conducted to Total St	mies and omies) at SDH/DH	% Total Ste (Tubecto Vasecto conducted public Instit Total Ste	mies and omies) d at Other tutions to
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal			447	25	0.0	0.2	4.4	4.0	27.3	35.4	0.0	0.0
1	Berasia					0.0	13.8	100.0	86.2	0.0	0.0	0.0	0.0
2	Phanda (Bhopal)			447	25	0.0	0.0	2.7	2.6	27.8	36.0	0.0	0.0

	Indicators  _Bhopal	8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	% Total Ste (Tubector Vasector conducted institutions Sterlis	mies and omies) at Private s to Total	% Laparo sterlisation Female Ste	scopic s to Total	% Mini Lap St to Total Sterilis	Female	Post P Sterlisation Female Ste	s to Total	Laparo sterlisation Institutions Laparo Sterilis	s at Public to Total scopic	Mini Lap st at Public In to Total Sterilis	stitutions Mini Lap
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	68.3	60.3	36.5	43.2	25.0	31.9	38.5	24.8	40.3	37.8	11.4	22.2
1	Berasia	0.0	0.0	57.1	63.2	17.6	23.0	25.2	13.8	100.0	100.0	100.0	100.0
2	Phanda (Bhopal)	69.5	61.3	36.1	42.9	25.1	32.1	38.8	25.0	38.5	36.3	10.2	21.3

		9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	Post P sterlisation Institution: Post P Sterili	artum s at Public s to Total artum	Total cases follo Sterlisatio Fem	wing n ( Male +	IUCD Inser (public f		IUCD inser (pvt. fa	tions done cilities)	Total IUCD done(publi		PP IUCD I done (publi	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	38.0	61.1	0	0	4,100	3,121	2,447	857	6,547	3,978	2,730	1,549
1	Berasia	100.0	100.0	0	0	438	299			438	299	66	37
2	Phanda (Bhopal)	37.3	60.8	0	0	3,662	2,822	2,447	857	6,109	3,679	2,664	1,512

		9	7	9	8	9	9	10	00	10	01	10	02
	Indicators	% PP IUCD (pul to Tota Insertions	olic) al IUCD	% PP IUCD (pul to Total In: Deliverie	olic) stitutional	institutio	ertions in us private ons to all planning IUCD plus	Oral Pills o	listributed	Condom distril		Centchro distril	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	66.5	49.6	16.6	9.3	48.6	42.6	45,631	37,323	235,796	332,603	0	0
1	Berasia	15.1	12.4	3.2	1.6	78.4	77.5	5,379	5,477	8,740	12,071	0	0
2	Phanda (Bhopal)	72.7	53.6	18.6	10.6	47.3	41.1	40,252	31,846	227,056	320,532	0	0

		10	)3	10	)4	10	05	10	06	10	07	10	08
	Indicators	Number o given (Birth	OPV 0	Number o		Newborns g at birth to live	Reported	Newborns to Repo		Number o		Number o	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	20,931	20,922	23,147	22,625	90.0	91.1	99.5	98.5	1,551	19,993	1,442	19,608
1	Berasia	1,943	2,150	2,176	2,445	86.8	85.9	97.2	97.7	188	2,351	190	2,355
2	Phanda (Bhopal)	18,988	18,772	20,971	20,180	90.3	91.7	99.8	98.6	1,363	17,642	1,252	17,253

		10	)9	11	10	11	11	11	12	1	13	11	14
	Indicators	Number o		Infants months received vaccine to live b	0 to 11 old who I Measles								
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	1,704	19,651	18,053	0	17,644	0	17,514	0	20,530	21,736	88.2	94.6
1	Berasia	230	2,558	2,297	0	2,259	0	2,252	0	2,325	2,613	103.8	104.4
2	Phanda (Bhopal)	1,474	17,093	15,756	0	15,385	0	15,262	0	18,205	19,123	86.6	93.4

		11	15	11	16	11	17	11	18	1	19	12	20
	Indicators	Number immunized (9-11 m	d children	9 Drop Out BCG & 1	between	Vitamin -	A dose 1	Children g dose1 to live	Reported	Childre Vitamin A Children g dos	n given Dose 9 to iven Vit A	Adverse Following I	munisation
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	20,214	21,003	11.3	3.9	20,552	22,009	88.4	95.8	47.9	35.4	66	32
1	Berasia	1,507	2,324	-6.8	-6.9	2,375	2,754	106.1	110.1	100.8	99.3	41	1
2	Phanda (Bhopal)	18,707	18,679	13.2	5.2	18,177	19,255	86.5	94.1	41.0	26.2	25	31

	Indicators _Bhopal	12	21	12	22	12	23	12	24	12	25	12	26
	Indicators	immunisatio Held to Imr Sessions	munisation	lmmunisatio where ASI preser Immunisatio Plan	HAs were nt to on Sessions	Diptheria i 0-5 Years Total Re Childhood 0-5 Y	of Age to eported I Diseases	0-5 Years	eported I Diseases	Tetanus Ne in Childrer of Age t Reported Diseases	n 0-5 Years to Total Childhood	Tetanus ( Children 0- Age to Tota Childhood 0-5 Y	-5 Years of Il Reported I Diseases
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	98.0	97.1	77.1	56.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Berasia	95.8	95.9	81.7	80.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Phanda (Bhopal)	98.4	97.3	76.1	51.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		12	27	12	28	12	29	13	30	13	31	13	32
	Indicators	Polio in Ch Years of Ag Reported ( Diseases (	ildren 0-5 ge to Total Childhood	Measles in 0-5 Years Total Re Childhood	of Age to eported I Diseases	Diarrho dehydra Children 0- Age to Tota Childhood	bea and ation in -5 Years of I Reported I Diseases	Malaria in C Years of Ag Reported ( Diseases	Childhood	9 Adult F Inpatients Adult In	emale to Total	9 Children In <sub>l</sub> Total In	patient to
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	0.0	0.0	0.1	0.0	96.9	93.7	3.0	6.3	60.3	58.4	16.6	17.3
1	Berasia	0.0	0.0	0.3	0.0	94.5	93.3	5.2	6.7	92.9	93.0	8.3	5.4
2	Phanda (Bhopal)	0.0	0.0	0.1	0.0	97.0	93.7	2.9	6.3	59.6	57.2	16.8	17.7

		13	33	13	34	1:	35	13	36	13	37	13	38
	Indicators	Female I Deaths t Inpatien	npatient to Total	% Inpatient [ Tota	Deaths to	IPD (Nu	umber)	OPD (N	umber)	% IPD	to OPD	Number Opera	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	41.0	38.7	1.1	1.1	156,105	108,338	2,584,279	2,071,309	6.0	5.2	26,323	22,138
1	Berasia	0.0	100.0	0.0	0.0	2,925	3,204	84,218	75,911	3.5	4.2	39	105
2	Phanda (Bhopal)	41.1	38.7	1.1	1.2	153,180	105,134	2,500,061	1,995,398	6.1	5.3	26,284	22,033

		13	39	14	10	14	41	14	42	14	43	14	14
	Indicators	Number Opera		% Major Ope Total Op	rations to	Numb Hystere Surg	ectomy	Hystere Surgeries Major Op		Ayush OPD	(Number)	AYUSH OP	D to Total
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	27,959	21,638	48.5	50.6	2,141	1,326	8.1	5.9	31,124	31,730	1.2	1.5
1	Berasia	723	244	5.1	30.1	6	7	15.4	6.7	10,386	11,429	12.3	15.1
2	Phanda (Bhopal)	27,236	21,394	49.1	50.7	2,135	1,319	8.1	6.0	20,738	20,301	0.8	1.0

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	22,133	17,291	0.9	0.8	6,037	2,512	3.9	4.1	0.3	0.6	0.1	0.1
1	Berasia	0	0	0.0	0.0	385	30	2.7	3.1	0.0	0.0	0.0	0.0
2	Phanda (Bhopal)	22,133	17,291	0.9	0.9	5,652	2,482	4.0	4.1	0.3	0.6	0.1	0.1

		151		152		153		154		155		156	
Indicators		% Total HIV Positive to Total Tested ( Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	0.1	0.2	1.5	1.5	0.4	0.7	666	224	20.4	25.9	17.8	22.4
1	Berasia	0.0	0.0	0.6	0.2	0.0	0.0	55	31	0.0	0.0	0.0	0.0
2	Phanda (Bhopal)	0.1	0.2	2.1	2.3	0.6	1.1	611	193	22.9	30.1	20.0	26.1

		157		158		159		160		161		162	
Indicators		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	5.3	12.2	1.8	2.0	1.5	0.5	0.8	1.0	0.0	0.0	52.4	36.1
1	Berasia	4.7	13.8	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	93.0	86.2
2	Phanda (Bhopal)	5.4	11.9	2.0	2.3	1.7	0.6	0.6	1.1	0.0	0.0	47.4	27.8