

Performance of Key HMIS Indicators for Madhya Pradesh-> Bhind ( Across Sub Districts)

Financial Year: 2015-16

Provisional Figures for the Period April to September

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		Number of Women registered under JSY		% 1st Trimester registration to Total ANC Registrations		% JSY registration to Total ANC Registration		Number of pregnant women received 3 ANC check ups	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	21,109	20,629	10,334	10,832	20,880	20,542	48.9	52.5	98.9	99.6	15,762	14,725
1	Ater	2,609	2,765	1,265	1,270	2,609	2,765	48.5	45.9	100.0	100.0	2,196	2,179
2	Bhind (Phoop)	6,157	5,538	2,505	2,692	6,011	5,479	40.7	48.6	97.6	98.9	3,740	3,417
3	Gohad	3,910	3,821	2,330	2,695	3,902	3,805	59.6	70.5	99.8	99.6	2,362	2,508
4	Lahar	3,049	3,035	1,697	1,669	3,008	3,028	55.7	55.0	98.7	99.8	3,338	2,434
5	Mehgaon	3,773	3,883	1,581	1,557	3,773	3,883	41.9	40.1	100.0	100.0	2,909	2,886
6	Mihona(Ron)	1,611	1,587	956	949	1,577	1,582	59.3	59.8	97.9	99.7	1,217	1,301

Indicators		7		8		9		10		11		12	
		TT2 or Booster given to Pregnant women (numbers)		% Pregnant Woman received 3 ANC check ups to Total ANC Registrations		% Pregnant women received TT2 or Booster to Total ANC Registration		Number of Pregnant women given 100 IFA tablets		% Pregnant women given 100 IFA to Total ANC Registration		Number having Hb level<11 (tested cases)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	19,712	17,765	74.6	71.3	93.3	86.1	21,157	20,450	100.2	99.1	14,634	11,449
1	Ater	2,524	2,599	84.2	78.8	96.7	94.0	2,609	2,765	100.0	100.0	2,033	1,186
2	Bhind (Phoop)	5,901	4,303	60.7	61.7	95.8	77.7	6,188	5,482	100.5	99.0	3,855	4,265
3	Gohad	3,278	3,081	60.4	65.6	83.8	80.6	3,908	3,808	99.9	99.7	3,543	1,687
4	Lahar	2,744	2,643	109.5	80.2	90.0	87.1	3,043	2,932	99.8	96.6	1,422	1,253
5	Mehgaon	3,817	3,783	77.1	74.3	101.2	97.4	3,773	3,883	100.0	100.0	1,373	1,171
6	Mihona(Ron)	1,448	1,356	75.5	82.0	89.9	85.4	1,636	1,580	101.6	99.6	2,408	1,887

Indicators		13		14		15		16		17		18	
		Number having severe anaemia (Hb<7) treated at institution		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11		% New cases detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	2,552	732	17.4	6.4	2.2	4.6	1,606	1,543	22	26	1,584	1,517
1	Ater	42	47	2.1	4.0	0.9	0.9	317	308	0	0	317	308
2	Bhind (Phoop)	561	453	14.6	10.6	1.0	1.7	154	165	0	2	154	163
3	Gohad	1,773	58	50.0	3.4	2.6	4.8	239	291	0	15	239	276
4	Lahar	84	38	5.9	3.0	0.2	0.8	318	367	0	3	318	364
5	Mehgaon	28	73	2.0	6.2	7.3	14.9	372	214	0	3	372	211
6	Mihona(Ron)	64	63	2.7	3.3	0.1	2.7	206	198	22	3	184	195

Indicators		19		20		21		22		23		24	
		% SBA attended home deliveries to Total Reported Home Deliveries		Mothers paid JSY incentive for home deliveries		% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	1.3	1.6	7	3	0.4	0.2	12,684	11,284	176	464	1.3	4.1
1	Ater	0.0	0.0	0	0	0.0	0.0	376	377	1	3	0.3	0.8
2	Bhind (Phoop)	0.0	1.2	1	0	0.6	0.0	4,827	4,586	0	226	0.0	4.9
3	Gohad	0.0	5.2	0	0	0.0	0.0	1,985	1,981	120	127	6.0	6.4
4	Lahar	0.0	0.8	0	0	0.0	0.0	2,593	1,522	16	14	0.6	0.9
5	Mehgaon	0.0	1.4	0	1	0.0	0.5	1,911	1,908	13	72	0.7	3.8
6	Mihona(Ron)	10.7	1.5	6	2	2.9	1.0	992	910	26	22	2.6	2.4

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	14,300	12,005	67.7	58.1	15,906	13,548	89.9	88.6	90.0	88.8	10.1	11.4
1	Ater	376	377	14.4	13.6	693	685	54.3	55.0	54.3	55.0	45.7	45.0
2	Bhind (Phoop)	6,267	5,127	101.8	92.6	6,421	5,292	97.6	96.9	97.6	96.9	2.4	3.1
3	Gohad	2,161	2,161	55.3	56.6	2,400	2,452	90.0	88.1	90.0	88.7	10.0	11.9
4	Lahar	2,593	1,522	85.0	50.1	2,911	1,889	89.1	80.6	89.1	80.7	10.9	19.4
5	Mehgaon	1,911	1,908	50.6	49.1	2,283	2,122	83.7	89.9	83.7	90.1	16.3	10.1
6	Mihona(Ron)	992	910	61.6	57.3	1,198	1,108	82.8	82.1	84.6	82.4	17.2	17.9

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	63	49	502	296	3.9	2.8	0.5	0.4	31.1	41.1	88.7	94.0
1	Ater	0	0			0.0	0.0	0.0	0.0			100.0	100.0
2	Bhind (Phoop)	62	49	502	296	9.0	6.7	1.3	1.1	34.9	54.7	77.0	89.4
3	Gohad	1	0	0	0	0.0	0.0	0.1	0.0	0.0	0.0	91.9	91.7
4	Lahar	0	0			0.0	0.0	0.0	0.0			100.0	100.0
5	Mehgaon	0	0			0.0	0.0	0.0	0.0			100.0	100.0
6	Mihona(Ron)	0	0			0.0	0.0	0.0	0.0			100.0	100.0

Indicators		37		38		39		40		41		42	
		% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries		% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received post partum check-up within 48 hours of delivery		Post - Natal Care / Women got a post partum check up between 48 hours and 14 days		% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	<b>_Bhind</b>	89.4	63.7	48.0	60.3	11.3	6.0	14,983	12,627	12,056	10,162	94.2	93.2
1	<b>Ater</b>	76.6	45.9	76.6	56.2	0.0	0.0	376	376	317	308	54.3	54.9
2	<b>Bhind (Phoop)</b>	89.1	67.3	26.6	59.3	23.0	10.6	6,264	5,131	5,834	4,625	97.6	97.0
3	<b>Gohad</b>	100.6	41.4	46.0	30.6	8.1	8.3	2,274	2,243	329	662	94.8	91.5
4	<b>Lahar</b>	94.1	54.7	64.6	62.1	0.0	0.0	2,898	1,874	2,900	1,874	99.6	99.2
5	<b>Mehgaon</b>	69.5	71.3	49.3	73.9	0.0	0.0	1,967	1,908	1,448	1,686	86.2	89.9
6	<b>Mihona(Ron)</b>	99.2	100.0	99.0	100.0	0.0	0.0	1,204	1,095	1,228	1,007	100.5	98.8

Indicators		43		44		45		46		47		48	
		% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	75.8	75.0	15,743	13,481	99.0	99.5	161	119	99.0	99.1	15,698	13,406
1	Ater	45.7	45.0	648	659	93.5	96.2	45	28	93.5	95.9	648	659
2	Bhind (Phoop)	90.9	87.4	6,388	5,275	99.5	99.7	33	55	99.5	99.0	6,373	5,275
3	Gohad	13.7	27.0	2,366	2,443	98.6	99.6	34	10	98.6	99.6	2,352	2,376
4	Lahar	99.6	99.2	2,882	1,874	99.0	99.2	29	23	99.0	98.8	2,887	1,872
5	Mehgaon	63.4	79.5	2,264	2,122	99.2	100.0	19	1	99.2	100.0	2,255	2,116
6	Mihona(Ron)	102.5	90.9	1,195	1,108	99.7	100.0	1	2	99.9	99.8	1,183	1,108



Indicators		49		50		51		52		53		54	
		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Number of New Borns visited within 24 hrs of Home Delivery	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	99.7	99.4	1,682	1,432	10.7	10.6	15,407	13,370	97.8	99.1	1,306	1,331
1	Ater	100.0	100.0	34	30	5.2	4.6	648	659	100.0	100.0	317	308
2	Bhind (Phoop)	99.8	100.0	926	909	14.5	17.2	6,107	5,242	95.6	99.4	135	159
3	Gohad	99.4	97.3	201	160	8.5	6.7	2,352	2,377	99.4	97.3	228	127
4	Lahar	100.2	99.9	310	123	10.7	6.6	2,882	1,872	100.0	99.9	316	365
5	Mehgaon	99.6	99.7	193	172	8.6	8.1	2,235	2,113	98.7	99.6	162	210
6	Mihona(Ron)	99.0	100.0	18	38	1.5	3.4	1,183	1,107	99.0	99.9	148	162

Indicators		55		56		57		58		59		60	
		% newborns visited within 24hrs of home delivery to total reported home deliveries		Sex Ratio at birth ( Female Live Births/ Male Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended		% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	81.3	86.2	885	912	8.4	9.2	2.4	8.5	6.1	9.9	23.5	12.6
1	Ater	100.0	100.0	836	888	0.0	16.2		49.2	0.0	120.0		0.0
2	Bhind (Phoop)	87.7	96.4	868	932	15.0	10.8	0.7	1.4	11.3	8.6	30.1	25.2
3	Gohad	95.4	43.6	911	888	0.5	3.9	0.0	17.9	0.0	8.2	27.3	0.0
4	Lahar	99.4	99.5	939	952	5.9	9.0	6.6	0.0	200.0	0.0	0.0	0.0
5	Mehgaon	43.5	98.1	901	863	4.1	11.4	15.2	14.7	4.3	5.5	0.0	0.0
6	Mihona(Ron)	71.8	81.8	802	910	3.6	6.2	0.0	16.1	0.0	20.9	0.0	0.0

Indicators		61		62		63		64		65		66	
		% Post - Natal Care / PNC maternal complications attended to Total Deliveries		Total Number of Abortions ( Spontaneous/ Induced) Reported		Total Number of MTPs ( Public) reported		% MTPs (Public) to Abortions		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	3.6	8.9	235	169	145	67	61.7	39.6	100.0	100.0	0.0	0.0
1	Ater	0.0	0.0	65	51	0	0	0.0	0.0				
2	Bhind (Phoop)	7.4	20.2	151	89	87	39	57.6	43.8	100.0	100.0	0.0	0.0
3	Gohad	0.0	0.0	8	18	58	10	725.0	55.6	100.0	100.0	0.0	0.0
4	Lahar	3.6	2.2	3	2	0	14	0.0	700.0		100.0		0.0
5	Mehgaon	0.0	0.1	2	7	0	4	0.0	57.1		100.0		0.0
6	Mihona(Ron)	0.0	9.1	6	2	0	0	0.0	0.0				

Indicators		67		68		69		70		71		72	
		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated		Number of Vasectomies Conducted (Public + Pvt.)		Number of Tubectomies Conducted (Public + Pvt.)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	52.9	44.7	47.1	55.3	0.7	0.3	0.0	0.0	70	20	712	285
1	Ater					0.0	0.0	0.0	0.0	5	0	102	63
2	Bhind (Phoop)	50.0	60.9	50.0	39.1	1.4	0.7	0.0	0.0	46	12	217	105
3	Gohad	58.0	14.7	42.0	85.3	1.5	0.3	0.0	0.0	6	6	59	30
4	Lahar		100.0		0.0	0.0	0.5	0.0	0.0	0	1	121	16
5	Mehgaon		100.0		0.0	0.0	0.1	0.0	0.0	5	0	98	48
6	Mihona(Ron)					0.0	0.0			8	1	115	23

Indicators		73		74		75		76		77		78	
		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Tubectomies to Total sterilisation		Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	782	305	8.9	6.5	91.0	93.4	224	76	380	158	178	71
1	Ater	107	63	4.7	0.0	95.3	100.0	11	11	96	52		
2	Bhind (Phoop)	263	117	17.5	10.3	82.5	89.7	145	46			118	71
3	Gohad	65	36	9.2	16.7	90.8	83.3	0	0	65	36		
4	Lahar	121	17	0.0	5.9	100.0	94.1	1	1	60	16	60	
5	Mehgaon	103	48	4.9	0.0	95.1	100.0	36	18	67	30		
6	Mihona(Ron)	123	24	6.5	4.2	93.5	95.8	31	0	92	24		

Indicators		79		80		81		82		83		84	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind			0	0	28.6	24.9	48.6	51.8	22.8	23.3	0.0	0.0
1	Ater					10.3	17.5	89.7	82.5	0.0	0.0	0.0	0.0
2	Bhind (Phoop)					55.1	39.3	0.0	0.0	44.9	60.7	0.0	0.0
3	Gohad			0	0	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
4	Lahar					0.8	5.9	49.6	94.1	49.6	0.0	0.0	0.0
5	Mehgaon					35.0	37.5	65.0	62.5	0.0	0.0	0.0	0.0
6	Mihona(Ron)					25.2	0.0	74.8	100.0	0.0	0.0	0.0	0.0

Indicators		85		86		87		88		89		90	
		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	0.0	0.0	91.2	91.9	5.5	6.0	3.3	2.1	100.0	100.0	100.0	100.0
1	Ater	0.0	0.0	87.3	96.8	12.7	0.0	0.0	3.2	100.0	100.0	100.0	
2	Bhind (Phoop)	0.0	0.0	83.9	80.0	5.1	16.2	11.1	3.8	100.0	100.0	100.0	100.0
3	Gohad	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		
4	Lahar	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		
5	Mehgaon	0.0	0.0	84.7	100.0	15.3	0.0	0.0	0.0	100.0	100.0	100.0	
6	Mihona(Ron)	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		

Indicators		91		92		93		94		95		96	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation ( Male + Female)		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		Total IUCD Insertions done(public+private)		PP IUCD Insertions done (public facilities)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	100.0	100.0	0	0	6,754	5,847	0	0	6,754	5,847	1,563	509
1	Ater		100.0	0	0	1,051	1,219			1,051	1,219	64	0
2	Bhind (Phoop)	100.0	100.0	0	0	1,464	823			1,464	823	1,046	487
3	Gohad			0	0	1,005	892	0	0	1,005	892	180	0
4	Lahar			0	0	1,152	936			1,152	936	130	4
5	Mehgaon			0	0	1,722	1,484			1,722	1,484	102	0
6	Mihona(Ron)			0	0	360	493			360	493	41	18



Indicators		97		98		99		100		101		102	
		% PP IUCD Insertions (public) to Total IUCD Insertions (public)		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions in public plus private institutions to all family planning methods ( IUCD plus permanent)		Oral Pills distributed		Condom pieces distributed		Centchroman Pills distributed	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	23.1	8.7	12.3	4.5	89.6	95.0	41,883	39,694	48,837	63,867	0	0
1	Ater	6.1	0.0	17.0	0.0	90.8	95.1	9,148	5,749	9,704	8,110	0	0
2	Bhind (Phoop)	71.4	59.2	21.7	10.6	84.8	87.6	10,606	9,095	8,631	14,228	0	0
3	Gohad	17.9	0.0	9.1	0.0	93.9	96.1	1,930	2,522	2,207	3,230	0	0
4	Lahar	11.3	0.4	5.0	0.3	90.5	98.2	2,443	1,376	4,590	3,447	0	0
5	Mehgaon	5.9	0.0	5.3	0.0	94.4	96.9	16,436	14,961	21,241	18,004	0	0
6	Mihona(Ron)	11.4	3.7	4.1	2.0	74.5	95.4	1,320	5,991	2,464	16,848	0	0

Indicators		103		104		105		106		107		108	
		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	15,540	11,945	15,866	12,474	98.7	88.6	100.8	92.5	80	14,493	321	14,322
1	Ater	648	659	648	659	100.0	100.0	100.0	100.0	0	1,731	0	1,786
2	Bhind (Phoop)	6,729	4,624	6,758	4,632	105.3	87.7	105.8	87.8	71	4,062	157	3,913
3	Gohad	2,220	2,040	2,297	2,258	93.8	83.5	97.1	92.4	8	2,524	155	2,585
4	Lahar	2,722	1,608	2,788	1,851	94.4	85.8	96.7	98.8	0	2,139	9	2,010
5	Mehgaon	2,160	2,098	2,183	2,098	95.4	98.9	96.4	98.9	1	2,903	0	2,908
6	Mihona(Ron)	1,061	916	1,192	976	88.8	82.7	99.7	88.1	0	1,134	0	1,120

Indicators		109		110		111		112		113		114	
		Number of Infants given DPT3		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	542	14,520	15,421	0	14,990	0	14,664	0	17,977	18,009	114.1	133.5
1	Ater	0	1,861	1,752	0	1,758	0	1,660	0	2,274	2,316	350.9	351.4
2	Bhind (Phoop)	268	3,814	4,285	0	4,099	0	3,933	0	4,901	5,766	76.7	109.3
3	Gohad	245	2,647	2,724	0	2,656	0	2,555	0	3,190	2,811	134.8	115.1
4	Lahar	28	2,127	2,294	0	2,219	0	2,271	0	2,743	2,542	95.2	135.6
5	Mehgaon	1	2,892	3,164	0	3,082	0	2,999	0	3,464	3,158	153.0	148.8
6	Mihona(Ron)	0	1,179	1,202	0	1,176	0	1,246	0	1,405	1,416	117.6	127.8

Indicators		115		116		117		118		119		120	
		Number of fully immunized children (9-11 months)		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	17,735	18,065	-13.3	-44.4	19,340	17,962	122.8	133.2	112.5	87.0	10	3
1	Ater	2,274	2,316	-250.9	-251.4	2,275	2,318	351.1	351.7	186.0	95.4	0	0
2	Bhind (Phoop)	4,623	5,822	27.5	-24.5	4,705	5,755	73.7	109.1	141.5	108.7	0	0
3	Gohad	3,187	2,816	-38.9	-24.5	3,191	2,790	134.9	114.2	12.4	45.5	10	3
4	Lahar	2,796	2,544	1.6	-37.3	4,279	2,531	148.5	135.1	127.9	35.9	0	0
5	Mehgaon	3,464	3,155	-58.7	-50.5	3,464	3,153	153.0	148.6	114.9	136.0	0	0
6	Mihona(Ron)	1,391	1,412	-17.9	-45.1	1,426	1,415	119.3	127.7	71.5	49.4	0	0

Indicators		121		122		123		124		125		126	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	99.2	99.3	82.7	80.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Ater	100.0	100.0	91.3	86.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Bhind (Phoop)	97.2	99.0	81.5	80.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Gohad	99.9	99.4	72.3	77.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Lahar	98.8	98.0	66.8	69.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Mehgaon	100.0	99.8	95.6	82.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Mihona(Ron)	99.0	100.0	87.4	90.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		127		128		129		130		131		132	
		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	0.0	0.0	0.0	0.0	98.9	93.5	1.1	6.5	57.8	61.9	13.3	15.8
1	Ater	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0	1.6	0.0
2	Bhind (Phoop)	0.0	0.0	0.0	0.0	97.7	96.0	2.3	3.9	65.6	62.9	14.5	15.9
3	Gohad	0.0	0.0	0.0	0.0	96.0	93.7	4.0	6.3	35.6	48.0	6.9	12.5
4	Lahar	0.0	0.0	0.0	0.0	100.0	90.8	0.0	9.2	44.2	53.1	17.1	40.2
5	Mehgaon	0.0	0.0	0.0	0.0	97.2	84.9	2.8	15.1	93.6	82.5	1.2	1.2
6	Mihona(Ron)	0.0	0.0	0.0	0.0	99.7	85.6	0.3	14.4	83.8	74.7	5.3	9.8

Indicators		133		134		135		136		137		138	
		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD		IPD (Number)		OPD (Number)		% IPD to OPD		Number of Major Operations	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	38.5	44.6	0.4	0.6	56,610	42,426	535,857	445,496	10.6	9.5	505	378
1	Ater			0.0	0.0	1,413	509	39,519	36,749	3.6	1.4	0	0
2	Bhind (Phoop)	38.5	44.6	0.8	0.9	27,250	27,671	231,687	209,097	11.8	13.2	504	378
3	Gohad			0.0	0.0	7,457	7,488	70,419	45,829	10.6	16.3	1	0
4	Lahar			0.0	0.0	17,138	2,880	118,286	78,685	14.5	3.7	0	0
5	Mehgaon			0.0	0.0	2,021	2,204	51,664	49,324	3.9	4.5	0	0
6	Mihona(Ron)			0.0	0.0	1,331	1,674	24,282	25,812	5.5	6.5	0	0

Indicators		139		140		141		142		143		144	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		Ayush OPD (Number)		% AYUSH OPD to Total OPD	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	4,100	2,131	11.0	15.1	9	25	1.7	6.6	11,824	8,507	2.2	1.9
1	Ater	2,457	1,202	0.0	0.0	0	0			3	0	0.0	0.0
2	Bhind (Phoop)	1,138	835	30.7	31.2	5	25	1.0	6.6	11,107	8,499	4.8	4.1
3	Gohad	65	36	1.5	0.0	0	0	0.0		702	0	1.0	0.0
4	Lahar	354	32	0.0	0.0	4	0			12	8	0.0	0.0
5	Mehgaon	86	26	0.0	0.0	0	0			0	0	0.0	0.0
6	Mihona(Ron)	0	0			0	0			0	0	0.0	0.0



Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	854	1,050	0.2	0.2	342	249	3.6	4.9	2.7	4.5	1.1	0.4
1	Ater	0	0	0.0	0.0	0	0	13.1	9.7			0.6	0.0
2	Bhind (Phoop)	854	1,050	0.4	0.5	231	167	2.8	6.2	5.7	5.4	0.3	0.7
3	Gohad	0	0	0.0	0.0			2.3	2.2	0.0	0.0	0.0	0.2
4	Lahar	0	0	0.0	0.0	0	0	2.1	2.0	0.0	0.0	0.0	0.0
5	Mehgaon	0	0	0.0	0.0	111	71	5.6	4.0		0.0	0.0	0.0
6	Mihona(Ron)	0	0	0.0	0.0	0	11	6.9	6.4			9.0	0.0

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested ( Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	1.2	0.6	1.1	2.5	0.0	0.0	202	90	2.0	14.1	3.0	3.5
1	Ater	0.6	0.0	0.5	1.3	0.0	0.0	17	8	0.0	0.0	0.0	0.0
2	Bhind (Phoop)	0.6	1.1	0.5	1.5	0.0	0.0	93	56	4.3	19.6	6.5	3.6
3	Gohad	0.0	0.2	1.8	4.6	0.0	0.0	20	7	0.0	14.3	0.0	0.0
4	Lahar	0.0	0.0	0.8	1.5	0.0	0.0	38	17	0.0	0.0	0.0	8.3
5	Mehgaon	0.0	0.0	2.0	3.1	0.0	0.0	18	1	0.0	0.0	0.0	0.0
6	Mihona(Ron)	9.0	0.0	0.8	1.7	0.0	0.0	16	1	0.0	0.0	0.0	0.0

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	8.4	54.1	0.0	0.0	1.5	1.2	13.9	4.7	0.0	0.0	71.3	22.4
1	Ater	0.0	37.5	0.0	0.0	0.0	12.5	17.6	37.5	0.0	0.0	82.4	12.5
2	Bhind (Phoop)	6.5	58.9	0.0	0.0	2.2	0.0	18.3	1.8	0.0	0.0	62.4	16.1
3	Gohad	0.0	28.6	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	95.0	57.1
4	Lahar	28.9	58.3	0.0	0.0	2.6	0.0	18.4	0.0	0.0	0.0	50.0	33.3
5	Mehgaon	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	0.0
6	Mihona(Ron)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0