		1	l	2	2	3	3	4	<u> </u>		5	Ć	
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Sikkim	7,236		144.2	0.0	110		98.5		4,956		4,778	
1	East	3,782		174.9	0.0	34		99.1		1,901		2,900	
2	North	534		131.2		17		96.9		459		841	
3	South	1,175		167.1		22		98.2		917		311	
4	West	1,745		99.9		37		97.9		1,679		726	

		7		8	3	Ģ)	1	0	11		12	
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
	Î	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Sikkim	8,246	11,133	66.0		114.0		9,404		10,182	14,659	10,106	10,735
1	East	3,609	11,133	76.7		95.4		4,833		5,483	14,659	5,441	10,735
2	North	559		157.5		104.7		637		641		660	
3	South	2,033	·	26.5		173.0		1,729		1,762		1,695	
4	West	2,045		41.6		117.2		2,205		2,296		2,310	

		13		1	4	1	5	1	6	1'	7	18	8
In	dicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Sikkim							9,799	10,917	135.4		6,717	
1	East							4,872	10,917	128.8		2,440	
2	North							660		123.6		660	
3	South							1,948		165.8		1,298	
4	West							2,319		132.9		2,319	

		19		2	0	2	1	2	2	2	3	24	
In	dicator	% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Sikkim	-18.8	1.9	9,429	5,644	130.3		0.6	0.0			70.6	
1	East	-35.0	1.9	4,879	5,644	129.0		0.0	0.0				
2	North	-18.1		581		108.8		9.8					
3	South	4.2		1,663		141.5		0.0					
4	West	-13.4		2,306		132.1		0.0				55.8	

Indicator		25 '% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		9% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		9% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Sikkim	41.9		0.3		0.0		0.0		0.0		0.0	
1	East			0.0		0.0		0.0		0.0		0.0	
2	North			3.9		0.0		0.0		0.0		0.0	
3	South			0.0		0.0		0.0		0.0		0.0	
4	West	41.9		0.0		0.0		0.0		0.0		0.0	

Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		34 Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Sikkim	0.6		96.3		2.9		10		16.7		0.0	
1	East	0.3		99.7		0.0							
2	North	0.8		94.2		1.2		4					
3	South	0.0		84.4		15.6		2		0.0		0.0	
4	West	1.6		98.4		0.0		4		25.0		0.0	

		37		38		3	9	4	.0	41		42	
In	dicator	% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Sikkim	50.0		0.0		0.0		0.0		0.0		33.3	
1	East												
2	North												
3	South	0.0		0.0		0.0		0.0		0.0		100.0	
4	West	75.0		0.0		0.0		0.0		0.0		0.0	