Performance of Key HMIS Indicators for Kerala (Across Districts) Financial Year: 2013-14 Provisional Figures for the Period April to March

					,	3	3	4		5		6	
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Ni	umber of	% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Kerala	498,269	492,595	100.4	99.8	2,259	2,363	99.5	99.5	497,151	492,142	484,220	456,998
1	Alappuzha	20,100	20,352	101.0	100.9	23	15	99.9	99.9	20,100	20,351	20,307	21,297
2	Ernakulam	41,248	39,033	100.9	100.4	97	129	99.8	99.7	41,244	39,024	40,517	39,878
3	Idukki	13,196	13,773	100.3	100.3	68	70	99.5	99.5	13,147	13,746	13,536	13,815
4	KOZHIKKODE	56,012	54,521	100.3	100.0	541	536	99.0	99.0	55,380	54,518	52,930	51,461
5	Kannur	45,923	46,898	100.1	100.1	199	206	99.6	99.6	45,875	46,901	46,311	46,836
6	Kasaragod	21,390	21,463	100.6	100.6	48	39	99.8	99.8	21,386	21,444	22,544	19,627
7	Kollam	30,032	31,606	100.5	100.5	36	34	99.9	99.9	30,029	31,601	30,090	31,810
8	Kottayam	25,779	23,694	100.7	91.3	125	115	99.5	99.5	25,779	23,693	27,069	26,485
9	Malappuram	86,504	88,567	99.8	100.1	395	472	99.5	99.5	86,488	88,575	76,821	67,095
10	Palakkad	39,256	38,136	100.2	100.0	120	127	99.7	99.7	39,251	37,991	37,799	31,017
11	Pathanamthitta	15,416	15,629	101.1	101.1	44	50	99.7	99.7	15,399	15,606	15,707	15,989
12	Thiruvananthapuram	43,666	41,126	100.4	100.1	380	366	99.1	99.1	43,596	41,045	43,968	36,000
13	Thrissur	45,556	43,255	100.7	100.7	78	79	99.8	99.8	45,550	43,111	43,138	42,807
14	Wayanad	14,191	14,542	99.8	100.0	105	125	99.3	99.1	13,927	14,536	13,483	12,881

		7	7	8	3	ģ)	1	0	1	1	1	2
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		Newborns	% Newborns given BCG to Reported live birth		Number of Infants given DPT1		of Infants DPT2	Number of Infants given DPT3	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Kerala	507,561	502,831	97.2	92.8	101.9	102.1	5,017	24,646	4,109	22,145	3,500	25,935
1	Alappuzha	21,113	21,440	101.0	104.6	105.0	105.3	56	777	84	501	33	382
2	Ernakulam	40,754	40,068	98.2	102.2	98.8	102.7	57	3,221	52	2,685	55	2,621
3	Idukki	13,383	13,997	102.6	100.3	101.4	101.6	264	561	228	385	193	470
4	KOZHIKKODE	55,641	55,073	94.5	94.4	99.3	101.0	187	2,982	193	2,312	160	2,740
5	Kannur	47,025	48,517	100.8	99.9	102.4	103.5	238	377	233	718	276	1,156
6	Kasaragod	22,881	22,834	105.4	91.4	107.0	106.4	1,463	1,725	1,271	1,622	1,109	1,871
7	Kollam	30,269	31,835	100.2	100.6	100.8	100.7	284	3,198	227	2,724	179	2,491
8	Kottayam	27,096	27,019	105.0	111.8	105.1	114.0	431	2,033	291	1,598	216	1,618
9	Malappuram	89,987	89,246	88.8	75.8	104.0	100.8	1,035	3,948	579	3,556	387	5,049
10	Palakkad	41,109	39,551	96.3	81.3	104.7	103.7	279	1,398	229	1,920	276	2,647
11	Pathanamthitta	15,948	16,066	101.9	102.3	103.5	102.8	4	6	37	23	5	102
12	Thiruvananthapuram	44,806	37,636	100.7	87.5	102.6	91.5	187	1,844	156	1,717	141	1,762
13	Thrissur	43,282	45,289	94.7	99.0	95.0	104.7	334	1,512	353	1,210	308	1,440
14	Wayanad	14,267	14,260	95.0	88.6	100.5	98.1	198	1,064	176	1,174	162	1,586

Performance of Key HMIS Indicators for Kerala (Across Districts) Financial Year: 2013-14
Provisional Figures for the Period April to March

		1:	3	1	4	1	5	1	6	1	7	1	8
Indicator		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2			Number of Infants given Pentavalent 3		of Infants Ieasles	% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Kerala	508,823		507,796		499,702		500,683	502,248	100.5	102.0	493,472	483,822
1	Alappuzha	24,525		24,804		24,437		25,315	25,624	125.9	125.9	23,982	24,397
2	Ernakulam	41,881		42,027		42,300		43,187	42,468	104.7	108.8	43,081	40,345
3	Idukki	16,151		15,643		15,003		14,755	14,792	111.8	107.4	14,725	14,700
4	KOZHIKKODE	51,177		51,143		51,323		49,271	52,052	88.0	95.5	48,898	50,702
5	Kannur	45,540		44,942		45,384		44,031	46,196	95.9	98.5	42,267	44,566
6	Kasaragod	21,032		20,951		20,375		24,387	24,632	114.0	114.8	24,349	24,519
7	Kollam	36,638		37,768		37,347		37,229	36,369	124.0	115.1	37,171	36,112
8	Kottayam	25,367		24,345		24,075		25,119	25,302	97.4	106.8	25,100	23,843
9	Malappuram	89,175		87,785		83,580		78,897	75,383	91.2	85.1	76,443	72,289
10	Palakkad	43,019		44,808		43,769		46,003	45,805	117.2	120.1	43,886	43,523
11	Pathanamthitta	16,324		16,440		16,160		15,660	16,172	101.6	103.5	15,603	16,001
12	Thiruvananthapuram	44,715		43,694		43,091		40,478	39,780	92.7	96.7	43,207	39,198
13	Thrissur	39,597		39,933		39,675		42,397	43,814	93.1	101.3	41,764	40,957
14	Wayanad	13,682		13,513		13,183		13,954	13,859	98.3	95.3	12,996	12,670

		1	9	2	0	2	1	2	2	23		2	4	
Indicator		% Drop Out between BCG & Measles		Vitamin - A dose 1		Children g dose1 to R	% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	
	_Kerala	1.4	0.1	345,610	277,728	69.4	56.4	48.0	61.7	3,271	2,486	99.6	99.5	
1	Alappuzha	-19.9	-19.5	17,828	16,927	88.7	83.2	57.6	74.0	1,178	1,300	99.9	99.5	
2	Ernakulam	-6.0	-6.0	24,521	19,536	59.4	50.0	58.7	67.1	234	110	99.9	99.7	
3	Idukki	-10.3	-5.7	12,310	12,656	93.3	91.9	78.5	89.4	34	20	98.4	99.2	
4	KOZHIKKODE	11.4	5.5	27,914	25,658	49.8	47.1	12.0	27.4	203	133	99.6	99.2	
5	Kannur	6.4	4.8	29,707	28,876	64.7	61.6	44.7	67.1	72	141	100.3	100.2	
6	Kasaragod	-6.6	-7.9	15,816	12,044	73.9	56.1	59.9	62.3	61	57	100.1	100.3	
7	Kollam	-23.0	-14.2	22,198	20,903	73.9	66.1	92.7	95.6	211	48	100.0	99.7	
8	Kottayam	7.3	6.4	15,843	19,381	61.5	81.8	61.7	64.6	25	33	99.8	99.1	
9	Malappuram	12.3	15.5	61,922	41,576	71.6	46.9	9.8	13.4	463	206	99.6	99.5	
10	Palakkad	-11.9	-15.8	33,190	17,613	84.5	46.2	48.2	65.8	110	146	99.3	99.4	
11	Pathanamthitta	1.8	-0.7	10,273	10,899	66.6	69.7	92.6	89.1	20	22	99.8	100.0	
12	Thiruvananthapuram	9.7	-5.7	27,239	20,844	62.4	50.7	65.3	86.5	411	63	99.7	99.3	
13	Thrissur	2.0	3.3	32,315	23,777	70.9	55.0	72.5	85.3	73	50	99.6	98.7	
14	Wayanad	2.2	2.8	14,534	7,038	102.4	48.4	17.1	38.1	176	157	99.7	99.9	

Indicator		2	5	2	6	2	7	2	8	2	9	3	0
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Pertusis ir 0-5 Years Total R Childhood	% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Others in -5 Years of al Reported Diseases 0-5 ars	% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Kerala	87.8	87.8	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
1	Alappuzha	98.6	99.5	0.0	0.0	1.2	0.9	0.0	0.0	0.0	0.0	0.0	0.0
2	Ernakulam	88.7	85.9	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
3	Idukki	75.6	75.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
4	KOZHIKKODE	72.4	74.4	0.1	0.0	0.3	0.3	0.0	0.0	0.1	0.1	0.0	0.0
5	Kannur	91.6	91.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Kasaragod	89.9	88.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Kollam	96.5	93.8	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0
8	Kottayam	75.1	73.6	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0
9	Malappuram	91.1	90.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	Palakkad	91.1	92.6	0.0	0.0	0.1	0.4	0.0	0.0	0.1	0.0	0.0	0.0
11	Pathanamthitta	86.3	87.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	Thiruvananthapuram	90.4	90.7	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
13	Thrissur	92.0	92.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	Wayanad	85.6	89.2	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0

Indicator		3	1	3:	2	3.	3	3	4	3	5	36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Malaria in (Years of A Reported	% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		6 to Sepsis to rted Infant iths	% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Kerala	2.2	2.6	97.2	95.8	0.4	1.4	1,058	1,104	6.5	3.6	13.2	14.9
1	Alappuzha	1.6	2.1	97.1	96.6	0.1	0.5	77	58	7.9	31.1	23.8	31.1
2	Ernakulam	0.7	1.0	99.2	97.7	0.1	1.3	30	51	0.0	7.0	12.0	32.6
3	Idukki	1.4	0.6	96.9	97.9	1.7	1.4	28	29	16.7	4.3	27.8	30.4
4	KOZHIKKODE	3.5	1.0	96.0	97.6	0.1	1.0	675	565	7.8	0.6	6.4	0.6
5	Kannur	2.1	0.9	97.7	98.1	0.1	1.0	29	32	0.0	5.6	40.0	50.0
6	Kasaragod	3.6	1.2	96.4	96.3	0.1	2.6	23	16	0.0	9.1	29.4	45.5
7	Kollam	1.9	2.9	98.0	96.6	0.0	0.4	34	66	4.0	1.9	36.0	15.4
8	Kottayam	1.6	1.1	98.0	97.2	0.1	1.6	4	56	0.0	10.8	0.0	70.3
9	Malappuram	3.6	7.1	96.2	92.2	0.0	0.7	41	68	2.9	0.0	28.6	18.6
10	Palakkad	3.7	3.2	91.0	94.1	5.2	2.3	65	76	2.3	1.8	27.9	28.6
11	Pathanamthitta	0.4	0.3	99.2	99.1	0.4	0.5	8	20	0.0	0.0	20.0	41.7
12	Thiruvananthapuram	1.4	3.2	98.3	95.6	0.2	1.0	7	16	20.0	16.7	40.0	33.3
13	Thrissur	1.3	1.1	98.1	94.4	0.5	4.5	11	3	0.0	0.0	20.0	0.0
14	Wayanad	8.2	7.5	91.3	91.6	0.6	0.7	26	48	0.0	0.0	21.7	21.1

		3	7	3	8	3	9	4	0	4	1	42	
Indicator		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths Diarrhoe Reporte	% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		to Measles Reported Deaths	% Deaths due to Other Causes to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Kerala	37.3	33.1	3.7	2.9	0.2	0.0	0.7	0.5	0.0	0.0	38.3	45.1
1	Alappuzha	58.7	6.7	1.6	0.0	1.6	0.0	0.0	0.0	0.0	0.0	6.3	31.1
2	Ernakulam	24.0	4.7	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	64.0	53.5
3	Idukki	5.6	30.4	0.0	4.3	0.0	0.0	0.0	0.0	0.0	0.0	50.0	30.4
4	KOZHIKKODE	42.4	47.6	3.7	3.4	0.0	0.0	0.2	0.0	0.0	0.0	39.6	47.6
5	Kannur	20.0	38.9	5.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	30.0	5.6
6	Kasaragod	5.9	9.1	5.9	0.0	0.0	0.0	5.9	0.0	0.0	0.0	52.9	36.4
7	Kollam	24.0	5.8	4.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	32.0	73.1
8	Kottayam	0.0	10.8	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66.7	8.1
9	Malappuram	20.0	15.3	2.9	1.7	0.0	0.0	0.0	1.7	0.0	0.0	45.7	62.7
10	Palakkad	25.6	23.2	9.3	3.6	0.0	0.0	2.3	3.6	0.0	0.0	32.6	39.3
11	Pathanamthitta	60.0	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	50.0
12	Thiruvananthapuram	0.0	16.7	0.0	16.7	0.0	0.0	0.0	0.0	0.0	0.0	40.0	16.7
13	Thrissur	10.0	33.3	0.0	0.0	0.0	0.0	20.0	0.0	0.0	0.0	50.0	66.7
14	Wayanad	13.0	39.5	4.3	2.6	4.3	0.0	0.0	0.0	0.0	0.0	56.5	36.8