

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)

Financial Year: 2013-14

Provisional Figures for the Period April to September

| Indicators | | 1 | | 2 | | 3 | | 4 | | 5 | | 6 | |
|------------|-----------|---|---------|--|---------|--------------------------------------|---------|---|---------|--|---------|---|---------|
| | | Total number of pregnant women Registered for ANC | | Number of Pregnant women registered within first trimester | | Number of Women registered under JSY | | % 1st Trimester registration to Total ANC Registrations | | % JSY registration to Total ANC Registration | | Number of pregnant women received 3 ANC check ups | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 17,637 | 16,638 | 14,641 | 13,483 | 12,379 | 11,703 | 83.0 | 81.0 | 70.2 | 70.3 | 17,012 | 18,139 |
| 1 | Gangavati | 5,599 | 5,128 | 4,589 | 3,879 | 4,043 | 3,808 | 82.0 | 75.6 | 72.2 | 74.3 | 5,232 | 4,853 |
| 2 | Koppal | 4,472 | 4,506 | 3,782 | 3,847 | 3,129 | 3,089 | 84.6 | 85.4 | 70.0 | 68.6 | 4,147 | 4,543 |
| 3 | Kushtagi | 3,893 | 3,665 | 3,151 | 2,952 | 2,669 | 2,492 | 80.9 | 80.5 | 68.6 | 68.0 | 4,481 | 4,457 |
| 4 | Yelburga | 3,673 | 3,339 | 3,119 | 2,805 | 2,538 | 2,314 | 84.9 | 84.0 | 69.1 | 69.3 | 3,152 | 4,286 |

| Indicators | | 7 | | 8 | | 9 | | 10 | | 11 | | 12 | |
|------------|-----------|--|---------|--|---------|--|---------|--|---------|--|---------|--|---------|
| | | TT2 or Booster given to Pregnant women (numbers) | | % Pregnant Woman received 3 ANC check ups to Total ANC Registrations | | % Pregnant women received TT2 or Booster to Total ANC Registration | | Number of Pregnant women given 100 IFA tablets | | % Pregnant women given 100 IFA to Total ANC Registration | | Number having Hb level<11 (tested cases) | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 16,329 | 15,433 | 96.4 | 109.0 | 92.5 | 92.7 | 15,959 | 16,301 | 90.4 | 97.9 | 16,985 | 13,600 |
| 1 | Gangavati | 4,982 | 4,934 | 93.4 | 94.6 | 89.0 | 96.2 | 5,146 | 4,435 | 91.9 | 86.5 | 5,987 | 4,585 |
| 2 | Koppal | 4,091 | 3,784 | 92.7 | 100.8 | 91.5 | 84.0 | 3,221 | 5,019 | 72.0 | 111.4 | 3,709 | 2,831 |
| 3 | Kushtagi | 3,854 | 3,261 | 115.1 | 121.6 | 99.0 | 89.0 | 4,524 | 3,664 | 116.2 | 100.0 | 3,787 | 3,269 |
| 4 | Yelburga | 3,402 | 3,454 | 85.8 | 128.4 | 92.6 | 103.4 | 3,068 | 3,183 | 83.5 | 95.3 | 3,502 | 2,915 |

| Indicators | | 13 | | 14 | | 15 | | 16 | | 17 | | 18 | |
|------------|-----------|--|---------|--|---------|---|---------|---------------------------|---------|--|---------|--|---------|
| | | Number having severe anaemia (Hb<7) treated at institution | | % Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11 | | % New cases detected at institution for hypertension to Total ANC Registrations | | Number of Home deliveries | | Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM) | | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 626 | 518 | 3.7 | 3.8 | 2.6 | 3.9 | 803 | 1,230 | 245 | 326 | 558 | 904 |
| 1 | Gangavati | 311 | 224 | 5.2 | 4.9 | 2.4 | 5.3 | 215 | 383 | 105 | 156 | 110 | 227 |
| 2 | Koppal | 131 | 100 | 3.5 | 3.5 | 1.4 | 4.6 | 205 | 245 | 60 | 54 | 145 | 191 |
| 3 | Kushtagi | 105 | 128 | 2.8 | 3.9 | 4.5 | 2.3 | 192 | 351 | 49 | 52 | 143 | 299 |
| 4 | Yelburga | 79 | 66 | 2.3 | 2.3 | 2.5 | 2.5 | 191 | 251 | 31 | 64 | 160 | 187 |

| Indicators | | 19 | | 20 | | 21 | | 22 | | 23 | | 24 | |
|------------|-----------|--|---------|--|---------|--|---------|---|---------|--|---------|--|---------|
| | | % SBA attended home deliveries to Total Reported Home Deliveries | | Mothers paid JSY incentive for home deliveries | | % Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries | | Deliveries Conducted at Public Institutions | | Number of Women Discharged under 48 hours of delivery in public facilities | | % Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 30.5 | 26.5 | 60 | 19 | 7.5 | 1.5 | 9,917 | 10,544 | 739 | 1,128 | 7.4 | 10.6 |
| 1 | Gangavati | 48.8 | 40.7 | 0 | 0 | 0.0 | 0.0 | 3,006 | 3,130 | 94 | 170 | 3.1 | 5.4 |
| 2 | Koppal | 29.3 | 22.0 | 4 | 11 | 2.0 | 4.5 | 2,114 | 2,260 | 341 | 217 | 16.1 | 9.6 |
| 3 | Kushtagi | 25.5 | 14.8 | 56 | 3 | 29.2 | 0.9 | 2,626 | 2,651 | 225 | 295 | 8.6 | 11.1 |
| 4 | Yelburga | 16.2 | 25.5 | 0 | 5 | 0.0 | 2.0 | 2,171 | 2,503 | 79 | 446 | 3.6 | 17.8 |

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

| Indicators | | 25 | | 26 | | 27 | | 28 | | 29 | | 30 | |
|------------|-----------|---|---------|--|---------|---------------------------|---------|---|---------|--|---------|--|---------|
| | | Institutional deliveries (Public Insts.+Pvt. Insts.) | | % Institutional Deliveries to total ANC registration | | Total reported deliveries | | % Institutional deliveries to Total Reported Deliveries | | % Safe deliveries to Total Reported Deliveries | | % Home deliveries to Total Reported Deliveries | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 10,680 | 11,850 | 60.5 | 71.2 | 11,483 | 13,080 | 93.0 | 90.6 | 95.1 | 93.1 | 7.0 | 9.4 |
| 1 | Gangavati | 3,461 | 4,141 | 61.8 | 80.8 | 3,676 | 4,524 | 94.2 | 91.5 | 97.0 | 95.0 | 5.8 | 8.5 |
| 2 | Koppal | 2,418 | 2,549 | 54.1 | 56.6 | 2,623 | 2,794 | 92.2 | 91.2 | 94.5 | 93.2 | 7.8 | 8.8 |
| 3 | Kushtagi | 2,630 | 2,657 | 67.6 | 72.5 | 2,822 | 3,008 | 93.2 | 88.3 | 94.9 | 90.1 | 6.8 | 11.7 |
| 4 | Yelburga | 2,171 | 2,503 | 59.1 | 75.0 | 2,362 | 2,754 | 91.9 | 90.9 | 93.2 | 93.2 | 8.1 | 9.1 |

| Indicators | | 31 | | 32 | | 33 | | 34 | | 35 | | 36 | |
|------------|-----------|---|---------|--|---------|---|---------|--|---------|--|---------|---|---------|
| | | Number of C-section deliveries conducted at public facilities | | Number of C-section deliveries conducted at private facilities | | % C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries | | % C-sections conducted at public facilities to Deliveries conducted at public facilities | | % C-sections conducted at Private facilities to Deliveries conducted at private facilities | | % Deliveries conducted at Public Institutions to Total Institutional Deliveries | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 757 | 794 | 167 | 500 | 8.6 | 10.9 | 7.6 | 7.5 | 21.9 | 38.3 | 92.9 | 89.0 |
| 1 | Gangavati | 175 | 173 | 115 | 457 | 8.4 | 15.2 | 5.8 | 5.5 | 25.3 | 45.2 | 86.9 | 75.6 |
| 2 | Koppal | 28 | 112 | 52 | 43 | 3.3 | 6.1 | 1.3 | 5.0 | 17.1 | 14.9 | 87.4 | 88.7 |
| 3 | Kushtagi | 301 | 160 | 0 | 0 | 11.4 | 6.0 | 11.5 | 6.0 | 0.0 | 0.0 | 99.8 | 99.8 |
| 4 | Yelburga | 253 | 349 | | | 11.7 | 13.9 | 11.7 | 13.9 | | | 100.0 | 100.0 |

| Indicators | | 37 | | 38 | | 39 | | 40 | | 41 | | 42 | |
|------------|-----------|--|---------|---|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries | | % of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries | | % Deliveries conducted at Private Institutions to Total Institutional Deliveries | | Women received post partum check-up within 48 hours of delivery | | Post - Natal Care / Women got a post partum check up between 48 hours and 14 days | | % Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 18.7 | 34.0 | 0.2 | 0.8 | 7.1 | 11.0 | 9,739 | 11,642 | 12,911 | 13,293 | 84.8 | 89.0 |
| 1 | Gangavati | 23.4 | 41.4 | 0.0 | 0.0 | 13.1 | 24.4 | 2,823 | 3,378 | 3,921 | 3,906 | 76.8 | 74.7 |
| 2 | Koppal | 13.0 | 34.4 | 0.0 | 0.0 | 12.6 | 11.3 | 1,968 | 2,779 | 2,783 | 3,226 | 75.0 | 99.5 |
| 3 | Kushtagi | 18.1 | 30.2 | 0.0 | 0.0 | 0.2 | 0.2 | 2,590 | 2,612 | 3,335 | 3,177 | 91.8 | 86.8 |
| 4 | Yelburga | 18.4 | 28.2 | 0.7 | 3.3 | 0.0 | 0.0 | 2,358 | 2,873 | 2,872 | 2,984 | 99.8 | 104.3 |

| Indicators | | 43 | | 44 | | 45 | | 46 | | 47 | | 48 | |
|------------|-----------|--|---------|--------------------------------------|---------|--|---------|---------------------------------------|---------|--------------------------------|---------|-------------------------------------|---------|
| | | % Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries | | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | Total Number of reported Still Births | | % live birth to Reported Birth | | Number of Newborns weighed at birth | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 112.4 | 101.6 | 11,246 | 12,993 | 97.9 | 99.3 | 266 | 365 | 97.7 | 97.3 | 10,784 | 12,820 |
| 1 | Gangavati | 106.7 | 86.3 | 3,588 | 4,460 | 97.6 | 98.6 | 75 | 113 | 98.0 | 97.5 | 3,182 | 4,439 |
| 2 | Koppal | 106.1 | 115.5 | 2,590 | 2,804 | 98.7 | 100.4 | 40 | 74 | 98.5 | 97.4 | 2,583 | 2,733 |
| 3 | Kushtagi | 118.2 | 105.6 | 2,744 | 2,939 | 97.2 | 97.7 | 101 | 80 | 96.4 | 97.4 | 2,722 | 2,921 |
| 4 | Yelburga | 121.6 | 108.4 | 2,324 | 2,790 | 98.4 | 101.3 | 50 | 98 | 97.9 | 96.6 | 2,297 | 2,727 |

| Indicators | | 49 | | 50 | | 51 | | 52 | | 53 | | 54 | |
|------------|-----------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Newborns weighed at birth to live birth | | Number of Newborns having weight less than 2.5 kg | | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | | Number of New Borns Breast Fed within 1 hour | | % Newborns breast fed within 1 hour of birth to Total live birth | | Number of New Borns visited within 24 hrs of Home Delivery | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 95.9 | 98.7 | 1,551 | 1,472 | 14.3 | 11.4 | 10,269 | 11,845 | 91.3 | 91.1 | 523 | 830 |
| 1 | Gangavati | 88.7 | 99.5 | 449 | 444 | 14.1 | 10.0 | 3,038 | 3,826 | 84.7 | 85.8 | 146 | 227 |
| 2 | Koppal | 99.7 | 97.5 | 347 | 379 | 13.4 | 13.9 | 2,544 | 2,683 | 98.2 | 95.7 | 123 | 147 |
| 3 | Kushtagi | 99.2 | 99.4 | 425 | 318 | 15.6 | 10.9 | 2,724 | 2,907 | 99.3 | 98.9 | 165 | 271 |
| 4 | Yelburga | 98.8 | 97.7 | 330 | 331 | 14.4 | 12.1 | 1,963 | 2,429 | 84.5 | 87.1 | 89 | 185 |

| Indicators | | 55 | | 56 | | 57 | | 58 | | 59 | | 60 | |
|------------|-----------|--|---------|---|---------|--|---------|---|---------|--|---------|---|---------|
| | | % newborns visited within 24hrs of home delivery to total reported home deliveries | | Sex Ratio at birth (Female Live Births/ Male Births *1000) | | % cases of Pregnant women with Obstetric Complications and attended to reported deliveries | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension | | % Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 65.1 | 67.4 | 948 | 926 | 7.8 | 8.6 | 22.4 | 31.6 | 40.6 | 50.4 | 87.9 | 66.3 |
| 1 | Gangavati | 67.9 | 59.3 | 920 | 927 | 6.4 | 6.2 | 19.0 | 34.4 | 30.7 | 32.1 | 77.8 | 73.0 |
| 2 | Koppal | 60.0 | 60.0 | 909 | 893 | 1.4 | 6.0 | 115.2 | 77.6 | 62.3 | 57.3 | 215.2 | 65.8 |
| 3 | Kushtagi | 85.9 | 77.2 | 981 | 954 | 11.2 | 7.2 | 22.4 | 23.4 | 37.5 | 54.2 | 160.5 | 157.8 |
| 4 | Yelburga | 46.6 | 73.7 | 1,000 | 931 | 13.5 | 17.1 | 14.6 | 17.3 | 47.3 | 90.2 | 8.5 | 21.5 |

| Indicators | | 61 | | 62 | | 63 | | 64 | | 65 | | 66 | |
|------------|-----------|---|---------|--|---------|---|---------|------------------------------|---------|---|---------|---|---------|
| | | % Post - Natal Care / PNC maternal complications attended to Total Deliveries | | Total Number of Abortions (Spontaneous/ Induced) Reported | | Total Number of MTPs (Public) reported | | % MTPs (Public) to Abortions | | % MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions | | % MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 0.9 | 1.1 | 321 | 291 | 79 | 98 | 24.6 | 33.7 | 62.0 | 78.6 | 38.0 | 21.4 |
| 1 | Gangavati | 0.7 | 0.7 | 89 | 88 | 36 | 47 | 40.4 | 53.4 | 55.6 | 61.7 | 44.4 | 38.3 |
| 2 | Koppal | 1.0 | 1.7 | 99 | 75 | 17 | 23 | 17.2 | 30.7 | 52.9 | 87.0 | 47.1 | 13.0 |
| 3 | Kushtagi | 1.3 | 1.4 | 55 | 57 | 25 | 27 | 45.5 | 47.4 | 76.0 | 100.0 | 24.0 | 0.0 |
| 4 | Yelburga | 0.5 | 0.7 | 78 | 71 | 1 | 1 | 1.3 | 1.4 | 100.0 | 100.0 | 0.0 | 0.0 |

| Indicators | | 67 | | 68 | | 69 | | 70 | | 71 | | 72 | |
|------------|-----------|--|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % MTPs Conducted at Public Institutions to Total MTPs | | % MTPs Conducted at Private Institutions to Total MTPs | | % Total MTPs (Public) Conducted to Total ANC Registration | | % Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated | | Number of Vasectomies Conducted (Public + Pvt.) | | Number of Tubectomies Conducted (Public + Pvt.) | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 100.0 | 77.8 | 0.0 | 22.2 | 0.4 | 0.6 | 0.1 | 4.4 | 10 | 12 | 4,794 | 4,938 |
| 1 | Gangavati | 100.0 | 63.5 | 0.0 | 36.5 | 0.6 | 0.9 | 0.3 | 0.1 | 2 | 5 | 1,508 | 1,595 |
| 2 | Koppal | 100.0 | 100.0 | 0.0 | 0.0 | 0.4 | 0.5 | 0.0 | 10.9 | 7 | 4 | 1,176 | 1,237 |
| 3 | Kushtagi | 100.0 | 96.4 | 0.0 | 3.6 | 0.6 | 0.7 | 0.0 | 0.0 | 1 | 3 | 1,196 | 1,150 |
| 4 | Yelburga | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.6 | 0 | 0 | 914 | 956 |

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

| Indicators | | 73 | | 74 | | 75 | | 76 | | 77 | | 78 | |
|------------|-----------|-------------------------------|---------|---|---------|--------------------------------------|---------|--|---------|--|---------|---|---------|
| | | Total Sterilisation Conducted | | % Male Sterilisation (Vasectomies) to Total sterilisation | | % Tubectomies to Total sterilisation | | Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 4,804 | 4,950 | 0.2 | 0.2 | 99.8 | 99.8 | 1,707 | 1,780 | 1,645 | 1,658 | 1,427 | 1,316 |
| 1 | Gangavati | 1,510 | 1,600 | 0.1 | 0.3 | 99.9 | 99.7 | 214 | 252 | 673 | 663 | 623 | 592 |
| 2 | Koppal | 1,183 | 1,241 | 0.6 | 0.3 | 99.4 | 99.7 | 735 | 716 | 264 | 276 | 159 | 146 |
| 3 | Kushtagi | 1,197 | 1,153 | 0.1 | 0.3 | 99.9 | 99.7 | 553 | 541 | 198 | 235 | 446 | 377 |
| 4 | Yelburga | 914 | 956 | 0.0 | 0.0 | 100.0 | 100.0 | 205 | 271 | 510 | 484 | 199 | 201 |

| Indicators | | 79 | | 80 | | 81 | | 82 | | 83 | | 84 | |
|------------|-----------|--|---------|---|---------|---|---------|---|---------|--|---------|---|---------|
| | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | | | 0 | 0 | 35.5 | 36.0 | 34.2 | 33.5 | 29.7 | 26.6 | 0.0 | 0.0 |
| 1 | Gangavati | | | 0 | 0 | 14.2 | 15.8 | 44.6 | 41.4 | 41.3 | 37.0 | 0.0 | 0.0 |
| 2 | Koppal | | | 0 | 0 | 62.1 | 57.7 | 22.3 | 22.2 | 13.4 | 11.8 | 0.0 | 0.0 |
| 3 | Kushtagi | | | 0 | 0 | 46.2 | 46.9 | 16.5 | 20.4 | 37.3 | 32.7 | 0.0 | 0.0 |
| 4 | Yelburga | | | | | 22.4 | 28.3 | 55.8 | 50.6 | 21.8 | 21.0 | 0.0 | 0.0 |

| Indicators | | 85 | | 86 | | 87 | | 88 | | 89 | | 90 | |
|------------|-----------|--|---------|--|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation | | % Laparoscopic sterilisations to Total Female Sterilisations | | % Mini Lap Sterilisations to Total Female Sterilisations | | % Post Partum Sterilisations to Total Female Sterilisations | | % Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations | | % Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 0.5 | 4.0 | 75.2 | 72.9 | 20.2 | 21.9 | 4.6 | 5.1 | 100.0 | 99.2 | 97.4 | 89.0 |
| 1 | Gangavati | 0.0 | 5.8 | 76.4 | 70.3 | 18.4 | 24.4 | 5.2 | 5.3 | 100.0 | 98.1 | 100.0 | 88.4 |
| 2 | Koppal | 2.1 | 8.3 | 66.4 | 67.1 | 32.2 | 28.9 | 1.4 | 4.0 | 100.0 | 99.0 | 93.4 | 79.3 |
| 3 | Kushtagi | 0.0 | 0.0 | 85.1 | 88.3 | 9.7 | 8.4 | 5.2 | 3.2 | 100.0 | 100.0 | 100.0 | 100.0 |
| 4 | Yelburga | 0.0 | 0.0 | 71.3 | 66.2 | 21.6 | 25.0 | 7.1 | 8.8 | 100.0 | 100.0 | 100.0 | 100.0 |

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

| Indicators | | 91 | | 92 | | 93 | | 94 | | 95 | | 96 | |
|------------|-----------|--|---------|--|---------|--|---------|--|---------|--|---------|---|---------|
| | | % Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation | | Total cases of deaths following Sterilisation (Male + Female) | | IUCD Insertions done (public facilities) | | IUCD insertions done (pvt. facilities) | | Total IUCD Insertions done(public+private) | | PP IUCD Insertions done (public facilities) | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 100.0 | 81.2 | 0 | 1 | 1,669 | 1,276 | 4 | 178 | 1,673 | 1,454 | 0 | |
| 1 | Gangavati | 100.0 | 67.9 | 0 | 0 | 316 | 314 | 0 | 14 | 316 | 328 | 0 | |
| 2 | Koppal | 100.0 | 58.0 | 0 | 0 | 598 | 276 | 0 | 140 | 598 | 416 | 0 | |
| 3 | Kushtagi | 100.0 | 100.0 | 0 | 0 | 314 | 209 | 4 | 24 | 318 | 233 | 0 | |
| 4 | Yelburga | 100.0 | 100.0 | 0 | 1 | 441 | 477 | | | 441 | 477 | 0 | |

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

| Indicators | | 97 | | 98 | | 99 | | 100 | | 101 | | 102 | |
|------------|-----------|---|---------|--|---------|---|---------|------------------------|---------|---------------------------|---------|-------------------------------|---------|
| | | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | | % PP IUCD Insertions (public) to Total Institutional Deliveries (public) | | % IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent) | | Oral Pills distributed | | Condom pieces distributed | | Centchroman Pills distributed | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 0.0 | 0.0 | 0.0 | 0.0 | 25.8 | 22.7 | 19,014 | 17,143 | 155,990 | 136,742 | 474 | 642 |
| 1 | Gangavati | 0.0 | 0.0 | 0.0 | 0.0 | 17.3 | 17.0 | 4,767 | 2,791 | 37,671 | 47,947 | 0 | 20 |
| 2 | Koppal | 0.0 | 0.0 | 0.0 | 0.0 | 33.6 | 25.1 | 8,314 | 6,393 | 50,965 | 33,508 | 365 | 160 |
| 3 | Kushtagi | 0.0 | 0.0 | 0.0 | 0.0 | 21.0 | 16.8 | 2,303 | 3,602 | 43,652 | 30,779 | 9 | 461 |
| 4 | Yelburga | 0.0 | 0.0 | 0.0 | 0.0 | 32.5 | 33.3 | 3,630 | 4,357 | 23,702 | 24,508 | 100 | 1 |

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

| Indicators | | 103 | | 104 | | 105 | | 106 | | 107 | | 108 | |
|------------|-----------|--|---------|-----------------------------|---------|---|---------|---|---------|------------------------------|---------|------------------------------|---------|
| | | Number of Infants given OPV 0 (Birth Dose) | | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | % Newborns given BCG to Reported live birth | | Number of Infants given DPT1 | | Number of Infants given DPT2 | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 13,443 | 14,388 | 16,427 | 18,140 | 119.5 | 110.7 | 146.1 | 139.6 | 4,940 | 15,862 | 6,152 | 15,534 |
| 1 | Gangavati | 4,627 | 4,994 | 4,976 | 5,570 | 129.0 | 112.0 | 138.7 | 124.9 | 2,300 | 5,110 | 2,542 | 5,070 |
| 2 | Koppal | 3,338 | 3,347 | 4,321 | 4,690 | 128.9 | 119.4 | 166.8 | 167.3 | 740 | 4,176 | 1,365 | 4,111 |
| 3 | Kushtagi | 3,083 | 3,060 | 4,008 | 4,298 | 112.4 | 104.1 | 146.1 | 146.2 | 1,398 | 3,413 | 1,390 | 3,346 |
| 4 | Yelburga | 2,395 | 2,987 | 3,122 | 3,582 | 103.1 | 107.1 | 134.3 | 128.4 | 502 | 3,163 | 855 | 3,007 |

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

| Indicators | | 109 | | 110 | | 111 | | 112 | | 113 | | 114 | |
|------------|-----------|------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------|---------|---|---------|
| | | Number of Infants given DPT3 | | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | % Infants 0 to 11 months old who received Measles vaccine to reported live births | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 7,526 | 16,697 | 13,285 | | 11,872 | | 10,379 | | 13,847 | 15,055 | 123.1 | 115.8 |
| 1 | Gangavati | 3,013 | 5,227 | 4,251 | | 3,741 | | 3,388 | | 4,130 | 4,853 | 115.1 | 108.8 |
| 2 | Koppal | 1,840 | 5,149 | 3,610 | | 3,224 | | 2,580 | | 3,972 | 4,191 | 153.4 | 149.5 |
| 3 | Kushtagi | 1,499 | 3,295 | 3,100 | | 2,803 | | 2,506 | | 2,956 | 3,247 | 107.7 | 110.5 |
| 4 | Yelburga | 1,174 | 3,026 | 2,324 | | 2,104 | | 1,905 | | 2,789 | 2,764 | 120.0 | 99.1 |

| Indicators | | 115 | | 116 | | 117 | | 118 | | 119 | | 120 | |
|------------|-----------|--|---------|----------------------------------|---------|--------------------|---------|---|---------|---|---------|--|---------|
| | | Number of fully immunized children (9-11 months) | | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | Adverse Events Following Immunisation (Others) | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 13,353 | 13,737 | 15.7 | 17.0 | 14,339 | 14,831 | 127.5 | 114.1 | 121.5 | 77.9 | 438 | 437 |
| 1 | Gangavati | 3,998 | 3,857 | 17.0 | 12.9 | 4,108 | 5,011 | 114.5 | 112.4 | 123.1 | 115.5 | 159 | 127 |
| 2 | Koppal | 3,848 | 3,976 | 8.1 | 10.6 | 3,980 | 4,222 | 153.7 | 150.6 | 186.1 | 93.5 | 245 | 273 |
| 3 | Kushtagi | 2,832 | 3,215 | 26.2 | 24.5 | 3,378 | 3,168 | 123.1 | 107.8 | 35.7 | 30.2 | 4 | 1 |
| 4 | Yelburga | 2,675 | 2,689 | 10.7 | 22.8 | 2,873 | 2,430 | 123.6 | 87.1 | 130.7 | 35.2 | 30 | 36 |

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

| Indicators | | 121 | | 122 | | 123 | | 124 | | 125 | | 126 | |
|------------|-----------|---|---------|---|---------|---|---------|--|---------|--|---------|--|---------|
| | | % immunisation Sessions Held to Immunisation Sessions Planned | | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 98.9 | 97.8 | 66.4 | 64.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Gangavati | 97.5 | 97.0 | 62.6 | 56.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Koppal | 100.9 | 98.0 | 64.6 | 63.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Kushtagi | 99.2 | 99.2 | 69.8 | 71.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Yelburga | 98.0 | 97.2 | 70.4 | 72.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 127 | | 128 | | 129 | | 130 | | 131 | | 132 | |
|------------|-----------|---|---------|---|---------|---|---------|---|---------|--|---------|---|---------|
| | | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Adult Female Inpatients to Total Adult Inpatient | | % Children Inpatient to Total Inpatient | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 0.0 | 0.0 | 4.0 | 2.0 | 95.0 | 96.7 | 1.0 | 1.3 | 64.5 | 64.2 | 10.2 | 12.4 |
| 1 | Gangavati | 0.0 | 0.0 | 2.6 | 2.4 | 96.2 | 97.5 | 1.2 | 0.1 | 68.8 | 71.4 | 9.2 | 8.7 |
| 2 | Koppal | 0.0 | 0.0 | 1.2 | 0.6 | 97.5 | 97.5 | 1.3 | 1.8 | 61.9 | 62.7 | 9.1 | 11.3 |
| 3 | Kushtagi | 0.0 | 0.0 | 8.5 | 3.9 | 91.0 | 94.3 | 0.5 | 1.8 | 66.4 | 66.1 | 9.8 | 11.8 |
| 4 | Yelburga | 0.0 | 0.0 | 2.8 | 1.4 | 96.5 | 97.8 | 0.8 | 0.7 | 60.6 | 59.0 | 12.7 | 16.0 |

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

| Indicators | | 133 | | 134 | | 135 | | 136 | | 137 | | 138 | |
|------------|-----------|---|---------|---------------------------------|---------|--------------|---------|--------------|---------|--------------|---------|----------------------------|---------|
| | | % Female Inpatient Deaths to Total Inpatient Deaths | | % Inpatient Deaths to Total IPD | | IPD (Number) | | OPD (Number) | | % IPD to OPD | | Number of Major Operations | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 40.2 | 33.1 | 0.5 | 0.5 | 43,194 | 48,612 | 588,068 | 562,806 | 7.3 | 8.6 | 814 | 5,568 |
| 1 | Gangavati | 46.9 | 37.4 | 0.5 | 0.8 | 11,840 | 11,239 | 163,379 | 157,124 | 7.2 | 7.2 | 75 | 124 |
| 2 | Koppal | 39.3 | 42.7 | 0.8 | 0.8 | 10,771 | 11,273 | 150,709 | 164,195 | 7.1 | 6.9 | 92 | 112 |
| 3 | Kushtagi | 33.3 | 21.7 | 0.3 | 0.3 | 9,579 | 8,864 | 105,917 | 94,340 | 9.0 | 9.4 | 394 | 4,985 |
| 4 | Yelburga | 30.8 | 9.5 | 0.1 | 0.2 | 11,004 | 17,236 | 168,063 | 147,147 | 6.5 | 11.7 | 253 | 347 |

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

| Indicators | | 139 | | 140 | | 141 | | 142 | | 143 | | 144 | |
|------------|-----------|----------------------------|---------|---------------------------------------|---------|----------------------------------|---------|--|---------|--------------------|---------|--------------------------|---------|
| | | Number of Minor Operations | | % Major Operations to Total Operation | | Number of Hysterectomy Surgeries | | % Hysterectomy Surgeries to Total Major Operations | | Ayush OPD (Number) | | % AYUSH OPD to Total OPD | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 4,599 | 3,417 | 15.0 | 62.0 | 0 | | 0.0 | 0.0 | 62,734 | 42,682 | 10.6 | 7.5 |
| 1 | Gangavati | 928 | 939 | 7.5 | 11.7 | 0 | | 0.0 | 0.0 | 17,124 | 10,688 | 10.5 | 6.8 |
| 2 | Koppal | 2,005 | 1,533 | 4.4 | 6.8 | | | 0.0 | 0.0 | 16,476 | 10,293 | 10.9 | 6.3 |
| 3 | Kushtagi | 1,231 | 547 | 24.2 | 90.1 | 0 | | 0.0 | 0.0 | 16,023 | 11,675 | 15.1 | 12.4 |
| 4 | Yelburga | 435 | 398 | 36.8 | 46.6 | | | 0.0 | 0.0 | 13,111 | 10,026 | 7.8 | 6.8 |

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

| Indicators | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|------------|-----------|---------------------|---------|---------------------------|---------|--------------------------------|---------|---|---------|---|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 958 | 936 | 0.2 | 0.2 | 5,057 | 3,751 | 7.2 | 7.6 | 4.4 | 8.2 | 1.2 | 5.5 |
| 1 | Gangavati | 115 | 143 | 0.1 | 0.1 | 1,212 | 984 | 8.0 | 8.1 | 6.3 | 6.2 | 1.5 | 2.1 |
| 2 | Koppal | 16 | 99 | 0.0 | 0.1 | 956 | 1,387 | 10.5 | 10.4 | 5.0 | 4.7 | 1.0 | 2.7 |
| 3 | Kushtagi | 0 | 2 | 0.0 | 0.0 | 1,921 | 405 | 4.5 | 6.5 | 2.8 | 10.2 | 0.9 | 10.4 |
| 4 | Yelburga | 827 | 692 | 0.5 | 0.5 | 968 | 975 | 4.7 | 4.6 | 2.7 | 13.5 | 1.1 | 10.4 |

| Indicators | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
|------------|-----------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 1.9 | 6.2 | 0.4 | 0.8 | 0.0 | 0.0 | 90 | 74 | 2.3 | 6.2 | 24.1 | 18.5 |
| 1 | Gangavati | 2.5 | 2.9 | 0.3 | 2.2 | 0.0 | 0.0 | 50 | 25 | 4.0 | 4.8 | 32.0 | 19.0 |
| 2 | Koppal | 2.0 | 3.2 | 0.8 | 0.1 | 0.0 | 0.0 | 8 | 14 | 0.0 | 16.7 | 16.7 | 16.7 |
| 3 | Kushtagi | 1.4 | 10.3 | 0.3 | 0.5 | 0.0 | 0.0 | 21 | 22 | 0.0 | 4.8 | 15.0 | 19.0 |
| 4 | Yelburga | 1.4 | 11.1 | 0.3 | 0.4 | 0.1 | 0.0 | 11 | 13 | 0.0 | 0.0 | 9.1 | 18.2 |

| Indicators | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|------------|-----------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Koppal | 25.3 | 32.3 | 5.7 | 12.3 | 0.0 | 1.5 | 0.0 | 1.5 | 0.0 | 0.0 | 42.5 | 27.7 |
| 1 | Gangavati | 24.0 | 38.1 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 38.0 | 38.1 |
| 2 | Koppal | 16.7 | 33.3 | 0.0 | 16.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 66.7 | 16.7 |
| 3 | Kushtagi | 30.0 | 38.1 | 15.0 | 19.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40.0 | 19.0 |
| 4 | Yelburga | 27.3 | 9.1 | 9.1 | 18.2 | 0.0 | 9.1 | 0.0 | 9.1 | 0.0 | 0.0 | 54.5 | 36.4 |