

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to June

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Meghalaya	19,402	18,372	98.6	97.9	428	456	97.8	97.6	16,253	15,215	8,811	8,629
1	East Garo Hills	1,879	1,703	102.2	97.9	39	25	98.0	98.6	1,327	1,237	741	943
2	East Jaintia Hills												
3	East Khasi Hills	6,250	6,072	97.7	97.4	158	182	97.5	97.1	5,500	5,406	4,023	4,260
4	North Garo Hills												
5	Ri Bhoi	1,311	1,368	99.9	99.3	9	15	99.3	98.9	850	789	585	430
6	South Garo Hills	596	496	98.8	99.0	7	15	98.8	97.1	477	428	119	212
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	3,978	4,012	98.0	97.9	96	97	97.6	97.6	3,908	3,959	1,385	1,110
10	West Jaintia Hills	2,929	2,612	98.7	97.8	72	77	97.6	97.1	2,431	2,048	1,120	873
11	West Khasi Hills	2,459	2,109	98.6	98.2	47	45	98.1	97.9	1,760	1,348	838	801

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to June

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Meghalaya	21,755	20,735	45.4	47.0	112.1	112.9	22,068	21,208	20,348	20,429	18,926	18,499
1	East Garo Hills	2,183	2,117	39.4	55.4	116.2	124.3	2,001	2,419	1,566	1,962	1,449	1,774
2	East Jaintia Hills												
3	East Khasi Hills	6,500	5,989	64.4	70.2	104.0	98.6	5,461	4,881	5,049	4,737	4,616	4,383
4	North Garo Hills												
5	Ri Bhoi	1,491	1,587	44.6	31.4	113.7	116.0	1,859	1,924	1,668	1,793	1,600	1,668
6	South Garo Hills	880	740	20.0	42.7	147.7	149.2	1,007	921	1,023	989	901	767
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	4,166	4,127	34.8	27.7	104.7	102.9	4,483	4,275	4,262	4,191	4,105	4,003
10	West Jaintia Hills	3,499	3,197	38.2	33.4	119.5	122.4	3,683	3,371	3,528	3,376	3,317	2,903
11	West Khasi Hills	3,036	2,978	34.1	38.0	123.5	141.2	3,574	3,417	3,252	3,381	2,938	3,001

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to June

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Meghalaya							16,857	15,480	86.9	84.3	15,755	14,374
1	East Garo Hills							1,652	1,618	87.9	95.0	1,493	1,458
2	East Jaintia Hills												
3	East Khasi Hills							4,070	3,584	65.1	59.0	3,900	3,418
4	North Garo Hills												
5	Ri Bhoi							1,583	1,485	120.7	108.6	1,397	1,346
6	South Garo Hills							828	627	138.9	126.4	714	490
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills							3,506	3,190	88.1	79.5	3,342	3,016
10	West Jaintia Hills							2,762	2,485	94.3	95.1	2,633	2,309
11	West Khasi Hills							2,456	2,491	99.9	118.1	2,276	2,337

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to June

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	Meghalaya	22.5	25.3	4,251	14,180	21.9	77.2	21.5	31.3	68	140	81.4	81.1
1	East Garo Hills	24.3	23.6	526	1,303	28.0	76.5	35.0	64.6	0	0	77.5	76.1
2	East Jaintia Hills												
3	East Khasi Hills	37.4	40.2	2,026	3,525	32.4	58.1	8.7	12.3	0	1	92.5	94.5
4	North Garo Hills												
5	Ri Bhoi	-6.2	6.4	141	1,511	10.8	110.5	7.1	14.0	0	0	85.4	79.9
6	South Garo Hills	5.9	15.3	202	618	33.9	124.6	48.0	44.7	0	0	78.8	77.5
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	15.8	22.7	564	2,386	14.2	59.5	46.6	63.2	0	0	80.0	80.5
10	West Jaintia Hills	21.1	22.3	416	2,775	14.2	106.2	13.0	27.7	0	1	89.6	89.2
11	West Khasi Hills	19.1	16.4	376	2,062	15.3	97.8	34.3	19.2	68	138	65.1	65.6

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to June

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Meghalaya	60.1	61.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East Garo Hills	69.8	68.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	East Jaintia Hills												
3	East Khasi Hills	62.9	63.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	North Garo Hills												
5	Ri Bhoi	56.1	58.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	South Garo Hills	69.6	70.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	74.7	74.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	West Jaintia Hills	37.8	43.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West Khasi Hills	45.3	46.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to June

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Meghalaya	0.6	0.5	95.3	95.2	4.1	4.3	537	380	6.9	3.4	9.0	10.1
1	East Garo Hills	2.4	3.6	64.4	69.6	33.2	26.9	38	24	2.6	4.3	5.3	13.0
2	East Jaintia Hills												
3	East Khasi Hills	0.3	0.1	99.3	99.4	0.4	0.5	219	134	4.3	1.0	9.9	12.5
4	North Garo Hills												
5	Ri Bhoi	0.4	0.8	97.4	97.6	2.2	1.6	19	18	7.7	6.3	7.7	0.0
6	South Garo Hills	1.0	1.6	81.4	75.4	17.6	23.0	14	16	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	0.6	0.5	93.4	89.4	6.0	10.1	135	89	2.7	1.3	7.1	5.3
10	West Jaintia Hills	0.3	0.1	99.4	99.5	0.3	0.4	68	59	25.8	13.6	16.1	25.0
11	West Khasi Hills	1.0	0.1	96.1	96.5	2.9	3.5	44	40	5.7	0.0	5.7	0.0

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to June

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Meghalaya	4.6	5.7	14.8	15.8	2.5	3.0	12.5	12.1	0.0	0.0	49.5	50.0
1	East Garo Hills	5.3	0.0	13.2	17.4	0.0	0.0	10.5	17.4	0.0	0.0	63.2	47.8
2	East Jaintia Hills												
3	East Khasi Hills	2.5	3.1	8.7	11.5	1.2	0.0	4.3	9.4	0.0	0.0	68.9	62.5
4	North Garo Hills												
5	Ri Bhoi	0.0	12.5	0.0	12.5	15.4	18.8	7.7	12.5	0.0	0.0	61.5	37.5
6	South Garo Hills	0.0	0.0	9.1	16.7	0.0	0.0	36.4	8.3	0.0	0.0	54.5	75.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	7.1	4.0	32.1	30.7	0.0	1.3	27.7	22.7	0.0	0.0	23.2	34.7
10	West Jaintia Hills	6.5	13.6	6.5	9.1	4.8	2.3	3.2	0.0	0.0	0.0	37.1	36.4
11	West Khasi Hills	5.7	9.4	11.4	3.1	11.4	12.5	14.3	9.4	0.0	0.0	45.7	65.6