

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		1	2	3	4	5	6	7	8	9	10	11	12	13
		Total number of pregnant women Registered for ANC	Number of Pregnant women registered within first trimester	% 1st Trimester registration to Total ANC Registrations	Number of pregnant women received 4 or more ANC check ups	TT2 given to Pregnant women (numbers)	TT Booster given to Pregnant women (numbers)	% Pregnant Woman received 4 ANC check ups to Total ANC Registrations	% Pregnant women received TT2+ TT Booster to Total ANC Registration	Number of Pregnant women given 180 IFA tablets	% Pregnant women given 180 IFA to Total ANC Registration	Number of Pregnant Women having Hb level<11 (tested cases)	Number of Pregnant Women having severe anaemia (Hb<7) treated at institution	% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	Bangalore Rural	14,891	12,607	84.6	14,033	12,831	2,609	94.2	103.6	14,294	95.9	15,553	374	43.4
1	Devanahalli	3,138	2,684	85.5	3,035	2,738	532	96.7	104.2	2,897	92.3	4,326	47	15.6
2	Doddaballapur	3,985	3,396	85.2	4,673	3,630	512	117.3	103.9	3,842	96.4	3,583	59	25.1
3	Hosakote	4,607	4,275	92.8	3,547	4,368	1,154	77.0	119.9	4,087	88.7	4,622	159	80.3
4	Nelamanagala	3,161	2,252	71.2	2,778	2,095	411	87.9	79.3	3,468	109.7	3,022	109	86.5

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		14	15	16	17	18	19	20	21	22	23	24	25	26
		% New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations	Number of Home deliveries	Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM)	Number of home deliveries attended by Non SBA trained (trained TB/Dai)	% SBA attended home deliveries to Total Reported Home Deliveries	Deliveries Conducted at Public Institutions	Number of Women Discharged under 48 hours of delivery in public facilities	% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	Deliveries Conducted at Private Institutions	Number of Women Discharged under 48 hours of delivery in private institutions	% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions	Institutional deliveries (Public Insts. +Pvt . Insts.)	% Institutional Deliveries to total ANC registration
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	Bangalore Rural	4.9	3	1	2	33.3	5,435	175	3.2	3,300	419	12.6	8,735	58.6
1	Devanahalli	1.7	1	1	0	100.0	708	6	0.8	453	0	0.0	1,161	37.0
2	Doddaballapur	2.5	2	0	2	0.0	2,398	37	1.5	672	13	1.9	3,070	77.0
3	Hosakote	9.6	0	0	0		1,295	93	7.2	1,713	347	20.3	3,008	65.3
4	Nelamanagala	4.6	0	0	0		1,034	39	3.8	462	59	12.8	1,496	47.3

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		27	28	29	30	31	32	33	34	35	36	37	38	39
		Total reported deliveries	% Institutional deliveries to Total Reported Deliveries	% Safe deliveries to Total Reported Deliveries	% Home deliveries to Total Reported Deliveries	Number of C-section deliveries conducted at public facilities	Number of C-section deliveries conducted at private facilities	% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries	% C-sections conducted at public facilities to Deliveries conducted at public facilities	% C-sections conducted at Private facilities to Deliveries conducted at private facilities	% Deliveries conducted at Public Institutions to Total Institutional Deliveries	% Deliveries conducted at Private Institutions to Total Institutional Deliveries	Women received 1st post partum check-up within 48 hours of home delivery	Women received 1st post partum check up between 48 hours and 14 days
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	Bangalore Rural	8,738	100.0	100.0	0.0	1,461	2,168	41.5	26.9	65.7	62.2	37.8	2,983	11,446
1	Devanahalli	1,162	99.9	100.0	0.1	127	299	36.7	17.9	66.0	61.0	39.0	659	2,225
2	Doddaballapur	3,072	99.9	99.9	0.1	837	446	41.8	34.9	66.4	78.1	21.9	554	3,062
3	Hosakote	3,008	100.0	100.0	0.0	156	1,027	39.3	12.0	60.0	43.1	56.9	1,514	3,756
4	Nelamanagala	1,496	100.0	100.0	0.0	341	396	49.3	33.0	85.7	69.1	30.9	256	2,403

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		40	41	42	43	44	45	46	47	48	49	50	51	52
		% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries	% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries	Total Number of reported live births	% Live Births to Total Deliveries	Total Number of reported Still Births	% live birth to Reported Birth	Number of Newborns weighed at birth	% Newborns weighed at birth to live birth	Number of Newborns having weight less than 2.5 kg	% Newborns having weight less than 2.5 kg to Newborns weighed at birth	Number of New Borns Breast Fed within 1 hour	% Newborns breast fed within 1 hour of birth to Total live birth	Sex Ratio at birth (Female Live Births/ Male Live Births *1000)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	Bangalore Rural	9433.3	131.0	8,688	99.4	48	99.5	8,645	99.5	744	8.6	8,553	98.4	953
1	Devanahalli	5900.0	191.5	1,152	99.1	10	99.1	1,153	100.1	108	9.4	1,118	97.0	933
2	Doddaballapur	7700.0	99.7	3,063	99.7	10	99.7	3,035	99.1	241	7.9	3,035	99.1	983
3	Hosakote		124.9	2,983	99.2	26	99.1	2,979	99.9	336	11.3	2,981	99.9	937
4	Nelamanagala		160.6	1,490	99.6	2	99.9	1,478	99.2	59	4.0	1,419	95.2	940

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		53	54	55	56	57	58	59	60	61	62	63	64	65
		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries	% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	Number of PW given 360 Calcium tablets	% Pregnant women given 360 Calcium to Total ANC Registration	Number of PW given one Albendazole tablet after 1st trimester	% Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registration	Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test)	% Pregnant women tested for blood sugar using OGTT to Total ANC Registration	Number of PW tested positive for GDM	% Pregnant women tested positive for GDM to Total ANC Registration	Number of pregnant women tested for Syphilis	Number of pregnant women tested found sero positive for Syphilis	% Pregnant women tested for Syphilis to Total ANC Registration
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	Bangalore Rural	6.0	25.2	10,509	70.6	9,702	65.2	2,485	16.7	37	0.2	6,030	241	40.5
1	Devanahalli	0.3	100.0	1,894	60.4	2,472	78.8	21	0.7	1	0.0	2,258	46	72.0
2	Doddaballapur	8.7	24.7	2,681	67.3	1,845	46.3	101	2.5	0	0.0	1,440	48	36.1
3	Hosakote	7.8	9.8	2,814	61.1	4,252	92.3	452	9.8	6	0.1	1,308	0	28.4
4	Nelamanagala	1.5	181.8	3,120	98.7	1,133	35.8	1,911	60.5	30	0.9	1,024	147	32.4

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		66	67	68	69	70	71	72	73	74	75	76	77	78
		% Pregnant women treatd for Syphilis to Total sero positive for Syphilis	% of babies treated for congenital Syphilis to babies total diagnosed with Congenital Syphilis	Total no. maternal deaths	Total Facility Based Maternal Death Reviews (FBMDR) done	Total Number of Abortions (Spontaneous) Reported	Total Number of MTPs (Public) conducted	% MTPs to total Abortions	% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions	% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	% MTPs Conducted at Public Institutions to Total MTPs	% MTPs Conducted at Private Institutions to Total MTPs	% Total MTPs (Public) Conducted to Total ANC Registrati on	Number of Vasectomies Conducted
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Rural	0.8	0.5	6	0	870	442	54.2	88.7	11.3	42.9	57.1	3.0	48
1	Devanahalli	0.8	12.5	2	0	176	175	51.2	100.0	0.0	94.6	5.4	5.6	2
2	Doddaballapur	0.5		3	0	127	178	58.6	78.1	21.9	98.9	1.1	4.5	10
3	Hosakote	0.0		0	0	372	26	60.3	92.3	7.7	4.6	95.4	0.6	18
4	Nelamanagala	2.2	0.0	1	0	195	63	34.1	85.7	14.3	62.4	37.6	2.0	18

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		79	80	81	82	83	84	85	86	87	88	89	90	91
		Number of Tubectomies Conducted	Total Sterilisation Conducted	% Male Sterilisation (Vasectomies) to Total sterilisation	% Female Serlisation (Tubectomies) to Total sterilisation	Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC	Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC	Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH	Total Sterilisation (Tubectomies and Vasectomies) conducted at DH	Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions	Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions	% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation	% Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation	% Laparoscopic sterilisations to Total Female Sterilisations
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	Bangalore Rural	3,933	3,981	1.2	98.8					291	3,690	7.3	92.7	75.5
1	Devanahalli	643	645	0.3	99.7					15	630	2.3	97.7	88.2
2	Doddaballapur	1,329	1,339	0.7	99.3					10	1,329	0.7	99.3	71.1
3	Hosakote	990	1,008	1.8	98.2					187	821	18.6	81.4	72.2
4	Nelamanagala	971	989	1.8	98.2					79	910	8.0	92.0	76.3

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		92	93	94	95	96	97	98	99	100	101	102	103	104
		% Mini Lap Sterilisati ons to Total Female Sterilisati ons	% Post Partum Sterilisati ons to Total Female Sterilisati ons	% Post Abortion Sterilisati ons to Total Female Sterilisati ons	% Laparosc opic sterilisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons	% Mini Lap sterilisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons	% Post Partum sterilisati ons at Public Institutio ns to Total Post Partum Sterilisati on	% Post Abortion sterilisati ons at Public Institutio ns to Total Post Partum Sterilisati on	Total cases of deaths following Sterilisati on (Male + Female)	Total cases of deaths following Male Sterilisati on	Total cases of deaths following Female Sterilisati on	Total cases of failure following Male Sterilisati on	Total cases of failure following Female Sterilisati on	Total cases of complicat ion following Male Sterilisati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	Bangalore Rural	9.4	15.0	0.1	97.8	66.0	83.2	100.0	0	0	0	0	0	0
1	Devanahalli	6.4	5.4	0.0	99.5	87.8	80.0		0	0	0	0	0	0
2	Doddaballapur	9.3	19.3	0.3	100.0	100.0	96.1	100.0	0	0	0	0	0	0
3	Hosakote	10.6	17.2	0.0	91.6	47.6	57.6		0	0	0	0	0	0
4	Nelamanagala	10.5	13.2	0.0	99.6	35.3	92.2		0	0	0	0	0	0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		105	106	107	108	109	110	111	112	113	114	115	116	117
		Total cases of complication following Female Sterilisation	IUCD Insertions done (public facilities)	IUCD insertions done (pvt. facilities)	% PP IUCD Insertions (public) to Total IUCD Insertions (public)	% PP IUCD Insertions (public) to Total Institutional Deliveries (public)	% IUCD insertions to all family planning methods (IUCD plus permanent)	Total Interval IUCD Insertions done	Total PP IUCD Insertions done	Total PAIUCD insertions done	Combined Oral Pills distributed	Emergency pills distributed	Condom pieces distributed	Centchroman (weekly pills) distributed
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Rural	0	4,012	392	36.4	26.8	52.5	2,811	1,501	92	55,628	910	577,165	931
1	Devanahalli	0	703	7	31.0	30.8	52.4	490	220	0	5,712	426	86,890	120
2	Doddaballapur	0	905	51	33.8	12.8	41.7	628	306	22	25,851	101	177,770	435
3	Hosakote	0	1,287	269	18.4	18.3	60.7	1,282	269	5	17,246	359	202,972	34
4	Nelamanagala	0	1,117	65	62.8	67.8	54.4	411	706	65	6,819	24	109,533	342

Indicators		118	119	120	121	122	123	124	125	126	127	128	129	130
		Number of beneficiaries given 1st dose of Injectable (Antara Program)	Number of beneficiaries given 2nd dose of Injectable (Antara Program)	Number of beneficiaries given 3rd dose of Injectable (Antara Program)	Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)	Pregnancy testing kits used	Number of Infants given OPV 0 (Birth Dose)	Number of Infants given BCG	Number of Infants given Hep- B0 (birth dose)	% Newborns given OPV0 at birth to Reported live birth	% Newborns given BCG to Reported live birth	% Newborns given Hep-B0 (Birth Dose) at birth to Reported live birth	Number of Infants given DPT1	Number of Infants given DPT2
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Rural	153	26	1	0	14,984	8,349	9,238	8,224	96.1	106.3	94.7	133	18
1	Devanahalli	0	0	0	0	2,625	1,119	1,262	1,111	97.1	109.5	96.4	10	7
2	Doddaballapur	153	26	1	0	3,123	2,820	3,049	2,950	92.1	99.5	96.3	23	5
3	Hosakote	0	0	0	0	7,053	2,961	3,191	2,691	99.3	107.0	90.2	0	0
4	Nelamanagala	0	0	0	0	2,183	1,449	1,736	1,472	97.2	116.5	98.8	100	6

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		131	132	133	134	135	136	137	138	139	140	141	142	143
		Number of Infants given DPT3	Number of Infants given Pentavale nt 1	Number of Infants given Pentavale nt 2	Number of Infants given Pentavale nt 3	Number of Infants given Measles	Number of Infants given MR	% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births	Number of fully immunize d children (9-11 months)	% Drop Out between BCG & Measles/ MR	% Children given Vit A dose1 to Reported live birth	% Children given Vitamin A Dose 9 to Children given Vit A dose1	Adverse Events Following Imunisation (Abcess)	Adverse Events Following Imunisation (Deaths)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	Bangalore Rural	30	14,805	14,543	14,643	6,075	8,428	166.9	13,652	34.2	200.6	109.7	28	1
1	Devanahalli	8	3,017	3,008	3,100	1,194	1,817	261.4	2,923	5.4	366.8	119.2	0	0
2	Doddaballapur	17	4,229	4,128	4,049	1,774	2,223	130.5	3,649	41.8	133.0	80.0	8	0
3	Hosakote	0	4,684	4,568	4,619	2,200	2,453	156.0	4,404	31.1	214.3	131.6	16	1
4	Nelamanagala	5	2,875	2,839	2,875	907	1,935	190.7	2,676	47.8	183.6	88.2	4	0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		144	145	146	147	148	149	150	151	152	153	154	155	156
		Adverse Events Following Immunisation (Others)	% immunisation Sessions Held to Immunisation Sessions Planned	% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned	Pneumonia in Children 0-5 Years of Age	Asthma in Children 0-5 Years of Age	Sepsis in Children 0-5 Years of Age	Diphtheria in Children 0-5 Years of Age	Pertussis in Children 0-5 Years of Age	Tetanus Neonatorum in Children 0-5 Years of Age	Tuberculosis (TB) in Children 0-5 Years of Age	Acute Flaccid Paralysis (AFP) in Children 0-5 Years of Age	Measles in Children 0-5 Years of Age	Malaria in Children 0-5 Years of Age
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	Bangalore Rural	1	97.3	68.1	1,244	2,536	80	0	0	0	23	23	8	1,244
1	Devanahalli	0	98.3	79.7	963	675	20	0	0	0	10	10	0	963
2	Doddaballapur	0	96.8	74.6	37	94	0	0	0	0	3	3	0	37
3	Hosakote	1	99.3	68.1	0	10	0	0	0	0	2	2	4	0
4	Nelamanagala	0	94.8	48.1	244	1,757	60	0	0	0	8	8	4	244

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		157	158	159	160	161	162	163	164	165	166	167	168	169
		Diarrhoea in Children 0-5 Years of Age	Diarrhoea treated in Inpatient s in Children 0-5 Years of Age	No. of infants given Measles Rubella vaccine 1st dose	No. of infants received Rotavirus Vaccine 1st dose	No. of infants received Rotavirus Vaccine 2nd dose	No. of infants received Rotavirus Vaccine 3rd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	% Adult Female Inpatient s to Total Adult Inpatient	% Children Inpatient to Total Inpatient	% Female Inpatient Deaths to Total Inpatient Deaths	% Inpatient Deaths to Total IPD	IPD (Number)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	Bangalore Rural	4,957	457	8,428	17	0	0	833	12,661	58.0	10.0	33.3	0.1	137,929
1	Devanahalli	1,332	38	1,817	3	0	0	31	3,029	65.5	6.0	33.3	0.0	20,434
2	Doddaballapur	804	93	2,223	11	0	0	290	3,201	59.8	5.9	39.6	0.2	24,872
3	Hosakote	637	94	2,453	0	0	0	274	3,923	55.4	12.5	25.0	0.1	80,427
4	Nelamanagala	2,184	232	1,935	3	0	0	238	2,508	58.1	9.1	34.8	0.4	12,196

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		170	171	172	173	174	175	176	177	178	179	180	181	182
		OPD (Allopathic)	Ayush OPD (Number)	OPD (Ayush+Allopathic)	% IPD to OPD	Number of Major Operations	Number of Minor Operations	% Major Operations to Total Operation	Number of Hysterectomy Surgeries	% Hysterectomy Surgeries to Total Major Operations	% AYUSH OPD to Total OPD	Dental OPD (Number)	% Dental OPD to Total OPD	% Hb < 7 mg to Total Hb Tests Conducted
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Rural	1,771,052	26,727	1,797,779	7.7	11,002	32,665	25.2	367	3.3	1.4	25,178	1.4	2.6
1	Devanahalli	291,829	2,645	294,474	6.9	288	246	53.9	162	56.3	0.9	8,049	2.7	2.1
2	Doddaballapur	415,297	6,142	421,439	5.9	566	1,498	27.4	100	17.7	1.5	4,886	1.2	2.5
3	Hosakote	805,658	4,210	809,868	9.9	10,098	30,710	24.7	65	0.6	0.5	3,805	0.5	2.5
4	Nelamanagala	258,268	13,730	271,998	4.5	50	211	19.2	40	80.0	5.0	8,438	3.1	3.6

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		183	184	185	186	187	188	189	190	191	192	193	194	195
		% Male HIV Positive to Total Males Tested	% Female screened for HIV to Total ANC Registrati on	% Female HIV Positive to Total Females Tested	% Total HIV Positive to Total Tested (Male + Female)	% Plasmodi um Vivax test positive to Total Blood Smears Examined	% Plasmodi um Falciparu m test positive to Total Blood Smears Examined	Total Number of Infant Deaths reported	% Deaths due to Sepsis to Total Reported Infant Deaths	% Deaths due to Asphyxia to Total Reported Infant Deaths	% Deaths due to Pneumoni a to Total Reported Infant Deaths	% Deaths due to Diarrhoea to Total Reported Infant Deaths	% Deaths due to Fever to Total Reported Infant Deaths	% Deaths due to Measles to Total Reported Infant Deaths
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bangalore Rural	1.4	78.0	0.8	1.2	0.0	0.0	25	8.0	8.0	4.0	0.0	4.0	0.0
1	Devanahalli	0.7	69.3	1.2	0.9	0.0	0.0	8	0.0	0.0	12.5	0.0	0.0	0.0
2	Doddaballapur	2.0	67.4	1.0	1.6	0.0	0.0	7	28.6	14.3	0.0	0.0	14.3	0.0
3	Hosakote	0.6	88.5	0.6	0.6	0.0	0.0	6	0.0	16.7	0.0	0.0	0.0	0.0
4	Nelamanagala	2.7	84.5	0.6	2.0	0.0	0.0	4	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Karnataka-> Bangalore Rural (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		196	197	198
		Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH	Institutio nal Deliveries at District Hospitals	Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH
		2017-18	2017-18	2017-18
	_Bangalore Rural	3,300		
1	Devanahalli	453		
2	Doddaballapur	672		
3	Hosakote	1,713		
4	Nelamanagala	462		