		•	1	2	2		3	4	4	!	5	(5
	Indicators	Total nu pregnant Registered	t women	Number of women re within first	egistered	Number o	of Women under JSY	1st Trii registratio ANC Regi	mester n to Total	JSY regist Total Regist	tration to	Number of women re ANC che	eceived 3
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	12,833	11,234	7,595	6,161	11,852	11,234	59.1	54.8	92.4	100.0	9,942	8,637
1	Babai	1,377	1,233	914	648	1,377	1,233	66.4	52.6	100.0	100.0	1,222	1,112
2	Bankhedi	1,391	1,226	722	659	1,391	1,226	51.9	53.8	100.0	100.0	1,007	933
3	Dolaria	996	866	680	596	996	866	68.3	68.8	100.0	100.0	927	782
4	Dolaria Block												
5	Hoshangabad	1,882	1,017	972	463	901	1,017	51.6	45.5	47.9	100.0	1,384	552
6	Kesla	2,012	2,055	1,173	1,033	2,012	2,055	58.3	50.3	100.0	100.0	1,441	1,485
7	Pipariya	1,676	1,623	904	847	1,676	1,623	53.9	52.2	100.0	100.0	980	1,019
8	Seoni-Malwa	1,814	1,628	1,365	1,155	1,814	1,628	75.2	70.9	100.0	100.0	1,467	1,402
9	Sohagpur	1,685	1,586	865	760	1,685	1,586	51.3	47.9	100.0	100.0	1,514	1,352

		7	7	8	3	(9	1	0	1	1	1	2
	Indicators	TT2 or Boo to Pregnai (num		Pregnant received 3 ups to To Registr	Woman ANC check otal ANC	Pregnant received Booster to Regist	t women I TT2 or Total ANC	Number of women give	en 100 IFA	Pregnant given 100 ll ANC Regi	women FA to Total	Number h leve (tested	l<11
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	10,881	8,948	77.4	76.8	84.7	79.6	13,912	11,568	108.4	102.9	6,980	3,320
1	Babai	1,145	1,078	88.7	90.2	83.2	87.4	1,361	1,212	98.8	98.3	402	199
2	Bankhedi	1,210	1,192	72.4	76.1	87.0	97.2	1,526	1,214	109.7	99.0	499	308
3	Dolaria	906	807	93.1	90.3	91.0	93.2	1,135	932	114.0	107.6	429	105
4	Dolaria Block												
5	Hoshangabad	1,707	718	73.5	54.3	90.7	70.6	2,310	1,168	122.7	114.8	1,633	1,005
6	Kesla	1,822	1,599	71.6	72.3	90.6	77.8	1,941	1,898	96.5	92.4	899	789
7	Pipariya	1,125	638	58.5	62.8	67.1	39.3	1,723	1,612	102.8	99.3	1,036	327
8	Seoni-Malwa	1,538	1,434	80.9	86.1	84.8	88.1	2,211	1,908	121.9	117.2	870	395
9	Sohagpur	1,428	1,482	89.9	85.2	84.7	93.4	1,705	1,624	101.2	102.4	1,212	192

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicators	Number ha anae (Hb treated at	emia <7)	Pregnant having seve (Hb treated at to women leve	t women ere anaemia <7) institution having hb	New cases at institu hypertensi ANC Regi	detected ution for on to Total	Number deliv		Number deliveries a SBA tr (Doctor/No	ttended by ained	Number deliveries a Non SBA (trained	ttended by trained
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	429	235	6.1	7.1	7.6	3.7	434	494	43	13	391	481
1	Babai	15	3	3.7	1.5	7.0	3.9	26	36	17	0	9	36
2	Bankhedi	70	88	14.0	28.6	14.4	16.6	72	59	15	6	57	53
3	Dolaria			0.0	0.0	0.6	0.1	9	10	6	1	3	9
4	Dolaria Block												
5	Hoshangabad	210	14	12.9	1.4	14.9	0.1						
6	Kesla	96	111	10.7	14.1	1.5	1.7	74	102	0	0	74	102
7	Pipariya	25	11	2.4	3.4	2.5	0.9	94	120	0	1	94	119
8	Seoni-Malwa	0	3	0.0	0.8	5.6	3.2	131	124	0	0	131	124
9	Sohagpur	13	5	1.1	2.6	13.0	4.2	28	43	5	5	23	38

		1	9	2	0	2	.1	2	2	2	3	2	4
	Indicators SBA attended deliveries to Reported H Deliveri		ded home s to Total d Home	Mothers incentive deliv	for home	Mothers incentive deliverie Reporte	paid JSY for home s to Total d Home eries	Deliveries of at Public In		Number of Discharged hours of c public f	l under 48 lelivery in	Women dis less than 4 delivery Reported at public in	charged in 8 hours of to Total Deliveries
			2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	9.9	2.6	18	1	4.1	0.2	8,302	8,669	757	300	9.1	3.4
1	Babai	65.4	0.0	0	0	0.0	0.0	692	727	42	0	6.1	0.0
2	Bankhedi	20.8	10.2	0	0	0.0	0.0	937	938	167	23	17.8	2.5
3	Dolaria	66.7	10.0	0	1	0.0	10.0	86	74	3	0	3.5	0.0
4	Dolaria Block												
5	Hoshangabad							2,564	2,628	0	0	0.0	0.0
6	Kesla	0.0	0.0	0	0	0.0	0.0	1,500	1,546	149	10	9.9	0.6
7	Pipariya	0.0	0.8	0	0	0.0	0.0	1,063	1,048	9	10	0.8	1.0
8	Seoni-Malwa	0.0	0.0	0	0	0.0	0.0	721	889	111	0	15.4	0.0
9	Sohagpur	17.9	11.6	18	0	64.3	0.0	739	819	276	257	37.3	31.4

		2	5	2	6	2	7	2	8	2	9	3	0
	Indicators	Institu deliv (Public In	eries sts.+Pvt.	Institu Deliverie ANC regi	tional s to total	Total re deliv	eported eries	Institu deliveries Reported	tional to Total	Safe deli Total Re Deliv	veries to eported	Home del Total Re Deliv	iveries to eported
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	10,180	10,834	79.3	96.4	10,614	11,328	95.9	95.6	96.3	95.8	4.1	4.4
1	Babai	692	727	50.3	59.0	718	763	96.4	95.3	98.7	95.3	3.6	4.7
2	Bankhedi	937	938	67.4	76.5	1,009	997	92.9	94.1	94.4	94.7	7.1	5.9
3	Dolaria	86	74	8.6	8.5	95	84	90.5	88.1	96.8	89.3	9.5	11.9
4	Dolaria Block												
5	Hoshangabad	4,442	4,793	236.0	471.3	4,442	4,793	100.0	100.0	100.0	100.0	0.0	0.0
6	Kesla	1,500	1,546	74.6	75.2	1,574	1,648	95.3	93.8	95.3	93.8	4.7	6.2
7	Pipariya	1,063	1,048	63.4	64.6	1,157	1,168	91.9	89.7	91.9	89.8	8.1	10.3
8	Seoni-Malwa	721	889	39.7	54.6	852	1,013	84.6	87.8	84.6	87.8	15.4	12.2
9	Sohagpur	739	819	43.9	51.6	767	862	96.3	95.0	97.0	95.6	3.7	5.0

		3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public	conducted	Number of deliveries at private	conducted	to rep institu (Public	+ Pvt.) orted	C-sections at public f Deliveries at public	conducted acilities to	C-sections at Private f Deliveries at private	conducted facilities to conducted	Deliveries at Public In to Total In Deliv	conducted nstitutions stitutional
			2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	1,142	1,038	867	1,082	19.7	19.5	13.8	12.0	46.2	50.0	81.6	80.0
1	Babai	0	0			0.0	0.0	0.0	0.0			100.0	100.0
2	Bankhedi	0	0			0.0	0.0	0.0	0.0			100.0	100.0
3	Dolaria	0	0			0.0	0.0	0.0	0.0			100.0	100.0
4	Dolaria Block												
5	Hoshangabad	768	842	867	1,082	36.8	40.1	30.0	32.0	46.2	50.0	57.7	54.8
6	Kesla	370	182			24.7	11.8	24.7	11.8			100.0	100.0
7	Pipariya	4	14			0.4	1.3	0.4	1.3			100.0	100.0
8	Seoni-Malwa	0	0			0.0	0.0	0.0	0.0			100.0	100.0
9	Sohagpur	0	0			0.0	0.0	0.0	0.0			100.0	100.0

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	Mothers Incentive fo at Public i to Tota Deliv	paid JSY or Delivery nstitution I Public	of cases w Incentive ASHA for D Public inst Total Public	where JSY e paid to Delivery at	Deliveries at Private I to Total In	nstitutions	Women rec partum o within 48 deli	heck-up hours of	Post - Care / Wo post partur between 48	men got a n check up	Women rec partum o within 48 delivery Reported	eiving post check-up shours of
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	95.3	93.7	57.2	55.7	18.4	20.0	10,304	7,859	5,456	4,507	97.1	69.4
1	Babai	100.0	100.0	93.6	90.4	0.0	0.0	718	755	597	630	100.0	99.0
2	Bankhedi	100.4	54.9	98.9	36.7	0.0	0.0	995	806	340	706	98.6	80.8
3	Dolaria	100.0	101.4	100.0	101.4	0.0	0.0	89	164	165	159	93.7	195.2
4	Dolaria Block												
5	Hoshangabad	95.8	95.9	19.5	33.0	42.3	45.2	4,357	2,292	1,733	734	98.1	47.8
6	Kesla	81.2	100.0	57.7	71.5	0.0	0.0	1,421	1,616	1,227	1,217	90.3	98.1
7	Pipariya	100.0	100.0	69.6	58.5	0.0	0.0	1,147	1,101	340	429	99.1	94.3
8	Seoni-Malwa	100.1	100.0	82.2	81.0	0.0	0.0	846	779	617	0	99.3	76.9
9	Sohagpur	99.5	97.8	52.1	54.5	0.0	0.0	731	346	437	632	95.3	40.1

		4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	Women ge Partum (between 48	Checkup 3 hours and to Total	Total Nu		Total Repo		Total Nu reported S		9 live birth to Bir	Reported	Number of weighed	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	51.4	39.8	10,509	11,152	99.0	98.4	178	204	98.3	98.2	10,302	10,820
1	Babai	83.1	82.6	716	752	99.7	98.6	6	11	99.2	98.6	716	752
2	Bankhedi	33.7	70.8	1,009	989	100.0	99.2	6	14	99.4	98.6	986	964
3	Dolaria	173.7	189.3	97	83	102.1	98.8	0	1	100.0	98.8	93	83
4	Dolaria Block												
5	Hoshangabad	39.0	15.3	4,368	4,680	98.3	97.6	108	121	97.6	97.5	4,280	4,578
6	Kesla	78.0	73.8	1,563	1,627	99.3	98.7	21	24	98.7	98.5	1,483	1,428
7	Pipariya	29.4	36.7	1,142	1,162	98.7	99.5	25	14	97.9	98.8	1,142	1,161
8	Seoni-Malwa	72.4	0.0	851	1,006	99.9	99.3	4	10	99.5	99.0	850	1,006
9	Sohagpur	57.0	73.3	763	853	99.5	99.0	8	9	99.0	99.0	752	848

		4	9	5	0	5	1	5	2	5	3	5	4
	Indicators		% weighed at live birth		Newborns eight less 2.5 kg		ewborns	Number of Breast Fed	within 1	Newborns within 1 ho	breast fed our of birth	Number of visited wit	hin 24 hrs
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	98.0	97.0	1,676	1,108	16.2	10.2	9,990	10,426	95.0	93.4	394	304
1	Babai	100.0	100.0	55	52	7.7	6.9	716	752	100.0	100.0	26	36
2	Bankhedi	97.7	97.5	201	82	20.4	8.5	1,004	816	99.5	82.5	66	26
3	Dolaria	95.9	100.0	5	6	5.4	7.2	91	83	93.8	100.0	2	9
4	Dolaria Block												
5	Hoshangabad	98.0	97.8	641	320	15.0	7.0	4,062	4,205	93.0	89.9		
6	Kesla	94.9	87.8	382	256	25.8	17.9	1,395	1,561	89.3	95.9	60	87
7	Pipariya	100.0	99.9	141	177	12.3	15.2	1,142	1,161	100.0	99.9	89	120
8	Seoni-Malwa	99.9	100.0	97	114	11.4	11.3	850	1,006	99.9	100.0	124	0
9	Sohagpur	98.6	99.4	154	101	20.5	11.9	730	842	95.7	98.7	27	26

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	newborn within 24h delivery reporte	rs of home to total	Sex Ra birth (Fe Bitr Male Birtl	male Live ths/	cases of women with Complica attended to	tions and	Compl Pregnanci witl antihype Magsulph i Total Wo Obst Compli atter	icated es treated h IV rtensive/ njection to men with etric cations	Compl Pregnancie with antihype Magsulph in Total Ne detecte Hypert	icated es treated h IV rtensive/ njection to ew cases ed with	Compl Pregnancie with Transfusio Wome Obst Compli attel	icated es treated Blood n to Total n with etric cations
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	90.7	61.5	878	919	15.6	10.1	19.3	58.9	31.6	153.2	22.6	19.9
1	Babai	100.0	100.0	925	979	7.4	0.0	105.9		56.3	0.0	0.0	
2	Bankhedi	91.7	44.1	848	943	7.3	2.8	36.8	1015.4	12.5	130.0	0.0	0.0
3	Dolaria	22.2	90.0	865	930	0.0	0.0			0.0	0.0		
4	Dolaria Block			0	0								
5	Hoshangabad			890	875	17.6	16.0	11.6	1.7	32.5	1300.0	33.9	22.0
6	Kesla	81.1	85.3	768	1,031	41.4	10.3	18.2	198.1	364.5	900.0	15.5	31.4
7	Pipariya	94.7	100.0	986	927	2.5	5.1	74.1	100.0	47.6	378.6	0.0	0.0
8	Seoni-Malwa	94.7	0.0	904	946	0.0	0.0			0.0	0.0		
9	Sohagpur	96.4	60.5	866	850	6.2	11.2	10.9	0.0	2.3	0.0	0.0	0.0

		6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	Post - Care / PNC	cations to Total	Total Nu Abort (Sponta Induced)	tions aneous/	Total Nu MTPs (repo		% <i>N</i> (Public) to		MTPs up to of Pregn Total MTP: Institu	12 weeks ancy to s at Public	MTPs mor weeks of F to Total Public Ins	e than 12 Pregnancy MTPs at
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	1.4	6.4	470	264	279	436	59.4	165.2	86.7	98.2	13.3	1.8
1	Babai	0.0	0.0	89	32	83	47	93.3	146.9	80.7	100.0	19.3	0.0
2	Bankhedi	1.6	15.6	22	7	15	14	68.2	200.0	100.0	100.0	0.0	0.0
3	Dolaria	0.0	0.0	15	7	1	12	6.7	171.4	100.0	100.0	0.0	0.0
4	Dolaria Block												
5	Hoshangabad	0.8	8.4	161	146	18	81	11.2	55.5	100.0	96.3	0.0	3.7
6	Kesla	2.4	6.9	37	38	20	51	54.1	134.2	100.0	90.2	0.0	9.8
7	Pipariya	4.7	4.5	73	26	37	38	50.7	146.2	100.0	100.0	0.0	0.0
8	Seoni-Malwa	0.0	0.0	39	0	9	41	23.1		100.0	100.0	0.0	0.0
9	Sohagpur	0.8	0.0	34	8	96	152	282.4	1900.0	78.1	100.0	21.9	0.0

		6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	MTPs Con Public Insti Total	ducted at	MTPs Con- Private Ins to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Reg	olic) I to Total	Number of Tests cond Number of STI female which tr	Wet Mount ducted to f new RTI/ e cases for eatment	Numb Vasect Condi (Public	tomies	Numb Tubect Condu (Public	omies
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	54.4	69.3	45.6	30.7	2.2	3.9	12.4	0.0	15	18	499	608
1	Babai	100.0	100.0	0.0	0.0	6.0	3.8			0	0	16	1
2	Bankhedi	100.0	100.0	0.0	0.0	1.1	1.1			0	0	0	8
3	Dolaria	100.0	100.0	0.0	0.0	0.1	1.4	0.0	0.0	0	2	7	61
4	Dolaria Block												
5	Hoshangabad	7.1	29.6	92.9	70.4	1.0	8.0	16.2	0.0	9	5	209	341
6	Kesla	100.0	100.0	0.0	0.0	1.0	2.5	0.0	0.0	6	7	181	122
7	Pipariya	100.0	100.0	0.0	0.0	2.2	2.3	0.0		0	2	25	14
8	Seoni-Malwa	100.0	100.0	0.0	0.0	0.5	2.5	0.0	0.0	0	2	47	61
9	Sohagpur	100.0	100.0	0.0	0.0	5.7	9.6	0.0	0.0	0	0	14	0

		7	3	7	'4	7	5	7	6	7	7	7	8
	Indicators	Total Ste Cond		% Male St (Vasect to Total st	tomies)	Tubector Total ste	mies to	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasecto conducted	mies and omies)
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	514	626	2.9	2.8	97.1	97.1	21	63	88	113	195	333
1	Babai	16	1	0.0	0.0	100.0	100.0	0	0	16	1		
2	Bankhedi	0	8		0.0		100.0	0	0	0	8		
3	Dolaria	7	63	0.0	3.2	100.0	96.8	7	63				
4	Dolaria Block												
5	Hoshangabad	218	346	4.1	1.4	95.9	98.6					8	229
6	Kesla	187	129	3.2	5.4	96.8	94.6	0	0	0	25	187	104
7	Pipariya	25	16	0.0	12.5	100.0	87.5	0	0	25	16		
8	Seoni-Malwa	47	63	0.0	3.2	100.0	96.8	0	0	47	63		
9	Sohagpur	14	0	0.0		100.0		14	0	0	0		

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Total Ste (Tubector Vasector conducted public Ins	mies and omies) I at Other	Total Ste (Tubecto Vasect conducted institu	mies and omies) at Private	% Total St. (Tubecto Vasect conducted Total Ste	mies and omies) at PHC to	% Total Sto (Tubecto Vasect conducted Total Sto	mies and omies) at CHC to	% Total Ste (Tubector Vasector conducted to Total St	mies and omies) at SDH/DH	% Total Sto (Tubecto Vasect conducted public Insti Total Ste	mies and omies) d at Other tutions to
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad			7	0	4.1	10.1	17.1	18.1	37.9	53.2	0.0	0.0
1	Babai					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
2	Bankhedi						0.0		100.0		0.0		0.0
3	Dolaria					100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Dolaria Block												
5	Hoshangabad			7	0	0.0	0.0	0.0	0.0	3.7	66.2	0.0	0.0
6	Kesla					0.0	0.0	0.0	19.4	100.0	80.6	0.0	0.0
7	Pipariya					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
8	Seoni-Malwa					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
9	Sohagpur					100.0		0.0		0.0		0.0	

		8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	% Total Ste (Tubecto Vasect conducted institution Sterlis	mies and omies) at Private s to Total	Laparo sterlisation Female Ste	scopic s to Total	Mini Lap St to Total		Post P Sterlisation Female Ste	artum s to Total	Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public to Total scopic	Mini Lap st at Public In to Total Sterilis	erlisations estitutions Mini Lap
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	40.9	18.7	44.3	37.7	31.5	54.8	24.2	7.5	49.8	88.2	56.1	73.0
1	Babai	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		
2	Bankhedi		0.0		100.0		0.0		0.0		100.0		
3	Dolaria	0.0	0.0	100.0	36.1	0.0	63.9	0.0	0.0	100.0	100.0		100.0
4	Dolaria Block												
5	Hoshangabad	96.3	33.8	53.1	29.3	33.0	66.0	13.9	4.7	0.0	73.0	0.0	60.0
6	Kesla	0.0	0.0	8.8	20.5	47.0	56.6	44.2	23.0	100.0	100.0	100.0	100.0
7	Pipariya	0.0	0.0	96.0	85.7	4.0	0.0	0.0	14.3	100.0	100.0	100.0	
8	Seoni-Malwa	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		
9	Sohagpur	0.0		0.0		14.3		85.7				100.0	

		9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	Post P sterlisation Institution: Post P Sterili	artum is at Public is to Total artum	Total cases follo Sterlisatio Fem	wing n (Male +	IUCD Inser (public f	tions done acilities)	IUCD inser (pvt. fa	tions done cilities)	Total IUCD done(publi		PP IUCD I done (publi	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	81.0	100.0	0	0	3,023	3,446	32	18	3,055	3,464	1,224	2
1	Babai				0	244	233			244	233	40	
2	Bankhedi			0	0	291	128			291	128	51	
3	Dolaria			0	0	377	533			377	533	8	
4	Dolaria Block												
5	Hoshangabad	20.7	100.0	0	0	100	222	32	18	132	240	21	2
6	Kesla	100.0	100.0	0	0	668	844			668	844	177	
7	Pipariya		100.0	0	0	492	510			492	510	33	
8	Seoni-Malwa			0	0	503	611			503	611	110	
9	Sohagpur	100.0		0	0	348	365			348	365	784	

		9	7	9	8	9	9	10	00	10)1	10	02
	Indicators	% PP IUCD (pul to Tota Insertion:	olic) al IUCD	% PP IUCD (pul to Total In: Deliverie:	olic) stitutional	IUCD inse public plu institutio family p methods (perma	ertions in us private ons to all blanning IUCD plus	Oral Pills c	listributed	Condom distril		Centchro distril	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	40.4	0.0	14.7	0.0	85.5	84.6	63,502	53,813	577,565	468,093	0	0
1	Babai	16.4	0.0	5.8	0.0	93.8	99.6	5,432	5,997	64,237	39,530		0
2	Bankhedi	17.5	0.0	5.4	0.0	100.0	94.1	3,165	6,139	24,205	37,958	0	0
3	Dolaria	2.1	0.0	9.3	0.0	98.2	89.4	4,523	4,584	45,577	32,796	0	0
4	Dolaria Block												
5	Hoshangabad	21.0	0.9	0.8	0.1	37.7	41.0	10,357	2,175	24,570	28,250	0	0
6	Kesla	26.5	0.0	11.8	0.0	78.1	86.7	12,498	8,578	195,513	69,461	0	0
7	Pipariya	6.7	0.0	3.1	0.0	95.2	97.0	12,865	10,547	172,659	209,969	0	0
8	Seoni-Malwa	21.9	0.0	15.3	0.0	91.5	90.7	6,759	5,592	11,483	12,385	0	0
9	Sohagpur	225.3	0.0	106.1	0.0	96.1	100.0	7,903	10,201	39,321	37,744	0	0

		10	03	10)4	10	05	10	06	10	07	10	08
	Indicators	Number o given (Birth	OPV 0	Number o	of Infants BCG	Newborns g at birth to	6 given OPVO Reported birth	Newborns to Repo	given BCG rted live	Number o		Number o	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	9,294	6,272	10,302	7,897	88.4	56.2	98.0	70.8	9,831	9,314	9,640	9,315
1	Babai	732	669	759	759	102.2	89.0	106.0	100.9	1,093	1,087	1,076	1,084
2	Bankhedi	987	408	1,005	896	97.8	41.3	99.6	90.6	1,086	1,036	1,061	1,027
3	Dolaria	147	97	232	107	151.5	116.9	239.2	128.9	840	799	860	824
4	Dolaria Block												
5	Hoshangabad	3,466	1,016	3,626	1,347	79.3	21.7	83.0	28.8	929	786	827	828
6	Kesla	1,595	1,528	1,724	1,706	102.0	93.9	110.3	104.9	1,844	1,704	1,711	1,752
7	Pipariya	1,033	965	1,171	1,142	90.5	83.0	102.5	98.3	1,327	1,218	1,335	1,171
8	Seoni-Malwa	613	775	1,052	1,067	72.0	77.0	123.6	106.1	1,496	1,352	1,524	1,317
9	Sohagpur	721	814	733	873	94.5	95.4	96.1	102.3	1,216	1,332	1,246	1,312

		10)9	11	10	1	11	11	12	11	13	11	14
	Indicators	Number o		Number o		Number o	of Infants tavalent 2	Number o	of Infants tavalent 3	Number o	of Infants Aeasles	Infants months received vaccine to live b	0 to 11 old who I Measles reported
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	10,016	9,507	0	0	0	0	0	0	10,954	10,293	104.2	92.2
1	Babai	1,143	1,121							1,161	1,261	162.2	167.7
2	Bankhedi	1,067	1,041	0		0		0		1,189	1,056	117.8	106.8
3	Dolaria	887	842	0		0		0		1,001	896	1032.0	1079.5
4	Dolaria Block												
5	Hoshangabad	928	815	0	0	0	0	0	0	962	851	22.0	18.2
6	Kesla	1,729	1,815	0		0		0		1,902	1,758	121.7	108.1
7	Pipariya	1,358	1,191							1,519	1,531	133.0	131.8
8	Seoni-Malwa	1,612	1,324							1,771	1,425	208.1	141.7
9	Sohagpur	1,292	1,358	0		0		0		1,449	1,515	189.9	177.6

		11	15	11	16	11	17	11	18	11	19	12	20
	Indicators	Number immunize (9-11 n		9 Drop Out BCG & /	between	Vitamin -	A dose 1	Children g dose1 to live	iven Vit A	Childre Vitamin A Children g	n given Dose 9 to iven Vit A	Adverse Following I	munisation
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	9,116	8,606	-6.3	-30.3	11,067	11,584	105.3	103.9	187.0	154.8	4	0
1	Babai	1,165	1,257	-53.0	-66.1	1,159	1,261	161.9	167.7	136.8	71.8		0
2	Bankhedi	578	1,020	-18.3	-17.9	1,199	513	118.8	51.9	56.5	52.4	0	0
3	Dolaria	1,000	896	-331.5	-737.4	1,155	893	1190.7	1075.9	161.0	112.1	0	0
4	Dolaria Block												
5	Hoshangabad	32	0	73.5	36.8	863	852	19.8	18.2	122.1	308.8	4	0
6	Kesla	1,755	971	-10.3	-3.0	1,949	3,775	124.7	232.0	430.2	225.2	0	0
7	Pipariya	1,519	1,534	-29.7	-34.1	1,550	1,528	135.7	131.5	219.2	174.1	0	0
8	Seoni-Malwa	1,775	1,425	-68.3	-33.6	1,787	1,435	210.0	142.6	108.7	96.2	0	0
9	Sohagpur	1,292	1,503	-97.7	-73.5	1,405	1,327	184.1	155.6	127.5	44.1	0	0

		12	21	12	22	12	23	12	24	12	25	13	26
	Indicators	immunisati Held to Imr Sessions	on Sessions	Immunisation where AS presein Immunisation Plan	on Sessions HAs were nt to	Diptheria i 0-5 Years Total Re Childhood	of Age to eported	Pertusis ir 0-5 Years Total Re Childhood	of Age to eported I Diseases	Tetanus Ne in Children of Age t Reported (Diseases (eonatorum 0-5 Years to Total	Tetanus (Children 0- Age to Tota Childhood 0-5)	Others in -5 Years of Il Reported
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	97.0	94.2	82.0	70.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
1	Babai	98.6	92.0	91.0	78.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Bankhedi	98.8	97.9	96.3	76.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Dolaria	98.2	95.6	92.4	92.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Dolaria Block												
5	Hoshangabad	96.8	90.9	56.1	11.3	0.0	0.0	0.0	0.0	0.0	3.3	0.0	6.7
6	Kesla	98.3	98.9	75.9	59.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Pipariya	96.1	88.9	79.4	65.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	Seoni-Malwa	91.8	86.5	79.2	68.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	Sohagpur	98.8	99.7	82.2	83.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		12	27	12	28	12	29	13	30	13	31	13	32
	Indicators	Polio in Ch Years of Ag Reported Diseases	ildren 0-5 ge to Total Childhood	Measles in 0-5 Years Total Re Childhood	Children of Age to eported I Diseases	Diarrho dehydr Children O Age to Tota Childhood	pea and ation in -5 Years of al Reported	Years of Ag Reported	Children 0-5 ge to Total	9 Adult F Inpatients Adult In	emale to Total	9 Children In Total In	patient to
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	0.0	0.0	0.4	0.0	93.2	93.9	6.3	5.9	54.7	64.0	21.2	16.1
1	Babai	0.0	0.0	0.0	0.0	98.2	100.0	1.8	0.0	74.0	69.0	16.7	20.0
2	Bankhedi	0.0	0.0	0.0	0.0	100.0	0.0	0.0	100.0	56.1	63.8	4.7	43.2
3	Dolaria	0.0	0.0	0.0	0.0	94.4	96.7	5.6	3.3	75.6	90.7	0.5	24.6
4	Dolaria Block												
5	Hoshangabad	0.0	0.0	0.0	0.0	61.6	30.0	38.4	60.0	44.6	69.7	37.0	9.7
6	Kesla	0.0	0.0	0.0	0.0	71.9	93.8	28.1	6.2	48.8	53.8	5.8	10.6
7	Pipariya	0.0	0.0	0.4	0.0	96.4	94.3	3.1	5.7	61.7	63.5	20.9	18.9
8	Seoni-Malwa	0.0	0.0	0.3	0.0	99.2	100.0	0.5	0.0	72.4	63.1	17.9	10.3
9	Sohagpur	0.0	0.0	1.7	0.0	94.0	100.0	4.3	0.0	61.6	72.8	10.2	0.0

		1:	33	13	34	1:	35	13	36	13	37	13	38
	Indicators	Female I Deaths I	to Total	% Inpatient [Tota	Deaths to	IPD (No	umber)	OPD (N	umber)	% IPD	to OPD	Number Opera	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	43.6	38.7	0.5	0.4	47,984	31,747	417,583	335,474	11.5	9.5	1,184	658
1	Babai			0.0	0.0	1,458	1,736	31,755	26,829	4.6	6.5	0	0
2	Bankhedi	50.0	75.0	0.0	0.1	4,303	3,051	33,995	25,322	12.7	12.0	0	0
3	Dolaria			0.0	0.0	440	301	18,883	14,475	2.3	2.1	0	0
4	Dolaria Block												
5	Hoshangabad	47.9	40.7	0.8	1.0	17,079	9,365	82,297	65,178	20.8	14.4	844	466
6	Kesla	34.4	50.0	0.8	0.2	8,276	6,461	100,833	82,709	8.2	7.8	338	178
7	Pipariya	42.4	25.0	0.3	0.4	9,805	8,130	65,455	51,600	15.0	15.8	2	14
8	Seoni-Malwa			0.0	0.0	2,653	2,391	40,698	35,837	6.5	6.7	0	0
9	Sohagpur			0.0	0.0	3,970	312	43,667	33,524	9.1	0.9	0	0

		1:	39	14	40	14	41	14	42	14	43	14	14
	Indicators	Number Opera	of Minor ations	% Major Ope Total Op	rations to	Hyster	oer of ectomy eries	Hystere Surgeries Major Op	ectomy to Total	Ayush OPD	(Number)	AYUSH OP	D to Total
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	2,104	2,022	36.0	24.6	78	0	6.5	0.0	14,877	9,402	3.5	2.8
1	Babai	4	0	0.0		0				0	25	0.0	0.1
2	Bankhedi	0	0			0				7,319	6,652	21.5	26.3
3	Dolaria	0	0			0				5	3	0.0	0.0
4	Dolaria Block												
5	Hoshangabad	332	282	71.8	62.3	0	0	0.0	0.0	0	0	0.0	0.0
6	Kesla	163	341	67.5	34.3	78		23.1	0.0	2,296	925	2.3	1.1
7	Pipariya	1,526	1,336	0.1	1.0	0		0.0	0.0	3,900	1,797	6.0	3.5
8	Seoni-Malwa	74	63	0.0	0.0	0				2	0	0.0	0.0
9	Sohagpur	5	0	0.0		0				1,355	0	3.1	0.0

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	2,636	1,221	0.6	0.4	1,193	647	3.6	2.7	6.9	7.9	13.9	3.3
1	Babai	0	0	0.0	0.0	0	0	2.3	0.7		0.0	0.0	0.0
2	Bankhedi	0	0	0.0	0.0	0	0	3.5	6.4	0.0	1400.0	0.0	109.4
3	Dolaria	0	0	0.0	0.0	0	8	1.1	0.6	0.0	9.1	8.9	0.0
4	Dolaria Block												
5	Hoshangabad	2,081	1,221	2.5	1.9	862	339	8.6	4.6	2.5	1.0	40.2	0.2
6	Kesla	0	0	0.0	0.0	304	300	1.0	2.1	28.2	0.0	22.4	0.0
7	Pipariya	555	0	0.8	0.0	0	0	1.8	1.3	1.1	0.8	0.2	0.1
8	Seoni-Malwa	0	0	0.0	0.0	26	0	1.6	1.3	0.0	0.0	0.0	0.0
9	Sohagpur	0	0	0.0	0.0	1	0	1.8	2.4	1.5	140.0	1.8	91.8

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	12.9	4.1	2.2	0.6	0.8	0.3	133	33	3.3	0.0	0.8	3.7
1	Babai	0.0	0.0	1.0	1.0	0.2	0.1	12	9	40.0	0.0	10.0	20.0
2	Bankhedi	0.0	268.5	0.7	0.8	0.2	0.2	7	22	0.0	0.0	0.0	0.0
3	Dolaria	7.9	0.6	0.3	0.1	0.0	0.0	12		0.0		0.0	
4	Dolaria Block												
5	Hoshangabad	31.4	0.4	1.5	1.3	1.0	0.2						
6	Kesla	23.4	0.0	6.3	0.5	0.3	0.4	22		0.0		0.0	
7	Pipariya	0.3	0.2	0.3	0.4	0.7	0.5	12		0.0		0.0	
8	Seoni-Malwa	0.0	0.0	0.6	0.4	0.2	0.3	32		0.0		0.0	
9	Sohagpur	1.8	93.6	4.9	0.1	4.4	0.1	36	2	0.0	0.0	0.0	0.0

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Hoshangabad	11.4	11.1	5.7	7.4	1.6	3.7	4.1	0.0	0.0	0.0	73.2	74.1
1	Babai	10.0	20.0	0.0	20.0	10.0	0.0	10.0	0.0	0.0	0.0	20.0	40.0
2	Bankhedi	14.3	0.0	0.0	5.0	0.0	5.0	0.0	0.0	0.0	0.0	85.7	90.0
3	Dolaria	8.3		0.0		0.0		0.0		0.0		91.7	
4	Dolaria Block												
5	Hoshangabad												
6	Kesla	14.3		9.5		0.0		0.0		0.0		76.2	
7	Pipariya	33.3		33.3		0.0		0.0		0.0		33.3	
8	Seoni-Malwa	0.0		3.1		0.0		0.0		0.0		96.9	
9	Sohagpur	13.8	100.0	0.0	0.0	3.4	0.0	13.8	0.0	0.0	0.0	69.0	0.0