				,	2								
		1 Total Number of reported live births			%		3	•	1	-	5	6	
I	ndicator			Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	78,509	59,929	106.1	116.2	1,471	1,108	98.2	98.2	66,420	43,002	71,167	55,316
1	Central	11,543	59,929	98.6	116.2	207	1,108	98.2	98.2	10,605	43,002	9,027	55,316
2	East	7,477		144.1		99		98.7		7,134		6,322	
3	New Delhi	7,403		99.2		170		97.8		7,395		872	
4	North	4,493		99.7		73		98.4		4,228		4,085	
5	North East	7,465		104.6		178		97.7		6,377		12,836	
6	North West	9,347		138.2		198		97.9		6,174		8,406	
7	Shahdara												
8	South	4,372		104.5		37		99.2		3,210		4,784	
9	South East												
10	South West	15,747		97.9		344		97.9		11,830		15,705	
11	West	10,662		97.5		165		98.5		9,467		9,130	

									10				
		7 Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		9		10		11		12	
I	ndicator					Newborns	% Newborns given BCG to Reported live birth		Number of Infants given DPT1		of Infants DPT2	Number of Infants given DPT3	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	123,525	134,123	90.6	92.3	157.3	223.8	123,472	122,245	115,297	102,632	116,043	99,046
1	Central	8,899	134,123	78.2	92.3	77.1	223.8	6,311	122,245	5,161	102,632	5,059	99,046
2	East	10,652		84.6		142.5		11,868		10,784		11,045	
3	New Delhi	1,372		11.8		18.5		1,384		1,285		1,311	
4	North	6,909		90.9		153.8		6,261		6,263		6,401	
5	North East	15,620		171.9		209.2		14,634		13,028		12,605	
6	North West	23,758		89.9		254.2		31,225		29,529		29,644	
7	Shahdara												
8	South	15,651		109.4		358.0		18,235		17,018		17,501	
9	South East												
10	South West	22,085		99.7		140.2		15,653		14,677		14,615	
11	West	18,579	_	85.6		174.3		17,901		17,552		17,862	

_													
		13		1	14		5	1	6	17		18	
I	ndicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi							116,418	113,926	148.3	190.1	127,420	115,378
1	Central							5,108	113,926	44.3	190.1	5,108	115,378
2	East							11,233		150.2		11,137	
3	New Delhi							1,335		18.0		1,335	
4	North							6,405		142.6		8,097	
5	North East							12,278		164.5		10,836	
6	North West							30,199		323.1		35,635	
7	Shahdara												
8	South							17,436		398.8		21,893	
9	South East								·				·
10	South West							14,548		92.4		15,328	
11	West							17,876		167.7		18,051	

		% Drop Out between BCG & Measles		2	20		1	22		23		% immunisation Sessions Held to Immunisation Sessions Planned	
1	ndicator			Vitamin - A dose 1		Children g dose1 to R	% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		e Events Imunisation ners)		
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	5.8	15.1	68,921	96,746	87.8	161.4	19.9	0.8	35	167	92.0	98.0
1	Central	42.6	15.1	3,644	96,746	31.6	161.4	72.1	0.8		167	82.2	98.0
2	East	-5.5		7,053		94.3		11.3				92.6	
3	New Delhi	2.7		361		4.9		38.5				86.7	
4	North	7.3		2,664		59.3		18.2				96.6	
5	North East	21.4		5,141		68.9		42.2				86.6	
6	North West	-27.1		21,658		231.7		8.2		13		90.9	
7	Shahdara												
8	South	-11.4		12,164		278.2		26.5				94.6	
9	South East												
10	South West	34.1		8,834		56.1		15.3		20		92.6	
11	West	3.8		7,402	_	69.4		15.0		2		93.2	

		2	25		6	2	27		8	2	9	30	
Indicator		9% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	17.4	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
1	Central	1.8	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
2	East	12.8		0.0		0.0		0.0		0.0		0.0	
3	New Delhi	14.5		0.0		0.0		0.0		0.0		0.0	
4	North	9.6		0.0		0.0		0.0		0.0		0.0	
5	North East	42.1		0.0		0.0		0.0		0.0		0.0	
6	North West	21.7		0.0		0.0		0.0		0.0		0.0	
7	Shahdara												
8	South	19.1		0.0		0.0		0.0		0.0		0.0	
9	South East												
10	South West	19.0		0.0		0.0		0.0		0.1		0.1	
11	West	18.8		0.0		0.0		0.0		0.0		0.0	

		3	1	3	32		3	3	4	35		36		
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Malaria in (Years of A Reported	% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	
	_Delhi	0.3	0.4	99.1	98.8	0.5	0.7	813	209	21.4	0.0	15.4	0.0	
1	Central	0.0	0.4	100.0	98.8	0.0	0.7	203	209	19.2	0.0	25.6	0.0	
2	East	0.5		99.0		0.5		193		38.5		7.7		
3	New Delhi	0.0		99.4		0.6								
4	North	0.1		99.4		0.5		5		40.0		20.0		
5	North East	0.5		99.5		0.0								
6	North West	0.0		99.8		0.2		37		51.4		5.7		
7	Shahdara													
8	South	0.1		99.0		0.8		16		0.0		6.3		
9	South East													
10	South West	0.8		97.8		1.1		72		5.6		22.2		
11	West	0.1		99.8		0.1		287		11.6		11.6		

		3	7	3	8	3	9	4	0	4	1	42	
Indicator		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths Diarrhoe Reporte	% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		6 to Measles Reported Deaths	% Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	21.1	0.0	6.4	0.0	3.6	0.0	1.3	0.0	0.1	0.0	30.7	100.0
1	Central	30.5	0.0	4.4	0.0	2.5	0.0	1.5	0.0	0.0	0.0	16.3	100.0
2	East	5.3		13.6		1.2		1.2		0.0		32.5	
3	New Delhi												
4	North	0.0		20.0		20.0		0.0		0.0		0.0	
5	North East												
6	North West	5.7		5.7		17.1		0.0		2.9		11.4	
7	Shahdara												
8	South	6.3		0.0		0.0		0.0		0.0		87.5	
9	South East												
10	South West	9.7		1.4		5.6		4.2		0.0		51.4	
11	West	32.4		4.6		3.7		0.5		0.0		35.6	