

Performance of Key HMIS Indicators for Himachal Pradesh ( Across Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to June

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	Himachal Pradesh	21,945	20,540	97.5	99.3	294	257	98.7	98.8	21,355	19,974	14,233	9,542
1	Bilaspur	1,358	1,312	76.3	99.7	21	12	98.5	99.1	1,178	1,312	853	623
2	Chamba	2,017	1,837	98.7	99.0	30	20	98.5	98.9	2,015	1,814	494	268
3	Hamirpur	1,332	1,451	99.7	99.0	11	21	99.2	98.6	1,326	1,448	1,079	1,379
4	Kangra	4,260	3,939	98.8	98.5	90	67	97.9	98.3	4,251	3,937	3,235	1,814
5	Kinnaur	148	195	96.7	99.5	5	1	96.7	99.5	105	137	30	19
6	Kullu	1,551	1,539	99.1	99.2	19	16	98.8	99.0	1,523	1,526	1,115	663
7	Lahul Spiti	55	47	100.0	100.0			100.0	100.0	53	40	64	13
8	Mandi	2,851	2,610	99.7	99.7	24	20	99.2	99.2	2,745	2,553	1,784	1,279
9	Shimla	3,134	2,876	99.8	99.9	33	43	99.0	98.5	3,098	2,499	2,602	1,069
10	Sirmaur	1,591	1,395	98.3	99.8	34	14	97.9	99.0	1,498	1,390	876	603
11	Solan	2,094	1,928	100.0	99.5	16	27	99.2	98.6	2,089	1,923	1,199	1,095
12	Una	1,554	1,411	99.9	99.4	11	16	99.3	98.9	1,474	1,395	902	717

Performance of Key HMIS Indicators for Himachal Pradesh ( Across Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to June

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	Himachal Pradesh	26,801	26,903	64.9	46.5	122.1	131.0	26,058	26,677	26,670	27,737	27,762	28,691
1	Bilaspur	1,417	1,486	62.8	47.5	104.3	113.3	1,425	1,432	1,443	1,426	1,508	1,560
2	Chamba	1,990	2,450	24.5	14.6	98.7	133.4	2,153	2,389	2,138	2,560	2,137	2,428
3	Hamirpur	1,676	1,762	81.0	95.0	125.8	121.4	1,544	1,627	1,581	1,640	1,720	1,825
4	Kangra	6,219	5,146	75.9	46.1	146.0	130.6	5,128	5,193	5,456	5,629	6,114	6,129
5	Kinnaur	242	286	20.3	9.7	163.5	146.7	362	347	361	377	362	403
6	Kullu	1,832	1,887	71.9	43.1	118.1	122.6	1,813	1,884	1,769	1,838	1,702	1,799
7	Lahul Spiti	99	65	116.4	27.7	180.0	138.3	116	97	107	83	89	74
8	Mandi	3,187	3,539	62.6	49.0	111.8	135.6	3,543	3,700	3,633	3,955	3,844	4,206
9	Shimla	3,638	3,511	83.0	37.2	116.1	122.1	3,058	3,282	3,082	3,260	2,992	3,229
10	Sirmaur	2,132	2,300	55.1	43.2	134.0	164.9	2,368	2,393	2,465	2,509	2,552	2,421
11	Solan	2,405	2,323	57.3	56.8	114.9	120.5	2,517	2,395	2,535	2,479	2,540	2,519
12	Una	1,964	2,148	58.0	50.8	126.4	152.2	2,031	1,938	2,100	1,981	2,202	2,098

Performance of Key HMIS Indicators for Himachal Pradesh ( Across Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to June

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	Himachal Pradesh							27,971	27,212	127.5	132.5	27,878	27,163
1	Bilaspur							1,633	1,610	120.3	122.7	1,607	1,610
2	Chamba							2,199	2,226	109.0	121.2	2,199	2,226
3	Hamirpur							1,783	1,908	133.9	131.5	1,783	1,908
4	Kangra							6,194	5,751	145.4	146.0	6,169	5,751
5	Kinnaur							405	356	273.6	182.6	387	340
6	Kullu							1,794	1,745	115.7	113.4	1,790	1,737
7	Lahul Spiti							148	106	269.1	225.5	129	92
8	Mandi							3,898	3,762	136.7	144.1	3,898	3,762
9	Shimla							2,891	2,978	92.2	103.5	2,891	2,967
10	Sirmaur							2,335	2,149	146.8	154.1	2,335	2,149
11	Solan							2,450	2,489	117.0	129.1	2,450	2,489
12	Una							2,241	2,132	144.2	151.1	2,240	2,132

Performance of Key HMIS Indicators for Himachal Pradesh ( Across Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to June

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	Himachal Pradesh	-4.4	-1.1	25,022	25,914	114.0	126.2	103.5	115.6	0	3	99.2	98.9
1	Bilaspur	-15.2	-8.3	1,632	1,610	120.2	122.7	114.8	132.4	0		99.7	99.5
2	Chamba	-10.5	9.1	1,871	2,225	92.8	121.1	108.9	94.8			98.5	98.7
3	Hamirpur	-6.4	-8.3	1,750	1,883	131.4	129.8	116.7	121.1			99.9	99.7
4	Kangra	0.4	-11.8	4,511	5,327	105.9	135.2	105.1	121.7			99.8	99.5
5	Kinnaur	-67.4	-24.5	250	352	168.9	180.5	82.8	101.7		1	94.7	96.1
6	Kullu	2.1	7.5	1,791	1,730	115.5	112.4	89.5	124.3			99.4	98.7
7	Lahul Spiti	-49.5	-63.1	111	40	201.8	85.1	73.0	35.0			89.1	87.8
8	Mandi	-22.3	-6.3	3,750	3,570	131.5	136.8	127.8	154.6			99.5	98.8
9	Shimla	20.5	15.2	2,707	2,888	86.4	100.4	88.1	81.0		2	98.6	98.2
10	Sirmaur	-9.5	6.6	2,292	1,766	144.1	126.6	90.0	111.2			98.5	99.0
11	Solan	-1.9	-7.1	2,185	2,440	104.3	126.6	92.6	98.3			100.0	99.9
12	Una	-14.1	0.7	2,172	2,083	139.8	147.6	94.1	105.6			100.0	98.8

Performance of Key HMIS Indicators for Himachal Pradesh ( Across Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to June

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Himachal Pradesh	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Bilaspur	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Chamba	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Hamirpur	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Kangra	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Kinnaur	0.0	0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Kullu	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Lahul Spiti	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	Mandi	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	Shimla	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	Sirmaur	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	Solan	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	Una	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Himachal Pradesh ( Across Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to June

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	Himachal Pradesh	0.1	0.4	99.7	99.1	0.0	0.3	249	216	10.4	10.1	18.6	5.0
1	Bilaspur	0.2	0.1	99.8	99.9	0.0	0.0	10	10	0.0	0.0	25.0	10.0
2	Chamba	0.0	0.0	100.0	100.0	0.0	0.0	24	15	33.3	16.7	11.1	16.7
3	Hamirpur	0.0	0.6	98.0	99.4	0.4	0.0	7	33	0.0	9.4	0.0	3.1
4	Kangra	0.0	0.0	100.0	99.7	0.0	0.3	140	62	8.9	25.0	20.8	3.1
5	Kinnaur	0.0	0.9	96.2	99.1	0.7	0.0	2	8	0.0	0.0	0.0	25.0
6	Kullu	0.0	0.2	100.0	99.8	0.0	0.0	15	29	10.0	0.0	10.0	0.0
7	Lahul Spiti	0.0	0.0	100.0	100.0	0.0	0.0						
8	Mandi	0.0	1.1	100.0	97.4	0.0	1.5	15	3	27.3	0.0	18.2	0.0
9	Shimla	0.0	0.2	100.0	97.2	0.0	0.0	3	15	0.0	0.0	50.0	0.0
10	Sirmaur	0.4	0.7	99.6	99.3	0.0	0.0	19	23	0.0	5.0	11.8	0.0
11	Solan	0.1	0.0	99.9	100.0	0.0	0.0	13	11	0.0	10.0	33.3	10.0
12	Una	0.0	0.0	100.0	97.5	0.0	2.5	1	7	0.0	20.0	0.0	20.0

Performance of Key HMIS Indicators for Himachal Pradesh ( Across Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to June

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	Himachal Pradesh	16.9	10.1	4.4	17.6	1.1	4.4	3.8	5.7	0.0	0.0	44.8	47.2
1	Bilaspur	25.0	40.0	12.5	0.0	0.0	10.0	0.0	20.0	0.0	0.0	37.5	20.0
2	Chamba	5.6	8.3	11.1	0.0	0.0	0.0	5.6	0.0	0.0	0.0	33.3	58.3
3	Hamirpur	20.0	9.4	20.0	65.6	0.0	0.0	20.0	9.4	0.0	0.0	40.0	3.1
4	Kangra	17.8	3.1	2.0	3.1	1.0	3.1	2.0	3.1	0.0	0.0	47.5	59.4
5	Kinnaur	0.0	0.0	100.0	0.0	0.0	25.0	0.0	0.0	0.0	0.0	0.0	50.0
6	Kullu	0.0	0.0	0.0	3.6	10.0	10.7	10.0	0.0	0.0	0.0	60.0	85.7
7	Lahul Spiti												
8	Mandi	45.5	0.0	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
9	Shimla	0.0	33.3	0.0	66.7	0.0	0.0	50.0	0.0	0.0	0.0	0.0	0.0
10	Sirmaur	11.8	15.0	0.0	15.0	0.0	0.0	5.9	10.0	0.0	0.0	70.6	55.0
11	Solan	11.1	10.0	0.0	0.0	0.0	10.0	0.0	10.0	0.0	0.0	55.6	50.0
12	Una	100.0	40.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0