| | Indicators | | 1 | 2 | 2 | 3 | 3 | 4 | 4 | ţ | 5 | (| 5 |
|---|---------------------|---------|----------------------------------|---------------------------------------|-----------|----------|---------|-------------------------------------|----------------------|-------------------------------|------------|----------------------------------|-----------|
| | Indicators | | imber of t women d for ANC | Number of women re within first | egistered | Number o | | 1st Trii registratio ANC Regi | mester n to Total | JSY regist Total Regist | tration to | Number of women re ANC che | eceived 3 |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 10,028 | 9,095 | 4,470 | 3,432 | 536 | 520 | 44.5 | 37.7 | 5.3 | 5.7 | 10,049 | 7,862 |
| 1 | zone1 GMSH-16 | 4,320 | 4,170 | 1,326 | 1,616 | 58 | 51 | 30.7 | 38.8 | 1.3 | 1.2 | 4,654 | 4,071 |
| 2 | zone2 CHC-22 | 2,384 | 1,738 | 1,659 | 536 | 93 | 42 | 69.6 | 30.8 | 3.9 | 2.4 | 3,339 | 1,959 |
| 3 | zone3 Mani-Majra | 1,602 | 1,420 | 726 | 606 | 209 | 236 | 45.3 | 42.7 | 13.0 | 16.6 | 1,122 | 811 |
| 4 | zone4 Polyclinic 45 | 1,722 | 1,767 | 759 | 674 | 176 | 191 | 44.1 | 38.1 | 10.2 | 10.8 | 934 | 1,021 |

| | _ | | 7 | 8 | 3 | 9 | 9 | 1 | 0 | 1 | 1 | 1 | 2 |
|---|---------------------|-----------|----------------------------------|--|-----------------------|---------|-----------|----------------------|---------|-------------------------------------|-------------|-----------------------------|---------|
| | Indicators | to Pregna | oster given nt women bers) | Pregnant received 3 ups to To Registr | ANC check otal ANC | | Total ANC | Number of women give | | Pregnant given 100 l ANC Regi | FA to Total | Number h leve (tested | l<11 |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 5,078 | 4,775 | 100.2 | 86.4 | 50.6 | 52.5 | 2,739 | 2,300 | 27.3 | 25.2 | 5,341 | 4,578 |
| 1 | zone1 GMSH-16 | 1,517 | 1,472 | 107.7 | 97.6 | 35.1 | 35.3 | 337 | 322 | 7.8 | 7.7 | 2,163 | 2,128 |
| 2 | zone2 CHC-22 | 1,127 | 1,073 | 140.1 | 112.7 | 47.3 | 61.7 | 601 | 773 | 25.2 | 44.5 | 1,925 | 1,285 |
| 3 | zone3 Mani-Majra | 1,286 | 1,163 | 70.0 | 57.1 | 80.3 | 81.9 | 977 | 687 | 61.0 | 48.4 | 591 | 476 |
| 4 | zone4 Polyclinic 45 | 1,148 | 1,067 | 54.2 | 57.8 | 66.7 | 60.4 | 824 | 518 | 47.9 | 29.3 | 662 | 689 |

| | | 1 | 3 | 1 | 4 | 1 | 5 | 1 | 6 | 1 | 7 | 1 | 8 |
|---|---------------------|---------|---|-------------|---|---|--------------------------------------|-----------------|------------------|---------|---|---------|--|
| | Indicators | anae | ving severe emia <7) institution | having seve | t women ere anaemia <7) institution having hb | New cases at institu hypertensi ANC Regi | detected ution for on to Total | Number deliv | of Home eries | SBA tı | of home attended by rained urse/ANM) | Non SBA | of home attended by a trained I TB/Dai) |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 145 | 51 | 2.7 | 1.1 | 2.4 | 2.1 | 219 | 319 | 4 | 8 | 215 | 311 |
| 1 | zone1 GMSH-16 | 57 | 37 | 2.6 | 1.7 | 3.5 | 3.9 | 5 | 9 | 1 | 2 | 4 | 7 |
| 2 | zone2 CHC-22 | 58 | 14 | 3.0 | 1.1 | 0.2 | 0.2 | 29 | 53 | 1 | 5 | 28 | 48 |
| 3 | zone3 Mani-Majra | 30 | 0 | 5.1 | 0.0 | 3.6 | 0.4 | 112 | 168 | 2 | 1 | 110 | 167 |
| 4 | zone4 Polyclinic 45 | 0 | 0 | 0.0 | 0.0 | 1.3 | 1.1 | 73 | 89 | 0 | 0 | 73 | 89 |

| | | 1 | 9 | 2 | 0 | 2 | 1 | 2 | 2 | 2 | 3 | 2 | 4 |
|---|---------------------|-----------------------|------------------------|-------------------------------|---------|--|------------------------------------|---------------------------|---------|------------|--|--|--|
| | Indicators | deliverie: Reporte | ded home s to Total | Mothers incentive deliv | | Mothers incentive deliveries Reporte Deliv | paid JSY for home s to Total | Deliveries at Public I | | hours of o | of Women d under 48 delivery in acilities | Women dis less than 4 delivery Reported at public in | charged in 8 hours of to Total Deliveries |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 1.8 | 2.5 | | 0 | 0.0 | 0.0 | 4,819 | 4,839 | 1,995 | 2,634 | 41.3 | 54.4 |
| 1 | zone1 GMSH-16 | 20.0 | 22.2 | | 0 | 0.0 | 0.0 | 3,927 | 4,124 | 1,885 | 2,056 | 48.0 | 49.9 |
| 2 | zone2 CHC-22 | 3.4 | 9.4 | | | 0.0 | 0.0 | 603 | 561 | 60 | 491 | 10.0 | 87.5 |
| 3 | zone3 Mani-Majra | 1.8 | 0.6 | | 0 | 0.0 | 0.0 | 177 | 61 | 0 | 48 | 0.0 | 78.7 |
| 4 | zone4 Polyclinic 45 | 0.0 | 0.0 | | 0 | 0.0 | 0.0 | 112 | 93 | 50 | 39 | 44.6 | 41.9 |

| | Indicators | 2 | 5 | 2 | 6 | 2 | 7 | 2 | 8 | 2 | 9 | 3 | 0 |
|---|---------------------|---------------------|---|---------------------------------|-----------------------|-------------------|------------------|-----------------------------------|--------------------|--------------------------------|----------------------|--------------------------------|-----------------------|
| | Indicators | deliv (Public Ir | utional veries nsts.+Pvt. ts.) | Institu Deliverie ANC reg | itional s to total | Total re deliv | eported eries | Institu deliveries Reported | tional to Total | Safe deli Total Re Deliv | veries to eported | Home deli Total Re Deliv | iveries to eported |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 4,819 | 4,839 | 48.0 | 53.2 | 5,038 | 5,158 | 95.7 | 93.8 | 95.7 | 94.0 | 4.3 | 6.2 |
| 1 | zone1 GMSH-16 | 3,927 | 4,124 | 90.9 | 98.9 | 3,932 | 4,133 | 99.9 | 99.8 | 99.9 | 99.8 | 0.1 | 0.2 |
| 2 | zone2 CHC-22 | 603 | 561 | 25.3 | 32.3 | 632 | 614 | 95.4 | 91.4 | 95.6 | 92.2 | 4.6 | 8.6 |
| 3 | zone3 Mani-Majra | 177 | 61 | 11.0 | 4.3 | 289 | 229 | 61.2 | 26.6 | 61.9 | 27.1 | 38.8 | 73.4 |
| 4 | zone4 Polyclinic 45 | 112 | 93 | 6.5 | 5.3 | 185 | 182 | 60.5 | 51.1 | 60.5 | 51.1 | 39.5 | 48.9 |

| | | 3 | 1 | 3 | 2 | 3 | 3 | 3 | 4 | 3 | 5 | 3 | 6 |
|---|---------------------|------------|--|---------------------------------------|-----------|------------------------------|------------------|---|--------------|--|--|--|----------------------------|
| | Indicators | deliveries | f C-section conducted facilities | Number of deliveries at private | conducted | to rep institu (Public | + Pvt.) orted | C-sections at public f Deliveries | acilities to | C-sections at Private f Deliveries at private | conducted acilities to conducted | Deliveries at Public In to Total In Deliv | nstitutions stitutional |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 1,399 | 1,287 | | | 29.0 | 26.5 | 29.0 | 26.6 | | | 100.0 | 100.0 |
| 1 | zone1 GMSH-16 | 1,206 | 1,183 | | | 30.7 | 28.7 | 30.7 | 28.7 | | | 100.0 | 100.0 |
| 2 | zone2 CHC-22 | 126 | 81 | | | 20.9 | 14.4 | 20.9 | 14.4 | | | 100.0 | 100.0 |
| 3 | zone3 Mani-Majra | 46 | 4 | | | 26.0 | 6.6 | 26.0 | 6.6 | | | 100.0 | 100.0 |
| 4 | zone4 Polyclinic 45 | 21 | 19 | | | 18.8 | 20.4 | 18.8 | 20.4 | | | 100.0 | 100.0 |

| | | 3 | 7 | 3 | 8 | 3 | 9 | 4 | 0 | 4 | 1 | 4 | 2 |
|---|---------------------|---|--|---------------------------|---------------------|---|-------------|--|---------------------|---------------------------|-------------------------|--|--|
| | Indicators | Mothers Incentive for at Public in to Tota | paid JSY or Delivery nstitution I Public eries | ASHA for D Public inst | here JSY paid to | Deliveries at Private I to Total In | nstitutions | Women red partum o within 48 deli | heck-up hours of | post partur between 48 | men got a n check up | Women reco partum of within 48 delivery Reported I | ceiving post check-up hours of to Total |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 1.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4,428 | 4,651 | 4,100 | 3,122 | 87.9 | 90.2 |
| 1 | zone1 GMSH-16 | 1.2 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 2,849 | 3,435 | 1,906 | 1,382 | 72.5 | 83.1 |
| 2 | zone2 CHC-22 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 699 | 636 | 796 | 536 | 110.6 | 103.6 |
| 3 | zone3 Mani-Majra | 0.0 | 8.2 | 0.0 | 0.0 | 0.0 | 0.0 | 326 | 263 | 817 | 719 | 112.8 | 114.8 |
| 4 | zone4 Polyclinic 45 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 554 | 317 | 581 | 485 | 299.5 | 174.2 |

| | | 4 | 3 | 4 | 4 | 4 | 5 | 4 | 6 | 4 | 7 | 4 | 8 |
|---|---------------------|---|---------|------------------------|------------------------|--------------------------------------|-----------------------|------------------------|--------------------------|---------------------------|------------|----------------------|---------|
| | Indicators | Women ge Partum (between 48 14 days | Checkup | Total Nu reported l | mber of live births | 7 Total Repo Births t Deliv | orted Live o Total | Total Nu reported S | imber of itill Births | 9 live birth to Bir | o Reported | Number of weighed | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 81.4 | 60.5 | 4,990 | 5,092 | 99.0 | 98.7 | 165 | 183 | 96.8 | 96.5 | 4,973 | 5,032 |
| 1 | zone1 GMSH-16 | 48.5 | 33.4 | 3,845 | 4,063 | 97.8 | 98.3 | 161 | 178 | 96.0 | 95.8 | 3,847 | 4,062 |
| 2 | zone2 CHC-22 | 125.9 | 87.3 | 672 | 616 | 106.3 | 100.3 | 2 | 2 | 99.7 | 99.7 | 672 | 608 |
| 3 | zone3 Mani-Majra | 282.7 | 314.0 | 288 | 228 | 99.7 | 99.6 | 2 | 2 | 99.3 | 99.1 | 285 | 220 |
| 4 | zone4 Polyclinic 45 | 314.1 | 266.5 | 185 | 185 | 100.0 | 101.6 | 0 | 1 | 100.0 | 99.5 | 169 | 142 |

| | | 4 | 9 | 5 | 0 | 5 | 1 | 5 | 2 | 5 | 3 | 5 | 4 |
|---|---------------------|---------------------|---------|----------------------------------|------------|---------|---------|-------------------------|---------|---------------------------------------|----------------------------|-------------------------------|------------|
| | Indicators | Newborns birth to l | - | Number of having we than 2 | eight less | | wborns | Number of Breast Fed | | Newborns within 1 ho to Total l | breast fed our of birth | Number of visited wit of Home | hin 24 hrs |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 99.7 | 98.8 | 1,157 | 1,179 | 23.2 | 23.4 | 3,721 | 3,511 | 74.5 | 68.9 | 151 | 188 |
| 1 | zone1 GMSH-16 | 100.1 | 100.0 | 1,004 | 1,062 | 26.1 | 26.1 | 2,683 | 2,559 | 69.8 | 63.0 | 2 | 1 |
| 2 | zone2 CHC-22 | 100.0 | 98.7 | 101 | 85 | 15.0 | 14.0 | 619 | 568 | 92.1 | 92.2 | 23 | 39 |
| 3 | zone3 Mani-Majra | 99.0 | 96.5 | 24 | 11 | 8.4 | 5.0 | 238 | 211 | 82.6 | 92.5 | 85 | 100 |
| 4 | zone4 Polyclinic 45 | 91.4 | 76.8 | 28 | 21 | 16.6 | 14.8 | 181 | 173 | 97.8 | 93.5 | 41 | 48 |

| | | 5 | 5 | 5 | 6 | 5 | 7 | 5 | 8 | 5 | 9 | 6 | 0 |
|---|---------------------|--|------------------------|---------|---------|---|-----------|--|---|--|--|--------------------------------------|---|
| | Indicators | 9 newborn within 24h delivery reporte deliv | rs of home to total | | | cases of women with Complica attended to | tions and | Pregnanci with antihype Magsulph in Total Wo Obst | icated es treated h IV rtensive/ njection to men with etric cations | Compl Pregnancio witl antihype Magsulph ii | es treated in IV rtensive/ injection to ew cases ed with | Transfusio Wome Obst Compli | icated es treated Blood n to Total n with etric |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 68.9 | 58.9 | 882 | 878 | 35.7 | 34.3 | 4.5 | 2.6 | 32.6 | 22.4 | 9.8 | 9.9 |
| 1 | zone1 GMSH-16 | 40.0 | 11.1 | 894 | 878 | 37.8 | 35.6 | 4.8 | 2.9 | 46.4 | 26.2 | 7.8 | 8.5 |
| 2 | zone2 CHC-22 | 79.3 | 73.6 | 816 | 796 | 24.7 | 25.0 | 0.0 | 0.0 | 0.0 | 0.0 | 26.8 | 27.1 |
| 3 | zone3 Mani-Majra | 75.9 | 59.5 | 920 | 900 | 37.3 | 55.7 | 9.1 | 0.0 | 10.5 | 0.0 | 13.6 | 0.0 |
| 4 | zone4 Polyclinic 45 | 56.2 | 53.9 | 814 | 1,176 | 22.3 | 21.5 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 5.0 |

| | | 6 | 1 | 6 | 2 | 6 | 3 | 6 | 4 | 6 | 5 | 6 | 6 |
|---|---------------------|--|---|---------|---------|----------------------------|---------|---------|-------------------|------------------------|------------------------|--|-----------------------------------|
| | Indicators | Post - Care / PNO compli attended | Natal C maternal cations I to Total eries | Abort | aneous/ | Total Nu MTPs (repo | Public) | | ATPs Abortions | MTPs up to of Pregn | ancy to s at Public | MTPs mor weeks of F to Total Public Ins | e than 12 Pregnancy MTPs at |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 0.1 | 0.5 | 517 | 402 | 333 | 285 | 64.4 | 70.9 | 80.5 | 68.4 | 19.5 | 31.6 |
| 1 | zone1 GMSH-16 | 0.0 | 0.5 | 357 | 278 | 225 | 218 | 63.0 | 78.4 | 74.7 | 61.0 | 25.3 | 39.0 |
| 2 | zone2 CHC-22 | 0.5 | 0.3 | 69 | 74 | 30 | 24 | 43.5 | 32.4 | 100.0 | 100.0 | 0.0 | 0.0 |
| 3 | zone3 Mani-Majra | 0.0 | 1.3 | 60 | 12 | 48 | 7 | 80.0 | 58.3 | 89.6 | 100.0 | 10.4 | 0.0 |
| 4 | zone4 Polyclinic 45 | 0.0 | 0.5 | 31 | 38 | 30 | 36 | 96.8 | 94.7 | 90.0 | 86.1 | 10.0 | 13.9 |

| | _Chandigarh | 6 | 7 | 6 | 8 | 6 | 9 | 7 | 0 | 7 | 1 | 7 | 2 |
|---|---------------------|-----------------------------------|-----------|---|-------------------------|--|---------------------|----------|---|----------------|--------------------------------------|------------------------------------|---------|
| | Indicators | MTPs Con Public Insti Total | ducted at | 9 MTPs Con Private Ins to Tota | ducted at stitutions | % Tota (Pul Conducted ANC Reg | blic) I to Total | which tr | Wet Mount ducted to f new RTI/ e cases for | Vasect Cond | per of tomies ucted + Pvt.) | Numb Tubect Condu (Public | tomies |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 100.0 | 100.0 | 0.0 | 0.0 | 3.3 | 3.1 | 0.0 | 0.0 | 6 | 16 | 490 | 438 |
| 1 | zone1 GMSH-16 | 100.0 | 100.0 | 0.0 | 0.0 | 5.2 | 5.2 | 0.0 | 0.0 | 6 | 16 | 431 | 372 |
| 2 | zone2 CHC-22 | 100.0 | 100.0 | 0.0 | 0.0 | 1.3 | 1.4 | 0.0 | 0.0 | 0 | 0 | 26 | 46 |
| 3 | zone3 Mani-Majra | 100.0 | 100.0 | 0.0 | 0.0 | 3.0 | 0.5 | 0.0 | 0.0 | 0 | 0 | 6 | 0 |
| 4 | zone4 Polyclinic 45 | 100.0 | 100.0 | 0.0 | 0.0 | 1.7 | 2.0 | 0.0 | 0.0 | 0 | 0 | 27 | 20 |

| | | 7 | '3 | 7 | 4 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 8 |
|---|---------------------|---------|---------------------|-------------------------------------|---------|----------|----------------------------|---------|---------|---|--------------------|---|--------------------|
| | Indicators | | rilisation ucted | % Male St (Vasect to Total st | omies) | Tubector | % mies to rilisation | | | Total Ste (Tubecto Vasect conducte | mies and omies) | Total Ste (Tubecto Vasecto conducted | mies and omies) |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 496 | 454 | 1.2 | 3.5 | 98.8 | 96.5 | | | 32 | 46 | 464 | 408 |
| 1 | zone1 GMSH-16 | 437 | 388 | 1.4 | 4.1 | 98.6 | 95.9 | | | | | 437 | 388 |
| 2 | zone2 CHC-22 | 26 | 46 | 0.0 | 0.0 | 100.0 | 100.0 | | | 26 | 46 | | |
| 3 | zone3 Mani-Majra | 6 | 0 | 0.0 | | 100.0 | | | | 6 | 0 | | |
| 4 | zone4 Polyclinic 45 | 27 | 20 | 0.0 | 0.0 | 100.0 | 100.0 | | | | | 27 | 20 |

| | | 7 | 9 | 8 | 0 | 8 | 1 | 8 | 2 | 8 | 3 | 8 | 4 |
|---|---------------------|--|--------------------|--------------------|--|------------------|--------------------|---|---------------------------------|---|---------------------------------|---|--|
| | Indicators | Total Ste (Tubecto Vasect conducted public Ins | mies and omies) | (Tubecto Vasect | erlisation mies and omies) I at Private utions | Vasect conducted | mies and omies) | % Total Sto (Tubecto Vasect conducted Total Ste | mies and omies) at CHC to | % Total Sto (Tubecto Vasect conducted to Total St | mies and omies) at SDH/DH | % Total Sto (Tubecto Vasecto conducted public Instit Total Ste | mies and omies) I at Other tutions to |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | | | | | 0.0 | 0.0 | 6.5 | 10.1 | 93.5 | 89.9 | 0.0 | 0.0 |
| 1 | zone1 GMSH-16 | | | | | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 |
| 2 | zone2 CHC-22 | | | | | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | zone3 Mani-Majra | | | | | 0.0 | | 100.0 | | 0.0 | | 0.0 | |
| 4 | zone4 Polyclinic 45 | | | | | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 |

| | | 8 | 5 | 8 | 6 | 8 | 7 | 8 | 8 | 8 | 9 | 9 | 0 |
|---|---------------------|-------------|----------------------------------|--------------------------------------|----------------------|-------------------------------------|---------|--------------|---------|--|---|--|--|
| | Indicators | institution | mies and omies) at Private | Laparo sterlisation Female Ste | scopic s to Total | Mini Lap St to Total Sterilis | Female | Sterlisation | artum | Laparo sterlisation Institutions Laparo Sterilis | scopic s at Public s to Total scopic | % Mini Lap st at Public In to Total Sterilis | erlisations estitutions Mini Lap |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 0.0 | 0.0 | 46.9 | 44.7 | 6.1 | 6.6 | 46.9 | 48.6 | 100.0 | 100.0 | 100.0 | 100.0 |
| 1 | zone1 GMSH-16 | 0.0 | 0.0 | 47.6 | 41.9 | 2.3 | 5.6 | 50.1 | 52.4 | 100.0 | 100.0 | 100.0 | 100.0 |
| 2 | zone2 CHC-22 | 0.0 | 0.0 | 84.6 | 73.9 | 0.0 | 0.0 | 15.4 | 26.1 | 100.0 | 100.0 | | |
| 3 | zone3 Mani-Majra | 0.0 | | 0.0 | | 50.0 | | 50.0 | | | | 100.0 | |
| 4 | zone4 Polyclinic 45 | 0.0 | 0.0 | 11.1 | 30.0 | 63.0 | 40.0 | 25.9 | 30.0 | 100.0 | 100.0 | 100.0 | 100.0 |

| | | 9 | 1 | 9 | 2 | 9 | 3 | 9 | 4 | 9 | 5 | 9 | 6 |
|---|---------------------|---------|---------------------|--|--------------------|-------------------------|---------|------------------------|-------------------------|--------------------------|---------|---------------------------|---------|
| | Indicators | | s to Total artum | Total cases follo Sterlisatio Fem | wing n (Male + | IUCD Inser (public f | | IUCD inser (pvt. fa | tions done cilities) | Total IUCD done(publi | | PP IUCD II done (publi | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 100.0 | 100.0 | 0 | 0 | 833 | 875 | | | 833 | 875 | 0 | |
| 1 | zone1 GMSH-16 | 100.0 | 100.0 | 0 | 0 | 241 | 231 | | | 241 | 231 | 0 | |
| 2 | zone2 CHC-22 | 100.0 | 100.0 | 0 | 0 | 223 | 287 | | | 223 | 287 | | |
| 3 | zone3 Mani-Majra | 100.0 | | 0 | 0 | 182 | 177 | | | 182 | 177 | | |
| 4 | zone4 Polyclinic 45 | 100.0 | 100.0 | 0 | 0 | 187 | 180 | | | 187 | 180 | | |

| | | 9 | 7 | 9 | 8 | 9 | 9 | 10 | 00 | 10 | 01 | 10 |)2 |
|---|---------------------|--|------------------|-------------|---------|------------|---|--------------|-------------|-------------------|---------|---------------------|---------|
| | Indicators | % PP IUCD (pul to Tota Insertion: | olic) al IUCD | to Total In | blic) | institutio | ertions in us private ons to all olanning IUCD plus | Oral Pills o | listributed | Condom distril | | Centchro distril | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 0.0 | 0.0 | 0.0 | 0.0 | 62.6 | 65.8 | 2,725 | 2,274 | 223,720 | 231,820 | 0 | 0 |
| 1 | zone1 GMSH-16 | 0.0 | 0.0 | 0.0 | 0.0 | 35.5 | 37.3 | 967 | 692 | 40,590 | 45,150 | 0 | 0 |
| 2 | zone2 CHC-22 | 0.0 | 0.0 | 0.0 | 0.0 | 89.6 | 86.2 | 661 | 596 | 65,660 | 72,600 | 0 | 0 |
| 3 | zone3 Mani-Majra | 0.0 | 0.0 | 0.0 | 0.0 | 96.8 | 100.0 | 519 | 547 | 53,970 | 63,260 | 0 | 0 |
| 4 | zone4 Polyclinic 45 | 0.0 | 0.0 | 0.0 | 0.0 | 87.4 | 90.0 | 578 | 439 | 63,500 | 50,810 | 0 | 0 |

| | | 10 | 03 | 10 | 04 | 10 | 05 | 10 | 06 | 10 | 07 | 10 |)8 |
|---|---------------------|-----------------------------|---------|----------|---------|------------------------------|------------------------|---------------------|-----------|----------|---------|----------|---------|
| | Indicators | Number o given (Birth | OPV 0 | Number o | | Newborns of at birth to live | given OPV0 Reported | Newborns to Repo | given BCG | Number o | | Number o | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 4,832 | 5,080 | 5,113 | 5,385 | 96.8 | 99.8 | 102.5 | 105.8 | 4,365 | 4,278 | 4,323 | 4,201 |
| 1 | zone1 GMSH-16 | 3,670 | 3,975 | 3,674 | 3,916 | 95.4 | 97.8 | 95.6 | 96.4 | 1,308 | 1,331 | 971 | 1,032 |
| 2 | zone2 CHC-22 | 665 | 631 | 705 | 692 | 99.0 | 102.4 | 104.9 | 112.3 | 813 | 888 | 845 | 885 |
| 3 | zone3 Mani-Majra | 249 | 167 | 424 | 426 | 86.5 | 73.2 | 147.2 | 186.8 | 1,044 | 1,009 | 1,187 | 1,176 |
| 4 | zone4 Polyclinic 45 | 248 | 307 | 310 | 351 | 134.1 | 165.9 | 167.6 | 189.7 | 1,200 | 1,050 | 1,320 | 1,108 |

| | | 10 | 09 | 11 | 10 | 11 | 11 | 11 | 12 | 11 | 13 | 11 | 14 |
|---|---------------------|----------|--------------------|-----------------------|---------|----------|--------------------------|----------|---------|----------|-----------------------|---|---|
| | Indicators | Number o | of Infants DPT3 | Number o given Pen | | Number o | of Infants tavalent 2 | Number o | | Number o | of Infants Aeasles | Infants months received vaccine to live b | 0 to 11 old who Measles reported |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 4,453 | 4,294 | 0 | | 0 | | 0 | | 4,552 | 4,265 | 91.2 | 83.7 |
| 1 | zone1 GMSH-16 | 1,044 | 1,035 | 0 | | 0 | | 0 | | 1,061 | 1,022 | 27.6 | 25.2 |
| 2 | zone2 CHC-22 | 867 | 957 | | | | | | | 917 | 955 | 136.5 | 155.0 |
| 3 | zone3 Mani-Majra | 1,179 | 1,128 | 0 | | 0 | | 0 | | 1,252 | 1,138 | 434.7 | 499.1 |
| 4 | zone4 Polyclinic 45 | 1,363 | 1,174 | 0 | | 0 | | 0 | | 1,322 | 1,150 | 714.6 | 621.6 |

| | Indicators Number of fusimmunized chill (9-11 month) 2013-14 20 | | 15 | 11 | 16 | 11 | 17 | 11 | 18 | 11 | 19 | 12 | 20 |
|---|---|----------|------------|------------------------|---------|-----------|----------|--------------------------------|------------|-----------|------------------------------------|------------------------|------------|
| | Indicators | immunize | d children | 9 Drop Out BCG & | - | Vitamin - | A dose 1 | Children g dose1 to live | iven Vit A | Vitamin A | n given Dose 9 to iven Vit A | Adverse Following I | munisation |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 4,459 | 4,181 | 11.0 | 20.8 | 4,391 | 4,168 | 88.0 | 81.9 | 62.3 | 58.5 | 0 | 0 |
| 1 | zone1 GMSH-16 | 1,028 | 1,009 | 71.1 | 73.9 | 1,012 | 1,074 | 26.3 | 26.4 | 16.3 | 16.8 | 0 | 0 |
| 2 | zone2 CHC-22 | 916 | 935 | -30.1 | -38.0 | 887 | 902 | 132.0 | 146.4 | 77.2 | 71.5 | 0 | 0 |
| 3 | zone3 Mani-Majra | 1,222 | 1,133 | -195.3 | -167.1 | 1,194 | 1,049 | 414.6 | 460.1 | 90.5 | 103.9 | 0 | 0 |
| 4 | zone4 Polyclinic 45 | 1,293 | 1,104 | -326.5 | -227.6 | 1,298 | 1,143 | 701.6 | 617.8 | 62.2 | 45.7 | 0 | 0 |

| | He | | 21 | 12 | 22 | 12 | 23 | 12 | 24 | 12 | 25 | 12 | 26 |
|---|---------------------|---|---------------------------|--|----------------------------------|---|---------|---------|-----------|---|-------------------------|---|---|
| | Indicators | immunisation Held to Imm Sessions | on Sessions munisation | Immunisatio where AS presen Immunisatio Plar | on Sessions HAs were nt to | Diptheria i 0-5 Years Total Re Childhood | | | of Age to | Tetanus Ne in Childrer of Age t Reported | o 0-5 Years to Total | Children 0- Age to Tota Childhood | Others in -5 Years of al Reported |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 95.9 | 96.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | zone1 GMSH-16 | 98.9 | 96.7 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 |
| 2 | zone2 CHC-22 | 96.4 | 96.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | zone3 Mani-Majra | 93.2 | 94.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | zone4 Polyclinic 45 | 94.7 | 96.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | Indicators | Polio in Ch Years of A Reported | - | % Measles ir 0-5 Years Total Re Childhood | - | Diarrho dehydr Children O Age to Tota Childhood | % bea and ation in -5 Years of al Reported d Diseases Years | 9 | Children 0-5 ge to Total Childhood | 9 Adult F Inpatients Adult In | % Female to Total | 9 Children In | - |
|-------------|---------------------|---------------------------------------|---------|---|---------|---|---|---------|--|--|-------------------------|------------------|---------|
| _Chandigarh | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 0.0 | 0.0 | 0.4 | 0.3 | 99.5 | 99.5 | 0.0 | 0.2 | 54.8 | 52.6 | 26.8 | 28.1 |
| 1 | zone1 GMSH-16 | 0.0 | 0.0 | 0.9 | 0.4 | 98.9 | 99.2 | 0.1 | 0.3 | 51.4 | 50.7 | 27.8 | 28.4 |
| 2 | zone2 CHC-22 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 |
| 3 | zone3 Mani-Majra | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 99.8 | 0.0 | 0.2 | 72.8 | 54.5 | 18.9 | 41.0 |
| 4 | zone4 Polyclinic 45 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 57.9 | 57.6 | 43.2 | 35.6 |

| | | 1: | 33 | 1: | 34 | 13 | 35 | 1: | 36 | 1: | 37 | 13 | 38 |
|---|---------------------|--------------------------------|----------------------|-------------|--------------------------|---------|---------|-----------|-----------|---------|---------|-----------------|---------|
| | Indicators | Female I Deaths Inpatien | npatient to Total | Inpatient I | % Deaths to Il IPD | IPD (Nu | ımber) | OPD (N | umber) | % IPD | to OPD | Number Opera | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 34.9 | 36.8 | 4.1 | 4.5 | 43,513 | 41,553 | 1,217,507 | 1,156,567 | 3.6 | 3.6 | 14,454 | 13,689 |
| 1 | zone1 GMSH-16 | 34.8 | 36.8 | 4.6 | 4.8 | 39,552 | 38,982 | 845,565 | 826,832 | 4.7 | 4.7 | 13,985 | 13,358 |
| 2 | zone2 CHC-22 | | | 0.0 | 0.0 | 1,614 | 1,018 | 150,209 | 142,816 | 1.1 | 0.7 | 164 | 103 |
| 3 | zone3 Mani-Majra | 100.0 | | 0.1 | 0.0 | 1,360 | 585 | 100,990 | 82,189 | 1.3 | 0.7 | 112 | 76 |
| 4 | zone4 Polyclinic 45 | 100.0 | | 0.2 | 0.0 | 987 | 968 | 120,743 | 104,730 | 0.8 | 0.9 | 193 | 152 |

| | | 13 | 39 | 14 | 40 | 14 | 41 | 14 | 12 | 14 | 43 | 14 | 14 |
|---|---------------------|-----------------|--------------------|----------------------------|---------|--------------------------|---------|----------------------------------|--------------------|-----------|----------|----------------|------------|
| | Indicators | Number Opera | of Minor ations | % Major Ope Total Op | | Numb Hystere Surge | ectomy | Hystere Surgeries Major Op | ectomy to Total | Ayush OPD | (Number) | AYUSH OP OF | D to Total |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 48,306 | 42,688 | 23.0 | 24.3 | 7 | | 0.0 | 0.0 | 49,582 | 47,567 | 4.0 | 4.1 |
| 1 | zone1 GMSH-16 | 47,768 | 42,228 | 22.6 | 24.0 | 7 | | 0.1 | 0.0 | 3,420 | 2,720 | 0.4 | 0.3 |
| 2 | zone2 CHC-22 | 119 | 220 | 58.0 | 31.9 | | | 0.0 | 0.0 | 25,932 | 23,675 | 17.3 | 16.6 |
| 3 | zone3 Mani-Majra | 181 | 111 | 38.2 | 40.6 | | | 0.0 | 0.0 | 13,635 | 14,504 | 13.5 | 17.6 |
| 4 | zone4 Polyclinic 45 | 238 | 129 | 44.8 | 54.1 | | | 0.0 | 0.0 | 6,595 | 6,668 | 5.5 | 6.4 |

| | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|---|---------------------|---------------------|---------|---------------------------|---------|--------------------------------|---------|---|---------|---|---------|---|---------|
| | Indicators | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 29,692 | 28,842 | 2.4 | 2.5 | 3,302 | 2,867 | 3.7 | 3.5 | 2.7 | 2.7 | 0.9 | 0.9 |
| 1 | zone1 GMSH-16 | 24,166 | 23,999 | 2.9 | 2.9 | 456 | 616 | 4.1 | 3.9 | 3.3 | 3.3 | 1.3 | 1.3 |
| 2 | zone2 CHC-22 | 1,400 | 1,816 | 0.9 | 1.3 | 959 | 1,147 | 1.4 | 0.7 | 1.9 | 0.3 | 0.2 | 0.0 |
| 3 | zone3 Mani-Majra | 2,627 | 605 | 2.6 | 0.7 | 1,157 | 762 | 3.4 | 1.8 | 0.3 | 0.4 | 0.1 | 0.1 |
| 4 | zone4 Polyclinic 45 | 1,499 | 2,422 | 1.2 | 2.3 | 730 | 342 | 3.3 | 1.7 | 0.6 | 0.4 | 0.1 | 0.1 |

| Indicators | | 151 % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | 154 Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
|------------|---------------------|--|---------|---|---------|--|---------|---|---------|--|---------|--|---------|
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 1.5 | 1.6 | 0.6 | 0.5 | 0.0 | 0.0 | 263 | 387 | 19.1 | 19.1 | 11.0 | 6.2 |
| 1 | zone1 GMSH-16 | 2.1 | 2.1 | 1.8 | 0.6 | 0.1 | 0.0 | 257 | 384 | 19.6 | 19.3 | 11.3 | 6.2 |
| 2 | zone2 CHC-22 | 0.6 | 0.1 | 0.1 | 0.4 | 0.0 | 0.0 | 1 | | 0.0 | | 0.0 | |
| 3 | zone3 Mani-Majra | 0.2 | 0.2 | 0.6 | 0.7 | 0.0 | 0.0 | 4 | | 0.0 | | 0.0 | |
| 4 | zone4 Polyclinic 45 | 0.2 | 0.2 | 0.0 | 0.3 | 0.0 | 0.0 | 1 | 3 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|------------|---------------------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| Indicators | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Chandigarh | 1.0 | 6.8 | 2.9 | 6.2 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 66.0 | 61.4 |
| 1 | zone1 GMSH-16 | 1.0 | 6.9 | 2.9 | 5.9 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 65.2 | 61.4 |
| 2 | zone2 CHC-22 | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 100.0 | |
| 3 | zone3 Mani-Majra | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 100.0 | |
| 4 | zone4 Polyclinic 45 | 0.0 | 0.0 | 0.0 | 33.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 66.7 |