| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|-----|----------|--|--|--|--|---|---|--|---|---|--|---|--|---|
| Ind | dicators | Total number of pregnant women Registere d for ANC | Number of Pregnant women registere d within first trimester | Number of Women registere d under JSY | % 1st Trimeste r registrati on to Total ANC Registrati ons | % JSY registrati on to Total ANC Registrati on | Number of pregnant women received 3 ANC check ups | TT2 or Booster given to Pregnant women (numbers | % Pregnant Woman received 3 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2 or Booster to Total ANC Registrati on | Number of Pregnant women given 100 IFA tablets | % Pregnant women given 100 IFA to Total ANC Registrati on | Number having Hb level<11 (tested cases) | Number having severe anaemia (Hb<7) treated at institutio n |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Latehar | 4,430 | 960 | 4,269 | 21.6 | 96.4 | 2,963 | 3,829 | 66.8 | 86.4 | 3,224 | 72.7 | 362 | 15 |
| 1 | Balumath | 1,109 | 255 | 1,109 | 23.0 | 100.0 | 657 | 1,065 | 59.2 | 96.0 | 966 | 87.1 | 0 | 0 |
| 2 | Barwadih | 549 | 217 | 549 | 39.5 | 100.0 | 372 | 451 | 67.8 | 82.1 | 348 | 63.4 | 0 | 0 |
| 3 | Chandwa | 512 | 50 | 512 | 9.8 | 100.0 | 437 | 461 | 85.4 | 90.0 | 480 | 93.8 | 81 | 0 |
| 4 | DHQ | 103 | 55 | 0 | 53.4 | 0.0 | 93 | 92 | 90.3 | 89.3 | 107 | 103.9 | 87 | 14 |
| 5 | Garu | 220 | 60 | 220 | 27.3 | 100.0 | 193 | 194 | 87.7 | 88.2 | 187 | 85.0 | 62 | 0 |
| 6 | Latehar | 673 | 84 | 666 | 12.5 | 99.0 | 472 | 558 | 70.1 | 82.9 | 463 | 68.8 | 51 | |
| 7 | Mahuadar | 498 | 130 | 447 | 26.1 | 89.8 | 337 | 377 | 67.7 | 75.7 | 310 | 62.2 | 1 | 0 |
| 8 | Manika | 766 | 109 | 766 | 14.2 | 100.0 | 402 | 631 | 52.5 | 82.4 | 363 | 47.4 | 80 | 1 |

| | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
|-----|----------|---|---|---------------------------------|--|--|--|--|--|--|--|--|---|---|
| Ind | dicators | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<11 | % New cases detected at institutio n for hyperten sion to Total ANC Registrations | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Mothers paid JSY incentive for home deliveries | % Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries | Deliveries Conducte d at Public Institutio ns | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Institutio nal deliveries (Public Insts.+Pvt . Insts.) | % Institutio nal Deliveries to total ANC registrati on |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Latehar | 4.1 | 1.7 | 1,894 | 287 | 1,607 | 15.1 | 15 | 0.8 | 2,058 | 1,713 | 83.2 | 2,058 | 46.4 |
| 1 | Balumath | | 0.0 | 485 | 45 | 440 | 9.3 | 0 | 0.0 | 477 | 477 | 100.0 | 477 | 43.0 |
| 2 | Barwadih | | 8.0 | 238 | 36 | 202 | 15.1 | 0 | 0.0 | 282 | 219 | 77.7 | 282 | 51.4 |
| 3 | Chandwa | 0.0 | 0.0 | 317 | 139 | 178 | 43.8 | 0 | 0.0 | 307 | 177 | 57.7 | 307 | 60.0 |
| 4 | DHQ | 16.1 | 0.0 | | | | | | | 254 | 238 | 93.7 | 254 | 246.6 |
| 5 | Garu | 0.0 | 4.5 | 103 | 12 | 91 | 11.7 | 0 | 0.0 | 73 | 73 | 100.0 | 73 | 33.2 |
| 6 | Latehar | 0.0 | 2.8 | 272 | 11 | 261 | 4.0 | 15 | 5.5 | 252 | 248 | 98.4 | 252 | 37.4 |
| 7 | Mahuadar | 0.0 | 0.0 | 147 | 3 | 144 | 2.0 | 0 | 0.0 | 226 | 226 | 100.0 | 226 | 45.4 |
| 8 | Manika | 1.3 | 0.1 | 332 | 41 | 291 | 12.3 | 0 | 0.0 | 187 | 55 | 29.4 | 187 | 24.4 |

| | | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
|-----|----------|---------------------------------|--|--|---|---|--|--|---|---|--|---|--|---|
| Ind | dicators | Total reported deliveries | % Institutio nal deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducte d at public facilities | Number of C-section deliveries conducte d at private facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section s conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries | % Mothers paid JSY Incentive for Delivery at Public institutio n to Total Public Deliveries | % of cases where JSY Incentive paid to ASHA for Delivery at Public institutio n to Total Public Deliveries | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Latehar | 3,952 | 52.1 | 59.3 | 47.9 | 0 | | 0.0 | 0.0 | | 100.0 | 92.5 | 76.0 | 0.0 |
| 1 | Balumath | 962 | 49.6 | 54.3 | 50.4 | 0 | | 0.0 | 0.0 | | 100.0 | 100.0 | 59.7 | 0.0 |
| 2 | Barwadih | 520 | 54.2 | 61.2 | 45.8 | 0 | | 0.0 | 0.0 | | 100.0 | 100.0 | 100.0 | 0.0 |
| 3 | Chandwa | 624 | 49.2 | 71.5 | 50.8 | 0 | | 0.0 | 0.0 | | 100.0 | 118.9 | 90.9 | 0.0 |
| 4 | DHQ | 254 | 100.0 | 100.0 | 0.0 | 0 | | 0.0 | 0.0 | | 100.0 | 37.0 | 22.0 | 0.0 |
| 5 | Garu | 176 | 41.5 | 48.3 | 58.5 | 0 | | 0.0 | 0.0 | | 100.0 | 111.0 | 112.3 | 0.0 |
| 6 | Latehar | 524 | 48.1 | 50.2 | 51.9 | 0 | | 0.0 | 0.0 | | 100.0 | 98.0 | 90.1 | 0.0 |
| 7 | Mahuadar | 373 | 60.6 | 61.4 | 39.4 | 0 | | 0.0 | 0.0 | | 100.0 | 80.1 | 80.1 | 0.0 |
| 8 | Manika | 519 | 36.0 | 43.9 | 64.0 | 0 | | 0.0 | 0.0 | | 100.0 | 94.7 | 92.5 | 0.0 |

| | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
|-----|----------|--|---|---|--|---|--|--|--|---|--|---|--|--|
| Ind | dicators | Women received post partum check-up within 48 hours of delivery | Post - Natal Care / Women got a post partum check up between 48 hours and 14 days | % Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries | % Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries | Total Number of reported live births | % Total Reported Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Latehar | 2,621 | 1,129 | 66.3 | 28.6 | 3,911 | 99.0 | 69 | 98.3 | 3,480 | 89.0 | 146 | 4.1 | 3,733 |
| 1 | Balumath | 615 | 268 | 63.9 | 27.9 | 948 | 98.5 | 14 | 98.5 | 948 | 100.0 | 63 | 6.6 | 948 |
| 2 | Barwadih | 422 | 95 | 81.2 | 18.3 | 520 | 100.0 | 1 | 99.8 | 520 | 100.0 | 1 | 0.2 | 520 |
| 3 | Chandwa | 217 | 101 | 34.8 | 16.2 | 622 | 99.7 | 4 | 99.4 | 355 | 57.1 | 2 | 0.6 | 500 |
| 4 | DHQ | 239 | 152 | 94.1 | 59.8 | 245 | 96.5 | 9 | 96.5 | 245 | 100.0 | 32 | 13.1 | 243 |
| 5 | Garu | 154 | 20 | 87.5 | 11.4 | 176 | 100.0 | 1 | 99.4 | 176 | 100.0 | 3 | 1.7 | 176 |
| 6 | Latehar | 350 | 266 | 66.8 | 50.8 | 516 | 98.5 | 13 | 97.5 | 403 | 78.1 | 11 | 2.7 | 476 |
| 7 | Mahuadar | 335 | 0 | 89.8 | 0.0 | 371 | 99.5 | 20 | 94.9 | 371 | 100.0 | 14 | 3.8 | 371 |
| 8 | Manika | 289 | 227 | 55.7 | 43.7 | 513 | 98.8 | 7 | 98.7 | 462 | 90.1 | 20 | 4.3 | 499 |

| | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
|----|----------|--|---|--|---|--|---|--|---|--|--|--|---------------------------------------|---|
| In | dicators | % Newborns breast fed within 1 hour of birth to Total live birth | Number of New Borns visited within 24 hrs of Home Delivery | % newborns visited within 24hrs of home delivery to total reported home deliveries | Sex Ratio at birth (Female Live Births/ Male Births *1000) | % cases of Pregnant women with Obstetric Complications and attended to reported deliveries | % Complica ted Pregnanci es treated with IV antihyper tensive/ Magsulph injection to Total Women with Obstetric Complica tions attended | % Complica ted Pregnanci es treated with IV antihyper tensive/ Magsulph injection to Total New cases detected with Hyperten sion | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | % Post - Natal Care / PNC maternal complicat ions attended to Total Deliveries | Total Number of Abortions (Spontan eous/ Induced) Reported | Total Number of MTPs (Public) reported | % MTPs (Public) to Abortions | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Latehar | 95.4 | 1,608 | 84.8 | 964 | 0.2 | 0.0 | 0.0 | 0.0 | 0.1 | 52 | 18 | 34.6 | 100.0 |
| 1 | Balumath | 100.0 | 485 | 100.0 | 947 | 0.0 | | | | 0.0 | 10 | 0 | 0.0 | |
| 2 | Barwadih | 100.0 | 226 | 95.0 | 1,023 | 0.0 | | 0.0 | | 0.8 | 0 | 0 | | |
| 3 | Chandwa | 80.4 | 133 | 42.0 | 835 | 0.0 | | | | 0.0 | 3 | 0 | 0.0 | |
| 4 | DHQ | 99.2 | | | 1,188 | 2.0 | 0.0 | | 0.0 | 0.0 | 17 | 17 | 100.0 | 100.0 |
| 5 | Garu | 100.0 | 97 | 94.2 | 1,173 | 0.0 | | 0.0 | | 0.0 | 0 | 0 | | |
| 6 | Latehar | 92.2 | 233 | 85.7 | 1,115 | 0.0 | | 0.0 | | 0.0 | 17 | 1 | 5.9 | 100.0 |
| 7 | Mahuadar | 100.0 | 135 | 91.8 | 932 | 0.0 | | | | 0.0 | 2 | 0 | 0.0 | |
| 8 | Manika | 97.3 | 299 | 90.1 | 839 | 0.0 | | 0.0 | | 0.0 | 3 | 0 | 0.0 | |

| | | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 |
|----|----------|---|---|--|---|--|--|--|---|---|---|---|---|---|
| In | dicators | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | % Number of Wet Mount Tests conducte d to Number of new RTI/ STI female cases for which treatmen t initiated | Number of Vasectom ies Conducte d (Public + Pvt.) | Number of Tubecto mies Conducte d (Public + Pvt.) | Total Sterilisati on Conducte d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Tubecto mies to Total sterilisati on | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH/DH |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Latehar | 0.0 | 100.0 | 0.0 | 0.4 | 0.0 | 0 | 45 | 45 | 0.0 | 100.0 | 45 | 0 | 0 |
| 1 | Balumath | | | | 0.0 | | 0 | 0 | 0 | | | 0 | 0 | |
| 2 | Barwadih | | | | 0.0 | 0.0 | 0 | 0 | 0 | | | 0 | 0 | |
| 3 | Chandwa | | | | 0.0 | | 0 | 0 | 0 | | | | 0 | |
| 4 | DHQ | 0.0 | 100.0 | 0.0 | 16.5 | | 0 | 0 | 0 | | | | | 0 |
| 5 | Garu | | | | 0.0 | | 0 | 0 | 0 | | | | 0 | |
| 6 | Latehar | 0.0 | 100.0 | 0.0 | 0.1 | | 0 | 45 | 45 | 0.0 | 100.0 | 45 | | |
| 7 | Mahuadar | | | | 0.0 | | 0 | 0 | 0 | | | 0 | 0 | |
| 8 | Manika | | | | 0.0 | 0.0 | 0 | 0 | 0 | | | 0 | 0 | |

| | | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 |
|----|----------|--|---|---|---|--|--|---|--|--|--|---|---|--|
| In | dicators | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Other public Institutio ns | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at PHC to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at CHC to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at SDH/DH to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Other public Institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on | % Laparosc opic sterlisati ons to Total Female Sterilisati ons | % Mini Lap Sterlisati ons to Total Female Sterilisati ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Latehar | | | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 88.9 | 11.1 | | 100.0 | 100.0 |
| 1 | Balumath | | | | | | | | | | | | | |
| 2 | Barwadih | | | | | | | | | | | | | |
| 3 | Chandwa | | | | | | | | | | | | | |
| 4 | DHQ | | | | | | | | | | | | | |
| 5 | Garu | | | | | | | | | | | | | |
| 6 | Latehar | | | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 88.9 | 11.1 | | 100.0 | 100.0 |
| 7 | Mahuadar | | | | | | | | | | | | | |
| 8 | Manika | | | | | | | | | | | | | |

| | | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 |
|----|----------|--|--|--|---|---|---|---|---|-------------------------------|-------------------------------------|--|---|-----------------------------------|
| In | dicators | Total cases of deaths following Sterlisati on (Male + Female) | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | Total IUCD Insertions done (public+p rivate) | PP IUCD Insertions done (public facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions in public plus private institutio ns to all family planning methods (IUCD plus permane nt) | Oral Pills distribute d | Condom pieces distribute d | Centchro man Pills distribute d | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Latehar | 0 | 258 | | 258 | | 0.0 | 0.0 | 85.1 | 3,444 | 20,376 | 26 | 891 | 2,775 |
| 1 | Balumath | 0 | 103 | | 103 | | 0.0 | 0.0 | 100.0 | 809 | 6,258 | 0 | 267 | 664 |
| 2 | Barwadih | 0 | 37 | | 37 | | 0.0 | 0.0 | 100.0 | 612 | 4,433 | 2 | 123 | 329 |
| 3 | Chandwa | 0 | 9 | | 9 | | 0.0 | 0.0 | 100.0 | 512 | 1,196 | 0 | 72 | 299 |
| 4 | DHQ | 0 | 8 | | 8 | | 0.0 | 0.0 | 100.0 | 155 | 1,450 | 0 | 265 | 324 |
| 5 | Garu | 0 | 3 | | 3 | | 0.0 | 0.0 | 100.0 | 345 | 4,276 | 0 | 9 | 206 |
| 6 | Latehar | 0 | 0 | | 0 | | | 0.0 | 0.0 | 172 | 1,303 | 0 | 63 | 431 |
| 7 | Mahuadar | 0 | 98 | | 98 | | 0.0 | 0.0 | 100.0 | 460 | 865 | 13 | 36 | 190 |
| 8 | Manika | 0 | 0 | | 0 | | | 0.0 | | 379 | 595 | 11 | 56 | 332 |

| | | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
|----|-----------|---|---|---------------------------------------|---------------------------------------|---------------------------------------|--|--|--|--|---|---|--|-----------------------|
| In | ndicators | % Newborns given OPV0 at birth to Reported live birth | % Newborns given BCG to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | % Infants 0 to 11 months old who received Measles vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles | Vitamin - A dose 1 |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Latehar | 22.8 | 71.0 | 3,870 | 3,811 | 3,875 | | | | 4,447 | 113.7 | 3,550 | -60.3 | 3,979 |
| 1 | Balumath | 28.2 | 70.0 | 1,153 | 1,103 | 1,073 | | | | 1,207 | 127.3 | 857 | -81.8 | 1,028 |
| 2 | Barwadih | 23.7 | 63.3 | 349 | 364 | 419 | | | | 493 | 94.8 | 493 | -49.8 | 486 |
| 3 | Chandwa | 11.6 | 48.1 | 543 | 534 | 514 | | | | 621 | 99.8 | 546 | -107.7 | 613 |
| 4 | DHQ | 108.2 | 132.2 | 108 | 104 | 111 | | | | 101 | 41.2 | 83 | 68.8 | 101 |
| 5 | Garu | 5.1 | 117.0 | 198 | 180 | 164 | | | | 186 | 105.7 | 162 | 9.7 | 185 |
| 6 | Latehar | 12.2 | 83.5 | 661 | 653 | 713 | | | | 823 | 159.5 | 743 | -91.0 | 884 |
| 7 | Mahuadar | 9.7 | 51.2 | 410 | 401 | 369 | | | | 390 | 105.1 | 252 | -105.3 | 306 |
| 8 | Manika | 10.9 | 64.7 | 448 | 472 | 512 | | | | 626 | 122.0 | 414 | -88.6 | 376 |

| | | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 |
|-----|----------|---|---|---|---|---|--|---|--|---|--|--|---|--|
| Ind | dicators | % Children given Vit A dose1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Others) | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAS were present to Immunisa tion Sessions Planned | % Diptheria in Children 0-5 Years of Age to Total Reported Childhoo d Diseases 0-5 Years | % Pertusis in Children 0-5 Years of Age to Total Reported Childhoo d Diseases 0-5 Years | % Tetanus Neonator um in Children 0-5 Years of Age to Total Reported Childhoo d Diseases 0-5 Years | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhoo d Diseases 0-5 Years | % Polio in Children 0-5 Years of Age to Total Reported Childhoo d Diseases 0-5 Years | % Measles in Children 0-5 Years of Age to Total Reported Childhoo d Diseases 0-5 Years | % Diarrhoea and dehydrati on in Children 0-5 Years of Age to Total Reported Childhoo d Diseases 0-5 Years | % Malaria in Children 0-5 Years of Age to Total Reported Childhoo d Diseases 0-5 Years |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Latehar | 101.7 | 0.0 | 0 | 94.2 | 80.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 59.0 | 40.5 |
| 1 | Balumath | 108.4 | 0.0 | 0 | 86.5 | 77.3 | | | | | | | | |
| 2 | Barwadih | 93.5 | 0.0 | 0 | 100.0 | 83.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 54.5 | 45.5 |
| 3 | Chandwa | 98.6 | 0.0 | 0 | 94.4 | 90.2 | | | | | | | | |
| 4 | DHQ | 41.2 | 0.0 | 0 | 100.0 | 0.0 | | | | | | | | |
| 5 | Garu | 105.1 | 0.0 | 0 | 94.4 | 94.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 16.0 | 84.0 |
| 6 | Latehar | 171.3 | 0.0 | 0 | 95.3 | 70.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 81.1 | 18.9 |
| 7 | Mahuadar | 82.5 | 0.0 | 0 | 98.3 | 98.0 | | | | | | | | |
| 8 | Manika | 73.3 | 0.0 | 0 | 94.0 | 78.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 63.5 | 34.4 |

| | | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 |
|-----|----------|---|---|---|---|-----------------|-----------------|--------------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------|
| Ind | dicators | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD (Number) | OPD (Number) | % IPD to OPD | Number of Major Operatio ns | Number of Minor Operatio ns | % Major Operatio ns to Total Operatio n | Number of Hysterect omy Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | Ayush OPD (Number) |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Latehar | 64.4 | 11.2 | 50.0 | 0.4 | 1,962 | 74,895 | 2.6 | 0 | 0 | | | | 1,317 |
| 1 | Balumath | 46.5 | 38.8 | | 0.0 | 116 | 14,986 | 0.8 | 0 | 0 | | | | 0 |
| 2 | Barwadih | 84.7 | 0.0 | | 0.0 | 196 | 10,475 | 1.9 | 0 | 0 | | | | 0 |
| 3 | Chandwa | 37.5 | 26.5 | | 0.0 | 185 | 6,310 | 2.9 | 0 | 0 | | | | 0 |
| 4 | DHQ | 63.7 | 5.5 | 50.0 | 0.7 | 1,072 | 14,026 | 7.6 | 0 | 0 | | | | 1,317 |
| 5 | Garu | 64.9 | 18.7 | | 0.0 | 235 | 4,214 | 5.6 | 0 | 0 | | | | 0 |
| 6 | Latehar | 100.0 | 60.0 | | 0.0 | 5 | 9,636 | 0.1 | 0 | 0 | | | | 0 |
| 7 | Mahuadar | 38.7 | 29.5 | | 0.0 | 44 | 7,023 | 0.6 | 0 | 0 | | | | 0 |
| 8 | Manika | 86.3 | 6.4 | | 0.0 | 109 | 8,225 | 1.3 | 0 | 0 | | | | 0 |

| | | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|----|----------|--------------------------------------|---------------------------|---------------------------------------|--|--|--|---|---|--|--|--|--|--|
| In | dicators | % AYUSH OPD to Total OPD | Dental OPD (Number) | % Dental OPD to Total OPD | Adolesce nt counselle d (Number) | % Hb < 7 mg to Total Hb Tests Conducte d | % Male HIV Positive to Total Males Tested | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Latehar | 1.7 | 796 | 1.1 | 272 | 1.9 | 0.5 | 0.3 | 0.4 | 8.5 | 0.8 | 10 | 0.0 | 0.0 |
| 1 | Balumath | 0.0 | 0 | 0.0 | 0 | | | | | 12.8 | 0.5 | | | |
| 2 | Barwadih | 0.0 | 0 | 0.0 | 0 | 0.0 | | | | 17.0 | 3.8 | | | |
| 3 | Chandwa | 0.0 | 0 | 0.0 | 0 | | | | | | | | | |
| 4 | DHQ | 9.4 | 796 | 5.7 | 0 | 1.2 | 0.5 | 0.4 | 0.4 | 3.5 | 0.4 | 1 | 0.0 | 0.0 |
| 5 | Garu | 0.0 | 0 | 0.0 | 0 | 0.0 | | | | 5.2 | 0.4 | | | |
| 6 | Latehar | 0.0 | 0 | 0.0 | 0 | 2.5 | | | | 0.0 | 0.0 | 2 | 0.0 | 0.0 |
| 7 | Mahuadar | 0.0 | 0 | 0.0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.8 | 2.0 | | | |
| 8 | Manika | 0.0 | 0 | 0.0 | 272 | 2.5 | | | | 6.1 | 0.0 | 7 | 0.0 | 0.0 |

| Indicators | | 157 | 158 | 159 | 160 | 161 | 162 |
|------------|----------|---|--|---|---|---|--|
| | | % Deaths due to LBW to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths | % Deaths due to Other Causes to Total Reported Infant Deaths |
| | | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 | 2012-13 |
| | _Latehar | 0.0 | 0.0 | 12.5 | 12.5 | 0.0 | 75.0 |
| 1 | Balumath | | | | | | |
| 2 | Barwadih | | | | | | |
| 3 | Chandwa | | | | | | |
| 4 | DHQ | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 |
| 5 | Garu | | | | | | |
| 6 | Latehar | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 |
| 7 | Mahuadar | | | | | | |
| 8 | Manika | 0.0 | 0.0 | 16.7 | 16.7 | 0.0 | 66.7 |