		1	1	2	2	3	3	4	1		5	(i
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries			Total Number of reported Still Births		% live birth to Reported Birth		f Newborns at birth	Number of Infants given OPV 0 (Birth Dose)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Mizoram	23,708	18,703	103.8	102.7	196	1,471	99.2	92.7	22,155	18,906	2,057	397
1	Aizawl East												
2	Aizawl West	10,164	6,265	98.5	107.5	72	35	99.3	99.4	9,794	5,714	2,011	235
3	Champhai	2,849	2,277	102.6	96.6	21	232	99.3	90.8	2,772	2,422	31	
4	Kolasib	1,747	1,611	105.9	111.2	34	146	98.1	91.7	1,724	1,638		149
5	Lawngtlai	2,012	1,737	133.2	103.5	7	161	99.7	91.5	1,678	1,894		13
6	Lunglei	2,802	3,497	107.4	102.7	26	554	99.1	86.3	2,453	3,690	12	
7	Mamit	1,465	958	105.5	95.7	10	100	99.3	90.5	1,169	1,034	·	
8	Saiha	1,452	1,333	105.3	93.8	21	140	98.6	90.5	1,351	1,419		
9	Serchhip	1,217	1,025	100.1	95.3	5	103	99.6	90.9	1,214	1,095	3	

		7	7	8	3	ġ	9	1	0	1	1	1	2
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		Newborns	% Newborns given BCG to Reported live birth		Number of Infants given DPT1		of Infants DPT2	Number of Infants given DPT3	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Mizoram	23,687	10,374	8.7	2.1	99.9	55.5	23,493	11,644	23,430	11,061	23,732	10,488
1	Aizawl East												
2	Aizawl West	9,913	3,214	19.8	3.8	97.5	51.3	9,435	3,366	9,283	3,355	9,175	3,178
3	Champhai	2,918	1,563	1.1	0.0	102.4	68.6	2,978	1,778	3,057	1,842	3,054	1,693
4	Kolasib	1,935	999	0.0	9.2	110.8	62.0	1,910	1,010	1,908	906	1,863	885
5	Lawngtlai	1,854	1,132	0.0	0.7	92.1	65.2	1,935	1,300	1,927	1,194	1,935	1,208
6	Lunglei	2,961	1,664	0.4	0.0	105.7	47.6	3,116	1,889	3,077	1,782	3,582	1,717
7	Mamit	1,521	640	0.0	0.0	103.8	66.8	1,567	786	1,579	793	1,519	759
8	Saiha	1,297	828	0.0	0.0	89.3	62.1	1,309	1,145	1,311	873	1,341	672
9	Serchhip	1,288	334	0.2	0.0	105.8	32.6	1,243	370	1,288	316	1,263	376

		1	.3	1	4	1	.5	1	6	1	7	1	8	
Indicator		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2			Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	
	_Mizoram							21,833	10,775	92.1	57.6	22,623	13,567	
1	Aizawl East													
2	Aizawl West							9,039	3,346	88.9	53.4	9,226	4,230	
3	Champhai							2,825	1,520	99.2	66.8	2,753	2,034	
4	Kolasib							1,662	1,029	95.1	63.9	1,729	1,230	
5	Lawngtlai							1,630	1,020	81.0	58.7	1,826	1,302	
6	Lunglei							2,856	2,018	101.9	57.7	3,178	2,408	
7	Mamit							1,411	759	96.3	79.2	1,430	917	
8	Saiha							1,172	700	80.7	52.5	1,188	847	
9	Serchhip							1,238	383	101.7	37.4	1,293	599	

		1	9	2	0	2	1	2	2	2	3	2	4
1	ndicator	% Drop Out between BCG & Measles		Vitamin - A dose 1		Children g dose1 to R bir	iven Vit A	Children gi	% ven Vitamin o Children : A dose1	Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Mizoram	7.8	-3.9	21,366	4,036	90.1	21.6	37.4	4.9	818	20	89.5	6.9
1	Aizawl East												
2	Aizawl West	8.8	-4.1	7,954	1,217	78.3	19.4	22.3	16.3	2	20	79.7	100.0
3	Champhai	3.2	2.8	3,898	782	136.8	34.3	40.8	0.0	268		95.9	
4	Kolasib	14.1	-3.0	1,603	635	91.8	39.4	67.8	0.0	128		99.3	98.8
5	Lawngtlai	12.1	9.9	1,015		50.4	0.0	32.4		332		103.8	
6	Lunglei	3.5	-21.3	2,827	850	100.9	24.3	41.6	0.0	19		98.0	
7	Mamit	7.2	-18.6	1,296	238	88.5	24.8	81.6	0.0	39		91.4	
8	Saiha	9.6	15.5	1,184	239	81.5	17.9	22.5	0.0	_		83.9	3.6
9	Serchhip	3.9	-14.7	1,589	75	130.6	7.3	44.5	0.0	30		84.8	

		2	5	2	6	2	27		8	2	9	30	
1	Indicator	1mmunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Pertusis in 0-5 Years Total R Childhood	% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Others in -5 Years of al Reported Diseases 0-5 ars	% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Mizoram	79.7	5.3	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1
1	Aizawl East												
2	Aizawl West	60.5	100.0	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.4
3	Champhai	84.8		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Kolasib	91.0	91.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Lawngtlai	117.4		0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Lunglei	88.6		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Mamit	81.1		0.2	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0
8	Saiha	78.3	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	Serchhip	91.8		0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		31		32		3	33		34		5	36		
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Malaria in (Years of A Reported	% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	
	_Mizoram	3.9	1.2	69.2	62.6	26.9	35.7	703	67	3.4	3.0	1.4	3.0	
1	Aizawl East													
2	Aizawl West	7.4	1.3	81.0	51.3	11.6	45.6	136	17	2.3	12.5	3.8	12.5	
3	Champhai	3.8	0.9	76.1	75.8	20.1	23.3	75	25	7.2	0.0	2.9	0.0	
4	Kolasib	2.5	4.1	78.0	76.1	19.5	19.8	67		4.7		1.6		
5	Lawngtlai	4.4	0.0	51.9	56.2	43.4	43.8	38	14	0.0	0.0	0.0	0.0	
6	Lunglei	1.6	0.7	52.8	47.2	45.6	52.0	81		7.8		0.0		
7	Mamit	1.9	1.1	52.0	69.4	45.6	29.4	122	11	15.0	0.0	0.0	0.0	
8	Saiha	0.3	0.0	73.5	65.2	26.2	34.8	130		0.0		0.0		
9	Serchhip	3.4	1.3	85.8	97.1	10.5	1.5	54		0.0		0.0		

		3	7	3	8	3	9	4	.0	4	1	4	2	
Indicator		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths Diarrhoe Reporte	% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	
	_Mizoram	2.1	3.0	32.1	3.0	3.5	0.0	11.2	18.2	0.0	0.0	46.3	69.7	
1	Aizawl East													
2	Aizawl West	5.3	12.5	35.3	12.5	5.3	0.0	17.3	37.5	0.0	0.0	30.8	12.5	
3	Champhai	0.0	0.0	27.5	0.0	8.7	0.0	13.0	0.0	0.0	0.0	40.6	100.0	
4	Kolasib	0.0		43.8		1.6		17.2		0.0		31.3		
5	Lawngtlai	0.0	0.0	36.8	0.0	0.0	0.0	15.8	0.0	0.0	0.0	47.4	100.0	
6	Lunglei	4.7		32.8		4.7		4.7		0.0		45.3		
7	Mamit	5.0	0.0	25.0	0.0	5.0	0.0	5.0	54.5	0.0	0.0	45.0	45.5	
8	Saiha	0.0		26.8		0.0		5.5		0.0		67.7		
9	Serchhip	2.0		26.5		4.1		6.1		0.0		61.2		