| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|----|------------------------|--|--|--|--|--|--|---|--|--|---|---|--|--|
| | Indicators | Total number of pregnant women Registere d for ANC | Number of Pregnant women registere d within first trimester | % 1st Trimeste r registrati on to Total ANC Registrati ons | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers | TT Booster given to Pregnant women (numbers | % Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2+ TT Booster to Total ANC Registrati on | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registrati on | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Sambalpur | 12,383 | 10,701 | 86.4 | 11,823 | 10,149 | 1,407 | 95.4 | 93.3 | 8,270 | 66.7 | 10,125 | 35 | 19.0 |
| 1 | Bamra | 1,143 | 991 | 86.7 | 1,227 | 856 | 174 | 107.3 | 90.1 | 790 | 69.1 | 759 | 0 | 0.0 |
| 2 | Dhankauda | 2,527 | 2,192 | 86.7 | 2,367 | 1,970 | 294 | 93.7 | 89.6 | 1,843 | 72.9 | 2,137 | 7 | 23.3 |
| 3 | Dist Level Facility | 2,159 | 1,696 | 78.6 | 1,676 | 1,754 | 310 | 77.6 | 95.6 | 1,468 | 68.0 | 1,525 | 28 | 39.4 |
| 4 | Jamankira | 1,100 | 988 | 89.8 | 876 | 938 | 78 | 79.6 | 92.4 | 836 | 76.0 | 650 | 0 | |
| 5 | Jujomura | 1,030 | 851 | 82.6 | 761 | 846 | 108 | 73.9 | 92.6 | 602 | 58.4 | 517 | 0 | 0.0 |
| 6 | Kuchinda | 700 | 609 | 87.0 | 2,163 | 697 | 42 | 309.0 | 105.6 | 499 | 71.3 | 2,162 | 0 | 0.0 |
| 7 | Maneswar | 972 | 854 | 87.9 | 802 | 808 | 91 | 82.5 | 92.5 | 687 | 70.7 | 704 | 0 | 0.0 |
| 8 | Naktideul | 902 | 820 | 90.9 | 671 | 744 | 83 | 74.4 | 91.7 | 516 | 57.2 | 537 | 0 | 0.0 |
| 9 | Rairakhol | 731 | 689 | 94.3 | 535 | 602 | 98 | 73.2 | 95.8 | 545 | 74.6 | 611 | 0 | 0.0 |
| 10 | Rengali | 1,119 | 1,011 | 90.3 | 745 | 934 | 129 | 66.6 | 95.0 | 484 | 43.3 | 523 | 0 | 0.0 |

| | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
|----|------------------------|--|---------------------------------|--|--|--|--|--|--|---|---|---|---|---|
| | Indicators | % New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrati ons | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducte d at Public Institutio ns | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Deliveries Conducte d at Private Institutio ns | Number of Women Discharge d under 48 hours of delivery in private institutio ns | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns | Institutio nal deliveries (Public Insts.+Pvt . Insts.) | % Institutio nal Deliveries to total ANC registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Sambalpur | 2.3 | 115 | 3 | 112 | 2.6 | 14,601 | 3,702 | 25.3 | | | | 14,601 | 117.9 |
| 1 | Bamra | 0.0 | 21 | 0 | 21 | 0.0 | 539 | 48 | 8.9 | | | | 539 | 47.2 |
| 2 | Dhankauda | 3.7 | 13 | 3 | 10 | 23.1 | 87 | 45 | 51.7 | | | | 87 | 3.4 |
| 3 | Dist Level Facility | 3.5 | 0 | 0 | 0 | | 12,534 | 2,413 | 19.3 | | | | 12,534 | 580.5 |
| 4 | Jamankira | 3.2 | 4 | 0 | 4 | 0.0 | 342 | 330 | 96.5 | | | | 342 | 31.1 |
| 5 | Jujomura | 4.1 | 26 | 0 | 26 | 0.0 | 326 | 326 | 100.0 | | | | 326 | 31.7 |
| 6 | Kuchinda | 2.7 | 1 | 0 | 1 | 0.0 | 59 | 37 | 62.7 | | | | 59 | 8.4 |
| 7 | Maneswar | 0.2 | 3 | 0 | 3 | 0.0 | 56 | 56 | 100.0 | | | | 56 | 5.8 |
| 8 | Naktideul | 0.3 | 10 | 0 | 10 | 0.0 | 531 | 329 | 62.0 | | | | 531 | 58.9 |
| 9 | Rairakhol | 1.0 | 24 | 0 | 24 | 0.0 | 48 | 41 | 85.4 | | | | 48 | 6.6 |
| 10 | Rengali | 0.7 | 13 | 0 | 13 | 0.0 | 79 | 77 | 97.5 | | | | 79 | 7.1 |

| | | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
|----|------------------------|---------------------------------|--|---|---|---|--|--|---|---|--|---|--|--|
| | Indicators | Total reported deliveries | % Institutio nal deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducte d at public facilities | Number of C-section deliveries conducte d at private facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section s conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Sambalpur | 14,716 | 99.2 | 99.2 | 0.8 | 3,812 | | 26.1 | 26.1 | | 100.0 | 0.0 | 111 | 7,383 |
| 1 | Bamra | 560 | 96.3 | 96.3 | 3.8 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 21 | 936 |
| 2 | Dhankauda | 100 | 87.0 | 90.0 | 13.0 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 12 | 617 |
| 3 | Dist Level Facility | 12,534 | 100.0 | 100.0 | 0.0 | 3,812 | | 30.4 | 30.4 | | 100.0 | 0.0 | 2 | 286 |
| 4 | Jamankira | 346 | 98.8 | 98.8 | 1.2 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 4 | 994 |
| 5 | Jujomura | 352 | 92.6 | 92.6 | 7.4 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 26 | 1,147 |
| 6 | Kuchinda | 60 | 98.3 | 98.3 | 1.7 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 0 | 408 |
| 7 | Maneswar | 59 | 94.9 | 94.9 | 5.1 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 3 | 609 |
| 8 | Naktideul | 541 | 98.2 | 98.2 | 1.8 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 9 | 794 |
| 9 | Rairakhol | 72 | 66.7 | 66.7 | 33.3 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 24 | 700 |
| 10 | Rengali | 92 | 85.9 | 85.9 | 14.1 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 10 | 892 |

| | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
|----|------------------------|---|---|---|---|--|--|---|--|---|--|---|--|--|
| | Indicators | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 thour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) |
| | 1 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Sambalpur | 96.5 | 50.2 | 14,515 | 98.6 | 320 | 97.8 | 14,512 | 100.0 | 2,217 | 15.2 | 12,819 | 88.3 | 941 |
| 1 | Bamra | 100.0 | 167.1 | 551 | 98.4 | 9 | 98.4 | 551 | 100.0 | 150 | 27.2 | 548 | 99.5 | 996 |
| 2 | Dhankauda | 92.3 | 617.0 | 98 | 98.0 | 2 | 98.0 | 98 | 100.0 | 22 | 22.4 | 98 | 100.0 | 849 |
| 3 | Dist Level Facility | | 2.3 | 12,351 | 98.5 | 293 | 97.7 | 12,349 | 100.0 | 1,707 | 13.8 | 10,669 | 86.4 | 938 |
| 4 | Jamankira | 100.0 | 287.3 | 343 | 99.1 | 3 | 99.1 | 343 | 100.0 | 45 | 13.1 | 343 | 100.0 | 895 |
| 5 | Jujomura | 100.0 | 325.9 | 350 | 99.4 | 3 | 99.2 | 350 | 100.0 | 80 | 22.9 | 349 | 99.7 | 1,035 |
| 6 | Kuchinda | 0.0 | 680.0 | 60 | 100.0 | 1 | 98.4 | 60 | 100.0 | 12 | 20.0 | 58 | 96.7 | 622 |
| 7 | Maneswar | 100.0 | 1032.2 | 61 | 103.4 | 0 | 100.0 | 61 | 100.0 | 17 | 27.9 | 61 | 100.0 | 2,050 |
| 8 | Naktideul | 90.0 | 146.8 | 540 | 99.8 | 4 | 99.3 | 539 | 99.8 | 148 | 27.5 | 536 | 99.3 | 895 |
| 9 | Rairakhol | 100.0 | 972.2 | 70 | 97.2 | 2 | 97.2 | 70 | 100.0 | 11 | 15.7 | 70 | 100.0 | 1,121 |
| 10 | Rengali | 76.9 | 969.6 | 91 | 98.9 | 3 | 96.8 | 91 | 100.0 | 25 | 27.5 | 87 | 95.6 | 896 |

| | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
|----|------------------------|--|---|--|---|--|---|---|---|--|---|--|---|---|
| | Indicators | % cases of Pregnant women with Obstetric Complications and attended to reported deliveries | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrati on | Number of PW given one Albendaz ole tablet after 1st trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Sambalpur | 1.6 | 25.3 | 24 | 0.2 | 3,405 | 27.5 | 0 | 0.0 | 0 | 0.0 | 3,110 | 2 | 25.1 |
| 1 | Bamra | 0.0 | | 0 | 0.0 | 891 | 78.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 2 | Dhankauda | 0.0 | | 0 | 0.0 | 748 | 29.6 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 3 | Dist Level Facility | 1.9 | 25.5 | 24 | 1.1 | 480 | 22.2 | 0 | 0.0 | 0 | 0.0 | 2,869 | 2 | 132.9 |
| 4 | Jamankira | 0.0 | | 0 | 0.0 | 87 | 7.9 | 0 | 0.0 | 0 | 0.0 | 221 | 0 | 20.1 |
| 5 | Jujomura | 0.0 | | 0 | 0.0 | 554 | 53.8 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 6 | Kuchinda | 0.0 | | 0 | 0.0 | 89 | 12.7 | 0 | 0.0 | 0 | 0.0 | 9 | 0 | 1.3 |
| 7 | Maneswar | 0.0 | | 0 | 0.0 | 94 | 9.7 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 8 | Naktideul | 0.2 | 0.0 | 0 | 0.0 | 118 | 13.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 9 | Rairakhol | 0.0 | | 0 | 0.0 | 344 | 47.1 | 0 | 0.0 | 0 | 0.0 | 11 | 0 | 1.5 |
| 10 | Rengali | 1.1 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |

| | | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 |
|----|------------------------|--|--|---------------------------------|---|---|---|------------------------------------|---|---|---|--|---|--|
| | Indicators | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita l Syphilis to babies total diagnosed with Congenit al Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontan eous) Reported | Total Number of MTPs (Public) conducte d | % MTPs to total Abortions | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number of Vasectom ies Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Sambalpur | 0.1 | | 53 | 1 | 189 | 176 | 48.2 | 100.0 | 0.0 | 100.0 | 0.0 | 1.4 | 2 |
| 1 | Bamra | | | 3 | 0 | 23 | 0 | 0.0 | | | | | 0.0 | 0 |
| 2 | Dhankauda | | | 3 | 0 | 8 | 0 | 0.0 | | | | | 0.0 | 0 |
| 3 | Dist Level Facility | 0.1 | | 32 | 1 | 32 | 176 | 84.6 | 100.0 | 0.0 | 100.0 | 0.0 | 8.2 | 2 |
| 4 | Jamankira | 0.0 | | 0 | 0 | 55 | 0 | 0.0 | | | | | 0.0 | 0 |
| 5 | Jujomura | | | 2 | 0 | 1 | 0 | 0.0 | | | | | 0.0 | 0 |
| 6 | Kuchinda | 0.0 | | 2 | 0 | 2 | 0 | 0.0 | | | | | 0.0 | 0 |
| 7 | Maneswar | | | 2 | 0 | 1 | 0 | 0.0 | | | | | 0.0 | 0 |
| 8 | Naktideul | | | 2 | 0 | 12 | 0 | 0.0 | | | | | 0.0 | 0 |
| 9 | Rairakhol | 0.0 | | 0 | 0 | 18 | 0 | 0.0 | | | | | 0.0 | 0 |
| 10 | Rengali | | | 7 | 0 | 37 | 0 | 0.0 | | | | | 0.0 | 0 |

| | | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 |
|----|------------------------|--|---|---|--|---|---|---|--|--|---|---|--|--|
| | Indicators | Number of Tubecto mies Conducte d | Total Sterilisati on Conducte d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Female Serlisatio n (Tubecto mies) to Total sterilisati on | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on | % Laparosc opic sterlisati ons to Total Female Sterilisati ons |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Sambalpur | 1,778 | 1,780 | 0.1 | 99.9 | | | | | | 1,780 | 0.0 | 100.0 | 66.6 |
| 1 | Bamra | 72 | 72 | 0.0 | 100.0 | | | | | | 72 | 0.0 | 100.0 | 100.0 |
| 2 | Dhankauda | 160 | 160 | 0.0 | 100.0 | | | | | | 160 | 0.0 | 100.0 | 100.0 |
| 3 | Dist Level Facility | 778 | 780 | 0.3 | 99.7 | | | | | | 780 | 0.0 | 100.0 | 23.8 |
| 4 | Jamankira | 119 | 119 | 0.0 | 100.0 | | | | | | 119 | 0.0 | 100.0 | 100.0 |
| 5 | Jujomura | 107 | 107 | 0.0 | 100.0 | | | | | | 107 | 0.0 | 100.0 | 100.0 |
| 6 | Kuchinda | 129 | 129 | 0.0 | 100.0 | | | | | | 129 | 0.0 | 100.0 | 100.0 |
| 7 | Maneswar | 178 | 178 | 0.0 | 100.0 | | | | | | 178 | 0.0 | 100.0 | 100.0 |
| 8 | Naktideul | 62 | 62 | 0.0 | 100.0 | | | | | | 62 | 0.0 | 100.0 | 100.0 |
| 9 | Rairakhol | 88 | 88 | 0.0 | 100.0 | | | | | | 88 | 0.0 | 100.0 | 100.0 |
| 10 | Rengali | 85 | 85 | 0.0 | 100.0 | | | | | | 85 | 0.0 | 100.0 | 100.0 |

| | | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 |
|----|------------------------|--|--|--|---|---|--|--|--|--|--|---|---|--|
| | Indicators | % Mini Lap Sterlisati ons to Total Female Sterilisati ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Post Abortion Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterlisati on (Male + Female) | Total cases of deaths following Male Sterlisati on | Total cases of deaths following Female Sterlisati on | Total cases of failure following Male Sterlisati on | Total cases of failure following Female Sterlisati on | Total cases of complicat ion following Male Sterlisati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Sambalpur | 6.2 | 27.1 | 0.0 | 100.0 | 100.0 | 100.0 | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | Bamra | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Dhankauda | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Dist Level Facility | 14.1 | 62.0 | 0.1 | 100.0 | 100.0 | 100.0 | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | Jamankira | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | Jujomura | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | Kuchinda | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | Maneswar | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | Naktideul | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 9 | Rairakhol | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | Rengali | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |

| | | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
|----|------------------------|---|--|--|---|---|--|---|--|---------------------------------------|---|--|-------------------------------------|--|
| | Indicators | Total cases of complicat ion following Female Sterlisati on | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permane nt) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combine d Oral Pills distribute d | Emergenc y pills distribute d | Condom pieces distribute d | Centchro man (weekly pills) distribute d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Sambalpur | 11 | 1,511 | | 16.6 | 1.7 | 45.9 | 1,233 | 252 | 26 | 39,516 | 1,581 | 178,975 | 0 |
| 1 | Bamra | 0 | 33 | | 21.2 | 1.3 | 31.4 | 26 | 7 | 0 | 2,055 | 495 | 7,680 | 0 |
| 2 | Dhankauda | 1 | 119 | | 10.9 | 14.9 | 42.7 | 106 | 13 | 0 | 5,932 | 34 | 19,813 | 0 |
| 3 | Dist Level Facility | 10 | 549 | | 40.3 | 1.8 | 41.3 | 305 | 221 | 23 | 3,983 | 120 | 35,254 | 0 |
| 4 | Jamankira | 0 | 285 | | 1.8 | 1.5 | 70.5 | 280 | 5 | 0 | 6,006 | 139 | 28,077 | 0 |
| 5 | Jujomura | 0 | 137 | | 0.0 | 0.0 | 56.1 | 137 | 0 | 0 | 2,934 | 419 | 12,251 | 0 |
| 6 | Kuchinda | 0 | 0 | | | 0.0 | 0.0 | 0 | 0 | 0 | 4,195 | 51 | 19,818 | 0 |
| 7 | Maneswar | 0 | 185 | | 0.0 | 0.0 | 51.0 | 185 | 0 | 0 | 4,547 | 2 | 17,623 | 0 |
| 8 | Naktideul | 0 | 31 | | 19.4 | 1.1 | 33.3 | 22 | 6 | 3 | 2,443 | 34 | 6,585 | 0 |
| 9 | Rairakhol | 0 | 133 | | 0.0 | 0.0 | 60.2 | 133 | 0 | 0 | 4,031 | 78 | 19,410 | 0 |
| 10 | Rengali | 0 | 39 | | 0.0 | 0.0 | 31.5 | 39 | 0 | 0 | 3,390 | 209 | 12,464 | 0 |

| | | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 |
|----|------------------------|--|--|--|---|------------------------------------|---|-----------------------------------|---|---|--|---|---------------------------------------|---------------------------------------|
| | Indicators | Number of beneficia ries given 1st dose of Injectabl e (Antara Program) | Number of beneficia ries given 2nd dose of Injectabl e (Antara Program) | Number of beneficia ries given 3rd dose of Injectabl e (Antara Program) | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc y testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPVO at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Sambalpur | 0 | 0 | 0 | 0 | 8,005 | 15,498 | 15,316 | 13,194 | 106.8 | 105.5 | 90.9 | 0 | 0 |
| 1 | Bamra | 0 | 0 | 0 | 0 | 456 | 529 | 610 | 529 | 96.0 | 110.7 | 96.0 | 0 | 0 |
| 2 | Dhankauda | 0 | 0 | 0 | 0 | 1,596 | 256 | 343 | 79 | 261.2 | 350.0 | 80.6 | 0 | 0 |
| 3 | Dist Level Facility | 0 | 0 | 0 | 0 | 1,222 | 12,889 | 12,243 | 11,240 | 104.4 | 99.1 | 91.0 | 0 | 0 |
| 4 | Jamankira | 0 | 0 | 0 | 0 | 955 | 340 | 381 | 283 | 99.1 | 111.1 | 82.5 | 0 | 0 |
| 5 | Jujomura | 0 | 0 | 0 | 0 | 592 | 337 | 564 | 306 | 96.3 | 161.1 | 87.4 | 0 | 0 |
| 6 | Kuchinda | 0 | 0 | 0 | 0 | 889 | 58 | 58 | 58 | 96.7 | 96.7 | 96.7 | 0 | 0 |
| 7 | Maneswar | 0 | 0 | 0 | 0 | 263 | 324 | 351 | 75 | 531.1 | 575.4 | 123.0 | 0 | 0 |
| 8 | Naktideul | 0 | 0 | 0 | 0 | 635 | 548 | 569 | 506 | 101.5 | 105.4 | 93.7 | 0 | 0 |
| 9 | Rairakhol | 0 | 0 | 0 | 0 | 760 | 56 | 79 | 26 | 80.0 | 112.9 | 37.1 | 0 | 0 |
| 10 | Rengali | 0 | 0 | 0 | 0 | 637 | 161 | 118 | 92 | 176.9 | 129.7 | 101.1 | 0 | 0 |

| | | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 |
|----|------------------------|---------------------------------------|--|--|--|--|----------------------------------|---|---|---|---|---|--|---|
| | Indicators | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | Number of Infants given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dose1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Abcess) | Adverse Events Following Imunisati on (Deaths) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Sambalpur | 0 | 11,870 | 11,596 | 11,212 | 11,071 | 0 | 76.2 | 11,071 | 27.7 | 75.7 | 71.1 | 65 | 0 |
| 1 | Bamra | 0 | 961 | 928 | 883 | 899 | 0 | 163.2 | 899 | -47.4 | 163.2 | 8.8 | 0 | 0 |
| 2 | Dhankauda | 0 | 2,216 | 2,328 | 2,158 | 2,309 | 0 | 2356.1 | 2,309 | -573.2 | 2323.5 | 73.7 | 15 | 0 |
| 3 | Dist Level Facility | 0 | 2,910 | 2,663 | 2,774 | 2,397 | 0 | 19.4 | 2,397 | 80.4 | 18.9 | 53.0 | 11 | 0 |
| 4 | Jamankira | 0 | 967 | 969 | 910 | 897 | 0 | 261.5 | 897 | -135.4 | 261.5 | 129.4 | 1 | 0 |
| 5 | Jujomura | 0 | 877 | 867 | 791 | 852 | 0 | 243.4 | 852 | -51.1 | 243.4 | 72.3 | 12 | 0 |
| 6 | Kuchinda | 0 | 604 | 653 | 580 | 594 | 0 | 990.0 | 594 | -924.1 | 990.0 | 85.7 | 0 | 0 |
| 7 | Maneswar | 0 | 836 | 825 | 803 | 795 | 0 | 1303.3 | 795 | -126.5 | 1303.3 | 35.1 | 12 | 0 |
| 8 | Naktideul | 0 | 757 | 751 | 730 | 738 | 0 | 136.7 | 738 | -29.7 | 140.7 | 88.6 | 3 | 0 |
| 9 | Rairakhol | 0 | 672 | 633 | 602 | 632 | 0 | 902.9 | 632 | -700.0 | 902.9 | 165.8 | 3 | 0 |
| 10 | Rengali | 0 | 1,070 | 979 | 981 | 958 | 0 | 1052.7 | 958 | -711.9 | 1051.6 | 56.4 | 8 | 0 |

| | | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|----|------------------------|---|---|---|---|--|--|--|--|---|---|---|--|---|
| | Indicators | Adverse Events Following Imunisati on (Others) | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | Pneumoni a in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheri a in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonator um in Children 0-5 Years of Age | Tubercul osis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Sambalpur | 0 | 100.0 | 96.1 | 506 | 171 | 128 | 0 | 0 | 0 | 14 | 14 | 73 | 506 |
| 1 | Bamra | 0 | 100.0 | 100.0 | 59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 59 |
| 2 | Dhankauda | 0 | 100.0 | 98.0 | 26 | 41 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 26 |
| 3 | Dist Level Facility | 0 | 99.9 | 71.6 | 112 | 23 | 20 | 0 | 0 | 0 | 6 | 6 | 19 | 112 |
| 4 | Jamankira | 0 | 100.0 | 100.0 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 14 |
| 5 | Jujomura | 0 | 100.0 | 100.0 | 89 | 85 | 105 | 0 | 0 | 0 | 7 | 7 | 5 | 89 |
| 6 | Kuchinda | 0 | 100.0 | 100.0 | 30 | 10 | 3 | 0 | 0 | 0 | 0 | 0 | 12 | 30 |
| 7 | Maneswar | 0 | 100.0 | 99.8 | 23 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 28 | 23 |
| 8 | Naktideul | 0 | 100.0 | 99.5 | 52 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 52 |
| 9 | Rairakhol | 0 | 100.0 | 100.0 | 72 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 72 |
| 10 | Rengali | 0 | 100.0 | 99.8 | 29 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 29 |

| | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 |
|----|------------------------|--|--|---|---|---|---|--|--|---|---|---|---|-----------------|
| | Indicators | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3nd dose | No of children 16-24 months age given Measles 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Sambalpur | 3,436 | 129 | 0 | 11,863 | 11,579 | 11,579 | 8,917 | 0 | 66.6 | 27.5 | 41.3 | 0.5 | 44,644 |
| 1 | Bamra | 693 | 10 | 0 | 961 | 928 | 928 | 908 | 0 | 58.1 | 12.3 | | 0.0 | 4,073 |
| 2 | Dhankauda | 402 | 7 | 0 | 2,212 | 2,328 | 2,328 | 1,323 | 0 | 61.2 | 10.5 | | 0.0 | 1,406 |
| 3 | Dist Level Facility | 371 | 41 | 0 | 2,944 | 2,703 | 2,703 | 973 | 0 | 67.5 | 31.6 | 40.7 | 0.7 | 34,443 |
| 4 | Jamankira | 265 | 33 | 0 | 959 | 967 | 967 | 1,013 | 0 | 72.2 | 20.8 | | 0.0 | 1,005 |
| 5 | Jujomura | 376 | 12 | 0 | 877 | 867 | 867 | 922 | 0 | 76.4 | 11.2 | 100.0 | 0.2 | 573 |
| 6 | Kuchinda | 363 | 21 | 0 | 604 | 653 | 653 | 700 | 0 | 65.1 | 7.8 | 100.0 | 0.3 | 333 |
| 7 | Maneswar | 460 | 5 | 0 | 836 | 825 | 825 | 671 | 0 | 65.0 | 12.3 | | 0.0 | 277 |
| 8 | Naktideul | 109 | 0 | 0 | 759 | 751 | 751 | 773 | 0 | 99.4 | 0.7 | 100.0 | 0.4 | 537 |
| 9 | Rairakhol | 251 | 0 | 0 | 641 | 578 | 578 | 661 | 0 | 61.1 | 21.5 | | 0.0 | 828 |
| 10 | Rengali | 146 | 0 | 0 | 1,070 | 979 | 979 | 973 | 0 | 58.3 | 18.6 | 0.0 | 0.2 | 1,169 |

| Indicators | | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 |
|------------|------------------------|-------------------|--------------------------|-------------------------------|--------------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------------------|---------------------------|---------------------------|--|
| | | OPD (Allopathi | Ayush OPD (Number) | OPD (Ayush+Al lopathic) | % IPD to OPD | Number of Major Operatio ns | Number of Minor Operatio ns | % Major Operatio ns to Total Operatio n | Number of Hysterect omy Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | % AYUSH OPD to Total OPD | Dental OPD (Number) | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Sambalpur | 1,602,934 | 103,980 | 1,706,914 | 2.6 | 1,272 | 16,455 | 7.2 | 55 | 4.3 | 6.0 | 11,017 | 0.6 | 6.6 |
| 1 | Bamra | 77,657 | 13,120 | 90,777 | 4.5 | 0 | 1,723 | 0.0 | 0 | | 14.5 | 709 | 0.8 | 0.3 |
| 2 | Dhankauda | 142,555 | 12,425 | 154,980 | 0.9 | 0 | 1,665 | 0.0 | 0 | | 8.0 | 569 | 0.4 | 0.4 |
| 3 | Dist Level Facility | 1,023,212 | 0 | 1,023,212 | 3.4 | 1,272 | 4,383 | 22.5 | 55 | 4.3 | 0.0 | 6,162 | 0.6 | 15.7 |
| 4 | Jamankira | 55,485 | 15,195 | 70,680 | 1.4 | 0 | 2,481 | 0.0 | 0 | | 21.5 | 659 | 0.9 | 0.4 |
| 5 | Jujomura | 52,902 | 10,138 | 63,040 | 0.9 | 0 | 1,040 | 0.0 | 0 | | 16.1 | 617 | 1.0 | 0.4 |
| 6 | Kuchinda | 55,711 | 11,935 | 67,646 | 0.5 | 0 | 804 | 0.0 | 0 | | 17.6 | 558 | 0.8 | 3.2 |
| 7 | Maneswar | 72,843 | 16,335 | 89,178 | 0.3 | 0 | 2,535 | 0.0 | 0 | | 18.3 | 1,275 | 1.4 | 0.3 |
| 8 | Naktideul | 30,994 | 10,667 | 41,661 | 1.3 | 0 | 228 | 0.0 | 0 | | 25.6 | 5 | 0.0 | 0.9 |
| 9 | Rairakhol | 26,894 | 6,328 | 33,222 | 2.5 | 0 | 626 | 0.0 | 0 | | 19.0 | 96 | 0.3 | 0.2 |
| 10 | Rengali | 64,681 | 7,837 | 72,518 | 1.6 | 0 | 970 | 0.0 | 0 | | 10.8 | 367 | 0.5 | 0.2 |

| | | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 |
|------------|------------------------|--|--|---|---|--|--|--|--|--|--|---|---|---|
| Indicators | | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Sambalpur | 1.3 | 32.6 | 1.4 | 1.3 | 0.8 | 1.8 | 373 | 4.0 | 6.7 | 2.4 | 0.3 | 1.6 | 0.3 |
| 1 | Bamra | 0.0 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 10 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Dhankauda | 0.0 | 0.6 | 0.0 | 0.0 | 0.5 | 0.4 | 36 | 0.0 | 11.1 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Dist Level Facility | 1.3 | 179.2 | 1.4 | 1.3 | 0.6 | 1.6 | 196 | 3.6 | 4.1 | 1.5 | 0.5 | 1.5 | 0.0 |
| 4 | Jamankira | 0.0 | 4.0 | 0.0 | 0.0 | 2.1 | 3.5 | 33 | 0.0 | 6.1 | 9.1 | 0.0 | 3.0 | 0.0 |
| 5 | Jujomura | | 1.7 | 0.0 | 0.0 | 0.0 | 1.1 | 17 | 5.9 | 11.8 | 0.0 | 0.0 | 5.9 | 0.0 |
| 6 | Kuchinda | 0.0 | 2.9 | 0.0 | 0.0 | 1.8 | 5.0 | 6 | 0.0 | 16.7 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Maneswar | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.8 | 28 | 3.6 | 21.4 | 0.0 | 0.0 | 3.6 | 0.0 |
| 8 | Naktideul | 0.0 | 0.0 | | 0.0 | 1.0 | 3.7 | 19 | 15.8 | 5.3 | 10.5 | 0.0 | 0.0 | 0.0 |
| 9 | Rairakhol | 0.0 | 1.4 | 0.0 | 0.0 | 1.4 | 1.4 | 9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | Rengali | 0.0 | 2.4 | 0.0 | 0.0 | 0.6 | 0.7 | 19 | 15.8 | 5.3 | 5.3 | 0.0 | 0.0 | 5.3 |

| | | 196 | 197 | 198 |
|----|------------------------|--|--|---|
| | Indicators | Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH | Institutio nal Deliveries at District Hospitals | Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH |
| | | 2017-18 | 2017-18 | 2017-18 |
| | _Sambalpur | 70 | | |
| 1 | Bamra | | | |
| 2 | Dhankauda | 69 | | |
| 3 | Dist Level Facility | 1 | | |
| 4 | Jamankira | | | |
| 5 | Jujomura | | | |
| 6 | Kuchinda | | | |
| 7 | Maneswar | 0 | | |
| 8 | Naktideul | | | |
| 9 | Rairakhol | | | |
| 10 | Rengali | | | |