										_		,	
		1		2		-	3		4		5	6	
I	ndicator	Total Number of reported live births		% Total Reported Live Births to Total Deliveries			Total Number of reported Still Births		% o Reported rth	Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	197,802	185,027	99.4	99.3	3,372	3,368	98.3	98.2	188,087	173,692	177,402	170,911
1	Central	35,635	33,285	99.2	99.0	778	697	97.9	97.9	35,384	31,442	29,257	29,947
2	East	8,607	8,079	99.3	99.9	103	53	98.8	99.3	8,166	7,509	7,853	7,260
3	New Delhi	32,193	30,578	98.6	98.2	848	820	97.4	97.4	31,966	29,892	28,777	29,250
4	North	7,310	7,360	99.6	99.9	78	111	98.9	98.5	6,350	6,433	6,845	7,148
5	North East	5,355	5,009	100.4	99.8	42	44	99.2	99.1	4,663	4,525	5,311	4,974
6	North West	29,690	26,664	99.8	99.4	464	419	98.5	98.5	27,677	25,027	27,081	23,598
7	Shahdara	26,331	23,820	99.0	98.7	392	480	98.5	98.0	25,749	22,969	26,251	23,974
8	South	9,571	9,584	100.7	101.1	64	69	99.3	99.3	8,898	8,379	8,452	8,066
9	South East	7,860	7,135	100.9	101.2	30	28	99.6	99.6	6,084	6,076	5,459	5,898
10	South West	9,334	9,130	99.6	99.7	72	106	99.2	98.9	8,719	8,382	8,740	8,604
11	West	25,916	24,383	99.5	99.4	501	541	98.1	97.8	24,431	23,058	23,376	22,192

		7		8	3	9	9	1	0	1	1	12	
1	ndicator	Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		Newborns to Reporte	given BCG	Number o		Number of Infants given DPT2		Number of Infants given DPT3	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	227,754	221,839	89.7	92.4	115.1	119.9	29,364	118,397	33,784	124,774	36,897	131,119
1	Central	33,768	31,719	82.1	90.0	94.8	95.3	2,673	6,609	2,608	8,426	2,924	10,275
2	East	11,100	11,839	91.2	89.9	129.0	146.5	1,283	10,343	1,817	10,537	1,896	10,603
3	New Delhi	34,026	32,191	89.4	95.7	105.7	105.3	1,507	9,315	1,807	9,257	2,098	9,179
4	North	12,923	12,882	93.6	97.1	176.8	175.0	2,849	6,774	3,516	7,992	3,729	9,368
5	North East	9,863	10,094	99.2	99.3	184.2	201.5	2,195	10,658	2,648	10,930	2,720	10,349
6	North West	33,513	30,467	91.2	88.5	112.9	114.3	3,496	10,454	3,659	12,435	3,994	14,159
7	Shahdara	28,461	27,309	99.7	100.6	108.1	114.6	2,215	12,721	2,419	12,836	2,563	12,820
8	South	11,143	11,656	88.3	84.2	116.4	121.6	2,562	8,100	2,641	8,790	2,801	9,042
9	South East	11,362	11,620	69.5	82.7	144.6	162.9	4,333	9,790	4,829	10,605	5,379	11,539
10	South West	11,486	11,805	93.6	94.2	123.1	129.3	966	10,848	1,691	11,413	2,164	11,924
11	West	30,109	30,257	90.2	91.0	116.2	124.1	5,285	22,785	6,149	21,553	6,629	21,861

		1	3	1	4	1	5	1	6	1	7	1	8
I	ndicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2			Number of Infants given Pentavalent 3		Number of Infants given Measles		11 months received vaccine to live births	Number of fully immunized children (9-11 months)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	184,753	38,449	163,475	32,444	148,761	25,497	242,016	194,693	122.4	105.2	221,771	186,185
1	Central	18,160	3,947	16,474	3,319	15,291	2,687	26,373	20,927	74.0	62.9	24,348	19,987
2	East	13,017	3,547	11,928	2,708	11,084	2,158	17,317	14,145	201.2	175.1	16,608	13,825
3	New Delhi	12,346	2,204	10,103	1,844	8,987	1,509	13,761	11,480	42.7	37.5	12,285	10,252
4	North	16,375	3,576	14,480	3,079	12,904	2,346	21,391	15,958	292.6	216.8	19,727	15,580
5	North East	17,718	3,953	15,688	3,358	14,083	2,632	24,604	15,360	459.5	306.6	20,615	14,897
6	North West	24,877	4,641	21,239	3,946	19,378	3,062	29,157	23,666	98.2	88.8	27,267	22,438
7	Shahdara	17,021	3,237	14,364	2,637	12,980	2,079	19,142	16,464	72.7	69.1	17,584	15,747
8	South	9,942	1,850	9,397	1,651	8,590	1,371	15,151	13,506	158.3	140.9	13,416	12,821
9	South East	13,755	2,535	12,769	2,187	11,628	1,638	22,023	16,327	280.2	228.8	19,986	14,878
10	South West	15,502	3,523	14,447	3,123	13,508	2,360	20,198	16,882	216.4	184.9	18,947	16,488
11	West	26,040	5,436	22,586	4,592	20,328	3,655	32,899	29,978	126.9	122.9	30,988	29,272

		1	19		0	2	1	22		2	3	24	
I	ndicator	% Drop Out between BCG & Measles		Vitamin - A dose 1		Children g dose1 to R	% Children given Vit A dose1 to Reported live birth		wen Vitamin o Children : A dose1	Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	-6.3	12.2	248,648	170,780	125.7	92.3	42.6	30.5	10	20	95.3	92.8
1	Central	21.9	34.0	25,447	16,688	71.4	50.1	27.2	19.3	0	1	93.3	91.9
2	East	-56.0	-19.5	15,563	12,808	180.8	158.5	59.5	21.7	0	0	96.3	96.0
3	New Delhi	59.6	64.3	14,235	10,741	44.2	35.1	74.2	69.8	0	0	94.5	89.3
4	North	-65.5	-23.9	23,336	15,371	319.2	208.8	62.5	31.6	0	0	95.0	91.2
5	North East	-149.5	-52.2	23,620	13,979	441.1	279.1	52.9	39.7	0	0	95.3	94.9
6	North West	13.0	22.3	35,381	23,652	119.2	88.7	37.1	25.7	0	3	94.2	92.6
7	Shahdara	32.7	39.7	18,753	11,302	71.2	47.4	50.1	44.6	1	0	96.5	95.0
8	South	-36.0	-15.9	17,343	12,245	181.2	127.8	27.1	30.6	0	2	98.1	95.6
9	South East	-93.8	-40.5	21,454	12,220	273.0	171.3	45.3	39.9	2	9	96.5	96.1
10	South West	-75.8	-43.0	20,500	14,232	219.6	155.9	28.2	12.6	1	2	93.5	88.9
11	West	-9.3	0.9	33,016	27,542	127.4	113.0	28.6	24.3	6	3	96.0	92.2

							_		0	29		30	
		2	25		6	2	27		8	2	9	30	
Indicator		1mmunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Pertusis in 0-5 Years Total R Childhood I	% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Others in -5 Years of al Reported Diseases 0-5 ars	% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	41.3	32.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Central	18.6	16.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	East	54.5	32.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	New Delhi	39.6	29.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0
4	North	42.9	32.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	North East	69.9	68.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	North West	29.1	19.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Shahdara	43.5	21.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	South	31.8	26.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	South East	39.0	14.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	South West	69.7	64.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West	47.6	42.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		3	1	3	2	3	3	3	4	3	5	36	
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Malaria in O Years of A Reported	% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		6 to Sepsis to orted Infant aths	% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	0.8	0.2	98.6	98.4	0.6	1.3	2,692	1,998	29.3	22.8	10.6	9.6
1	Central	1.8	0.9	97.0	97.2	1.0	1.9	597	430	20.9	23.6	15.0	12.4
2	East	3.1	0.5	96.4	98.3	0.4	1.1	237	263	14.8	21.5	15.2	5.4
3	New Delhi	0.5	0.2	98.5	97.3	0.9	2.2	1,073	615	49.2	30.6	6.3	6.9
4	North	1.1	0.2	98.3	98.0	0.6	1.8	37	50	24.2	7.5	6.1	10.0
5	North East	1.6	0.0	98.2	99.7	0.2	0.3	31	14	17.2	10.0	3.4	40.0
6	North West	0.5	0.2	99.2	98.9	0.3	0.9	328	262	16.1	27.4	23.2	27.4
7	Shahdara	0.5	0.3	98.8	97.5	0.7	2.2	34	26	21.9	13.6	15.6	9.1
8	South	0.6	0.0	98.3	99.6	1.0	0.4	17	14	6.7	7.1	13.3	14.3
9	South East	0.6	0.3	98.8	98.4	0.6	1.2	51	35	2.0	0.0	0.0	0.0
10	South West	0.7	0.0	99.2	99.8	0.1	0.2	30	19	14.8	29.4	7.4	5.9
11	West	0.9	0.1	98.7	98.7	0.4	1.2	257	270	6.6	8.6	2.7	1.5

		3	7	3	8	3	9	4	0	4	1	42	
1	ndicator	% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths Diarrhoe Reporte	% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		6 to Measles Reported Deaths	% Deaths due to Other Causes to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	14.0	14.7	7.2	10.2	1.6	1.1	3.3	3.9	0.0	0.0	34.1	37.7
1	Central	14.1	8.6	2.4	3.8	0.8	0.0	0.2	0.5	0.0	0.0	46.6	51.1
2	East	0.4	2.7	18.1	25.8	0.0	0.0	0.0	0.4	0.0	0.0	51.5	44.2
3	New Delhi	4.6	6.4	8.4	12.6	2.4	1.5	6.4	9.8	0.0	0.0	22.8	32.2
4	North	18.2	52.5	6.1	7.5	3.0	5.0	6.1	5.0	0.0	0.0	36.4	12.5
5	North East	6.9	0.0	3.4	10.0	6.9	20.0	10.3	0.0	0.0	0.0	51.7	20.0
6	North West	25.8	25.0	7.4	6.7	2.0	1.0	2.3	1.9	0.3	0.0	22.8	10.6
7	Shahdara	31.3	27.3	6.3	13.6	3.1	0.0	6.3	9.1	0.0	0.0	15.6	27.3
8	South	26.7	28.6	26.7	7.1	0.0	7.1	0.0	14.3	0.0	0.0	26.7	21.4
9	South East	0.0	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	98.0	94.3
10	South West	7.4	0.0	0.0	0.0	0.0	5.9	7.4	0.0	0.0	0.0	63.0	58.8
11	West	51.6	41.6	4.7	4.8	0.4	1.5	0.8	0.7	0.0	0.0	33.2	41.3