| | | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 1 | 5 | 5 | (| 5 |
|----|--------------------|--------------------------------------|---------|---|---------|---------|---------------------------------------|---------|--------------------------------------|---------|----------------------|--|---------|
| | Indicator | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | | Total Number of reported Still Births | | % live birth to Reported Birth | | Newborns at birth | Number of Infants given OPV 0 (Birth Dose) | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Kerala | 380,085 | 374,466 | 100.3 | 99.6 | 1,717 | 1,741 | 99.6 | 99.5 | 379,044 | 374,057 | 368,460 | 347,894 |
| 1 | Alappuzha | 15,384 | 15,679 | 100.9 | 100.8 | 22 | 12 | 99.9 | 99.9 | 15,384 | 15,678 | 15,651 | 16,340 |
| 2 | Ernakulam | 31,299 | 29,684 | 100.9 | 100.3 | 66 | 104 | 99.8 | 99.7 | 31,295 | 29,676 | 30,801 | 30,624 |
| 3 | Idukki | 9,960 | 10,321 | 100.7 | 100.4 | 57 | 50 | 99.4 | 99.5 | 9,912 | 10,296 | 10,146 | 10,261 |
| 4 | KOZHIKKODE | 42,465 | 41,125 | 100.3 | 99.9 | 400 | 396 | 99.1 | 99.0 | 41,833 | 41,122 | 39,765 | 39,615 |
| 5 | Kannur | 34,749 | 35,705 | 100.1 | 100.2 | 141 | 138 | 99.6 | 99.6 | 34,704 | 35,708 | 34,814 | 35,947 |
| 6 | Kasaragod | 16,265 | 16,164 | 100.7 | 100.7 | 40 | 26 | 99.8 | 99.8 | 16,262 | 16,145 | 17,225 | 14,169 |
| 7 | Kollam | 22,996 | 24,253 | 100.5 | 100.5 | 26 | 24 | 99.9 | 99.9 | 22,995 | 24,250 | 23,064 | 24,409 |
| 8 | Kottayam | 19,816 | 17,374 | 100.7 | 88.4 | 93 | 81 | 99.5 | 99.5 | 19,816 | 17,373 | 20,709 | 20,301 |
| 9 | Malappuram | 66,477 | 68,170 | 99.6 | 100.0 | 324 | 364 | 99.5 | 99.5 | 66,463 | 68,181 | 57,874 | 52,194 |
| 10 | Palakkad | 29,997 | 29,094 | 100.2 | 100.0 | 85 | 93 | 99.7 | 99.7 | 29,993 | 28,974 | 29,195 | 22,997 |
| 11 | Pathanamthitta | 11,714 | 11,901 | 101.0 | 101.1 | 29 | 32 | 99.8 | 99.7 | 11,697 | 11,878 | 11,951 | 12,212 |
| 12 | Thiruvananthapuram | 33,267 | 31,093 | 100.2 | 100.1 | 306 | 277 | 99.1 | 99.1 | 33,259 | 31,011 | 33,407 | 26,628 |
| 13 | Thrissur | 34,966 | 33,333 | 100.7 | 100.7 | 53 | 62 | 99.8 | 99.8 | 34,961 | 33,196 | 33,633 | 33,090 |
| 14 | Wayanad | 10,730 | 10,570 | 100.2 | 99.9 | 75 | 82 | 99.3 | 99.2 | 10,470 | 10,569 | 10,225 | 9,107 |

| | | 7 | 7 | 8 | 3 | ç |) | 1 | 0 | 1 | 1 | 12 | |
|-----------|--------------------|--------------------------------|---------|---|---------|----------|---|---------|---------------------------------|---------|--------------------|---------------------------------|---------|
| Indicator | | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | Newborns | % Newborns given BCG to Reported live birth | | Number of Infants given DPT1 | | of Infants DPT2 | Number of Infants given DPT3 | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Kerala | 386,796 | 382,705 | 96.9 | 92.9 | 101.8 | 102.2 | 4,166 | 21,953 | 3,448 | 19,935 | 2,929 | 23,825 |
| 1 | Alappuzha | 16,286 | 16,400 | 101.7 | 104.2 | 105.9 | 104.6 | 50 | 715 | 76 | 448 | 29 | 336 |
| 2 | Ernakulam | 31,005 | 30,730 | 98.4 | 103.2 | 99.1 | 103.5 | 57 | 3,098 | 51 | 2,594 | 54 | 2,559 |
| 3 | Idukki | 10,096 | 10,433 | 101.9 | 99.4 | 101.4 | 101.1 | 207 | 455 | 180 | 317 | 151 | 404 |
| 4 | KOZHIKKODE | 42,199 | 42,007 | 93.6 | 96.3 | 99.4 | 102.1 | 182 | 2,715 | 187 | 2,076 | 159 | 2,502 |
| 5 | Kannur | 35,490 | 37,114 | 100.2 | 100.7 | 102.1 | 103.9 | 195 | 333 | 196 | 659 | 212 | 1,047 |
| 6 | Kasaragod | 17,582 | 16,851 | 105.9 | 87.7 | 108.1 | 104.3 | 1,138 | 1,251 | 984 | 1,232 | 856 | 1,425 |
| 7 | Kollam | 23,184 | 24,434 | 100.3 | 100.6 | 100.8 | 100.7 | 270 | 2,807 | 206 | 2,434 | 169 | 2,279 |
| 8 | Kottayam | 20,739 | 20,695 | 104.5 | 116.8 | 104.7 | 119.1 | 415 | 1,837 | 277 | 1,473 | 204 | 1,469 |
| 9 | Malappuram | 67,963 | 68,686 | 87.1 | 76.6 | 102.2 | 100.8 | 823 | 3,602 | 493 | 3,381 | 337 | 4,930 |
| 10 | Palakkad | 31,596 | 30,142 | 97.3 | 79.0 | 105.3 | 103.6 | 206 | 1,261 | 195 | 1,713 | 240 | 2,505 |
| 11 | Pathanamthitta | 12,192 | 12,216 | 102.0 | 102.6 | 104.1 | 102.6 | 4 | 6 | 37 | 20 | 5 | 100 |
| 12 | Thiruvananthapuram | 34,061 | 27,602 | 100.4 | 85.6 | 102.4 | 88.8 | 183 | 1,577 | 153 | 1,434 | 138 | 1,509 |
| 13 | Thrissur | 33,623 | 35,107 | 96.2 | 99.3 | 96.2 | 105.3 | 284 | 1,323 | 275 | 1,074 | 249 | 1,271 |
| 14 | Wayanad | 10,780 | 10,288 | 95.3 | 86.2 | 100.5 | 97.3 | 152 | 973 | 138 | 1,080 | 126 | 1,489 |

| | | 1 | 3 | 1 | 4 | 1 | 5 | 1 | 6 | 1 | 7 | 18 | |
|-----------|--------------------|--|---------|--|---------|---------|--|---------|-----------------------|---|---------|--|---------|
| Indicator | | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | | Number of Infants given Pentavalent 3 | | of Infants Ieasles | % Infants 0 to 11 months old who received Measles vaccine to reported live births | | Number of fully immunized children (9-11 months) | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Kerala | 384,335 | | 374,626 | | 365,385 | | 372,110 | 373,339 | 97.9 | 99.7 | 367,493 | 358,159 |
| 1 | Alappuzha | 18,700 | | 18,288 | | 17,628 | | 18,800 | 19,171 | 122.2 | 122.3 | 17,961 | 18,265 |
| 2 | Ernakulam | 31,943 | | 31,880 | | 31,902 | | 32,474 | 31,970 | 103.8 | 107.7 | 32,382 | 29,910 |
| 3 | Idukki | 12,100 | | 11,566 | | 11,066 | | 10,786 | 10,936 | 108.3 | 106.0 | 10,710 | 10,886 |
| 4 | KOZHIKKODE | 39,142 | | 38,416 | | 38,461 | | 36,771 | 39,035 | 86.6 | 94.9 | 36,484 | 37,824 |
| 5 | Kannur | 34,241 | | 33,320 | | 33,613 | | 32,739 | 34,810 | 94.2 | 97.5 | 31,374 | 33,390 |
| 6 | Kasaragod | 14,680 | | 14,348 | | 13,887 | | 18,288 | 18,211 | 112.4 | 112.7 | 18,254 | 18,106 |
| 7 | Kollam | 27,759 | | 27,781 | | 27,307 | | 27,757 | 27,146 | 120.7 | 111.9 | 27,724 | 26,948 |
| 8 | Kottayam | 19,422 | | 18,056 | | 17,844 | | 18,611 | 18,937 | 93.9 | 109.0 | 18,592 | 17,697 |
| 9 | Malappuram | 67,566 | | 64,870 | | 60,751 | | 58,871 | 55,552 | 88.6 | 81.5 | 57,085 | 53,000 |
| 10 | Palakkad | 32,640 | | 32,893 | | 31,788 | | 34,327 | 33,747 | 114.4 | 116.0 | 32,540 | 32,299 |
| 11 | Pathanamthitta | 12,334 | | 12,132 | | 11,727 | | 11,671 | 11,998 | 99.6 | 100.8 | 11,614 | 11,874 |
| 12 | Thiruvananthapuram | 34,101 | | 32,340 | | 31,807 | | 29,316 | 28,854 | 88.1 | 92.8 | 32,199 | 28,406 |
| 13 | Thrissur | 29,514 | | 28,641 | | 27,853 | | 31,552 | 32,630 | 90.2 | 97.9 | 31,085 | 30,262 |
| 14 | Wayanad | 10,193 | | 10,095 | | 9,751 | | 10,147 | 10,342 | 94.6 | 97.8 | 9,489 | 9,292 |

Performance of Key HMIS Indicators for Kerala (Across Districts) Financial Year: 2013-14 $\,$

Provisional Figures for the Period April to December

| | | 1 | 9 | 2 | 0 | 2 | 1 | 2 | 2. | 2 | 3 | 2 | 4 |
|----|--------------------|----------------------------------|---------|--------------------|---------|------------|-----------------|---------|--------------------------------|---|---------|--|---------|
| | Indicator | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | Children g | 6 iven Vit A | 9, | % ven Vitamin o Children | Adverse Events Following Imunisation (Others) | | % immunisation Sessions Held to Immunisation Sessions Planned | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Kerala | 3.8 | 2.4 | 222,621 | 243,275 | 58.6 | 65.0 | 47.7 | 61.8 | 2,575 | 1,813 | 99.6 | 99.5 |
| 1 | Alappuzha | -15.4 | -16.9 | 11,598 | 14,775 | 75.4 | 94.2 | 54.9 | 74.9 | 949 | 935 | 99.9 | 99.7 |
| 2 | Ernakulam | -4.7 | -4.0 | 16,170 | 16,964 | 51.7 | 57.1 | 58.3 | 68.3 | 172 | 75 | 99.8 | 99.9 |
| 3 | Idukki | -6.8 | -4.8 | 8,437 | 9,392 | 84.7 | 91.0 | 78.7 | 95.3 | 13 | 15 | 98.0 | 98.5 |
| 4 | KOZHIKKODE | 12.9 | 7.1 | 13,538 | 25,090 | 31.9 | 61.0 | 11.1 | 27.8 | 152 | 104 | 99.5 | 99.3 |
| 5 | Kannur | 7.8 | 6.2 | 19,422 | 25,376 | 55.9 | 71.1 | 43.6 | 69.7 | 61 | 124 | 100.1 | 100.2 |
| 6 | Kasaragod | -4.0 | -8.1 | 10,208 | 11,222 | 62.8 | 69.4 | 59.4 | 61.9 | 54 | 46 | 99.9 | 100.4 |
| 7 | Kollam | -19.7 | -11.1 | 13,384 | 17,960 | 58.2 | 74.1 | 93.2 | 98.0 | 136 | 32 | 100.0 | 99.9 |
| 8 | Kottayam | 10.3 | 8.5 | 10,593 | 15,415 | 53.5 | 88.7 | 57.0 | 67.4 | 21 | 18 | 99.8 | 98.9 |
| 9 | Malappuram | 13.4 | 19.1 | 41,389 | 39,166 | 62.3 | 57.5 | 6.8 | 13.7 | 390 | 153 | 99.5 | 99.7 |
| 10 | Palakkad | -8.6 | -12.0 | 22,024 | 13,653 | 73.4 | 46.9 | 49.3 | 67.5 | 73 | 128 | 99.3 | 99.5 |
| 11 | Pathanamthitta | 4.3 | 1.8 | 6,958 | 8,696 | 59.4 | 73.1 | 96.2 | 90.2 | 9 | 14 | 99.7 | 100.0 |
| 12 | Thiruvananthapuram | 13.9 | -4.5 | 18,162 | 17,907 | 54.6 | 57.6 | 66.1 | 87.9 | 341 | 26 | 99.7 | 99.3 |
| 13 | Thrissur | 6.2 | 7.1 | 21,336 | 20,853 | 61.0 | 62.6 | 73.1 | 87.4 | 66 | 29 | 99.5 | 98.8 |
| 14 | Wayanad | 5.9 | -0.5 | 9,402 | 6,806 | 87.6 | 64.4 | 13.4 | 38.7 | 138 | 114 | 99.6 | 100.0 |

Performance of Key HMIS Indicators for Kerala (Across Districts) Financial Year: 2013-14 $\,$

Provisional Figures for the Period April to December

| | | | 5 | 2 | 6 | 2 | 7 | 2 | 8 | 2 | 9 | 3 | 0 |
|-----------|--------------------|---|---------|---|---------|--|--|---------|--|---------|--|---|---------|
| Indicator | | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | Pertusis ir 0-5 Years Total R Childhood | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | Others in -5 Years of al Reported Diseases 0-5 ars | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Kerala | 87.7 | 87.7 | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Alappuzha | 98.3 | 99.8 | 0.0 | 0.0 | 1.4 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Ernakulam | 88.5 | 86.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Idukki | 75.5 | 75.2 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | KOZHIKKODE | 72.8 | 74.1 | 0.1 | 0.0 | 0.1 | 0.4 | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 |
| 5 | Kannur | 90.9 | 91.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Kasaragod | 90.8 | 88.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Kollam | 96.2 | 93.7 | 0.0 | 0.0 | 0.1 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | Kottayam | 74.1 | 74.2 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 |
| 9 | Malappuram | 90.9 | 90.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | Palakkad | 91.3 | 92.4 | 0.0 | 0.0 | 0.0 | 0.5 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 |
| 11 | Pathanamthitta | 85.6 | 88.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 12 | Thiruvananthapuram | 90.3 | 90.1 | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 13 | Thrissur | 91.7 | 92.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 14 | Wayanad | 85.7 | 89.8 | 0.0 | 0.2 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

Performance of Key HMIS Indicators for Kerala (Across Districts) Financial Year: 2013-14 $\,$

Provisional Figures for the Period April to December

| | | 3 | 1 | 3: | 2 | 3 | 3 | 3 | 4 | 3 | 5 | 36 | |
|-----------|--------------------|---|---------|---|---------|------------|--|---|---------|--|---------|--|---------|
| Indicator | | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | Years of A | Children 0-5 ge to Total Childhood | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Kerala | 1.9 | 2.3 | 97.3 | 96.0 | 0.6 | 1.6 | 710 | 722 | 4.6 | 4.2 | 11.1 | 17.9 |
| 1 | Alappuzha | 1.6 | 2.0 | 96.9 | 97.1 | 0.2 | 0.6 | 58 | 45 | 8.3 | 38.2 | 25.0 | 29.4 |
| 2 | Ernakulam | 0.5 | 1.1 | 99.3 | 97.2 | 0.1 | 1.6 | 16 | 38 | 0.0 | 0.0 | 15.4 | 34.4 |
| 3 | Idukki | 1.7 | 0.7 | 96.5 | 98.1 | 1.8 | 1.0 | 20 | 20 | 15.4 | 6.3 | 23.1 | 31.3 |
| 4 | KOZHIKKODE | 3.5 | 0.7 | 96.1 | 97.7 | 0.0 | 1.1 | 432 | 289 | 4.6 | 0.4 | 1.6 | 0.8 |
| 5 | Kannur | 2.1 | 0.6 | 97.7 | 98.1 | 0.2 | 1.3 | 23 | 25 | 0.0 | 7.1 | 46.7 | 42.9 |
| 6 | Kasaragod | 4.1 | 1.2 | 95.8 | 97.9 | 0.1 | 1.0 | 21 | 16 | 0.0 | 9.1 | 33.3 | 45.5 |
| 7 | Kollam | 1.8 | 3.8 | 98.2 | 95.4 | 0.0 | 0.6 | 23 | 58 | 5.9 | 2.1 | 47.1 | 12.5 |
| 8 | Kottayam | 1.3 | 1.2 | 98.2 | 96.7 | 0.2 | 2.0 | 2 | 47 | 0.0 | 10.7 | 0.0 | 71.4 |
| 9 | Malappuram | 3.2 | 5.0 | 96.6 | 94.1 | 0.0 | 0.8 | 31 | 49 | 3.7 | 0.0 | 18.5 | 19.5 |
| 10 | Palakkad | 3.5 | 3.3 | 89.0 | 92.7 | 7.4 | 3.4 | 50 | 67 | 2.9 | 2.0 | 22.9 | 32.0 |
| 11 | Pathanamthitta | 0.4 | 0.3 | 99.1 | 98.9 | 0.5 | 0.7 | 4 | 16 | 0.0 | 0.0 | 33.3 | 50.0 |
| 12 | Thiruvananthapuram | 0.9 | 3.8 | 98.8 | 95.4 | 0.2 | 0.8 | 6 | 12 | 25.0 | 22.2 | 50.0 | 33.3 |
| 13 | Thrissur | 1.2 | 1.4 | 98.1 | 93.1 | 0.7 | 5.5 | 5 | 1 | 0.0 | 0.0 | 20.0 | 0.0 |
| 14 | Wayanad | 5.6 | 5.6 | 93.5 | 93.6 | 0.9 | 0.5 | 19 | 39 | 0.0 | 0.0 | 29.4 | 16.7 |

| | | 3 | 7 | 3 | 8 | 3 | 9 | 4 | 0 | 41 | | 42 | |
|----|--------------------|---|---------|---|---------|---------|----------------------------------|---|---------|---|---------|--|---------|
| | Indicator | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | | due to a to Total d Infant | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Kerala | 37.7 | 27.7 | 3.1 | 3.9 | 0.2 | 0.0 | 0.9 | 0.5 | 0.0 | 0.0 | 42.5 | 45.8 |
| 1 | Alappuzha | 56.3 | 8.8 | 0.0 | 0.0 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 8.3 | 23.5 |
| 2 | Ernakulam | 23.1 | 6.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.1 | 0.0 | 0.0 | 61.5 | 56.3 |
| 3 | Idukki | 7.7 | 25.0 | 0.0 | 6.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 53.8 | 31.3 |
| 4 | KOZHIKKODE | 44.1 | 44.3 | 3.5 | 5.7 | 0.0 | 0.0 | 0.3 | 0.0 | 0.0 | 0.0 | 45.9 | 48.8 |
| 5 | Kannur | 26.7 | 42.9 | 0.0 | 0.0 | 0.0 | 0.0 | 6.7 | 0.0 | 0.0 | 0.0 | 20.0 | 7.1 |
| 6 | Kasaragod | 6.7 | 9.1 | 0.0 | 0.0 | 0.0 | 0.0 | 6.7 | 0.0 | 0.0 | 0.0 | 53.3 | 36.4 |
| 7 | Kollam | 17.6 | 4.2 | 5.9 | 4.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.5 | 77.1 |
| 8 | Kottayam | 0.0 | 7.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 10.7 |
| 9 | Malappuram | 18.5 | 9.8 | 0.0 | 2.4 | 0.0 | 0.0 | 0.0 | 2.4 | 0.0 | 0.0 | 59.3 | 65.9 |
| 10 | Palakkad | 25.7 | 22.0 | 8.6 | 2.0 | 0.0 | 0.0 | 2.9 | 2.0 | 0.0 | 0.0 | 37.1 | 40.0 |
| 11 | Pathanamthitta | 66.7 | 10.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40.0 |
| 12 | Thiruvananthapuram | 0.0 | 11.1 | 0.0 | 22.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 11.1 |
| 13 | Thrissur | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 20.0 | 0.0 | 0.0 | 0.0 | 40.0 | 100.0 |
| 14 | Wayanad | 5.9 | 40.0 | 5.9 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 58.8 | 40.0 |