Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_A & N Islands	2,492	2,490	98.8	98.4	46	42	98.2	98.3	2,488	2,426	2,089	2,231
1	Nicobar	273	287	101.5	97.6	7	8	97.5	97.3	276	283	261	224
2	North and Middle Andaman	435	475	105.1	99.6	2	2	99.5	99.6	421	462	334	271
3	South Andaman	1,784	1,728	97.0	98.2	37	32	98.0	98.2	1,791	1,681	1,494	1,736

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_A & N Islands	2,561	2,331	83.8	89.6	102.8	93.6	2,588	2,290	2,531	2,270	2,548	2,156
1	Nicobar	295	235	95.6	78.0	108.1	81.9	340	304	330	310	357	286
2	North and Middle Andaman	484	379	76.8	57.1	111.3	79.8	808	540	811	521	754	507
3	South Andaman	1,782	1,717	83.7	100.5	99.9	99.4	1,440	1,446	1,390	1,439	1,437	1,363

Indicator		1	13		14		15		16		17		8
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_A & N Islands							2,571	2,734	103.2	109.8	2,646	2,846
1	Nicobar							346	252	126.7	87.8	432	366
2	North and Middle Andaman							694	673	159.5	141.7	662	700
3	South Andaman							1,531	1,809	85.8	104.7	1,552	1,780

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_A & N Islands	-0.4	-17.3	2,222	2,886	89.2	115.9	112.2	43.2	133	53	88.8	92.3
1	Nicobar	-17.3	-7.2	237	405	86.8	141.1	140.9	58.8	49	49	82.2	97.0
2	North and Middle Andaman	-43.4	-77.6	494	541	113.6	113.9	63.4	48.2	65		86.7	89.9
3	South Andaman	14.1	-5.4	1,491	1,940	83.6	112.3	123.9	38.6	19	4	94.5	89.7

Indicator		25 26  Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned  Diptheria in 0-5 Years of Total Re Childhood Diversions Year		% n Children of Age to eported Diseases 0-5	Children of Age to ported iseases 0-5  Owner of Age to Total Reported Childhood Diseases 0-5		28  % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		29  "% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		30  White Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_A & N Islands	43.8	58.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Nicobar	45.7	73.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North and Middle Andaman	48.2	72.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	South Andaman	40.0	45.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		%  Deaths due to Sepsis to  Total Reported Infant  Deaths		%  Deaths due to Asphyxia to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_A & N Islands	1.0	1.3	82.3	80.2	16.7	18.5	22	56	27.3	15.1	13.6	11.3
1	Nicobar	3.2	1.5	43.8	55.2	53.0	43.3	3	17	0.0	0.0	33.3	21.4
2	North and Middle Andaman	0.0	0.0	98.3	81.9	1.7	18.1	5	14	0.0	21.4	20.0	7.1
3	South Andaman	0.0	2.0	98.9	93.1	1.1	4.9	14	25	42.9	20.0	7.1	8.0

Indicator		37  % Deaths due to LBW to Total Reported Infant		38 % Deaths due to Pneumonia to Total		39 % Deaths due to Diarrhoea to Total		40 % Deaths due to Fever to		41 % Deaths due to Measles		42 % Deaths due to Other Causes to Total	
			orted Infant oths		d Infant iths		d Infant oths	Total Repo Dea	rted Infant oths	to Total	Reported Deaths	Reporte Dea	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_A & N Islands	13.6	15.1	4.5	5.7	0.0	0.0	4.5	0.0	0.0	0.0	36.4	52.8
1	Nicobar	0.0	7.1	0.0	14.3	0.0	0.0	33.3	0.0	0.0	0.0	33.3	57.1
2	North and Middle Andaman	40.0	14.3	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	57.1
3	South Andaman	7.1	20.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	42.9	48.0