		1	2	3	4	5	6	7	8	9	10	11	12	13
1	ndicators	Total number of pregnant women Registere d for ANC	Number of Pregnant women registere d within first trimester	% 1st Trimeste r registrati on to Total ANC Registrati ons	Number of pregnant women received 4 or more ANC check ups	TT2 given to Pregnant women (numbers	TT Booster given to Pregnant women (numbers	% Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons	% Pregnant women received TT2+ TT Booster to Total ANC Registrati on	Number of Pregnant women given 180 IFA tablets	% Pregnant women given 180 IFA to Total ANC Registrati on	Number of Pregnant Women having Hb level<11 (tested cases)	Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n	% Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	39,952	21,533	53.8	26,472	28,774	4,768	66.2	83.9	37,051	92.7	29,009	1,682	55.5
1	Ater	4,594	2,286	49.8	3,165	4,165	364	68.9	98.6	4,509	98.1	3,934	226	100.0
2	Bhind (Phoop)	10,588	4,418	41.7	6,288	5,684	2,876	59.4	80.8	9,699	91.6	11,337	552	64.6
3	Gohad	6,581	3,761	57.1	4,200	5,328	577	63.8	89.7	6,107	92.8	4,911	470	38.3
4	Lahar	6,258	2,417	38.6	4,808	4,721	78	76.8	76.7	4,797	76.7	4,157	54	26.9
5	Mehgaon	6,629	4,177	63.0	4,287	6,233	372	64.7	99.6	6,629	100.0	2,746	124	84.4
6	Mihona(Ron)	5,302	4,474	84.4	3,724	2,643	501	70.2	59.3	5,310	100.2	1,924	256	67.7

		14	15	16	17	18	19	20	21	22	23	24	25	26
	Indicators	% New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrati ons	Number of Home deliveries	Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM)	Number of home deliveries attended by Non SBA trained (trained TB/Dai)	% SBA attended home deliveries to Total Reported Home Deliveries	Deliveries Conducte d at Public Institutio ns	Number of Women Discharge d under 48 hours of delivery in public facilities	% Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns	Deliveries Conducte d at Private Institutio ns	Number of Women Discharge d under 48 hours of delivery in private institutio ns	% Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns	Institutio nal deliveries (Public Insts.+Pvt . Insts.)	% Institutio nal Deliveries to total ANC registrati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	1.1	1,610	27	1,583	1.6	25,553	1,432	5.6	1,880	0	0.0	27,433	68.6
1	Ater	0.9	244	0	244	0.0	963	2	0.2				963	21.0
2	Bhind (Phoop)	0.6	149	0	149	0.0	11,157	0	0.0	1,598	0	0.0	12,755	120.5
3	Gohad	0.6	298	0	298	0.0	4,304	32	0.7	282	0	0.0	4,586	69.7
4	Lahar	0.5	632	20	612	3.2	3,446	1,057	30.7				3,446	55.1
5	Mehgaon	2.0	106	0	106	0.0	3,646	1	0.0				3,646	55.0
6	Mihona(Ron)	2.6	181	7	174	3.9	2,037	340	16.7				2,037	38.4

		27	28	29	30	31	32	33	34	35	36	37	38	39
	Indicators	Total reported deliveries	% Institutio nal deliveries to Total Reported Deliveries	% Safe deliveries to Total Reported Deliveries	% Home deliveries to Total Reported Deliveries	Number of C-section deliveries conducte d at public facilities	Number of C-section deliveries conducte d at private facilities	% C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries	% C-section s conducte d at public facilities to Deliveries conducte d at public facilities	% C-section s conducte d at Private facilities to Deliveries conducte d at private facilities	% Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries	% Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries	Women received 1st post partum check-up within 48 hours of home delivery	Women received 1st post partum check up between 48 hours and 14 days
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	29,043	94.5	94.5	5.5	286	473	2.7	1.1	25.2	93.1	6.9	1,361	6,174
1	Ater	1,207	79.8	79.8	20.2	0		0.0	0.0		100.0	0.0	0	244
2	Bhind (Phoop)	12,904	98.8	98.8	1.2	273	473	5.8	2.4	29.6	87.5	12.5	446	3,211
3	Gohad	4,884	93.9	93.9	6.1	13	0	0.3	0.3	0.0	93.9	6.1	614	685
4	Lahar	4,078	84.5	85.0	15.5	0		0.0	0.0		100.0	0.0	66	233
5	Mehgaon	3,752	97.2	97.2	2.8	0		0.0	0.0		100.0	0.0	102	80
6	Mihona(Ron)	2,218	91.8	92.2	8.2	0		0.0	0.0		100.0	0.0	133	1,721

		40	41	42	43	44	45	46	47	48	49	50	51	52
	Indicators	% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries	% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries	Total Number of reported live births	% Live Births to Total Deliveries	Total Number of reported Still Births	% live birth to Reported Birth	Number of Newborns weighed at birth	% Newborns weighed at birth to live birth	Number of Newborns having weight less than 2.5 kg	% Newborns having weight less than 2.5 kg to Newborns weighed at birth	Number of New Borns Breast Fed within 1 hour	% Newborns breast fed within 1 hour of birth to Total live birth	Sex Ratio at birth ( Female Live Births/ Male Live Births *1000)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	84.5	21.3	28,604	98.5	312	98.9	28,322	99.0	4,258	15.0	27,694	96.8	920
1	Ater	0.0	20.2	1,184	98.1	26	97.9	1,183	99.9	45	3.8	1,183	99.9	830
2	Bhind (Phoop)	299.3	24.9	12,613	97.7	136	98.9	12,611	100.0	2,175	17.2	12,007	95.2	920
3	Gohad	206.0	14.0	4,869	99.7	25	99.5	4,653	95.6	311	6.7	4,653	95.6	924
4	Lahar	10.4	5.7	4,071	99.8	41	99.0	4,028	98.9	550	13.7	4,009	98.5	939
5	Mehgaon	96.2	2.1	3,694	98.5	58	98.5	3,688	99.8	829	22.5	3,688	99.8	938
6	Mihona(Ron)	73.5	77.6	2,173	98.0	26	98.8	2,159	99.4	348	16.1	2,154	99.1	898

		53	54	55	56	57	58	59	60	61	62	63	64	65
	Indicators	% cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries	% Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended	Number of PW given 360 Calcium tablets	% Pregnant women given 360 Calcium to Total ANC Registrati on	Number of PW given one Albendaz ole tablet after 1st trimester	% Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on	Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test)	% Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on	Number of PW tested positive for GDM	% Pregnant women tested positive for GDM to Total ANC Registrati on	Number of pregnant women tested for Syphilis	Number of pregnant women tested found sero positive for Syphilis	% Pregnant women tested for Syphilis to Total ANC Registrati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	3.1	46.7	35,204	88.1	29,152	73.0	0	0.0	6	0.0	12,976	0	32.5
1	Ater	0.0		4,519	98.4	4,112	89.5	0	0.0	0	0.0	147	0	3.2
2	Bhind (Phoop)	5.7	55.1	9,632	91.0	7,450	70.4	0	0.0	0	0.0	4,922	0	46.5
3	Gohad	2.4	15.1	4,571	69.5	4,173	63.4	0	0.0	0	0.0	886	0	13.5
4	Lahar	0.2	0.0	4,558	72.8	3,954	63.2	0	0.0	0	0.0	72	0	1.2
5	Mehgaon	0.0		6,627	100.0	5,166	77.9	0	0.0	0	0.0	5,848	0	88.2
6	Mihona(Ron)	1.9	0.0	5,297	99.9	4,297	81.0	0	0.0	6	0.1	1,101	0	20.8

		66	67	68	69	70	71	72	73	74	75	76	77	78
	Indicators	% Pregnant women treatd for Syphilis to Total sero positive for Syphilis	% of babies treated for congenita l Syphilis to babies total diagnosed with Congenit al Syphilis	Total no. maternal deaths	Total Facility Based Maternal Death Reviews (FBMDR) done	Total Number of Abortions ( Spontan eous) Reported	Total Number of MTPs ( Public) conducte d	% MTPs to total Abortions	% MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs Conducte d at Public Institutio ns to Total MTPs	% MTPs Conducte d at Private Institutio ns to Total MTPs	% Total MTPs (Public) Conducte d to Total ANC Registrati on	Number of Vasectom ies Conducte d
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	0.0		34	0	279	385	63.0	96.4	3.6	81.1	18.9	1.0	18
1	Ater	0.0		1	0	103	0	0.0					0.0	1
2	Bhind (Phoop)	0.0		20	0	148	197	59.6	92.9	7.1	90.4	9.6	1.9	9
3	Gohad	0.0		2	0	5	188	98.1	100.0	0.0	73.2	26.8	2.9	1
4	Lahar	0.0		3		6	0	0.0					0.0	1
5	Mehgaon	0.0		6	0	1	0	0.0					0.0	6
6	Mihona(Ron)	0.0		2	0	16	0	0.0					0.0	0

		79	80	81	82	83	84	85	86	87	88	89	90	91
	Indicators	Number of Tubecto mies Conducte d	Total Sterilisati on Conducte d	% Male Sterlisati on (Vasecto mies) to Total sterilisati on	% Female Serlisatio n (Tubecto mies) to Total sterilisati on	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on	% Laparosc opic sterlisati ons to Total Female Sterilisati ons
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	4,947	4,965	0.3	99.6					0	4,965	0.0	100.0	97.4
1	Ater	740	741	0.1	99.9						741	0.0	100.0	98.4
2	Bhind (Phoop)	1,132	1,141	0.8	99.2						1,141	0.0	100.0	92.1
3	Gohad	850	851	0.1	99.9					0	851	0.0	100.0	100.0
4	Lahar	1,099	1,100	0.1	99.9						1,100	0.0	100.0	98.3
5	Mehgaon	764	770	0.8	99.2						770	0.0	100.0	99.9
6	Mihona(Ron)	362	362	0.0	100.0						362	0.0	100.0	98.3

		92	93	94	95	96	97	98	99	100	101	102	103	104
	Indicators	% Mini Lap Sterlisati ons to Total Female Sterilisati ons	% Post Partum Sterlisati ons to Total Female Sterilisati ons	% Post Abortion Sterlisati ons to Total Female Sterilisati ons	% Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons	% Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons	% Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on	% Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on	Total cases of deaths following Sterlisati on ( Male + Female)	Total cases of deaths following Male Sterlisati on	Total cases of deaths following Female Sterlisati on	Total cases of failure following Male Sterlisati on	Total cases of failure following Female Sterlisati on	Total cases of complicat ion following Male Sterlisati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	1.0	1.1	0.4	100.0	100.0	100.0	100.0	0	0	0	0	0	0
1	Ater	1.5	0.0	0.1	100.0	100.0		100.0	0	0	0	0	0	0
2	Bhind (Phoop)	3.4	4.4	0.0	100.0	100.0	100.0		0	0	0	0	0	0
3	Gohad	0.0	0.0	0.0	100.0				0	0	0	0	0	0
4	Lahar	0.0	0.0	1.7	100.0			100.0	0	0	0	0	0	0
5	Mehgaon	0.0	0.1	0.0	100.0		100.0		0	0	0	0	0	0
6	Mihona(Ron)	0.0	1.7	0.0	100.0		100.0		0	0	0	0	0	0

		105	106	107	108	109	110	111	112	113	114	115	116	117
ı	ndicators	Total cases of complicat ion following Female Sterlisati on	IUCD Insertions done (public facilities)	IUCD insertions done (pvt. facilities)	% PP IUCD Insertions (public) to Total IUCD Insertions (public)	% PP IUCD Insertions (public) to Total Institutio nal Deliveries (public)	% IUCD insertions to all family planning methods ( IUCD plus permane nt)	Total Interval IUCD Insertions done	Total PP IUCD Insertions done	Total PAIUCD insertions done	Combine d Oral Pills distribute d	Emergenc y pills distribute d	Condom pieces distribute d	Centchro man ( weekly pills) distribute d
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	2	14,442	0	27.2	15.3	74.4	10,496	3,935	11	61,509	1,346	93,162	0
1	Ater	2	1,612		4.2	7.1	68.5	1,544	68	0	9,508	0	16,232	0
2	Bhind (Phoop)	0	2,912		42.5	11.1	71.8	1,673	1,237	2	16,971	966	22,103	0
3	Gohad	0	2,149	0	24.6	12.3	71.6	1,619	528	2	4,655	12	6,498	0
4	Lahar	0	2,366		30.6	21.0	68.3	1,637	723	6	5,320	367	8,516	0
5	Mehgaon	0	3,963		19.1	20.7	83.7	3,207	756	0	14,157	0	19,146	0
6	Mihona(Ron)	0	1,440		43.3	30.6	79.9	816	623	1	10,898	1	20,667	0

		118	119	120	121	122	123	124	125	126	127	128	129	130
	Indicators	Number of beneficia ries given 1st dose of Injectabl e (Antara Program)	Number of beneficia ries given 2nd dose of Injectabl e (Antara Program)	Number of beneficia ries given 3rd dose of Injectabl e (Antara Program)	Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program)	Pregnanc y testing kits used	Number of Infants given OPV 0 (Birth Dose)	Number of Infants given BCG	Number of Infants given Hep- B0 (birth dose)	% Newborns given OPVO at birth to Reported live birth	% Newborns given BCG to Reported live birth	% Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth	Number of Infants given DPT1	Number of Infants given DPT2
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	221	0	0	0	22,344	28,705	28,789	27,422	100.4	100.6	95.9	212	40
1	Ater	0	0	0	0	5,169	1,183	1,183	955	99.9	99.9	80.7	0	0
2	Bhind (Phoop)	221	0	0	0	8,420	12,886	12,729	12,953	102.2	100.9	102.7	180	7
3	Gohad	0	0	0	0	3,361	4,791	4,834	4,182	98.4	99.3	85.9	0	0
4	Lahar	0	0	0	0	1,487	3,795	3,953	3,718	93.2	97.1	91.3	32	33
5	Mehgaon	0	0	0	0	1,634	3,917	3,931	3,579	106.0	106.4	96.9	0	0
6	Mihona(Ron)	0	0	0	0	2,273	2,133	2,159	2,035	98.2	99.4	93.6	0	0

		131	132	133	134	135	136	137	138	139	140	141	142	143
	Indicators	Number of Infants given DPT3	Number of Infants given Pentavale nt 1	Number of Infants given Pentavale nt 2	Number of Infants given Pentavale nt 3	Number of Infants given Measles	Number of Infants given MR	% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births	Number of fully immunize d children (9-11 months)	% Drop Out between BCG & Measles/ MR	% Children given Vit A dose1 to Reported live birth	% Children given Vitamin A Dose 9 to Children given Vit A dose1	Adverse Events Following Imunisati on (Abcess )	Adverse Events Following Imunisati on (Deaths)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	34	34,055	31,929	30,201	31,416	0	109.8	31,789	-9.1	114.3	114.6	30	0
1	Ater	0	4,024	3,899	3,765	3,875	0	327.3	3,875	-227.6	322.3	0.7	0	0
2	Bhind (Phoop)	2	9,809	9,031	7,840	8,914	0	70.7	9,318	30.0	73.8	183.9	0	0
3	Gohad	0	5,904	5,182	5,152	5,526	0	113.5	5,510	-14.3	114.8	0.7	28	0
4	Lahar	32	4,766	4,581	4,424	4,378	0	107.5	4,370	-10.8	112.0	111.6	1	0
5	Mehgaon	0	6,558	6,361	6,230	6,005	0	162.6	6,005	-52.8	162.6	212.7	1	0
6	Mihona(Ron)	0	2,994	2,875	2,790	2,718	0	125.1	2,711	-25.9	157.7	71.7	0	0

		144	145	146	147	148	149	150	151	152	153	154	155	156
	Indicators	Adverse Events Following Imunisati on (Others)	% immunisa tion Sessions Held to Immunisa tion Sessions Planned	% Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned	Pneumoni a in Children 0-5 Years of Age	Asthma in Children 0-5 Years of Age	Sepsis in Children 0-5 Years of Age	Diphtheri a in Children 0-5 Years of Age	Pertussis in Children 0-5 Years of Age	Tetanus Neonator um in Children 0-5 Years of Age	Tubercul osis (TB) in Children 0-5 Years of Age	Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age	Measles in Children 0-5 Years of Age	Malaria in Children 0-5 Years of Age
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	0	100.1	84.8	1,217	129	62	0	0	1	5	5	24	1,217
1	Ater	0	104.4	91.9	0	0	0	0	0	0	0	0	0	0
2	Bhind (Phoop)	0	98.4	83.3	550	0	1	0	0	1	1	1	19	550
3	Gohad	0	99.9	79.4	7	2	0	0	0	0	2	2	1	7
4	Lahar	0	98.7	79.2	5	0	0	0	0	0	1	1	4	5
5	Mehgaon	0	99.3	83.7	12	0	0	0	0	0	1	1	0	12
6	Mihona(Ron)	0	99.9	94.7	643	127	61	0	0	0	0	0	0	643

Indicators		157	158	159	160	161	162	163	164	165	166	167	168	169
		Diarrhoea in Children 0-5 Years of Age	Diarrhoea treated in Inpatient s in Children 0-5 Years of Age	No. of infants given Measles Rubella vaccine 1st dose	No. of infants received Rotavirus Vaccine 1st dose	No. of infants received Rotavirus Vaccine 2nd dose	No. of infants received Rotavirus Vaccine 3nd dose	No of children 16-24 months age given Measles 2nd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	% Adult Female Inpatient s to Total Adult Inpatient	% Children Inpatient to Total Inpatient	% Female Inpatient Deaths to Total Inpatient Deaths	% Inpatient Deaths to Total IPD	IPD (Number)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	8,000	1,925	0	32,691	28,758	28,758	27,398	0	62.5	17.8	39.9	0.5	84,680
1	Ater	4,416	59	0	4,011	3,880	3,880	3,708	0	100.0	0.0		0.0	1,165
2	Bhind (Phoop)	1,399	1,123	0	9,651	8,565	8,565	7,443	0	58.5	16.4	39.9	0.6	61,863
3	Gohad	27	5	0	5,058	3,763	3,763	4,625	0	76.9	6.8		0.0	6,950
4	Lahar	336	0	0	4,677	4,120	4,120	3,659	0	49.1	44.9		0.0	8,580
5	Mehgaon	1,169	340	0	6,310	5,559	5,559	5,480	0	91.1	2.0		0.0	3,809
6	Mihona(Ron)	653	398	0	2,984	2,871	2,871	2,483	0	74.5	21.0		0.0	2,313

Indicators		170	171	172	173	174	175	176	177	178	179	180	181	182
		OPD (Allopathi c)	Ayush OPD (Number)	OPD (Ayush+Al lopathic)	% IPD to OPD	Number of Major Operatio ns	Number of Minor Operatio ns	% Major Operatio ns to Total Operatio n	Number of Hysterect omy Surgeries	% Hysterect omy Surgeries to Total Major Operatio ns	% AYUSH OPD to Total OPD	Dental OPD (Number)	% Dental OPD to Total OPD	% Hb < 7 mg to Total Hb Tests Conducte d
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	1,163,239	26,001	1,189,240	7.1	573	8,286	6.5	0	0.0	2.1	8,058	0.7	3.8
1	Ater	79,919	2,027	81,946	1.4	0	3,023	0.0	0		2.5	2	0.0	3.0
2	Bhind (Phoop)	514,989	12,298	527,287	11.7	543	3,751	12.6	0	0.0	2.3	6,601	1.3	6.5
3	Gohad	215,316	6,516	221,832	3.1	0	776	0.0	0		2.9	32	0.0	1.3
4	Lahar	167,063	1,628	168,691	5.1	30	145	17.1	0	0.0	1.0	208	0.1	1.7
5	Mehgaon	128,359	12	128,371	3.0	0	538	0.0	0		0.0	111	0.1	1.4
6	Mihona(Ron)	57,593	3,520	61,113	3.8	0	53	0.0	0		5.8	1,104	1.8	4.9

Indicators		183	184	185	186	187	188	189	190	191	192	193	194	195
		% Male HIV Positive to Total Males Tested	% Female screened for HIV to Total ANC Registrati on	% Female HIV Positive to Total Females Tested	% Total HIV Positive to Total Tested ( Male + Female)	% Plasmodi um Vivax test positive to Total Blood Smears Examined	% Plasmodi um Falciparu m test positive to Total Blood Smears Examined	Total Number of Infant Deaths reported	% Deaths due to Sepsis to Total Reported Infant Deaths	% Deaths due to Asphyxia to Total Reported Infant Deaths	% Deaths due to Pneumoni a to Total Reported Infant Deaths	% Deaths due to Diarrhoea to Total Reported Infant Deaths	% Deaths due to Fever to Total Reported Infant Deaths	% Deaths due to Measles to Total Reported Infant Deaths
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	1.5	10.4	0.3	0.7	1.2	0.0	633	3.5	2.7	3.8	0.9	3.5	0.0
1	Ater		0.0			0.3	0.0	92	0.0	1.1	14.1	0.0	5.4	0.0
2	Bhind (Phoop)	2.3	21.4	0.6	1.2	0.5	0.0	196	9.7	6.1	2.6	0.0	2.0	0.0
3	Gohad	0.0	4.3	0.0	0.0	2.4	0.0	116	0.0	3.4	0.0	3.4	10.3	0.0
4	Lahar	0.0	12.5	0.0	0.0	0.5	0.0	55	3.6	0.0	10.9	1.8	0.0	0.0
5	Mehgaon		0.0			2.0	0.0	140	0.0	0.0	0.0	0.0	0.0	0.0
6	Mihona(Ron)	0.0	15.2	0.1	0.1	1.7	0.1	34	2.9	0.0	0.0	2.9	2.9	0.0

		196	197	198
1	ndicators	Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH	Institutio nal Deliveries at District Hospitals	Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH
		2017-18	2017-18	2017-18
	_Bhind	9,096		
1	Ater			
2	Bhind (Phoop)	2,287		
3	Gohad	4,303		
4	Lahar	2,506		
5	Mehgaon			
6	Mihona(Ron)			