

Performance of Key HMIS Indicators for Uttar Pradesh-> Pilibhit (Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to December

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|------------|--------------|---|--|---|---|--|---|--|---|--|--|--|--|---|
| | | Total number of pregnant women Registered for ANC | Number of Pregnant women registered within first trimester | % 1st Trimester registration to Total ANC Registrations | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers) | TT Booster given to Pregnant women (numbers) | % Pregnant Woman received 4 ANC check ups to Total ANC Registrations | % Pregnant women received TT2+ TT Booster to Total ANC Registration | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registration | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institution | % Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Pilibhit | 39,347 | 23,112 | 58.7 | 22,053 | 28,553 | 4,456 | 56.0 | 83.8 | 38,459 | 97.7 | 33,736 | 992 | 67.2 |
| 1 | Amaria | 5,319 | 2,782 | 52.3 | 4,398 | 3,549 | 492 | 82.7 | 76.0 | 5,317 | 100.0 | 2,174 | 176 | 100.0 |
| 2 | Barkhera | 3,240 | 2,046 | 63.1 | 1,685 | 2,854 | 327 | 52.0 | 98.2 | 3,238 | 99.9 | 1,622 | 0 | 0.0 |
| 3 | Bilsanda | 4,463 | 1,887 | 42.3 | 1,510 | 2,577 | 1,176 | 33.8 | 84.1 | 3,474 | 77.8 | 4,143 | 0 | 0.0 |
| 4 | Bisalpur | 3,868 | 2,358 | 61.0 | 1,664 | 2,830 | 730 | 43.0 | 92.0 | 3,868 | 100.0 | 4,281 | 7 | 10.4 |
| 5 | Jahanabad | | | | | | | | | | | | | |
| 6 | Lalaurikhera | 3,388 | 2,375 | 70.1 | 1,585 | 2,387 | 475 | 46.8 | 84.5 | 3,388 | 100.0 | 2,761 | 33 | 47.8 |
| 7 | Lalualikhera | | | | | | | | | | | | | |
| 8 | Marouri | 4,080 | 2,194 | 53.8 | 2,145 | 2,731 | 593 | 52.6 | 81.5 | 4,037 | 98.9 | 2,676 | 16 | 26.7 |
| 9 | Neoria | | | | | | | | | | | | | |
| 10 | Pilibhit | | | | | | | | | | | | | |
| 11 | Puranpur | 13,257 | 8,391 | 63.3 | 8,387 | 10,271 | 321 | 63.3 | 79.9 | 13,421 | 101.2 | 6,490 | 404 | 80.5 |
| 12 | dhq | 1,732 | 1,079 | 62.3 | 679 | 1,354 | 342 | 39.2 | 97.9 | 1,716 | 99.1 | 9,589 | 356 | 94.7 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Pilibhit (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
|------------|--------------|---|---------------------------|--|--|--|---|--|--|--|---|---|--|--|
| | | % New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducted at Public Institutions | Number of Women Discharged under 48 hours of delivery in public facilities | % Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions | Deliveries Conducted at Private Institutions | Number of Women Discharged under 48 hours of delivery in private institutions | % Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions | Institutional deliveries (Public Insts. +Pvt . Insts.) | % Institutional Deliveries to total ANC registration |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Pilibhit | 2.6 | 5,845 | 5 | 5,840 | 0.0 | 15,497 | 4,523 | 29.1 | 2,438 | 0 | 0.0 | 17,935 | 45.5 |
| 1 | Amaria | 0.3 | 461 | 0 | 461 | 0.0 | 1,099 | 418 | 38.0 | | | | 1,099 | 20.7 |
| 2 | Barkhera | 0.3 | 535 | 0 | 535 | 0.0 | 1,411 | 349 | 24.7 | | | | 1,411 | 43.5 |
| 3 | Bilsanda | 3.1 | 1,231 | 0 | 1,231 | 0.0 | 1,581 | 168 | 10.6 | | | | 1,581 | 35.4 |
| 4 | Bisalpur | 8.7 | 510 | 0 | 510 | 0.0 | 2,202 | 675 | 30.7 | | | | 2,202 | 56.9 |
| 5 | Jahanabad | | | | | | | | | | | | | |
| 6 | Lalaurikhera | 5.6 | 568 | 0 | 568 | 0.0 | 1,097 | 118 | 10.8 | | | | 1,097 | 32.4 |
| 7 | Lalualikhera | | | | | | | | | | | | | |
| 8 | Marouri | 0.5 | 381 | 5 | 376 | 1.3 | 1,512 | 244 | 16.1 | | | | 1,512 | 37.1 |
| 9 | Neoria | | | | | | | | | | | | | |
| 10 | Pilibhit | | | | | | | | | | | | | |
| 11 | Puranpur | 2.2 | 2,038 | 0 | 2,038 | 0.0 | 4,302 | 453 | 10.5 | | | | 4,302 | 32.5 |
| 12 | dhq | 0.9 | 121 | 0 | 121 | 0.0 | 2,293 | 2,098 | 91.5 | 2,438 | 0 | 0.0 | 4,731 | 273.2 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Pilibhit (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
|------------|---------------------|---------------------------|---|--|--|---|--|---|--|--|---|--|--|--|
| | | Total reported deliveries | % Institutional deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducted at public facilities | Number of C-section deliveries conducted at private facilities | % C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries | % C-sections conducted at public facilities to Deliveries conducted at public facilities | % C-sections conducted at Private facilities to Deliveries conducted at private facilities | % Deliveries conducted at Public Institutions to Total Institutional Deliveries | % Deliveries conducted at Private Institutions to Total Institutional Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Pilibhit | 23,780 | 75.4 | 75.4 | 24.6 | 322 | 0 | 1.7 | 2.1 | 0.0 | 86.4 | 13.6 | 11,189 | 7,000 |
| 1 | Amaria | 1,560 | 70.4 | 70.4 | 29.6 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 590 | 564 |
| 2 | Barkhera | 1,946 | 72.5 | 72.5 | 27.5 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 1,174 | 745 |
| 3 | Bilsanda | 2,812 | 56.2 | 56.2 | 43.8 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 1,972 | 941 |
| 4 | Bisalpur | 2,712 | 81.2 | 81.2 | 18.8 | 50 | | 2.3 | 2.3 | | 100.0 | 0.0 | 675 | 675 |
| 5 | Jahanabad | | | | | | | | | | | | | |
| 6 | Lalaurikhera | 1,665 | 65.9 | 65.9 | 34.1 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 669 | 2,109 |
| 7 | Lalualikhera | | | | | | | | | | | | | |
| 8 | Marouri | 1,893 | 79.9 | 80.1 | 20.1 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 1,272 | 469 |
| 9 | Neoria | | | | | | | | | | | | | |
| 10 | Pilibhit | | | | | | | | | | | | | |
| 11 | Puranpur | 6,340 | 67.9 | 67.9 | 32.1 | 66 | | 1.5 | 1.5 | | 100.0 | 0.0 | 2,682 | 1,268 |
| 12 | dhq | 4,852 | 97.5 | 97.5 | 2.5 | 206 | 0 | 4.4 | 9.0 | 0.0 | 48.5 | 51.5 | 2,155 | 229 |

| Indicators | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
|------------|--------------|---|---|--------------------------------------|-----------------------------------|---------------------------------------|--------------------------------|-------------------------------------|---|---|--|--|--|--|
| | | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Pilibhit | 191.4 | 29.4 | 23,397 | 98.4 | 413 | 98.3 | 20,532 | 87.8 | 2,809 | 13.6 | 20,540 | 87.7 | 951 |
| 1 | Amaria | 128.0 | 36.2 | 1,560 | 100.0 | 29 | 98.2 | 1,539 | 98.7 | 111 | 7.2 | 1,539 | 98.7 | 919 |
| 2 | Barkhera | 219.4 | 38.3 | 1,914 | 98.4 | 38 | 98.1 | 1,913 | 99.9 | 349 | 18.2 | 1,913 | 99.9 | 998 |
| 3 | Bilsanda | 160.2 | 33.5 | 2,769 | 98.5 | 53 | 98.1 | 2,756 | 99.5 | 627 | 22.8 | 2,748 | 99.2 | 888 |
| 4 | Bisalpur | 132.4 | 24.9 | 2,705 | 99.7 | 79 | 97.2 | 2,699 | 99.8 | 574 | 21.3 | 2,699 | 99.8 | 985 |
| 5 | Jahanabad | | | | | | | | | | | | | 0 |
| 6 | Lalaurikhera | 117.8 | 126.7 | 1,632 | 98.0 | 33 | 98.0 | 1,632 | 100.0 | 122 | 7.5 | 1,632 | 100.0 | 976 |
| 7 | Lalualikhera | | | | | | | | | | | | | 0 |
| 8 | Marouri | 333.9 | 24.8 | 1,870 | 98.8 | 31 | 98.4 | 1,813 | 97.0 | 295 | 16.3 | 1,790 | 95.7 | 1,013 |
| 9 | Neoria | | | | | | | | | | | | | 0 |
| 10 | Pilibhit | | | | | | | | | | | | | 0 |
| 11 | Puranpur | 131.6 | 20.0 | 6,252 | 98.6 | 98 | 98.5 | 5,792 | 92.6 | 449 | 7.8 | 5,960 | 95.3 | 968 |
| 12 | dhq | 1781.0 | 4.7 | 4,695 | 96.8 | 52 | 98.9 | 2,388 | 50.9 | 282 | 11.8 | 2,259 | 48.1 | 907 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Pilibhit (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
|------------|--------------|--|---|--|--|---|---|--|--|--------------------------------------|--|--|--|--|
| | | % cases of Pregnant women with Obstetric Complications and attended to reported deliveries | % Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registration | Number of PW given one Albendazole tablet after 1st trimester | % Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registration | Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registration | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registration | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registration |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Pilibhit | 3.3 | 7.8 | 921 | 2.3 | 28 | 0.1 | 0 | 0.0 | 0 | 0.0 | 4,721 | 0 | 12.0 |
| 1 | Amaria | 2.2 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 2 | Barkhera | 0.0 | | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 3 | Bilsanda | 8.7 | 0.0 | 0 | 0.0 | 2 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 4 | Bisalpur | 1.0 | 3.7 | 0 | 0.0 | 0 | 0.0 | | 0.0 | | 0.0 | 0 | 0 | 0.0 |
| 5 | Jahanabad | | | | | | | | | | | | | |
| 6 | Lalaurikhera | 4.1 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 7 | Lalualikhera | | | | | | | | | | | | | |
| 8 | Marouri | 10.0 | 0.0 | 2 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 517 | 0 | 12.7 |
| 9 | Neoria | | | | | | | | | | | | | |
| 10 | Pilibhit | | | | | | | | | | | | | |
| 11 | Puranpur | 2.8 | 0.6 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 12 | dhq | 1.2 | 107.1 | 919 | 53.1 | 26 | 1.5 | 0 | 0.0 | 0 | 0.0 | 4,204 | 0 | 242.7 |

| Indicators | | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 |
|------------|--------------|--|--|---------------------------|--|---|--|---------------------------|---|---|---|--|--|----------------------------------|
| | | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenital Syphilis to babies total diagnosed with Congenital Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontaneous) Reported | Total Number of MTPs (Public) conducted | % MTPs to total Abortions | % MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions | % MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions | % MTPs Conducted at Public Institutions to Total MTPs | % MTPs Conducted at Private Institutions to Total MTPs | % Total MTPs (Public) Conducted to Total ANC Registrati on | Number of Vasectom ies Conducted |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Pilibhit | 0.0 | | 66 | 9 | 345 | 69 | 16.7 | 87.0 | 13.0 | 100.0 | 0.0 | 0.2 | 21 |
| 1 | Amaria | | | 6 | 0 | 101 | 0 | 0.0 | | | | | 0.0 | 0 |
| 2 | Barkhera | | | 6 | | 0 | 0 | | | | | | 0.0 | 1 |
| 3 | Bilsanda | | | 11 | 0 | 22 | 0 | 0.0 | | | | | 0.0 | 0 |
| 4 | Bisalpur | | | 3 | 3 | 5 | | 0.0 | | | | | 0.0 | 1 |
| 5 | Jahanabad | | | | | | | | | | | | | |
| 6 | Lalaurikhera | | | 7 | 0 | 36 | 0 | 0.0 | | | | | 0.0 | 0 |
| 7 | Lalualikhera | | | | | | | | | | | | | |
| 8 | Marouri | 0.0 | | 10 | 0 | 104 | 0 | 0.0 | | | | | 0.0 | 0 |
| 9 | Neoria | | | | | | | | | | | | | |
| 10 | Pilibhit | | | | | | | | | | | | | |
| 11 | Puranpur | | | 23 | 6 | 54 | 0 | 0.0 | | | | | 0.0 | 14 |
| 12 | dhq | 0.0 | | 0 | 0 | 23 | 69 | 75.0 | 87.0 | 13.0 | 100.0 | 0.0 | 4.0 | 5 |

| Indicators | | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 |
|------------|--------------|---------------------------------|-------------------------------|---|---|--|--|--|---|---|--|--|---|--|
| | | Number of Tubectomies Conducted | Total Sterilisation Conducted | % Male Sterilisation (Vasectomies) to Total sterilisation | % Female Serlisation (Tubectomies) to Total sterilisation | Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC | Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC | Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH | Total Sterilisation (Tubectomies and Vasectomies) conducted at DH | Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions | Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation | % Laparoscopic sterilisations to Total Female Sterilisations |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Pilibhit | 1,330 | 1,351 | 1.5 | 98.4 | | | | | 175 | 1,176 | 13.0 | 87.0 | 83.2 |
| 1 | Amaria | 89 | 89 | 0.0 | 100.0 | | | | | | 89 | 0.0 | 100.0 | 100.0 |
| 2 | Barkhera | 103 | 104 | 1.0 | 99.0 | | | | | | 104 | 0.0 | 100.0 | 100.0 |
| 3 | Bilsanda | 181 | 181 | 0.0 | 100.0 | | | | | | 181 | 0.0 | 100.0 | 100.0 |
| 4 | Bisalpur | 107 | 108 | 0.9 | 99.1 | | | | | | 108 | 0.0 | 100.0 | 75.7 |
| 5 | Jahanabad | | | | | | | | | | | | | |
| 6 | Lalaurikhera | 111 | 111 | 0.0 | 100.0 | | | | | | 111 | 0.0 | 100.0 | 100.0 |
| 7 | Lalualikhera | | | | | | | | | | | | | |
| 8 | Marouri | 137 | 137 | 0.0 | 100.0 | | | | | | 137 | 0.0 | 100.0 | 100.0 |
| 9 | Neoria | | | | | | | | | | | | | |
| 10 | Pilibhit | | | | | | | | | | | | | |
| 11 | Puranpur | 386 | 400 | 3.5 | 96.5 | | | | | | 400 | 0.0 | 100.0 | 96.1 |
| 12 | dhq | 216 | 221 | 2.3 | 97.7 | | | | | 175 | 46 | 79.2 | 20.8 | 15.3 |

| Indicators | | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 |
|------------|--------------|--|---|---|---|---|--|--|---|---|---|--|--|--|
| | | % Mini Lap Sterilisati ons to Total Female Sterilisati ons | % Post Partum Sterilisati ons to Total Female Sterilisati ons | % Post Abortion Sterilisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterilisati on (Male + Female) | Total cases of deaths following Male Sterilisati on | Total cases of deaths following Female Sterilisati on | Total cases of failure following Male Sterilisati on | Total cases of failure following Female Sterilisati on | Total cases of complicat ion following Male Sterilisati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Pilibhit | 2.5 | 14.3 | 0.0 | 100.0 | 100.0 | 8.4 | | 0 | 0 | 0 | 0 | 8 | 1 |
| 1 | Amaria | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 2 | 0 |
| 2 | Barkhera | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Bilsanda | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | Bisalpur | 16.8 | 7.5 | 0.0 | 100.0 | 100.0 | 100.0 | | | | | | | 0 |
| 5 | Jahanabad | | | | | | | | | | | | | |
| 6 | Lalaurikhera | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | Lalualikhera | | | | | | | | | | | | | |
| 8 | Marouri | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 1 |
| 9 | Neoria | | | | | | | | | | | | | |
| 10 | Pilibhit | | | | | | | | | | | | | |
| 11 | Puranpur | 1.8 | 2.1 | 0.0 | 100.0 | 100.0 | 100.0 | | 0 | 0 | 0 | 0 | 4 | 0 |
| 12 | dhq | 3.7 | 81.0 | 0.0 | 100.0 | 100.0 | 0.0 | | 0 | 0 | 0 | 0 | 2 | 0 |

| Indicators | | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
|------------|--------------|--|--|--|---|--|---|-------------------------------------|-------------------------------|------------------------------|---------------------------------|-----------------------------|---------------------------|---|
| | | Total cases of complication following Female Sterilisation | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutional Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permanent) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combined Oral Pills distributed | Emergency pills distributed | Condom pieces distributed | Centchroman (weekly pills) distributed |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Pilibhit | 6 | 6,060 | | 43.6 | 17.0 | 81.7 | 3,412 | 2,644 | 4 | 38,095 | 11,475 | 471,876 | 43 |
| 1 | Amaria | 0 | 884 | | 45.9 | 36.9 | 90.9 | 478 | 406 | 0 | 7,576 | 716 | 43,969 | 0 |
| 2 | Barkhera | 0 | 523 | | 49.9 | 18.5 | 83.4 | 262 | 261 | 0 | 1,230 | 606 | 45,978 | 0 |
| 3 | Bilsanda | 6 | 1,115 | | 38.3 | 27.0 | 86.0 | 688 | 427 | 0 | 4,820 | 1,940 | 45,570 | 0 |
| 4 | Bisalpur | 0 | 902 | | 39.0 | 16.0 | 89.3 | 550 | 352 | | 3,783 | 1,338 | 45,626 | 0 |
| 5 | Jahanabad | | | | | | | | | | | | | |
| 6 | Lalaurikhera | 0 | 585 | | 6.3 | 3.4 | 84.1 | 548 | 37 | 0 | 4,840 | 2,772 | 60,522 | 0 |
| 7 | Lalualikhera | | | | | | | | | | | | | |
| 8 | Marouri | 0 | 649 | | 31.6 | 13.6 | 82.6 | 444 | 205 | 0 | 5,596 | 1,634 | 34,061 | 0 |
| 9 | Neoria | | | | | | | | | | | | | |
| 10 | Pilibhit | | | | | | | | | | | | | |
| 11 | Puranpur | 0 | 775 | | 59.4 | 10.7 | 66.0 | 315 | 460 | 0 | 8,442 | 1,760 | 156,993 | 0 |
| 12 | dhq | 0 | 627 | | 79.1 | 21.6 | 73.9 | 127 | 496 | 4 | 1,808 | 709 | 39,157 | 43 |

| Indicators | | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 |
|------------|--------------|--|--|--|---|------------------------------|--|-----------------------------|--|---|---|---|------------------------------|------------------------------|
| | | Number of beneficiaries given 1st dose of Injectabl e (Antara Program) | Number of beneficiaries given 2nd dose of Injectabl e (Antara Program) | Number of beneficiaries given 3rd dose of Injectabl e (Antara Program) | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc y testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPV0 at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Pilibhit | 130 | 0 | 0 | 0 | 28,346 | 23,664 | 33,470 | 13,263 | 101.1 | 143.1 | 56.7 | 14 | 16 |
| 1 | Amaria | 0 | 0 | 0 | 0 | 2,938 | 1,762 | 4,193 | 753 | 112.9 | 268.8 | 48.3 | 0 | 0 |
| 2 | Barkhera | 0 | 0 | 0 | 0 | 2,658 | 1,468 | 2,838 | 1,229 | 76.7 | 148.3 | 64.2 | 0 | 0 |
| 3 | Bilsanda | 0 | 0 | 0 | 0 | 4,413 | 2,092 | 3,444 | 1,307 | 75.6 | 124.4 | 47.2 | 0 | 0 |
| 4 | Bisalpur | 0 | 0 | 0 | 0 | 3,349 | 2,366 | 3,604 | 2,185 | 87.5 | 133.2 | 80.8 | 14 | 16 |
| 5 | Jahanabad | | | | | | | | | | | | | |
| 6 | Lalaurikhera | 0 | 0 | 0 | 0 | 2,967 | 2,661 | 3,128 | 1,032 | 163.1 | 191.7 | 63.2 | 0 | 0 |
| 7 | Lalualikhera | | | | | | | | | | | | | |
| 8 | Marouri | 0 | 0 | 0 | 0 | 3,626 | 2,203 | 2,818 | 570 | 117.8 | 150.7 | 30.5 | 0 | 0 |
| 9 | Neoria | | | | | | | | | | | | | |
| 10 | Pilibhit | | | | | | | | | | | | | |
| 11 | Puranpur | 0 | 0 | 0 | 0 | 6,771 | 8,011 | 10,041 | 3,876 | 128.1 | 160.6 | 62.0 | 0 | 0 |
| 12 | dhq | 130 | 0 | 0 | 0 | 1,624 | 3,101 | 3,404 | 2,311 | 66.0 | 72.5 | 49.2 | 0 | 0 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Pilibhit (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 |
|------------|---------------------|------------------------------|--|--|--|---------------------------------|----------------------------|---|---|--------------------------------------|---|---|--|---|
| | | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | Number of Infants given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dose1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Immunisati on (Abcess) | Adverse Events Following Immunisati on (Deaths) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Pilibhit | 17 | 32,376 | 30,612 | 29,852 | 35,969 | 0 | 153.7 | 36,156 | -7.5 | 154.6 | 122.2 | 0 | 0 |
| 1 | Amaria | 0 | 4,027 | 3,881 | 3,819 | 4,697 | 0 | 301.1 | 4,897 | -12.0 | 301.1 | 91.4 | 0 | 0 |
| 2 | Barkhera | 0 | 2,803 | 2,624 | 2,449 | 3,287 | 0 | 171.7 | 3,287 | -15.8 | 171.7 | 106.8 | 0 | 0 |
| 3 | Bilsanda | 0 | 3,823 | 3,538 | 3,612 | 3,740 | 0 | 135.1 | 3,749 | -8.6 | 134.2 | 86.4 | 0 | 0 |
| 4 | Bisalpur | 17 | 3,488 | 3,411 | 3,088 | 3,742 | 0 | 138.3 | 3,742 | -3.8 | 138.3 | 127.8 | 0 | 0 |
| 5 | Jahanabad | | | | | | | | | | | | | |
| 6 | Lalaurikhera | 0 | 3,363 | 3,002 | 3,248 | 3,475 | 0 | 212.9 | 3,475 | -11.1 | 212.9 | 121.8 | 0 | 0 |
| 7 | Lalualikhera | | | | | | | | | | | | | |
| 8 | Marouri | 0 | 3,105 | 2,939 | 2,935 | 3,435 | 0 | 183.7 | 3,435 | -21.9 | 182.5 | 219.9 | 0 | 0 |
| 9 | Neoria | | | | | | | | | | | | | |
| 10 | Pilibhit | | | | | | | | | | | | | |
| 11 | Puranpur | 0 | 9,933 | 9,381 | 9,075 | 11,442 | 0 | 183.0 | 11,442 | -14.0 | 182.8 | 70.5 | 0 | 0 |
| 12 | dhq | 0 | 1,834 | 1,836 | 1,626 | 2,151 | 0 | 45.8 | 2,129 | 36.8 | 51.1 | 357.5 | 0 | 0 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Pilibhit (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|------------|--------------|--|---|---|--|-------------------------------------|-------------------------------------|---|--|---|--|--|--------------------------------------|--------------------------------------|
| | | Adverse Events Following Immunisation (Others) | % immunisation Sessions Held to Immunisation Sessions Planned | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | Pneumonia in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheria in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonatorum in Children 0-5 Years of Age | Tuberculosis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP) in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Pilibhit | 0 | 99.3 | 91.3 | 102 | 71 | 79 | 1 | 0 | 2 | 1 | 1 | 112 | 102 |
| 1 | Amaria | 0 | 98.9 | 98.3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 20 | 0 |
| 2 | Barkhera | 0 | 97.6 | 98.6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 39 | 0 |
| 3 | Bilsanda | 0 | 99.7 | 92.4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| 4 | Bisalpur | 0 | 99.2 | 84.5 | 0 | | | | | | 0 | 0 | 2 | 0 |
| 5 | Jahanabad | | | | | | | | | | | | | |
| 6 | Lalaurikhera | 0 | 99.8 | 100.0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 23 | 0 |
| 7 | Lalualikhera | | | | | | | | | | | | | |
| 8 | Marouri | 0 | 98.6 | 94.5 | 6 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 12 | 6 |
| 9 | Neoria | | | | | | | | | | | | | |
| 10 | Pilibhit | | | | | | | | | | | | | |
| 11 | Puranpur | 0 | 100.0 | 94.2 | 17 | 2 | 0 | 1 | 0 | 2 | 1 | 1 | 13 | 17 |
| 12 | dhq | 0 | 100.0 | 57.5 | 79 | 67 | 78 | 0 | 0 | 0 | 0 | 0 | 0 | 79 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Pilibhit (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 |
|------------|--------------|--|---|---|--|--|--|--|--|---|---|---|---------------------------------|--------------|
| | | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3rd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Pilibhit | 3,818 | 606 | 0 | 0 | 0 | 0 | 29,646 | 0 | 69.3 | 15.6 | 30.4 | 0.1 | 26,884 |
| 1 | Amaria | 421 | 161 | 0 | 0 | 0 | 0 | 4,034 | 0 | 61.7 | 20.5 | | 0.0 | 1,859 |
| 2 | Barkhera | 175 | 123 | 0 | 0 | 0 | 0 | 2,839 | 0 | 75.3 | 7.2 | | 0.0 | 3,511 |
| 3 | Bilsanda | 221 | 0 | 0 | 0 | 0 | 0 | 3,375 | 0 | 57.8 | 17.6 | | 0.0 | 1,799 |
| 4 | Bisalpur | 638 | 162 | 0 | 0 | 0 | 0 | 3,036 | 0 | 91.2 | 1.3 | | 0.0 | 4,059 |
| 5 | Jahanabad | | | | | | | | | | | | | |
| 6 | Lalaurikhera | 267 | 86 | 0 | 0 | 0 | 0 | 3,041 | 0 | 88.0 | 7.4 | | 0.0 | 1,591 |
| 7 | Lalualikhera | | | | | | | | | | | | | |
| 8 | Marouri | 938 | 0 | 0 | 0 | 0 | 0 | 3,027 | 0 | 72.4 | 40.0 | | 0.0 | 3,133 |
| 9 | Neoria | | | | | | | | | | | | | |
| 10 | Pilibhit | | | | | | | | | | | | | |
| 11 | Puranpur | 827 | 74 | 0 | 0 | 0 | 0 | 8,474 | 0 | 63.8 | 14.1 | | 0.0 | 7,814 |
| 12 | dhq | 331 | 0 | 0 | 0 | 0 | 0 | 1,820 | 0 | 37.4 | 23.3 | 30.4 | 0.7 | 3,118 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Pilibhit (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 |
|------------|--------------|------------------|--------------------|------------------------|--------------|----------------------------|----------------------------|---------------------------------------|----------------------------------|--|--------------------------|---------------------|---------------------------|---|
| | | OPD (Allopathic) | Ayush OPD (Number) | OPD (Ayush+Allopathic) | % IPD to OPD | Number of Major Operations | Number of Minor Operations | % Major Operations to Total Operation | Number of Hysterectomy Surgeries | % Hysterectomy Surgeries to Total Major Operations | % AYUSH OPD to Total OPD | Dental OPD (Number) | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducted |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Pilibhit | 869,712 | 164,576 | 1,034,288 | 2.6 | 804 | 1,129 | 41.6 | 40 | 4.9 | 15.9 | 6,429 | 0.6 | 1.6 |
| 1 | Amaria | 93,424 | 0 | 93,424 | 2.0 | 0 | 36 | 0.0 | 0 | | 0.0 | 1,984 | 2.1 | 2.2 |
| 2 | Barkhera | 73,578 | 17,060 | 90,638 | 3.9 | 0 | 0 | | 0 | | 18.8 | 0 | 0.0 | 1.7 |
| 3 | Bilsanda | 24,565 | 33,673 | 58,238 | 3.1 | 0 | 166 | 0.0 | 0 | | 57.8 | 503 | 0.9 | 0.4 |
| 4 | Bisalpur | 99,540 | 23,793 | 123,333 | 3.3 | 50 | 459 | 9.8 | | 0.0 | 19.3 | 1,127 | 0.9 | 0.7 |
| 5 | Jahanabad | | | | | | | | | | | | | |
| 6 | Lalaurikhera | 63,128 | 14,690 | 77,818 | 2.0 | 0 | 8 | 0.0 | 0 | | 18.9 | 20 | 0.0 | 0.7 |
| 7 | Lalualikhera | | | | | | | | | | | | | |
| 8 | Marouri | 43,664 | 18,504 | 62,168 | 5.0 | 0 | 0 | | 0 | | 29.8 | 815 | 1.3 | 2.3 |
| 9 | Neoria | | | | | | | | | | | | | |
| 10 | Pilibhit | | | | | | | | | | | | | |
| 11 | Puranpur | 187,097 | 40,521 | 227,618 | 3.4 | 19 | 0 | 100.0 | 40 | 210.5 | 17.8 | 604 | 0.3 | 2.3 |
| 12 | dhq | 284,716 | 16,335 | 301,051 | 1.0 | 735 | 460 | 61.5 | 0 | 0.0 | 5.4 | 1,376 | 0.5 | 1.8 |

Performance of Key HMIS Indicators for Uttar Pradesh-> Pilibhit (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 |
|------------|--------------|---|--|---|---|--|--|--|--|--|--|---|---|---|
| | | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Pilibhit | 0.8 | 6.8 | 0.2 | 0.5 | 0.0 | 0.0 | 131 | 1.5 | 2.3 | 0.0 | 0.0 | 2.3 | 0.0 |
| 1 | Amaria | | 0.0 | | | | | 9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Barkhera | | 0.0 | | | 0.0 | 0.0 | 13 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Bilsanda | | 0.0 | | | 0.0 | 0.0 | 6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Bisalpur | | 0.0 | | | 0.0 | 0.0 | 0 | | | | | | |
| 5 | Jahanabad | | | | | | | | | | | | | |
| 6 | Lalaurikhera | | 0.0 | | | 0.0 | 0.0 | 13 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Lalualikhera | | | | | | | | | | | | | |
| 8 | Marouri | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0 | | | | | | |
| 9 | Neoria | | | | | | | | | | | | | |
| 10 | Pilibhit | | | | | | | | | | | | | |
| 11 | Puranpur | 0.5 | 1.1 | 0.0 | 0.3 | 0.0 | 0.0 | 90 | 2.2 | 3.3 | 0.0 | 0.0 | 3.3 | 0.0 |
| 12 | dhq | 0.8 | 145.2 | 0.2 | 0.5 | 0.0 | 0.0 | 0 | | | | | | |

Performance of Key HMIS Indicators for Uttar Pradesh-> Pilibhit (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 196 | 197 | 198 |
|------------|--------------|--|--|---|
| | | Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH | Institutio nal Deliveries at District Hospitals | Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH |
| | | 2017-18 | 2017-18 | 2017-18 |
| | _Pilibhit | 2,438 | | |
| 1 | Amaria | | | |
| 2 | Barkhera | | | |
| 3 | Bilsanda | | | |
| 4 | Bisalpur | | | |
| 5 | Jahanabad | | | |
| 6 | Lalaurikhera | | | |
| 7 | Lalualikhera | | | |
| 8 | Marouri | | | |
| 9 | Neoria | | | |
| 10 | Pilibhit | | | |
| 11 | Puranpur | | | |
| 12 | dhq | 2,438 | | |