

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

| Indicator | | 1 | | 2 | | 3 | | 4 | | 5 | | 6 | |
|-----------|------------------------|--------------------------------------|---------|--|---------|---------------------------------------|---------|--------------------------------|---------|-------------------------------------|---------|--|---------|
| | | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | Total Number of reported Still Births | | % live birth to Reported Birth | | Number of Newborns weighed at birth | | Number of Infants given OPV 0 (Birth Dose) | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Meghalaya | 39,978 | 37,629 | 98.5 | 98.0 | 944 | 883 | 97.7 | 97.7 | 33,653 | 31,234 | 19,063 | 17,623 |
| 1 | East Garo Hills | 3,392 | 3,157 | 101.7 | 98.3 | 73 | 40 | 97.9 | 98.7 | 2,456 | 2,292 | 1,436 | 1,647 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 13,337 | 12,938 | 97.5 | 97.4 | 358 | 383 | 97.4 | 97.1 | 11,778 | 11,526 | 9,070 | 8,809 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 2,858 | 2,761 | 99.9 | 99.5 | 19 | 22 | 99.3 | 99.2 | 1,900 | 1,665 | 1,154 | 925 |
| 6 | South Garo Hills | 1,212 | 1,066 | 98.9 | 99.1 | 14 | 21 | 98.9 | 98.1 | 1,020 | 887 | 280 | 380 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 8,012 | 7,864 | 97.9 | 98.0 | 231 | 196 | 97.2 | 97.6 | 7,893 | 7,748 | 2,911 | 2,455 |
| 10 | West Jaintia Hills | 5,913 | 5,500 | 98.6 | 98.2 | 163 | 140 | 97.3 | 97.5 | 4,803 | 4,301 | 2,319 | 1,819 |
| 11 | West Khasi Hills | 5,254 | 4,343 | 98.8 | 98.5 | 86 | 81 | 98.4 | 98.2 | 3,803 | 2,815 | 1,893 | 1,588 |

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

| Indicator | | 7 | | 8 | | 9 | | 10 | | 11 | | 12 | |
|-----------|------------------------|-----------------------------|---------|---|---------|---|---------|------------------------------|---------|------------------------------|---------|------------------------------|---------|
| | | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | % Newborns given BCG to Reported live birth | | Number of Infants given DPT1 | | Number of Infants given DPT2 | | Number of Infants given DPT3 | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | Meghalaya | 43,439 | 40,341 | 47.7 | 46.8 | 108.7 | 107.2 | 43,004 | 40,527 | 41,301 | 39,438 | 39,908 | 36,998 |
| 1 | East Garo Hills | 4,022 | 3,739 | 42.3 | 52.2 | 118.6 | 118.4 | 4,006 | 4,380 | 3,785 | 4,023 | 3,482 | 3,685 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 13,152 | 12,104 | 68.0 | 68.1 | 98.6 | 93.6 | 10,384 | 9,768 | 9,721 | 9,228 | 9,462 | 8,801 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 3,086 | 3,129 | 40.4 | 33.5 | 108.0 | 113.3 | 3,759 | 3,653 | 3,452 | 3,369 | 3,319 | 3,097 |
| 6 | South Garo Hills | 1,613 | 1,553 | 23.1 | 35.6 | 133.1 | 145.7 | 1,873 | 1,735 | 1,979 | 1,882 | 1,866 | 1,601 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 8,272 | 8,061 | 36.3 | 31.2 | 103.2 | 102.5 | 8,512 | 8,116 | 8,440 | 8,300 | 8,377 | 8,015 |
| 10 | West Jaintia Hills | 7,079 | 6,349 | 39.2 | 33.1 | 119.7 | 115.4 | 7,369 | 6,680 | 7,185 | 6,499 | 6,973 | 6,088 |
| 11 | West Khasi Hills | 6,215 | 5,406 | 36.0 | 36.6 | 118.3 | 124.5 | 7,101 | 6,195 | 6,739 | 6,137 | 6,429 | 5,711 |

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

| Indicator | | 13 | | 14 | | 15 | | 16 | | 17 | | 18 | |
|-----------|------------------------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------|---------|---|---------|--|---------|
| | | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | % Infants 0 to 11 months old who received Measles vaccine to reported live births | | Number of fully immunized children (9-11 months) | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Meghalaya | | | | | | | 36,401 | 32,717 | 91.1 | 86.9 | 34,176 | 30,406 |
| 1 | East Garo Hills | | | | | | | 3,159 | 3,175 | 93.1 | 100.6 | 2,928 | 2,945 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | | | | | | | 8,821 | 7,722 | 66.1 | 59.7 | 8,505 | 7,351 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | | | | | | | 3,330 | 2,969 | 116.5 | 107.5 | 2,980 | 2,709 |
| 6 | South Garo Hills | | | | | | | 1,645 | 1,383 | 135.7 | 129.7 | 1,438 | 1,060 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | | | | | | | 7,585 | 7,080 | 94.7 | 90.0 | 7,225 | 6,605 |
| 10 | West Jaintia Hills | | | | | | | 6,406 | 5,492 | 108.3 | 99.9 | 5,974 | 5,139 |
| 11 | West Khasi Hills | | | | | | | 5,455 | 4,896 | 103.8 | 112.7 | 5,126 | 4,597 |

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

| Indicator | | 19 | | 20 | | 21 | | 22 | | 23 | | 24 | |
|-----------|------------------------|----------------------------------|---------|--------------------|---------|---|---------|---|---------|--|---------|---|---------|
| | | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | Adverse Events Following Immunisation (Others) | | % immunisation Sessions Held to Immunisation Sessions Planned | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | Meghalaya | 16.2 | 18.9 | 8,312 | 25,507 | 20.8 | 67.8 | 15.2 | 30.7 | 86 | 250 | 81.8 | 80.0 |
| 1 | East Garo Hills | 21.5 | 15.1 | 551 | 2,371 | 16.2 | 75.1 | 36.5 | 66.0 | 0 | 0 | 76.1 | 75.0 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 32.9 | 36.2 | 5,903 | 6,614 | 44.3 | 51.1 | 8.0 | 12.3 | 0 | 2 | 93.7 | 92.9 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | -7.9 | 5.1 | 141 | 2,905 | 4.9 | 105.2 | 7.1 | 12.5 | 0 | 0 | 85.6 | 80.2 |
| 6 | South Garo Hills | -2.0 | 10.9 | 237 | 1,184 | 19.6 | 111.1 | 40.9 | 47.3 | 0 | 0 | 78.5 | 77.3 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 8.3 | 12.2 | 630 | 3,759 | 7.9 | 47.8 | 45.2 | 52.4 | 0 | 0 | 79.2 | 79.7 |
| 10 | West Jaintia Hills | 9.5 | 13.5 | 426 | 5,435 | 7.2 | 98.8 | 13.6 | 34.4 | 0 | 1 | 90.9 | 89.0 |
| 11 | West Khasi Hills | 12.2 | 9.4 | 424 | 3,239 | 8.1 | 74.6 | 32.5 | 21.3 | 86 | 247 | 67.0 | 62.5 |

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

| Indicator | | 25 | | 26 | | 27 | | 28 | | 29 | | 30 | |
|-----------|------------------------|---|---------|---|---------|--|---------|--|---------|--|---------|---|---------|
| | | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Meghalaya | 60.6 | 60.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | East Garo Hills | 68.5 | 68.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 64.0 | 64.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 56.2 | 56.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | South Garo Hills | 70.1 | 67.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 73.9 | 73.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | West Jaintia Hills | 39.6 | 42.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 11 | West Khasi Hills | 47.5 | 44.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

| Indicator | | 31 | | 32 | | 33 | | 34 | | 35 | | 36 | |
|-----------|------------------------|---|---------|---|---------|---|---------|--|---------|--|---------|--|---------|
| | | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Meghalaya | 0.6 | 0.4 | 94.1 | 94.7 | 5.4 | 4.9 | 1,065 | 933 | 6.0 | 5.6 | 9.0 | 9.1 |
| 1 | East Garo Hills | 1.8 | 2.2 | 63.4 | 67.2 | 34.8 | 30.6 | 75 | 39 | 1.4 | 2.7 | 2.7 | 8.1 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 0.3 | 0.1 | 99.1 | 99.5 | 0.5 | 0.5 | 445 | 350 | 5.5 | 4.5 | 12.0 | 13.0 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 0.4 | 1.2 | 94.0 | 97.3 | 5.6 | 1.5 | 43 | 45 | 3.0 | 2.6 | 6.1 | 0.0 |
| 6 | South Garo Hills | 0.8 | 1.6 | 78.0 | 71.2 | 21.2 | 27.1 | 30 | 34 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 0.8 | 0.3 | 92.4 | 89.7 | 6.7 | 10.0 | 210 | 213 | 1.7 | 1.7 | 5.8 | 5.8 |
| 10 | West Jaintia Hills | 0.3 | 0.1 | 99.2 | 99.3 | 0.5 | 0.6 | 144 | 146 | 17.1 | 18.3 | 14.7 | 18.3 |
| 11 | West Khasi Hills | 0.8 | 0.1 | 95.1 | 96.4 | 4.1 | 3.5 | 118 | 106 | 6.9 | 4.9 | 4.6 | 0.0 |

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to September

| Indicator | | 37 | | 38 | | 39 | | 40 | | 41 | | 42 | |
|-----------|------------------------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 | 2013-14 | 2012-13 |
| | _Meghalaya | 7.1 | 8.3 | 13.8 | 14.8 | 2.6 | 2.4 | 12.8 | 11.1 | 0.0 | 0.0 | 48.6 | 48.7 |
| 1 | East Garo Hills | 5.5 | 8.1 | 19.2 | 16.2 | 1.4 | 0.0 | 19.2 | 10.8 | 0.0 | 0.0 | 50.7 | 54.1 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 4.0 | 3.2 | 8.3 | 11.3 | 1.2 | 0.0 | 5.2 | 7.3 | 0.0 | 0.0 | 63.7 | 60.7 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 12.1 | 12.8 | 0.0 | 15.4 | 9.1 | 7.7 | 15.2 | 12.8 | 0.0 | 0.0 | 54.5 | 48.7 |
| 6 | South Garo Hills | 4.2 | 0.0 | 12.5 | 8.3 | 0.0 | 0.0 | 33.3 | 8.3 | 0.0 | 0.0 | 50.0 | 83.3 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 9.3 | 7.5 | 29.7 | 28.3 | 0.6 | 0.6 | 24.4 | 22.5 | 0.0 | 0.0 | 28.5 | 33.5 |
| 10 | West Jaintia Hills | 12.4 | 21.1 | 11.6 | 7.3 | 4.7 | 2.8 | 3.9 | 2.8 | 0.0 | 0.0 | 35.7 | 29.4 |
| 11 | West Khasi Hills | 6.9 | 8.5 | 6.9 | 7.3 | 8.0 | 12.2 | 19.5 | 9.8 | 0.0 | 0.0 | 47.1 | 57.3 |