		1	l	2	2	3	3	4	Į		5		6
	Indicator	Total Nu reported l	umber of live births		orted Live to Total	Total No	ımber of itill Births	% live birth to Bir			f Newborns l at birth	given	of Infants OPV 0 Dose)
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Bihar	971,225	925,761	87.8	106.9	21,584	27,609	97.8	97.1	775,388	586,558	1,254,960	1,049,317
1	Araria	23,277	21,026	71.8	81.2	812	176	96.6	99.2	17,866	20,082	36,689	24,261
2	Arwal	8,246	7,163	98.4	98.2	153	137	98.2	98.1	7,848	6,355	12,832	10,597
3	Aurangabad	22,656	25,449	72.5	91.5	490	516	97.9	98.0	18,841	18,482	39,776	34,021
4	Banka	22,725	20,972	94.9	97.1	948	619	96.0	97.1	19,518	19,793	22,521	22,767
5	Begusarai	38,878	25,878	93.9	88.3	835	2,466	97.9	91.3	22,042	12,875	50,787	29,128
6	Bhagalpur	18,823	25,700	86.9	95.4	514	576	97.3	97.8	17,187	16,674	28,837	38,315
7	Bhojpur	25,621	10,785	80.6	85.7	546	149	97.9	98.6	19,606	7,039	41,555	12,858
8	Buxar	14,353	10,442	98.5	99.5	328	49	97.8	99.5	10,253	5,412	10,660	7,868
9	Darbhanga	20,389	24,990	66.0	81.3	706	183	96.7	99.3	17,101	20,791	43,717	38,936
10	East Champaran	28,910	45,350	84.1	125.8	545	46	98.1	99.9	28,258	42,220	41,046	64,818
11	Gaya	28,545	34,965	82.5	112.0	1,373	6,136	95.4	85.1	27,278	23,386	33,212	35,458
12	Gopalganj	24,946	28,062	77.3	89.9	771	414	97.0	98.5	17,022	14,717	33,083	12,539
13	Jamui	16,460	15,722	84.7	200.3	519	210	96.9	98.7	13,179	8,148	23,139	17,335
14	Jehanabad	15,307	6,766	98.4	42.5	350	140	97.8	98.0	13,131	1,965	18,642	19,225
15	Kaimur Bhabua	15,092	14,239	82.2	84.4	274	115	98.2	99.2	12,236	14,434	21,068	16,604
16	Katihar	24,951	12,501	81.3	75.7	565	594	97.8	95.5	17,098	8,676	34,024	20,965
17	Khagaria	24,151	23,691	104.2	128.2	335	396	98.6	98.4	19,875	22,303	23,372	27,350
18	Kishanganj	14,873	12,012	93.7	216.7	642	870	95.9	93.2	11,735	11,062	21,383	15,259
19	Lakhisarai	9,703	9,048	85.7	99.6	228	185	97.7	98.0	6,585	7,789	11,402	10,332
20	Madhepura	27,610	13,815	95.3	97.2	882	443	96.9	96.9	19,078	10,462	37,808	32,173
21	Madhubani	39,007	33,112	95.1	76.9	514	193	98.7	99.4	35,219	29,868	55,612	47,557
22	Munger	22,377	15,758	98.3	94.2	403	370	98.2	97.7	18,885	14,222	22,259	18,873
23	Muzaffarpur	33,032	4,970	76.7	17.8	741	747	97.8	86.9	18,473	2,200	43,109	9,945
24	Nalanda	33,791	24,006	79.5	84.1	1,017	1,792	97.1	93.1	26,371	21,167	36,438	25,135
25	Nawada	13,855	2,020	90.2	11.0	140	536	99.0	79.0	13,426	1,628	18,380	20,986
26	Patna	46,354	24,798	99.9	124.4	34	445	99.9	98.2	46,366	20,557	52,736	29,655
27	Purnia	51,911	38,208	96.5	211.8	1,417	1,334	97.3	96.6	46,736	36,130	65,174	52,862
28	Rohtas	23,762	27,901	98.8	96.3	295	693	98.8	97.6	21,715	26,629	37,391	36,072
29	Saharsa	18,921	24,331	84.7	82.6	462	502	97.6	98.0	14,303	22,128	24,945	27,250
30	Samastipur	58,449	52,086	92.8	86.6	1,638	873	97.3	98.4	49,419	31,331	55,907	32,216
31	Saran	25,316	174,906	76.9	426.7	236	1,246	99.1	99.3	23,571	11,143	48,230	53,858
32	Sheikhpura	11,003	10,723	88.3	106.4	195	181	98.3	98.3	10,230	10,694	11,788	11,033
33	Sheohar	3,611	2,068	76.4	77.5	122	90	96.7	95.8	1,505	1,967	7,236	6,255
34	Sitamarhi	19,647	13,540	86.8	206.8	320	66	98.4	99.5	9,983	6,479	15,995	23,933
35	Siwan	21,986	17,110	70.9	63.8	750	1,261	96.7	93.1	16,438	10,978	41,085	51,147
36	Supaul	30,812	14,627	95.5	72.4	718	539	97.7	96.4	26,168		37,041	30,404

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts) Financial Year: 2010-11 $\,$

Provisional Figures for the Period April to December

		7	7		3	9)	1	0	1	1	1	2
	Indicator	Number o	of Infants BCG	Newborns at birth to	given OPV0 Reported	Newborns to Reporte	given BCG	Number o		Number o	of Infants DPT2	Number (
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Bihar	1,689,146	1,662,241	129.2	113.3	173.9	179.6	1,580,563	1,706,268	1,435,255	1,720,771	1,338,775	1,694,211
1	Araria	40,238	28,204	157.6	115.4	172.9	134.1	45,971	30,749	45,081	30,770	43,038	28,827
2	Arwal	13,063	10,915	155.6	147.9	158.4	152.4	10,899	10,543	9,839	10,819	9,413	10,846
3	Aurangabad	42,896	43,497	175.6	133.7	189.3	170.9	37,170	40,844	35,978	44,098	34,239	46,426
4	Banka	31,337	36,095	99.1	108.6	137.9	172.1	27,965	35,147	24,133	35,465	26,090	36,199
5	Begusarai	46,901	34,754	130.6	112.6	120.6	134.3	46,051	41,627	41,605	42,928	38,028	41,413
6	Bhagalpur	40,380	53,647	153.2	149.1	214.5	208.7	38,410	51,401	34,114	51,459	31,495	52,361
7	Bhojpur	41,117	18,695	162.2	119.2	160.5	173.3	43,078	15,778	39,961	13,788	37,192	14,016
8	Buxar	22,351	29,876	74.3	75.3	155.7	286.1	19,565	30,783	17,001	31,369	15,148	30,696
9	Darbhanga	65,217	75,423	214.4	155.8	319.9	301.8	57,199	74,215	49,288	71,434	43,747	66,780
10	East Champaran	81,582	80,152	142.0	142.9	282.2	176.7	76,306	81,794	64,383	78,174	56,462	74,366
11	Gaya	56,551	72,754	116.3	101.4	198.1	208.1	53,784	64,833	46,623	66,513	42,452	66,703
12	Gopalganj	43,753	42,176	132.6	44.7	175.4	150.3	41,688	45,678	40,114	49,087	38,146	49,586
13	Jamui	31,228	34,823	140.6	110.3	189.7	221.5	27,568	38,357	24,686	31,122	23,390	30,541
14	Jehanabad	22,503	22,003	121.8	284.1	147.0	325.2	19,514	19,052	17,282	19,063	16,506	19,144
15	Kaimur Bhabua	27,279	23,728	139.6	116.6	180.8	166.6	23,510	23,941	21,230	24,896	19,953	24,376
16	Katihar	57,518	42,092	136.4	167.7	230.5	336.7	55,909	46,336	50,297	50,073	45,484	45,680
17	Khagaria	36,330	35,616	96.8	115.4	150.4	150.3	33,734	35,142	30,210	35,008	27,428	33,727
18	Kishanganj	29,282	29,794	143.8	127.0	196.9	248.0	26,631	32,579	24,243	31,251	22,485	28,099
19	Lakhisarai	15,719	16,766	117.5	114.2	162.0	185.3	14,420	15,444	13,223	15,065	12,155	14,382
20	Madhepura	42,489	37,457	136.9	232.9	153.9	271.1	39,051	39,255	32,019	40,610	28,761	40,481
21	Madhubani	76,784	75,000	142.6	143.6	196.8	226.5	71,383	80,081	63,194	85,495	60,386	88,595
22	Munger	25,188	22,951	99.5	119.8	112.6	145.6	21,474	21,667	18,584	21,002	17,591	21,031
23	Muzaffarpur	86,829	79,294	130.5	200.1	262.9	1595.5	84,447	80,156	80,755	79,614	75,829	74,829
24	Nalanda	43,542	45,371	107.8	104.7	128.9	189.0	43,526	46,953	40,014	47,038	37,341	47,178
25	Nawada	27,558	30,142	132.7	1038.9	198.9	1492.2	30,207	33,389	28,961	36,762	26,477	36,126
26	Patna	61,925	43,878	113.8	119.6	133.6	176.9	59,100	44,017	56,170	43,505	57,099	42,299
27	Purnia	75,305	69,927	125.5	138.4	145.1	183.0	70,240	67,432	66,362	67,825	61,715	67,087
28	Rohtas	44,504	47,927	157.4	129.3	187.3	171.8	40,329	47,579	35,919	48,911	33,066	48,441
29	Saharsa	35,665	23,667	131.8	112.0	188.5	97.3	31,394	37,629	25,368	39,220	23,490	38,667
30	Samastipur	84,724	67,563	95.7	61.9	145.0	129.7	70,272	71,435	63,715	70,235	59,498	72,019
31	Saran	59,728	96,522	190.5	30.8	235.9	55.2	60,762	98,096	55,584	94,034	53,991	101,753
32	Sheikhpura	13,873	14,653	107.1	102.9	126.1	136.7	10,692	12,530	9,248	12,601	8,450	12,997
33	Sheohar	12,443	12,037	200.4	302.5	344.6	582.1	12,042	11,191	12,190	11,288	10,529	9,555
34	Sitamarhi	27,863	39,346	81.4	176.8	141.8	290.6	26,283	40,930	20,199	41,457	18,647	39,228
35	Siwan	53,498	58,838	186.9	298.9	243.3	343.9	55,499	69,384	54,277	72,076	52,765	70,235
36	Supaul	45,592	43,905	120.2	207.9	148.0	300.2	41,136	39,451	38,421	40,122	35,596	39,428
(Car	tinued)												

(Continued)

		1	3	1	4	1	15	1	6	1	7	1	.8
	Indicator	Number ogiven Pen	of Infants tavalent 1		of Infants tavalent 2	Number given Pen	of Infants itavalent 3	Number o		Infants 0 to old who Measles v reported l	11 months received raccine to	immunize	r of fully ed children nonths)
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Bihar							1,458,922	1,522,399	150.2	164.4	1,925,194	1,753,734
1	Araria							44,672	27,105	191.9	128.9	59,476	62,112
2	Arwal							10,563	11,976	128.1	167.2	11,741	13,267
3	Aurangabad							36,368	43,646	160.5	171.5	38,091	39,100
4	Banka							25,308	30,897	111.4	147.3	24,938	32,500
5	Begusarai							41,880	30,836	107.7	119.2	36,747	93,241
6	Bhagalpur							35,895	51,149	190.7	199.0	43,341	67,699
7	Bhojpur							38,177	15,913	149.0	147.5	60,512	15,913
8	Buxar							15,800	28,682	110.1	274.7	15,800	28,682
9	Darbhanga							48,319	63,096	237.0	252.5	70,937	69,567
10	East Champaran							51,453	79,555	178.0	175.4	82,629	81,710
11	Gaya							112,966	58,704	395.7	167.9	86,757	74,462
12	Gopalganj							33,908	42,835	135.9	152.6	85,967	42,461
13	Jamui							23,840	31,102	144.8	197.8	36,859	37,371
14	Jehanabad							17,489	19,626	114.3	290.1	17,477	6,027
15	Kaimur Bhabua							19,904	20,813	131.9	146.2	19,125	21,912
16	Katihar							41,517	33,532	166.4	268.2	77,199	68,939
17	Khagaria							26,271	32,963	108.8	139.1	27,752	47,132
18	Kishanganj							20,040	22,586	134.7	188.0	34,132	55,253
19	Lakhisarai							11,451	9,977	118.0	110.3	13,242	9,417
20	Madhepura							32,010	32,082	115.9	232.2	31,966	31,368
21	Madhubani							65,859	82,373	168.8	248.8	65,715	81,258
22	Munger							19,137	20,807	85.5	132.0	19,296	22,066
23	Muzaffarpur							68,563	67,271	207.6	1353.5	228,508	88,734
24	Nalanda							58,150	48,577	172.1	202.4	59,122	46,058
25	Nawada							25,115	30,763	181.3	1522.9	27,962	35,834
26	Patna							53,642	37,072	115.7	149.5	50,494	66,745
27	Purnia							63,728	58,362	122.8	152.7	63,728	59,004
28	Rohtas							40,430	49,719	170.1	178.2	39,850	49,373
29	Saharsa							30,409	37,214	160.7	152.9	21,872	20,050
30	Samastipur							61,506	65,548	105.2	125.8	48,121	34,064
31	Saran							46,786	82,478	184.8	47.2	154,845	13,308
32	Sheikhpura							9,780	12,873	88.9	120.1	10,297	55,139
33	Sheohar							8,842	5,919	244.9	286.2	5,914	4,526
34	Sitamarhi							19,346	33,242	98.5	245.5	36,852	42,150
35	Siwan							49,736	59,633	226.2	348.5	73,577	96,586
36	Supaul							36,383	32,362	118.1	221.2	31,281	14,231
	tinued)		<u> </u>		<u> </u>		<u> </u>						

(Continued)

		1	9	2	0	2	1	2	2	2	3	2	4
	Indicator	% Drop Out BCG &	t between	Vitamin -	· A dose 1	Children g dose1 to R	6 given Vit A eported live rth	Children giv A Dose 9 to given Vit	ven Vitamin o Children	Following 1	e Events Imunisation ners)	immunisati Held to Im	on Sessions munisation Planned
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Bihar	13.6	8.4	1,278,844	1,129,591	131.7	122.0	6.4	19.3	656	4,422	91.4	94.3
1	Araria	-11.0	3.9	43,585	25,433	187.2	121.0	1.9	6.5		5	81.9	92.5
2	Arwal	19.1	-9.7	8,948	9,937	108.5	138.7	0.6	0.1	154	41	101.6	99.0
3	Aurangabad	15.2	-0.3	25,019	32,832	110.4	129.0	0.0	0.2			93.9	93.7
4	Banka	19.2	14.4	18,463	29,205	81.2	139.3	85.0	98.3	3		93.4	101.9
5	Begusarai	10.7	11.3	41,617	19,940	107.0	77.1	1.6	61.3		547	91.7	101.5
6	Bhagalpur	11.1	4.7	27,386	25,726	145.5	100.1	16.7	0.0	1		91.9	98.3
7	Bhojpur	7.2	14.9	228,664	6,536	892.5	60.6	0.7	9.6			87.2	72.5
8	Buxar	29.3	4.0	3,912	9,329	27.3	89.3	2.6	0.8			83.5	99.5
9	Darbhanga	25.9	16.3	20,888	32,808	102.4	131.3	9.4	2.2			88.5	90.9
10	East Champaran	36.9	0.7	37,104	24,003	128.3	52.9	1.4	55.2			78.4	74.3
11	Gaya	-99.8	19.3	29,145	61,998	102.1	177.3	10.0	19.8	140		78.5	87.7
12	Gopalganj	22.5	-1.6	25,471	36,295	102.1	129.3	0.0	0.0			104.1	100.0
13	Jamui	23.7	10.7	10,853	41,912	65.9	266.6	17.1	2.4			92.4	70.8
14	Jehanabad	22.3	10.8	15,891	16,712	103.8	247.0	0.1	0.2			99.8	100.0
15	Kaimur Bhabua	27.0	12.3	4,663	18,300	30.9	128.5	0.0	0.0			97.1	98.9
16	Katihar	27.8	20.3	24,208	18,713	97.0	149.7	22.4	166.3			86.0	78.8
17	Khagaria	27.7	7.4	6,307	16,300	26.1	68.8	2.1	1.3	6		92.0	96.8
18	Kishanganj	31.6	24.2	15,153	18,197	101.9	151.5	1.8	1.8			81.1	83.0
19	Lakhisarai	27.2	40.5	3,963	3,003	40.8	33.2	0.4	0.1	4		92.9	53.1
20	Madhepura	24.7	14.3	48,343	25,146	175.1	182.0	34.5	10.0			85.6	96.3
21	Madhubani	14.2	-9.8	48,939	69,392	125.5	209.6	0.4	0.0			92.2	94.4
22	Munger	24.0	9.3	14,907	15,956	66.6	101.3	0.5	0.0		2	98.0	98.2
23	Muzaffarpur	21.0	15.2	89,239	87,073	270.2	1752.0	5.3	3.2	1		98.9	95.8
24	Nalanda	-33.5	-7.1	61,536	22,640	182.1	94.3	1.1	0.0	122	3,796	97.2	99.9
25	Nawada	8.9	-2.1	22,550	18,937	162.8	937.5	2.3	0.0	3		91.3	112.6
26	Patna	13.4	15.5	36,415	26,302	78.6	106.1	10.2	7.2	6		97.8	94.0
27	Purnia	15.4	16.5	54,628	46,520	105.2	121.8	2.7	57.9			97.9	91.3
28	Rohtas	9.2	-3.7	31,861	42,014	134.1	150.6	9.8	1.2	6		96.7	98.0
29	Saharsa	14.7	-57.2	24,906	35,661	131.6	146.6	0.4	0.4			69.7	94.3
30	Samastipur	27.4	3.0	37,726	38,136	64.5	73.2	0.6	2.5			93.1	94.1
31	Saran	21.7	14.6	39,860	73,806	157.4	42.2	10.3	90.1			91.4	136.8
32	Sheikhpura	29.5	12.1	7,856	8,072	71.4	75.3	1.4	2.7	27		86.1	95.5
33	Sheohar	28.9	50.8	2,529	5,656	70.0	273.5	6.0	7.1			97.1	104.7
34	Sitamarhi	30.6	15.5	7,471	17,419	38.0	128.6	4.7	6.1	183	31	74.3	89.1
35	Siwan	7.0	-1.4	59,847	68,106	272.2	398.0	8.0	11.6			96.1	95.9
36	Supaul	20.2	26.3	32,149	14,333	104.3	98.0	0.4	0.0			86.9	87.7

(Continued)

		2	5	2	6	2	7	2	8	2	9	3	0
	Indicator	Immunisati where AS prese Immunisati	HAs were nt to	9, Diptheria i 0-5 Years Total R Childhood I Ye:	n Children of Age to eported Diseases 0-5	Pertusis in 0-5 Years Total R Childhood I	Children of Age to eported Diseases 0-5	Children 0	onatorum in -5 Years of al Reported Diseases 0-5	Age to Tota	Others in -5 Years of al Reported Diseases 0-5	Polio in C Years of A	% hildren 0-5 ge to Total Childhood 0-5 Years
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Bihar	69.3	65.1	0.9	2.3	0.1	0.1	0.1	1.1	0.3	0.4	0.0	0.1
1	Araria	73.7	51.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Arwal	89.0	85.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Aurangabad	82.7	76.9	0.0	0.1	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0
4	Banka	79.3	95.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Begusarai	68.7	70.5	0.0	0.0	0.0	0.4	0.0	0.1	0.0	0.6	0.0	1.0
6	Bhagalpur	82.2	22.1	0.0		0.1		0.0		0.2		0.0	
7	Bhojpur	78.7	31.9	0.0		0.0		0.0		0.0		0.0	
8	Buxar	54.2	81.0	1.9		0.0		7.5		12.4		0.0	
9	Darbhanga	59.8	45.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7
10	East Champaran	44.9	46.9	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	Gaya	56.6	82.9	1.0	0.0	0.0	1.8	0.2	0.2	0.1	4.3	0.0	0.0
12	Gopalganj	81.4	0.0	0.0		0.0		0.0		0.0		0.0	
13	Jamui	63.6	86.4	0.0	42.0	0.0	0.0	0.0	21.3	0.0	0.0	0.0	0.0
14	Jehanabad	63.3	35.2										
15	Kaimur Bhabua	85.7	94.6	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0
16	Katihar	57.9	50.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	Khagaria	49.1	49.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8
18	Kishanganj	61.2	63.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0
19	Lakhisarai	40.8	33.3	0.0	56.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	Madhepura	57.3	63.3	0.3	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5
21	Madhubani	67.2	71.4	9.6	0.6	0.0	0.0	0.2	0.0	4.9	0.5	0.0	0.0
22	Munger	68.4	37.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	Muzaffarpur	75.8	97.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
24	Nalanda	79.9	88.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	Nawada	76.8	70.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	Patna	96.5	65.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	Purnia	87.8	72.0	0.4	0.0	0.3	0.0	0.3	0.0	1.1	0.0	0.0	0.0
28	Rohtas	68.7	68.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	Saharsa	23.9	36.0	1.3	0.5	0.0	0.0	0.5	0.1	1.4	0.5	0.0	0.0
30	Samastipur	69.9	20.7	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	Saran	62.5	127.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
32	Sheikhpura	85.7	61.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
33	Sheohar	84.1	197.7	32.2	0.0	2.6	0.0	2.2	0.0	0.0	0.0	0.0	0.0
34	Sitamarhi	51.8	83.5	0.0	0.0	0.0	0.0	0.0	6.8	0.0	3.0	0.0	0.0
35	Siwan	54.2	57.6	0.0	0.1	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0
36	Supaul	70.1	55.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(Con	tinued)												

(Continued)

		3	1	3	2	3	3	3	4	3	5	3	6
	Indicator	Measles ir 0-5 Years Total R Childhood	% n Children of Age to Reported Diseases 0-5 ars	Diarrho dehydr Children 0 Age to Tota Childhood 1	oea and ation in -5 Years of al Reported Diseases 0-5 ars	Malaria in (Years of A	% Children 0-5 ge to Total Childhood)-5 Years	Total Numb	oer of Infant reported	99 Deaths due Total Repo Dea	to Sepsis to rted Infant	Deaths due	% to Asphyxia Reported Deaths
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Bihar	11.0	13.1	77.9	73.5	9.6	9.3	1,065	409	25.6	2.8	9.1	11.9
1	Araria	4.3	4.1	75.9	95.9	19.6	0.0						
2	Arwal	0.0	16.7	84.0	41.7	16.0	41.7	26	32		0.0		0.0
3	Aurangabad	0.0	1.3	91.8	32.4	8.2	65.1	3	9		0.0		0.0
4	Banka	19.9	0.0	68.3	91.4	11.8	8.6						
5	Begusarai	11.6	37.0	84.0	53.2	4.4	7.8	33	27				
6	Bhagalpur	91.0		5.9		2.9		16					
7	Bhojpur	0.0		97.5		2.5		25		0.0		0.0	
8	Buxar	21.1		47.2		9.9		5		0.0		0.0	
9	Darbhanga	0.0	0.2	99.6	88.9	0.4	10.1	61	8	0.0		100.0	
10	East Champaran	24.9	0.0	71.2	100.0	1.4	0.0	58		0.0		0.0	
11	Gaya	12.0	56.2	74.1	27.3	12.7	10.3	242	28	22.2	0.0	18.1	100.0
12	Gopalganj	0.0		95.0		5.0		34		0.0		0.0	
13	Jamui	4.7	2.7	67.0	32.4	28.3	1.5						
14	Jehanabad												
15	Kaimur Bhabua	0.6	49.2	17.7	8.2	81.1	42.6	86	32	0.0		0.0	
16	Katihar	1.3	3.9	95.9	92.7	2.0	3.4	31	6	8.3	0.0	0.0	16.7
17	Khagaria	0.0	1.5	100.0	96.8	0.0	0.9		51				
18	Kishanganj	0.7	0.0	97.6	83.2	1.7	12.4	3	2				
19	Lakhisarai	29.9	0.0	61.0	43.3	9.1	0.0	6		100.0		0.0	
20	Madhepura	4.5	3.3	92.1	92.5	3.1	0.0	23	29	0.0		100.0	
21	Madhubani	3.6	0.3	81.5	38.4	0.2	60.2						
22	Munger	0.9	0.0	96.4	94.1	2.7	5.9	4	18	0.0	0.0	0.0	17.6
23	Muzaffarpur	16.1	7.4	82.7	65.3	1.2	26.9	108	7	100.0		0.0	
24	Nalanda	2.2	0.8	84.1	60.0	13.7	39.1	13		0.0		33.3	
25	Nawada	14.3	0.0	80.5	96.6	5.2	3.4	7	2		0.0		0.0
26	Patna	17.1	64.7	69.8	32.2	13.2	3.1		1		0.0		0.0
27	Purnia	0.2	0.0	61.0	99.3	36.6	0.7	95	73	0.0	60.0	7.2	0.0
28	Rohtas	0.0	0.0	48.1	80.0	51.9	20.0	36	19	0.0	0.0	23.8	0.0
29	Saharsa	1.3	0.0	93.0	98.6	2.4	0.4						
30	Samastipur	8.9	17.4	88.0	82.6	2.0	0.0	31	8	0.0	0.0	4.2	0.0
31	Saran	0.4	0.0	97.5	100.0	2.1	0.0	2					
32	Sheikhpura	0.0	0.0	97.6	100.0	2.4	0.0	4					
33	Sheohar	2.9	24.3	59.5	75.7	0.7	0.0	6	14				
34	Sitamarhi	13.7	20.7	56.8	69.3	29.5	0.2	28	30	0.0	0.0	0.0	0.0
35	Siwan	0.0	64.0	68.6	17.0	31.4	18.6	38	3				
36	Supaul	21.6	0.0	78.4	80.0	0.0	20.0	23		0.0		0.0	
		21.0	3.0	70.1		0.0				0.0		0.0	

(Continued)

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicator	Deaths due Total Repo Dea	to LBW to		due to	Reporte		Deaths due Total Repo Dea	to Fever to rted Infant	Deaths due to Total	to Measles Reported	Deaths due Causes Reporte Dea	e to Other to Total d Infant
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Bihar	14.7	9.2	8.6	7.3	1.1	0.0	9.7	0.0	0.9	0.0	30.4	68.8
1	Araria												
2	Arwal		0.0		0.0		0.0		0.0		0.0		100.0
3	Aurangabad		0.0		0.0		0.0		0.0		0.0		100.0
4	Banka												
5	Begusarai												
6	Bhagalpur												
7	Bhojpur	72.7		0.0		0.0		0.0		0.0		27.3	
8	Buxar	0.0		0.0		100.0		0.0		0.0		0.0	
9	Darbhanga	0.0		0.0		0.0		0.0		0.0		0.0	
10	East Champaran	100.0		0.0		0.0		0.0		0.0		0.0	
11	Gaya	15.3	0.0	13.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30.6	0.0
12	Gopalganj	0.0		0.0		0.0		0.0		0.0		100.0	
13	Jamui												
14	Jehanabad												
15	Kaimur Bhabua	0.0		0.0		0.0		0.0		0.0		100.0	
16	Katihar	0.0	0.0	0.0	33.3	0.0	0.0	33.3	0.0	16.7	0.0	41.7	50.0
17	Khagaria												
18	Kishanganj												
19	Lakhisarai	0.0		0.0		0.0		0.0		0.0		0.0	
20	Madhepura	0.0		0.0		0.0		0.0		0.0		0.0	
21	Madhubani												
22	Munger	0.0	35.3	0.0	5.9	0.0	0.0	0.0	0.0	0.0	0.0	100.0	41.2
23	Muzaffarpur	0.0		0.0		0.0		0.0		0.0		0.0	
24	Nalanda	0.0		0.0		0.0		0.0		0.0		66.7	
25	Nawada		0.0		0.0		0.0		0.0		0.0		100.0
26	Patna		0.0		0.0		0.0		0.0		0.0		100.0
27	Purnia	15.7	20.0	34.9	0.0	1.2	0.0	12.0	0.0	0.0	0.0	28.9	20.0
28	Rohtas	9.5	14.3	0.0	35.7	4.8	0.0	57.1	0.0	0.0	0.0	4.8	50.0
29	Saharsa												
30	Samastipur	8.3	12.5	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	83.3	87.5
31	Saran												
32	Sheikhpura												
33	Sheohar												
34	Sitamarhi	12.5	0.0	0.0	0.0	0.0	0.0	54.2	0.0	0.0	0.0	33.3	100.0
35	Siwan											75.5	
36	Supaul	0.0		0.0		20.0		40.0		0.0		40.0	
	tinued)	0.0		0.0		20.0		10.0		0.0		10.0	

(Continued)

		1	l	2	2	37	3	4	Į		j	(5
	Indicator	Total Nu reported l			orted Live to Total		umber of Still Births		% Reported th		Newborns at birth	Number o given ((Birth	OPV 0
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali	43,339	33,394	99.1	99.1	450	392	99.0	98.8	35,738	32,945	51,177	54,190
38	West Champaran	48,536	23,627	95.9	61.3	316	1,929	99.4	92.5	25,105	13,827	44,904	27,137

		7	7	8	3	Ģ)	1	0	1	1	1:	2
	Indicator	Number o		Newborns § at birth to live l	given OPV0 Reported	Newborns to Reporte	given BCG	Number o		Number o		Number o	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali	63,903	66,845	118.1	162.3	147.4	200.2	62,217	70,119	58,392	71,288	55,306	69,627
38	West Champaran	62,488	55,908	92.5	114.9	128.7	236.6	51,137	60,731	46,592	65,306	39,387	60,467

		1	3	1	4	1	.5	1	6	1	7	1	8
	Indicator	Number o	of Infants tavalent 1		of Infants tavalent 2		of Infants tavalent 3	Number o	of Infants Aeasles	Infants 0 to old who Measles v reported l	11 months received accine to	Number immunize (9-11 m	d children
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali							53,419	62,523	123.3	187.2	53,409	61,700
38	West Champaran							60,260	48,588	124.2	205.6	59,663	64,775

		1	9	2	0	2	1	2	2	2	3	2	4
	Indicator		% t between Measles	Vitamin -	· A dose 1	dose1 to R	% given Vit A eported live rth	A Dose 9 t	ven Vitamin o Children t A dose1		e Events Imunisation ners)	immunisati Held to Im Sessions	on Sessions munisation
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali	16.4	6.5	54,619	47,934	126.0	143.5	5.6	4.7			97.1	96.9
38	West Champaran	3.6	13.1	12,223	19,309	25.2	81.7	9.8	9.7			89.3	96.9

		2	5	2	6	2	7	2	8	2	9	3	0
	Indicator % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		on Sessions HAs were nt to on Sessions	Diptheria i 0-5 Years Total R Childhood I	6 in Children of Age to Leported Diseases 0-5 ars	Pertusis in 0-5 Years Total R Childhood	6 n Children of Age to deported Diseases 0-5 ars	Children 0 Age to Tota Childhood	onatorum in -5 Years of al Reported		Others in -5 Years of al Reported Diseases 0-5	Years of A	hildren 0-5 ge to Total Childhood
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali	87.1	89.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
38	West Champaran	66.3	57.9	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		31		32		33		34		35		36	
	Indicator	% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali	0.6	0.0	92.5	95.1	6.9	4.9	18	2				
38	West Champaran	76.5	38.7	18.6	37.8	4.7	23.6		8				

	Indicator	37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali												
38	West Champaran												