

Performance of Key HMIS Indicators for Madhya Pradesh-> Khandwa (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

| Indicators | | 1 | | 2 | | 3 | | 4 | | 5 | | 6 | |
|------------|-----------------|---|---------|--|---------|--------------------------------------|---------|---|---------|--|---------|---|---------|
| | | Total number of pregnant women Registered for ANC | | Number of Pregnant women registered within first trimester | | Number of Women registered under JSY | | % 1st Trimester registration to Total ANC Registrations | | % JSY registration to Total ANC Registration | | Number of pregnant women received 3 ANC check ups | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 31,979 | 32,316 | 25,673 | 26,446 | 28,570 | 28,695 | 80.2 | 81.8 | 89.3 | 88.8 | 26,860 | 28,572 |
| 1 | Baldi | 754 | 746 | 703 | 685 | 754 | 746 | 93.2 | 91.8 | 100.0 | 100.0 | 650 | 684 |
| 2 | Chhegaon Makhan | 2,843 | 2,918 | 2,627 | 2,682 | 2,843 | 2,918 | 92.4 | 91.9 | 100.0 | 100.0 | 2,650 | 2,770 |
| 3 | Harsud | 1,845 | 1,994 | 1,437 | 1,527 | 1,845 | 1,994 | 77.9 | 76.6 | 100.0 | 100.0 | 1,615 | 1,787 |
| 4 | Khalwa | 5,950 | 5,831 | 4,468 | 4,631 | 5,814 | 5,762 | 75.1 | 79.4 | 97.7 | 98.8 | 5,060 | 4,962 |
| 5 | Khandwa | 9,709 | 9,161 | 8,392 | 7,987 | 6,571 | 5,733 | 86.4 | 87.2 | 67.7 | 62.6 | 7,619 | 8,257 |
| 6 | Pandhana | 5,506 | 6,048 | 4,010 | 4,531 | 5,502 | 6,048 | 72.8 | 74.9 | 99.9 | 100.0 | 4,668 | 5,297 |
| 7 | Punasa | 5,372 | 5,618 | 4,036 | 4,403 | 5,241 | 5,494 | 75.1 | 78.4 | 97.6 | 97.8 | 4,598 | 4,815 |

| Indicators | | 7 | | 8 | | 9 | | 10 | | 11 | | 12 | |
|------------|-----------------|--|---------|--|---------|--|---------|--|---------|--|---------|--|---------|
| | | TT2 or Booster given to Pregnant women (numbers) | | % Pregnant Woman received 3 ANC check ups to Total ANC Registrations | | % Pregnant women received TT2 or Booster to Total ANC Registration | | Number of Pregnant women given 100 IFA tablets | | % Pregnant women given 100 IFA to Total ANC Registration | | Number having Hb level<11 (tested cases) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 27,395 | 29,058 | 83.9 | 88.4 | 85.6 | 89.9 | 30,801 | 32,026 | 96.3 | 99.1 | 17,303 | 15,414 |
| 1 | Baldi | 676 | 717 | 86.2 | 91.7 | 89.7 | 96.1 | 751 | 746 | 99.6 | 100.0 | 388 | 331 |
| 2 | Chhegaon Makhan | 2,611 | 2,745 | 93.2 | 94.9 | 91.8 | 94.1 | 2,843 | 2,918 | 100.0 | 100.0 | 1,576 | 1,477 |
| 3 | Harsud | 1,736 | 1,831 | 87.5 | 89.6 | 94.1 | 91.8 | 1,844 | 1,984 | 99.9 | 99.5 | 1,376 | 1,300 |
| 4 | Khalwa | 5,193 | 5,066 | 85.0 | 85.1 | 87.3 | 86.9 | 5,473 | 5,560 | 92.0 | 95.4 | 3,721 | 3,052 |
| 5 | Khandwa | 7,370 | 8,126 | 78.5 | 90.1 | 75.9 | 88.7 | 8,811 | 9,256 | 90.8 | 101.0 | 5,471 | 4,851 |
| 6 | Pandhana | 4,902 | 5,386 | 84.8 | 87.6 | 89.0 | 89.1 | 5,471 | 6,044 | 99.4 | 99.9 | 1,776 | 2,477 |
| 7 | Punasa | 4,907 | 5,187 | 85.6 | 85.7 | 91.3 | 92.3 | 5,608 | 5,518 | 104.4 | 98.2 | 2,995 | 1,926 |

| Indicators | | 13 | | 14 | | 15 | | 16 | | 17 | | 18 | |
|------------|-----------------|--|---------|--|---------|---|---------|---------------------------|---------|--|---------|--|---------|
| | | Number having severe anaemia (Hb<7) treated at institution | | % Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11 | | % New cases detected at institution for hypertension to Total ANC Registrations | | Number of Home deliveries | | Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM) | | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 1,758 | 983 | 10.2 | 6.4 | 8.5 | 7.2 | 2,593 | 2,697 | 1,458 | 1,846 | 1,135 | 851 |
| 1 | Baldi | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 10 | 7 | 8 | 7 | 2 | 0 |
| 2 | Chhegaon Makhan | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 65 | 93 | 65 | 93 | 0 | 0 |
| 3 | Harsud | 0 | 2 | 0.0 | 0.2 | 3.6 | 4.9 | 51 | 70 | 17 | 27 | 34 | 43 |
| 4 | Khalwa | 187 | 57 | 5.0 | 1.9 | 26.2 | 18.1 | 1,788 | 1,795 | 1,182 | 1,366 | 606 | 429 |
| 5 | Khandwa | 740 | 889 | 13.5 | 18.3 | 4.1 | 7.2 | 95 | 114 | 0 | 2 | 95 | 112 |
| 6 | Pandhana | 72 | 35 | 4.1 | 1.4 | 1.4 | 2.6 | 492 | 504 | 169 | 248 | 323 | 256 |
| 7 | Punasa | 759 | 0 | 25.3 | 0.0 | 11.4 | 6.2 | 92 | 114 | 17 | 103 | 75 | 11 |

| Indicators | | 19 | | 20 | | 21 | | 22 | | 23 | | 24 | |
|------------|-----------------|--|---------|--|---------|---|---------|--|---------|---|---------|---|---------|
| | | % SBA attended home deliveries to Total Reported Home Deliveries | | Mothers paid JSY incentive for home deliveries | | % Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries | | Deliveries Conducted at Public Institutions | | Number of Women Discharged under 48 hours of delivery in public facilities | | % Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 56.2 | 68.4 | 7 | 12 | 0.3 | 0.4 | 20,318 | 20,185 | 3,670 | 2,944 | 18.0 | 14.5 |
| 1 | Baldi | 80.0 | 100.0 | 0 | 0 | 0.0 | 0.0 | 547 | 638 | 46 | 49 | 8.4 | 7.7 |
| 2 | Chhegaon Makhan | 100.0 | 100.0 | 0 | 0 | 0.0 | 0.0 | 986 | 1,063 | 0 | 10 | 0.0 | 0.9 |
| 3 | Harsud | 33.3 | 38.6 | 4 | 3 | 7.8 | 4.3 | 1,217 | 1,283 | 100 | 108 | 8.2 | 8.4 |
| 4 | Khalwa | 66.1 | 76.1 | 1 | 6 | 0.1 | 0.3 | 2,170 | 2,161 | 0 | 149 | 0.0 | 6.9 |
| 5 | Khandwa | 0.0 | 1.8 | 0 | 0 | 0.0 | 0.0 | 8,388 | 8,228 | 1,440 | 572 | 17.2 | 7.0 |
| 6 | Pandhana | 34.3 | 49.2 | 0 | 0 | 0.0 | 0.0 | 3,381 | 3,447 | 446 | 416 | 13.2 | 12.1 |
| 7 | Punasa | 18.5 | 90.4 | 2 | 3 | 2.2 | 2.6 | 3,629 | 3,365 | 1,638 | 1,640 | 45.1 | 48.7 |

Performance of Key HMIS Indicators for Madhya Pradesh-> Khandwa (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

| Indicators | | 25 | | 26 | | 27 | | 28 | | 29 | | 30 | |
|------------|-----------------|---|---------|--|---------|---------------------------|---------|---|---------|--|---------|--|---------|
| | | Institutional deliveries (Public Insts.+Pvt. Insts.) | | % Institutional Deliveries to total ANC registration | | Total reported deliveries | | % Institutional deliveries to Total Reported Deliveries | | % Safe deliveries to Total Reported Deliveries | | % Home deliveries to Total Reported Deliveries | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 21,645 | 21,835 | 67.6 | 67.5 | 24,238 | 24,532 | 89.3 | 89.0 | 95.3 | 96.5 | 10.7 | 11.0 |
| 1 | Baldi | 547 | 638 | 72.5 | 85.5 | 557 | 645 | 98.2 | 98.9 | 99.6 | 100.0 | 1.8 | 1.1 |
| 2 | Chhegaon Makhan | 986 | 1,063 | 34.7 | 36.4 | 1,051 | 1,156 | 93.8 | 92.0 | 100.0 | 100.0 | 6.2 | 8.0 |
| 3 | Harsud | 1,217 | 1,283 | 66.0 | 64.3 | 1,268 | 1,353 | 96.0 | 94.8 | 97.3 | 96.8 | 4.0 | 5.2 |
| 4 | Khalwa | 2,170 | 2,161 | 36.5 | 37.1 | 3,958 | 3,956 | 54.8 | 54.6 | 84.7 | 89.2 | 45.2 | 45.4 |
| 5 | Khandwa | 9,715 | 9,878 | 100.1 | 107.8 | 9,810 | 9,992 | 99.0 | 98.9 | 99.0 | 98.9 | 1.0 | 1.1 |
| 6 | Pandhana | 3,381 | 3,447 | 61.4 | 57.0 | 3,873 | 3,951 | 87.3 | 87.2 | 91.7 | 93.5 | 12.7 | 12.8 |
| 7 | Punasa | 3,629 | 3,365 | 67.6 | 59.9 | 3,721 | 3,479 | 97.5 | 96.7 | 98.0 | 99.7 | 2.5 | 3.3 |

| Indicators | | 31 | | 32 | | 33 | | 34 | | 35 | | 36 | |
|------------|-----------------|---|---------|--|---------|---|---------|--|---------|--|---------|---|---------|
| | | Number of C-section deliveries conducted at public facilities | | Number of C-section deliveries conducted at private facilities | | % C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries | | % C-sections conducted at public facilities to Deliveries conducted at public facilities | | % C-sections conducted at Private facilities to Deliveries conducted at private facilities | | % Deliveries conducted at Public Institutions to Total Institutional Deliveries | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 2,242 | 1,953 | 865 | 1,154 | 14.3 | 14.2 | 11.0 | 9.7 | 65.2 | 69.9 | 93.9 | 92.4 |
| 1 | Baldi | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 2 | Chhegaon Makhan | | | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 3 | Harsud | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 4 | Khalwa | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 5 | Khandwa | 2,242 | 1,953 | 865 | 1,154 | 32.0 | 31.5 | 26.7 | 23.7 | 65.2 | 69.9 | 86.3 | 83.3 |
| 6 | Pandhana | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 7 | Punasa | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |

| Indicators | | 37 | | 38 | | 39 | | 40 | | 41 | | 42 | |
|------------|------------------|--|---------|---|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries | | % of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries | | % Deliveries conducted at Private Institutions to Total Institutional Deliveries | | Women received post partum check-up within 48 hours of delivery | | Post - Natal Care / Women got a post partum check up between 48 hours and 14 days | | % Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 85.3 | 89.0 | 81.4 | 92.7 | 6.1 | 7.6 | 20,248 | 20,293 | 10,214 | 11,921 | 83.5 | 82.7 |
| 1 | Baldi | 91.4 | 77.3 | 94.9 | 75.4 | 0.0 | 0.0 | 547 | 634 | 629 | 695 | 98.2 | 98.3 |
| 2 | Chhegaon Makhani | 93.6 | 90.5 | 80.1 | 69.5 | 0.0 | 0.0 | 1,016 | 1,053 | 750 | 232 | 96.7 | 91.1 |
| 3 | Harsud | 89.0 | 79.7 | 69.4 | 74.8 | 0.0 | 0.0 | 1,259 | 1,335 | 1,388 | 1,414 | 99.3 | 98.7 |
| 4 | Khalwa | 99.7 | 98.7 | 99.6 | 97.6 | 0.0 | 0.0 | 2,882 | 1,910 | 1,759 | 1,624 | 72.8 | 48.3 |
| 5 | Khandwa | 78.1 | 84.4 | 77.3 | 92.3 | 13.7 | 16.7 | 7,171 | 8,546 | 2,885 | 3,817 | 73.1 | 85.5 |
| 6 | Pandhana | 100.0 | 100.0 | 92.6 | 96.4 | 0.0 | 0.0 | 3,873 | 3,772 | 0 | 223 | 100.0 | 95.5 |
| 7 | Punasa | 75.2 | 88.3 | 71.8 | 104.0 | 0.0 | 0.0 | 3,500 | 3,043 | 2,803 | 3,916 | 94.1 | 87.5 |

| Indicators | | 43 | | 44 | | 45 | | 46 | | 47 | | 48 | |
|------------|-----------------|--|---------|--------------------------------------|---------|--|---------|---------------------------------------|---------|--------------------------------|---------|-------------------------------------|---------|
| | | % Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries | | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | Total Number of reported Still Births | | % live birth to Reported Birth | | Number of Newborns weighed at birth | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 42.1 | 48.6 | 24,156 | 24,104 | 99.7 | 98.3 | 376 | 512 | 98.5 | 97.9 | 23,703 | 23,782 |
| 1 | Baldi | 112.9 | 107.8 | 556 | 642 | 99.8 | 99.5 | 1 | 4 | 99.8 | 99.4 | 556 | 638 |
| 2 | Chhegaon Makhan | 71.4 | 20.1 | 1,046 | 1,148 | 99.5 | 99.3 | 6 | 9 | 99.4 | 99.2 | 1,047 | 1,148 |
| 3 | Harsud | 109.5 | 104.5 | 1,254 | 1,337 | 98.9 | 98.8 | 18 | 21 | 98.6 | 98.5 | 1,255 | 1,334 |
| 4 | Khalwa | 44.4 | 41.1 | 3,928 | 3,937 | 99.2 | 99.5 | 30 | 19 | 99.2 | 99.5 | 3,922 | 3,922 |
| 5 | Khandwa | 29.4 | 38.2 | 9,712 | 9,742 | 99.0 | 97.5 | 235 | 323 | 97.6 | 96.8 | 9,294 | 9,629 |
| 6 | Pandhana | 0.0 | 5.6 | 3,829 | 3,872 | 98.9 | 98.0 | 44 | 79 | 98.9 | 98.0 | 3,828 | 3,700 |
| 7 | Punasa | 75.3 | 112.6 | 3,831 | 3,426 | 103.0 | 98.5 | 42 | 57 | 98.9 | 98.4 | 3,801 | 3,411 |

| Indicators | | 49 | | 50 | | 51 | | 52 | | 53 | | 54 | |
|------------|-----------------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Newborns weighed at birth to live birth | | Number of Newborns having weight less than 2.5 kg | | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | | Number of New Borns Breast Fed within 1 hour | | % Newborns breast fed within 1 hour of birth to Total live birth | | Number of New Borns visited within 24 hrs of Home Delivery | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 98.1 | 98.7 | 4,356 | 4,411 | 18.3 | 18.5 | 23,041 | 23,217 | 95.3 | 96.3 | 2,482 | 2,483 |
| 1 | Baldi | 100.0 | 99.4 | 51 | 62 | 9.2 | 9.7 | 556 | 641 | 100.0 | 99.8 | 10 | 7 |
| 2 | Chhegaon Makhan | 100.1 | 100.0 | 138 | 148 | 13.2 | 12.9 | 1,029 | 1,140 | 98.4 | 99.3 | 63 | 93 |
| 3 | Harsud | 100.1 | 99.8 | 170 | 225 | 13.5 | 16.9 | 1,255 | 1,335 | 100.1 | 99.9 | 50 | 66 |
| 4 | Khalwa | 99.8 | 99.6 | 444 | 622 | 11.3 | 15.9 | 3,922 | 3,922 | 99.8 | 99.6 | 1,714 | 1,752 |
| 5 | Khandwa | 95.7 | 98.8 | 2,733 | 2,606 | 29.4 | 27.1 | 8,889 | 9,154 | 91.5 | 94.0 | 95 | 114 |
| 6 | Pandhana | 100.0 | 95.6 | 259 | 279 | 6.8 | 7.5 | 3,828 | 3,700 | 100.0 | 95.6 | 479 | 347 |
| 7 | Punasa | 99.2 | 99.6 | 561 | 469 | 14.8 | 13.7 | 3,562 | 3,325 | 93.0 | 97.1 | 71 | 104 |

| Indicators | | 55 | | 56 | | 57 | | 58 | | 59 | | 60 | |
|------------|-----------------|--|---------|---|---------|--|---------|---|---------|--|---------|---|---------|
| | | % newborns visited within 24hrs of home delivery to total reported home deliveries | | Sex Ratio at birth (Female Live Births/ Male Births *1000) | | % cases of Pregnant women with Obstetric Complications and attended to reported deliveries | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension | | % Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 95.7 | 92.0 | 924 | 899 | 18.1 | 22.3 | 13.9 | 14.3 | 20.2 | 30.2 | 19.3 | 12.6 |
| 1 | Baldi | 100.0 | 100.0 | 1,106 | 911 | 23.4 | 21.3 | 0.0 | 2.9 | | | 0.0 | 0.0 |
| 2 | Chhegaon Makhan | 96.9 | 100.0 | 923 | 979 | 4.9 | 11.9 | 102.1 | 18.9 | | | 0.0 | 0.0 |
| 3 | Harsud | 98.0 | 94.3 | 1,000 | 943 | 13.3 | 22.4 | 18.5 | 8.4 | 44.8 | 24.5 | 0.0 | 0.0 |
| 4 | Khalwa | 95.9 | 97.6 | 939 | 854 | 8.2 | 20.0 | 10.7 | 0.0 | 1.2 | 0.0 | 0.0 | 0.0 |
| 5 | Khandwa | 100.0 | 100.0 | 902 | 859 | 29.5 | 29.5 | 15.4 | 21.9 | 111.3 | 97.1 | 26.3 | 21.0 |
| 6 | Pandhana | 97.4 | 68.8 | 921 | 950 | 13.0 | 14.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Punasa | 77.2 | 91.2 | 918 | 966 | 2.7 | 13.7 | 7.2 | 1.5 | 1.1 | 2.0 | 0.0 | 0.0 |

| Indicators | | 61 | | 62 | | 63 | | 64 | | 65 | | 66 | |
|------------|-----------------|---|---------|--|---------|---|---------|------------------------------|---------|---|---------|---|---------|
| | | % Post - Natal Care / PNC maternal complications attended to Total Deliveries | | Total Number of Abortions (Spontaneous/ Induced) Reported | | Total Number of MTPs (Public) reported | | % MTPs (Public) to Abortions | | % MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions | | % MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 2.6 | 2.4 | 938 | 1,017 | 827 | 829 | 88.2 | 81.5 | 80.9 | 82.0 | 19.1 | 18.0 |
| 1 | Baldi | 0.0 | 0.3 | 0 | 0 | 0 | 0 | | | | | | |
| 2 | Chhegaon Makhan | 6.4 | 2.1 | 86 | 118 | 37 | 7 | 43.0 | 5.9 | 100.0 | 100.0 | 0.0 | 0.0 |
| 3 | Harsud | 2.1 | 0.0 | 70 | 112 | 62 | 64 | 88.6 | 57.1 | 100.0 | 100.0 | 0.0 | 0.0 |
| 4 | Khalwa | 0.8 | 0.4 | 69 | 79 | 0 | 4 | 0.0 | 5.1 | | 0.0 | | 100.0 |
| 5 | Khandwa | 0.6 | 0.1 | 636 | 656 | 613 | 673 | 96.4 | 102.6 | 79.1 | 79.3 | 20.9 | 20.7 |
| 6 | Pandhana | 11.3 | 13.5 | 14 | 45 | 0 | 0 | 0.0 | 0.0 | | | | |
| 7 | Punasa | 0.6 | 0.2 | 63 | 7 | 115 | 81 | 182.5 | 1157.1 | 73.9 | 92.6 | 26.1 | 7.4 |

| Indicators | | 67 | | 68 | | 69 | | 70 | | 71 | | 72 | |
|------------|-----------------|--|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % MTPs Conducted at Public Institutions to Total MTPs | | % MTPs Conducted at Private Institutions to Total MTPs | | % Total MTPs (Public) Conducted to Total ANC Registration | | % Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated | | Number of Vasectomies Conducted (Public + Pvt.) | | Number of Tubectomies Conducted (Public + Pvt.) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 63.2 | 62.3 | 36.8 | 37.7 | 2.6 | 2.6 | 19.1 | 0.1 | 70 | 106 | 7,694 | 7,253 |
| 1 | Baldi | | | | | 0.0 | 0.0 | | | 2 | 2 | 184 | 216 |
| 2 | Chhegaon Makhan | 100.0 | 100.0 | 0.0 | 0.0 | 1.3 | 0.2 | | 0.0 | 7 | 21 | 968 | 892 |
| 3 | Harsud | 100.0 | 100.0 | 0.0 | 0.0 | 3.4 | 3.2 | | | 2 | 5 | 502 | 517 |
| 4 | Khalwa | | 100.0 | | 0.0 | 0.0 | 0.1 | | 0.0 | 6 | 1 | 1,548 | 640 |
| 5 | Khandwa | 56.0 | 57.3 | 44.0 | 42.7 | 6.3 | 7.3 | 21.7 | 0.0 | 30 | 51 | 1,423 | 1,946 |
| 6 | Pandhana | | | | | 0.0 | 0.0 | 0.0 | 0.0 | 6 | 10 | 1,622 | 1,635 |
| 7 | Punasa | 100.0 | 100.0 | 0.0 | 0.0 | 2.1 | 1.4 | | 42.9 | 17 | 16 | 1,447 | 1,407 |

| Indicators | | 73 | | 74 | | 75 | | 76 | | 77 | | 78 | |
|------------|-----------------|-------------------------------|---------|---|---------|--------------------------------------|---------|--|---------|--|---------|---|---------|
| | | Total Sterilisation Conducted | | % Male Sterilisation (Vasectomies) to Total sterilisation | | % Tubectomies to Total sterilisation | | Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 7,764 | 7,359 | 0.9 | 1.4 | 99.1 | 98.6 | 2,278 | 2,372 | 4,278 | 3,593 | 888 | 890 |
| 1 | Baldi | 186 | 218 | 1.1 | 0.9 | 98.9 | 99.1 | | | 186 | 218 | | |
| 2 | Chhegaon Makhan | 975 | 913 | 0.7 | 2.3 | 99.3 | 97.7 | | | 975 | 913 | | |
| 3 | Harsud | 504 | 522 | 0.4 | 1.0 | 99.6 | 99.0 | | | 504 | 522 | | |
| 4 | Khalwa | 1,554 | 641 | 0.4 | 0.2 | 99.6 | 99.8 | 415 | 135 | 1,139 | 506 | | |
| 5 | Khandwa | 1,453 | 1,997 | 2.1 | 2.6 | 97.9 | 97.4 | 245 | 603 | | | 888 | 890 |
| 6 | Pandhana | 1,628 | 1,645 | 0.4 | 0.6 | 99.6 | 99.4 | 738 | 783 | 890 | 862 | | |
| 7 | Punasa | 1,464 | 1,423 | 1.2 | 1.1 | 98.8 | 98.9 | 880 | 851 | 584 | 572 | | |

| Indicators | | 79 | | 80 | | 81 | | 82 | | 83 | | 84 | |
|------------|-----------------|--|---------|---|---------|---|---------|---|---------|--|---------|---|---------|
| | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | | | 5 | 0 | 29.3 | 32.2 | 55.1 | 48.8 | 11.4 | 12.1 | 0.0 | 0.0 |
| 1 | Baldi | | | | | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Chhegaon Makhan | | | | | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Harsud | | | | | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Khalwa | | | | | 26.7 | 21.1 | 73.3 | 78.9 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Khandwa | | | 5 | 0 | 16.9 | 30.2 | 0.0 | 0.0 | 61.1 | 44.6 | 0.0 | 0.0 |
| 6 | Pandhana | | | | | 45.3 | 47.6 | 54.7 | 52.4 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Punasa | | | | | 60.1 | 59.8 | 39.9 | 40.2 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 85 | | 86 | | 87 | | 88 | | 89 | | 90 | |
|------------|-----------------|--|---------|--|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation | | % Laparoscopic sterilisations to Total Female Sterilisations | | % Mini Lap Sterilisations to Total Female Sterilisations | | % Post Partum Sterilisations to Total Female Sterilisations | | % Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations | | % Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 4.1 | 6.8 | 92.1 | 86.5 | 4.3 | 6.6 | 3.5 | 6.8 | 99.7 | 99.6 | 66.1 | 47.4 |
| 1 | Baldi | 0.0 | 0.0 | 100.0 | 99.1 | 0.0 | 0.9 | 0.0 | 0.0 | 100.0 | 100.0 | | 100.0 |
| 2 | Chhegaon Makhan | 0.0 | 0.0 | 100.0 | 99.9 | 0.0 | 0.0 | 0.0 | 0.1 | 100.0 | 100.0 | | |
| 3 | Harsud | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |
| 4 | Khalwa | 0.0 | 0.0 | 99.7 | 99.7 | 0.3 | 0.3 | 0.0 | 0.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 5 | Khandwa | 22.0 | 25.2 | 61.1 | 52.4 | 20.5 | 22.0 | 18.3 | 25.6 | 97.9 | 97.6 | 61.3 | 41.1 |
| 6 | Pandhana | 0.0 | 0.0 | 97.8 | 97.7 | 1.4 | 2.3 | 0.7 | 0.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| 7 | Punasa | 0.0 | 0.0 | 99.0 | 99.3 | 1.0 | 0.7 | 0.0 | 0.0 | 100.0 | 100.0 | 100.0 | 100.0 |

| Indicators | | 91 | | 92 | | 93 | | 94 | | 95 | | 96 | |
|------------|------------------|--|---------|--|---------|--|---------|--|---------|--|---------|---|---------|
| | | % Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation | | Total cases of deaths following Sterilisation (Male + Female) | | IUCD Insertions done (public facilities) | | IUCD insertions done (pvt. facilities) | | Total IUCD Insertions done(public+private) | | PP IUCD Insertions done (public facilities) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 32.6 | 54.3 | 0 | 0 | 10,441 | 7,516 | 4 | 45 | 10,445 | 7,561 | 4,288 | 4,659 |
| 1 | Baldi | | | 0 | 0 | 378 | 196 | | | 378 | 196 | 158 | 88 |
| 2 | Chhegaon Makhani | | 100.0 | | | 1,241 | 514 | | | 1,241 | 514 | 278 | 447 |
| 3 | Harsud | | | 0 | 0 | 1,087 | 989 | | | 1,087 | 989 | 393 | 325 |
| 4 | Khalwa | | | 0 | 0 | 1,284 | 534 | | | 1,284 | 534 | 475 | 305 |
| 5 | Khandwa | 29.5 | 54.2 | 0 | 0 | 2,994 | 3,274 | 4 | 45 | 2,998 | 3,319 | 1,942 | 2,800 |
| 6 | Pandhana | 100.0 | | 0 | 0 | 1,482 | 820 | | | 1,482 | 820 | 398 | 179 |
| 7 | Punasa | | | 0 | 0 | 1,975 | 1,189 | | | 1,975 | 1,189 | 644 | 515 |

| Indicators | | 97 | | 98 | | 99 | | 100 | | 101 | | 102 | |
|------------|-----------------|---|---------|--|---------|---|---------|------------------------|---------|---------------------------|---------|-------------------------------|---------|
| | | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | | % PP IUCD Insertions (public) to Total Institutional Deliveries (public) | | % IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent) | | Oral Pills distributed | | Condom pieces distributed | | Centchroman Pills distributed | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 41.0 | 61.9 | 21.1 | 23.0 | 57.3 | 50.6 | 88,215 | 76,380 | 212,430 | 155,926 | 0 | 0 |
| 1 | Baldi | 41.8 | 44.9 | 28.9 | 13.8 | 67.0 | 47.3 | 4,596 | 4,173 | 6,549 | 6,164 | 0 | 0 |
| 2 | Chhegaon Makhan | 22.4 | 87.0 | 28.2 | 42.1 | 56.0 | 36.0 | 9,234 | 8,314 | 106,770 | 56,123 | 0 | 0 |
| 3 | Harsud | 36.2 | 32.9 | 32.3 | 25.3 | 68.3 | 65.5 | 10,260 | 8,703 | 14,847 | 15,968 | 0 | 0 |
| 4 | Khalwa | 37.0 | 57.1 | 21.9 | 14.1 | 45.2 | 45.4 | 16,264 | 16,239 | 19,983 | 20,497 | 0 | 0 |
| 5 | Khandwa | 64.9 | 85.5 | 23.2 | 34.0 | 67.4 | 62.4 | 11,478 | 9,269 | 14,637 | 14,129 | 0 | 0 |
| 6 | Pandhana | 26.9 | 21.8 | 11.8 | 5.2 | 47.7 | 33.3 | 16,033 | 13,148 | 18,335 | 15,386 | 0 | 0 |
| 7 | Punasa | 32.6 | 43.3 | 17.7 | 15.3 | 57.4 | 45.5 | 20,350 | 16,534 | 31,309 | 27,659 | 0 | 0 |

Performance of Key HMIS Indicators for Madhya Pradesh-> Khandwa (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

| Indicators | | 103 | | 104 | | 105 | | 106 | | 107 | | 108 | |
|------------|-----------------|--|---------|-----------------------------|---------|---|---------|---|---------|------------------------------|---------|------------------------------|---------|
| | | Number of Infants given OPV 0 (Birth Dose) | | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | % Newborns given BCG to Reported live birth | | Number of Infants given DPT1 | | Number of Infants given DPT2 | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 22,771 | 22,278 | 24,400 | 23,275 | 94.3 | 92.4 | 101.0 | 96.6 | 316 | 160 | 300 | 131 |
| 1 | Baldi | 556 | 642 | 556 | 642 | 100.0 | 100.0 | 100.0 | 100.0 | 0 | 0 | 0 | 0 |
| 2 | Chhegaon Makhan | 1,016 | 1,105 | 1,016 | 1,105 | 97.1 | 96.3 | 97.1 | 96.3 | 0 | 0 | 0 | 0 |
| 3 | Harsud | 1,264 | 1,255 | 1,277 | 1,285 | 100.8 | 93.9 | 101.8 | 96.1 | 0 | 1 | 0 | 0 |
| 4 | Khalwa | 3,895 | 3,923 | 3,905 | 3,923 | 99.2 | 99.6 | 99.4 | 99.6 | 0 | 0 | 0 | 0 |
| 5 | Khandwa | 8,872 | 8,546 | 9,370 | 8,639 | 91.4 | 87.7 | 96.5 | 88.7 | 301 | 158 | 287 | 131 |
| 6 | Pandhana | 3,337 | 3,377 | 3,696 | 4,011 | 87.2 | 87.2 | 96.5 | 103.6 | 0 | 0 | 0 | 0 |
| 7 | Punasa | 3,831 | 3,430 | 4,580 | 3,670 | 100.0 | 100.1 | 119.6 | 107.1 | 15 | 1 | 13 | 0 |

| Indicators | | 109 | | 110 | | 111 | | 112 | | 113 | | 114 | |
|------------|-----------------|------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------|---------|---|---------|
| | | Number of Infants given DPT3 | | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | % Infants 0 to 11 months old who received Measles vaccine to reported live births | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 295 | 123 | 28,340 | 28,151 | 26,761 | 27,452 | 25,934 | 27,178 | 27,230 | 27,148 | 112.7 | 112.6 |
| 1 | Baldi | 0 | 0 | 677 | 725 | 661 | 717 | 668 | 721 | 691 | 706 | 124.3 | 110.0 |
| 2 | Chhegaon Makhan | 0 | 0 | 2,595 | 2,606 | 2,592 | 2,607 | 2,605 | 2,587 | 2,670 | 2,245 | 255.3 | 195.6 |
| 3 | Harsud | 0 | 0 | 1,703 | 1,666 | 1,661 | 1,637 | 1,649 | 1,534 | 1,683 | 1,612 | 134.2 | 120.6 |
| 4 | Khalwa | 5 | 0 | 5,169 | 4,911 | 4,997 | 4,780 | 4,779 | 4,576 | 4,916 | 4,701 | 125.2 | 119.4 |
| 5 | Khandwa | 280 | 122 | 8,174 | 8,488 | 7,159 | 8,023 | 6,763 | 8,129 | 7,830 | 8,487 | 80.6 | 87.1 |
| 6 | Pandhana | 0 | 0 | 5,154 | 5,001 | 5,000 | 4,969 | 4,907 | 4,921 | 4,852 | 4,822 | 126.7 | 124.5 |
| 7 | Punasa | 10 | 1 | 4,868 | 4,754 | 4,691 | 4,719 | 4,563 | 4,710 | 4,588 | 4,575 | 119.8 | 133.5 |

| Indicators | | 115 | | 116 | | 117 | | 118 | | 119 | | 120 | |
|------------|-----------------|--|---------|----------------------------------|---------|--------------------|---------|---|---------|---|---------|--|---------|
| | | Number of fully immunized children (9-11 months) | | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | Adverse Events Following Immunisation (Others) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 27,242 | 26,038 | -11.6 | -16.6 | 27,412 | 25,777 | 113.5 | 106.9 | 74.9 | 88.1 | 739 | 21 |
| 1 | Baldi | 691 | 0 | -24.3 | -10.0 | 691 | 706 | 124.3 | 110.0 | 0.0 | 53.0 | 0 | 0 |
| 2 | Chhegaon Makhan | 2,670 | 2,248 | -162.8 | -103.2 | 2,670 | 2,245 | 255.3 | 195.6 | 95.0 | 107.7 | 354 | 0 |
| 3 | Harsud | 1,683 | 1,612 | -31.8 | -25.4 | 1,683 | 1,612 | 134.2 | 120.6 | 203.6 | 214.6 | 220 | 8 |
| 4 | Khalwa | 4,936 | 4,694 | -25.9 | -19.8 | 5,336 | 4,882 | 135.8 | 124.0 | 106.7 | 116.1 | 0 | 2 |
| 5 | Khandwa | 7,833 | 8,123 | 16.4 | 1.8 | 7,573 | 6,559 | 78.0 | 67.3 | 45.2 | 70.3 | 12 | 5 |
| 6 | Pandhana | 4,856 | 4,821 | -31.3 | -20.2 | 4,855 | 4,827 | 126.8 | 124.7 | 13.1 | 0.0 | 7 | 0 |
| 7 | Punasa | 4,573 | 4,540 | -0.2 | -24.7 | 4,604 | 4,946 | 120.2 | 144.4 | 104.4 | 125.0 | 146 | 6 |

| Indicators | | 121 | | 122 | | 123 | | 124 | | 125 | | 126 | |
|------------|-----------------|---|---------|---|---------|---|---------|--|---------|--|---------|--|---------|
| | | % immunisation Sessions Held to Immunisation Sessions Planned | | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 96.7 | 105.2 | 90.8 | 97.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Baldi | 100.0 | 100.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Chhegaon Makhan | 100.0 | 99.6 | 100.0 | 99.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Harsud | 99.9 | 100.0 | 72.7 | 72.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Khalwa | 99.9 | 98.8 | 98.5 | 97.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Khandwa | 98.1 | 103.0 | 97.5 | 102.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 |
| 6 | Pandhana | 89.7 | 129.9 | 77.1 | 109.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Punasa | 96.2 | 98.1 | 92.6 | 92.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 127 | | 128 | | 129 | | 130 | | 131 | | 132 | |
|------------|-----------------|---|---------|---|---------|---|---------|---|---------|--|---------|---|---------|
| | | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Adult Female Inpatients to Total Adult Inpatient | | % Children Inpatient to Total Inpatient | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 0.0 | 0.0 | 0.3 | 1.7 | 93.7 | 87.3 | 6.0 | 11.0 | 66.4 | 65.2 | 16.0 | 14.0 |
| 1 | Baldi | 0.0 | 0.0 | 0.0 | 0.0 | 87.9 | 92.7 | 12.1 | 7.3 | 66.9 | 38.7 | 20.4 | 28.2 |
| 2 | Chhegaon Makhan | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 85.6 | 82.8 | 3.3 | 0.8 |
| 3 | Harsud | 0.0 | 0.0 | 0.0 | 0.0 | 99.8 | 99.6 | 0.2 | 0.4 | 61.4 | 62.9 | 7.5 | 6.7 |
| 4 | Khalwa | 0.0 | 0.0 | 1.4 | 2.4 | 85.9 | 83.1 | 12.7 | 14.5 | 60.7 | 56.8 | 26.3 | 31.3 |
| 5 | Khandwa | 0.0 | 0.0 | 0.2 | 2.4 | 89.0 | 83.7 | 10.7 | 13.9 | 63.8 | 63.5 | 17.9 | 12.8 |
| 6 | Pandhana | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 67.4 | 67.6 | 13.7 | 16.1 |
| 7 | Punasa | 0.0 | 0.0 | 0.0 | 2.7 | 74.9 | 67.7 | 25.1 | 29.6 | 82.0 | 78.3 | 10.0 | 13.7 |

| Indicators | | 133 | | 134 | | 135 | | 136 | | 137 | | 138 | |
|------------|-----------------|---|---------|---------------------------------|---------|--------------|---------|--------------|---------|--------------|---------|----------------------------|---------|
| | | % Female Inpatient Deaths to Total Inpatient Deaths | | % Inpatient Deaths to Total IPD | | IPD (Number) | | OPD (Number) | | % IPD to OPD | | Number of Major Operations | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 44.9 | 41.5 | 0.8 | 1.1 | 86,182 | 82,536 | 924,897 | 884,310 | 9.3 | 9.3 | 2,405 | 1,970 |
| 1 | Baldi | | | 0.0 | 0.0 | 1,184 | 1,018 | 13,244 | 12,951 | 8.9 | 7.9 | 0 | 0 |
| 2 | Chhegaon Makhan | | | 0.0 | 0.0 | 2,841 | 2,785 | 64,465 | 59,599 | 4.4 | 4.7 | | |
| 3 | Harsud | | | 0.0 | 0.0 | 6,998 | 6,504 | 64,260 | 53,998 | 10.9 | 12.0 | 0 | 0 |
| 4 | Khalwa | 43.2 | 0.0 | 0.6 | 0.1 | 6,563 | 6,120 | 101,871 | 77,875 | 6.4 | 7.9 | 0 | 0 |
| 5 | Khandwa | 45.1 | 41.9 | 1.3 | 1.8 | 48,522 | 48,563 | 400,991 | 405,284 | 12.1 | 12.0 | 2,405 | 1,970 |
| 6 | Pandhana | | | 0.0 | 0.0 | 12,997 | 11,551 | 160,338 | 165,339 | 8.1 | 7.0 | 0 | 0 |
| 7 | Punasa | 33.3 | 0.0 | 0.1 | 0.0 | 7,077 | 5,995 | 119,728 | 109,264 | 5.9 | 5.5 | 0 | 0 |

Performance of Key HMIS Indicators for Madhya Pradesh-> Khandwa (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

| Indicators | | 139 | | 140 | | 141 | | 142 | | 143 | | 144 | |
|------------|-----------------|----------------------------|---------|---------------------------------------|---------|----------------------------------|---------|--|---------|--------------------|---------|--------------------------|---------|
| | | Number of Minor Operations | | % Major Operations to Total Operation | | Number of Hysterectomy Surgeries | | % Hysterectomy Surgeries to Total Major Operations | | Ayush OPD (Number) | | % AYUSH OPD to Total OPD | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 3,272 | 2,781 | 42.4 | 41.5 | 24 | 0 | 0.9 | 0.0 | 99,302 | 54,025 | 10.7 | 6.1 |
| 1 | Baldi | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 0.0 | 0.0 |
| 2 | Chhegaon Makhan | 957 | 0 | 0.0 | | | | | | | | 0.0 | 0.0 |
| 3 | Harsud | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 0.0 | 0.0 |
| 4 | Khalwa | 0 | 0 | | | 0 | 0 | | | 0 | 3,416 | 0.0 | 4.4 |
| 5 | Khandwa | 700 | 1,171 | 77.5 | 62.7 | 24 | 0 | 1.0 | 0.0 | 88,754 | 37,298 | 22.1 | 9.2 |
| 6 | Pandhana | 1,615 | 1,610 | 0.0 | 0.0 | 0 | 0 | | | 0 | 0 | 0.0 | 0.0 |
| 7 | Punasa | 0 | 0 | | | 0 | 0 | | | 10,548 | 13,311 | 8.8 | 12.2 |

| Indicators | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|------------|-----------------|---------------------|---------|---------------------------|---------|--------------------------------|---------|---|---------|---|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 13,633 | 11,806 | 1.5 | 1.3 | 148 | 2,216 | 12.3 | 11.0 | 6.9 | 8.4 | 2.2 | 7.2 |
| 1 | Baldi | 0 | 0 | 0.0 | 0.0 | 81 | 77 | 2.4 | 1.4 | | | 0.0 | 0.0 |
| 2 | Chhegaon Makhan | | | 0.0 | 0.0 | | | 1.1 | 2.0 | 1.0 | 0.0 | 0.2 | 0.1 |
| 3 | Harsud | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 0.4 | 0.9 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Khalwa | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 7.5 | 8.2 | 0.2 | 0.2 | 0.0 | 0.1 |
| 5 | Khandwa | 13,633 | 11,806 | 3.4 | 2.9 | 67 | 2,133 | 19.7 | 16.7 | 13.2 | 14.0 | 5.4 | 15.0 |
| 6 | Pandhana | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 1.8 | 1.5 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Punasa | 0 | 0 | 0.0 | 0.0 | 0 | 6 | 9.2 | 6.2 | 0.8 | 2.3 | 0.0 | 0.0 |

| Indicators | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
|------------|-----------------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 2.6 | 7.4 | 0.3 | 0.6 | 0.1 | 0.3 | 487 | 468 | 9.9 | 5.9 | 8.5 | 2.4 |
| 1 | Baldi | 0.0 | 0.0 | 0.2 | 0.0 | 0.2 | 0.0 | 8 | 6 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Chhegaon Makhan | 0.2 | 0.1 | 0.1 | 0.4 | 0.1 | 0.3 | 46 | 44 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Harsud | 0.0 | 0.0 | 0.1 | 0.2 | 0.0 | 0.1 | 57 | 71 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Khalwa | 0.0 | 0.1 | 0.1 | 0.5 | 0.1 | 0.3 | 109 | 84 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Khandwa | 6.3 | 14.8 | 0.4 | 0.9 | 0.0 | 0.4 | 206 | 185 | 22.8 | 14.7 | 19.9 | 6.0 |
| 6 | Pandhana | 0.0 | 0.0 | 0.1 | 0.2 | 0.0 | 0.1 | 42 | 27 | 2.4 | 0.0 | 0.0 | 0.0 |
| 7 | Punasa | 0.0 | 0.2 | 0.6 | 0.9 | 0.4 | 0.3 | 19 | 51 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|------------|-----------------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Khandwa | 15.7 | 16.0 | 6.4 | 3.7 | 0.6 | 0.0 | 1.4 | 1.3 | 0.0 | 0.0 | 57.5 | 70.7 |
| 1 | Baldi | 12.5 | 33.3 | 37.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 50.0 | 66.7 |
| 2 | Chhegaon Makhan | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 |
| 3 | Harsud | 23.2 | 23.5 | 10.7 | 10.3 | 0.0 | 0.0 | 0.0 | 1.5 | 0.0 | 0.0 | 66.1 | 64.7 |
| 4 | Khalwa | 11.9 | 10.7 | 6.4 | 1.2 | 0.0 | 0.0 | 0.9 | 0.0 | 0.0 | 0.0 | 80.7 | 88.1 |
| 5 | Khandwa | 18.0 | 8.2 | 6.8 | 2.2 | 0.5 | 0.0 | 2.4 | 2.2 | 0.0 | 0.0 | 29.6 | 66.8 |
| 6 | Pandhana | 19.0 | 69.2 | 2.4 | 19.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 76.2 | 11.5 |
| 7 | Punasa | 22.2 | 28.9 | 0.0 | 0.0 | 11.1 | 0.0 | 5.6 | 2.2 | 0.0 | 0.0 | 61.1 | 68.9 |