

Performance of Key HMIS Indicators for Madhya Pradesh-> Bhind (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to December

| Indicators | | 1 | | 2 | | 3 | | 4 | | 5 | | 6 | |
|------------|---------------|---|---------|--|---------|--------------------------------------|---------|---|---------|--|---------|---|---------|
| | | Total number of pregnant women Registered for ANC | | Number of Pregnant women registered within first trimester | | Number of Women registered under JSY | | % 1st Trimester registration to Total ANC Registrations | | % JSY registration to Total ANC Registration | | Number of pregnant women received 3 ANC check ups | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 29,506 | 29,020 | 14,344 | 15,181 | 29,088 | 28,723 | 48.6 | 52.3 | 98.6 | 99.0 | 23,082 | 22,512 |
| 1 | Ater | 3,606 | 3,783 | 1,759 | 1,735 | 3,606 | 3,783 | 48.8 | 45.9 | 100.0 | 100.0 | 3,361 | 3,260 |
| 2 | Bhind (Phoop) | 8,389 | 7,920 | 3,110 | 3,582 | 8,086 | 7,653 | 37.1 | 45.2 | 96.4 | 96.6 | 5,370 | 5,353 |
| 3 | Gohad | 5,641 | 5,442 | 3,275 | 3,727 | 5,633 | 5,426 | 58.1 | 68.5 | 99.9 | 99.7 | 3,583 | 3,842 |
| 4 | Lahar | 4,351 | 4,170 | 2,485 | 2,344 | 4,280 | 4,163 | 57.1 | 56.2 | 98.4 | 99.8 | 4,545 | 3,776 |
| 5 | Mehgaon | 5,209 | 5,429 | 2,404 | 2,412 | 5,209 | 5,429 | 46.2 | 44.4 | 100.0 | 100.0 | 4,434 | 4,348 |
| 6 | Mihona(Ron) | 2,310 | 2,276 | 1,311 | 1,381 | 2,274 | 2,269 | 56.8 | 60.7 | 98.4 | 99.7 | 1,789 | 1,933 |

| Indicators | | 7 | | 8 | | 9 | | 10 | | 11 | | 12 | |
|------------|---------------|--|---------|--|---------|--|---------|--|---------|--|---------|--|---------|
| | | TT2 or Booster given to Pregnant women (numbers) | | % Pregnant Woman received 3 ANC check ups to Total ANC Registrations | | % Pregnant women received TT2 or Booster to Total ANC Registration | | Number of Pregnant women given 100 IFA tablets | | % Pregnant women given 100 IFA to Total ANC Registration | | Number having Hb level<11 (tested cases) | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 27,469 | 26,343 | 78.2 | 77.5 | 93.0 | 90.7 | 29,396 | 28,742 | 99.6 | 99.0 | 20,367 | 17,324 |
| 1 | Ater | 3,507 | 3,818 | 93.2 | 86.2 | 97.3 | 100.9 | 3,606 | 3,783 | 100.0 | 100.0 | 2,875 | 2,045 |
| 2 | Bhind (Phoop) | 8,033 | 6,392 | 64.0 | 67.6 | 95.8 | 80.7 | 8,241 | 7,764 | 98.2 | 98.0 | 5,385 | 5,686 |
| 3 | Gohad | 4,639 | 4,688 | 63.5 | 70.6 | 82.2 | 86.1 | 5,639 | 5,424 | 100.0 | 99.7 | 4,870 | 2,683 |
| 4 | Lahar | 3,902 | 3,965 | 104.5 | 90.6 | 89.7 | 95.1 | 4,372 | 4,067 | 100.5 | 97.5 | 2,071 | 1,861 |
| 5 | Mehgaon | 5,338 | 5,482 | 85.1 | 80.1 | 102.5 | 101.0 | 5,209 | 5,429 | 100.0 | 100.0 | 1,849 | 1,923 |
| 6 | Mihona(Ron) | 2,050 | 1,998 | 77.4 | 84.9 | 88.7 | 87.8 | 2,329 | 2,275 | 100.8 | 100.0 | 3,317 | 3,126 |

| Indicators | | 13 | | 14 | | 15 | | 16 | | 17 | | 18 | |
|------------|---------------|--|---------|--|---------|---|---------|---------------------------|---------|--|---------|--|---------|
| | | Number having severe anaemia (Hb<7) treated at institution | | % Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11 | | % New cases detected at institution for hypertension to Total ANC Registrations | | Number of Home deliveries | | Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM) | | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 3,633 | 1,746 | 17.8 | 10.1 | 2.4 | 5.0 | 2,613 | 2,583 | 46 | 29 | 2,567 | 2,554 |
| 1 | Ater | 98 | 117 | 3.4 | 5.7 | 0.7 | 1.8 | 465 | 517 | 0 | 0 | 465 | 517 |
| 2 | Bhind (Phoop) | 834 | 616 | 15.5 | 10.8 | 1.0 | 1.6 | 265 | 313 | 0 | 2 | 265 | 311 |
| 3 | Gohad | 2,460 | 751 | 50.5 | 28.0 | 2.5 | 5.0 | 564 | 485 | 0 | 15 | 564 | 470 |
| 4 | Lahar | 114 | 57 | 5.5 | 3.1 | 0.1 | 0.6 | 530 | 612 | 0 | 3 | 530 | 609 |
| 5 | Mehgaon | 36 | 106 | 1.9 | 5.5 | 8.5 | 16.4 | 475 | 313 | 0 | 3 | 475 | 310 |
| 6 | Mihona(Ron) | 91 | 99 | 2.7 | 3.2 | 0.1 | 2.3 | 314 | 343 | 46 | 6 | 268 | 337 |

| Indicators | | 19 | | 20 | | 21 | | 22 | | 23 | | 24 | |
|------------|---------------|--|---------|--|---------|---|---------|--|---------|---|---------|---|---------|
| | | % SBA attended home deliveries to Total Reported Home Deliveries | | Mothers paid JSY incentive for home deliveries | | % Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries | | Deliveries Conducted at Public Institutions | | Number of Women Discharged under 48 hours of delivery in public facilities | | % Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 1.7 | 1.1 | 9 | 10 | 0.3 | 0.4 | 20,154 | 17,985 | 246 | 733 | 1.2 | 4.0 |
| 1 | Ater | 0.0 | 0.0 | 0 | 0 | 0.0 | 0.0 | 658 | 630 | 3 | 10 | 0.5 | 1.6 |
| 2 | Bhind (Phoop) | 0.0 | 0.6 | 1 | 0 | 0.4 | 0.0 | 7,621 | 7,276 | 0 | 242 | 0.0 | 3.3 |
| 3 | Gohad | 0.0 | 3.1 | 0 | 0 | 0.0 | 0.0 | 3,186 | 3,243 | 171 | 199 | 5.4 | 6.1 |
| 4 | Lahar | 0.0 | 0.5 | 0 | 0 | 0.0 | 0.0 | 4,046 | 2,351 | 16 | 155 | 0.4 | 6.6 |
| 5 | Mehgaon | 0.0 | 1.0 | 0 | 1 | 0.0 | 0.3 | 3,089 | 3,024 | 24 | 105 | 0.8 | 3.5 |
| 6 | Mihona(Ron) | 14.6 | 1.7 | 8 | 9 | 2.5 | 2.6 | 1,554 | 1,461 | 32 | 22 | 2.1 | 1.5 |

Performance of Key HMIS Indicators for Madhya Pradesh-> Bhind (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to December

| Indicators | | 25 | | 26 | | 27 | | 28 | | 29 | | 30 | |
|------------|---------------|---|---------|--|---------|---------------------------|---------|---|---------|--|---------|--|---------|
| | | Institutional deliveries (Public Insts.+Pvt. Insts.) | | % Institutional Deliveries to total ANC registration | | Total reported deliveries | | % Institutional deliveries to Total Reported Deliveries | | % Safe deliveries to Total Reported Deliveries | | % Home deliveries to Total Reported Deliveries | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 22,440 | 19,097 | 76.0 | 65.8 | 25,053 | 21,680 | 89.6 | 88.1 | 89.8 | 88.2 | 10.4 | 11.9 |
| 1 | Ater | 658 | 630 | 18.2 | 16.7 | 1,123 | 1,147 | 58.6 | 54.9 | 58.6 | 54.9 | 41.4 | 45.1 |
| 2 | Bhind (Phoop) | 9,634 | 8,104 | 114.8 | 102.3 | 9,899 | 8,417 | 97.3 | 96.3 | 97.3 | 96.3 | 2.7 | 3.7 |
| 3 | Gohad | 3,459 | 3,527 | 61.3 | 64.8 | 4,023 | 4,012 | 86.0 | 87.9 | 86.0 | 88.3 | 14.0 | 12.1 |
| 4 | Lahar | 4,046 | 2,351 | 93.0 | 56.4 | 4,576 | 2,963 | 88.4 | 79.3 | 88.4 | 79.4 | 11.6 | 20.7 |
| 5 | Mehgaon | 3,089 | 3,024 | 59.3 | 55.7 | 3,564 | 3,337 | 86.7 | 90.6 | 86.7 | 90.7 | 13.3 | 9.4 |
| 6 | Mihona(Ron) | 1,554 | 1,461 | 67.3 | 64.2 | 1,868 | 1,804 | 83.2 | 81.0 | 85.7 | 81.3 | 16.8 | 19.0 |

| Indicators | | 31 | | 32 | | 33 | | 34 | | 35 | | 36 | |
|------------|---------------|---|---------|--|---------|---|---------|--|---------|--|---------|---|---------|
| | | Number of C-section deliveries conducted at public facilities | | Number of C-section deliveries conducted at private facilities | | % C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries | | % C-sections conducted at public facilities to Deliveries conducted at public facilities | | % C-sections conducted at Private facilities to Deliveries conducted at private facilities | | % Deliveries conducted at Public Institutions to Total Institutional Deliveries | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 103 | 89 | 884 | 508 | 4.3 | 3.1 | 0.5 | 0.5 | 38.7 | 45.7 | 89.8 | 94.2 |
| 1 | Ater | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 2 | Bhind (Phoop) | 101 | 89 | 884 | 508 | 10.2 | 7.4 | 1.3 | 1.2 | 43.9 | 61.4 | 79.1 | 89.8 |
| 3 | Gohad | 2 | 0 | 0 | 0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 92.1 | 91.9 |
| 4 | Lahar | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 5 | Mehgaon | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 6 | Mihona(Ron) | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |

| Indicators | | 37 | | 38 | | 39 | | 40 | | 41 | | 42 | |
|------------|---------------|--|---------|---|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries | | % of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries | | % Deliveries conducted at Private Institutions to Total Institutional Deliveries | | Women received post partum check-up within 48 hours of delivery | | Post - Natal Care / Women got a post partum check up between 48 hours and 14 days | | % Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 90.3 | 77.5 | 49.3 | 65.5 | 10.2 | 5.8 | 23,062 | 20,348 | 18,944 | 16,439 | 92.1 | 93.9 |
| 1 | Ater | 58.1 | 60.3 | 59.6 | 66.5 | 0.0 | 0.0 | 658 | 629 | 465 | 517 | 58.6 | 54.8 |
| 2 | Bhind (Phoop) | 89.6 | 71.2 | 25.2 | 60.0 | 20.9 | 10.2 | 9,511 | 8,217 | 8,899 | 7,409 | 96.1 | 97.6 |
| 3 | Gohad | 99.1 | 89.5 | 49.3 | 61.1 | 7.9 | 8.1 | 3,701 | 3,793 | 658 | 1,376 | 92.0 | 94.5 |
| 4 | Lahar | 95.9 | 70.9 | 73.4 | 62.3 | 0.0 | 0.0 | 4,151 | 2,935 | 4,567 | 2,935 | 90.7 | 99.1 |
| 5 | Mehgaon | 77.8 | 77.8 | 49.6 | 69.3 | 0.0 | 0.0 | 3,171 | 3,024 | 2,461 | 2,538 | 89.0 | 90.6 |
| 6 | Mihona(Ron) | 99.5 | 99.7 | 99.4 | 99.7 | 0.0 | 0.0 | 1,870 | 1,750 | 1,894 | 1,664 | 100.1 | 97.0 |

| Indicators | | 43 | | 44 | | 45 | | 46 | | 47 | | 48 | |
|------------|---------------|--|---------|--------------------------------------|---------|--|---------|---------------------------------------|---------|--------------------------------|---------|-------------------------------------|---------|
| | | % Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries | | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | Total Number of reported Still Births | | % live birth to Reported Birth | | Number of Newborns weighed at birth | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 75.6 | 75.8 | 24,770 | 21,533 | 98.9 | 99.3 | 289 | 222 | 98.8 | 99.0 | 24,761 | 21,457 |
| 1 | Ater | 41.4 | 45.1 | 1,054 | 1,094 | 93.9 | 95.4 | 69 | 55 | 93.9 | 95.2 | 1,054 | 1,094 |
| 2 | Bhind (Phoop) | 89.9 | 88.0 | 9,835 | 8,373 | 99.4 | 99.5 | 70 | 83 | 99.3 | 99.0 | 9,857 | 8,371 |
| 3 | Gohad | 16.4 | 34.3 | 3,962 | 3,980 | 98.5 | 99.2 | 58 | 34 | 98.6 | 99.2 | 3,942 | 3,890 |
| 4 | Lahar | 99.8 | 99.1 | 4,530 | 2,938 | 99.0 | 99.2 | 50 | 43 | 98.9 | 98.6 | 4,543 | 2,933 |
| 5 | Mehgaon | 69.1 | 76.1 | 3,524 | 3,336 | 98.9 | 100.0 | 40 | 4 | 98.9 | 99.9 | 3,530 | 3,329 |
| 6 | Mihona(Ron) | 101.4 | 92.2 | 1,865 | 1,812 | 99.8 | 100.4 | 2 | 3 | 99.9 | 99.8 | 1,835 | 1,840 |

| Indicators | | 49 | | 50 | | 51 | | 52 | | 53 | | 54 | |
|------------|---------------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Newborns weighed at birth to live birth | | Number of Newborns having weight less than 2.5 kg | | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | | Number of New Borns Breast Fed within 1 hour | | % Newborns breast fed within 1 hour of birth to Total live birth | | Number of New Borns visited within 24 hrs of Home Delivery | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 100.0 | 99.6 | 2,636 | 2,449 | 10.6 | 11.4 | 24,288 | 21,362 | 98.0 | 99.2 | 2,114 | 2,347 |
| 1 | Ater | 100.0 | 100.0 | 74 | 62 | 7.0 | 5.7 | 1,054 | 1,094 | 100.0 | 100.0 | 465 | 516 |
| 2 | Bhind (Phoop) | 100.2 | 100.0 | 1,453 | 1,569 | 14.7 | 18.7 | 9,438 | 8,290 | 96.0 | 99.0 | 243 | 307 |
| 3 | Gohad | 99.5 | 97.7 | 335 | 241 | 8.5 | 6.2 | 3,938 | 3,891 | 99.4 | 97.8 | 394 | 316 |
| 4 | Lahar | 100.3 | 99.8 | 435 | 225 | 9.6 | 7.7 | 4,532 | 2,933 | 100.0 | 99.8 | 526 | 610 |
| 5 | Mehgaon | 100.2 | 99.8 | 318 | 302 | 9.0 | 9.1 | 3,491 | 3,326 | 99.1 | 99.7 | 265 | 309 |
| 6 | Mihona(Ron) | 98.4 | 101.5 | 21 | 50 | 1.1 | 2.7 | 1,835 | 1,828 | 98.4 | 100.9 | 221 | 289 |

| Indicators | | 55 | | 56 | | 57 | | 58 | | 59 | | 60 | |
|------------|---------------|--|---------|---|---------|--|---------|---|---------|--|---------|---|---------|
| | | % newborns visited within 24hrs of home delivery to total reported home deliveries | | Sex Ratio at birth (Female Live Births/ Male Births *1000) | | % cases of Pregnant women with Obstetric Complications and attended to reported deliveries | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension | | % Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 80.9 | 90.8 | 891 | 922 | 7.3 | 8.3 | 4.3 | 6.7 | 10.0 | 7.4 | 24.5 | 17.2 |
| 1 | Ater | 100.0 | 99.8 | 833 | 873 | 0.8 | 15.9 | 0.0 | 30.0 | 0.0 | 43.5 | 0.0 | 0.0 |
| 2 | Bhind (Phoop) | 91.7 | 98.1 | 868 | 936 | 13.0 | 10.2 | 1.0 | 1.7 | 14.5 | 10.8 | 31.4 | 33.3 |
| 3 | Gohad | 69.9 | 65.2 | 927 | 936 | 0.3 | 3.0 | 0.0 | 15.1 | 0.0 | 5.9 | 72.7 | 0.0 |
| 4 | Lahar | 99.2 | 99.7 | 953 | 930 | 4.5 | 7.3 | 21.0 | 0.0 | 633.3 | 0.0 | 0.0 | 0.0 |
| 5 | Mehgaon | 55.8 | 98.7 | 911 | 868 | 4.6 | 9.9 | 14.2 | 12.7 | 4.5 | 4.3 | 0.0 | 0.0 |
| 6 | Mihona(Ron) | 70.4 | 84.3 | 798 | 948 | 3.2 | 6.8 | 0.0 | 9.1 | 0.0 | 17.0 | 0.0 | 0.0 |

Performance of Key HMIS Indicators for Madhya Pradesh-> Bhind (Across Sub Districts)

Financial Year: 2015-16

Provisional Figures for the Period April to December

| Indicators | | 61 | | 62 | | 63 | | 64 | | 65 | | 66 | |
|------------|---------------|---|---------|--|---------|---|---------|------------------------------|---------|---|---------|---|---------|
| | | % Post - Natal Care / PNC maternal complications attended to Total Deliveries | | Total Number of Abortions (Spontaneous/ Induced) Reported | | Total Number of MTPs (Public) reported | | % MTPs (Public) to Abortions | | % MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions | | % MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 3.0 | 6.9 | 410 | 324 | 184 | 135 | 44.9 | 41.7 | 98.9 | 100.0 | 1.1 | 0.0 |
| 1 | Ater | 0.0 | 0.0 | 93 | 90 | 0 | 0 | 0.0 | 0.0 | | | | |
| 2 | Bhind (Phoop) | 6.4 | 15.8 | 272 | 177 | 118 | 85 | 43.4 | 48.0 | 100.0 | 100.0 | 0.0 | 0.0 |
| 3 | Gohad | 0.0 | 0.0 | 30 | 39 | 66 | 15 | 220.0 | 38.5 | 97.0 | 100.0 | 3.0 | 0.0 |
| 4 | Lahar | 2.8 | 2.2 | 3 | 2 | 0 | 29 | 0.0 | 1450.0 | | 100.0 | | 0.0 |
| 5 | Mehgaon | 0.0 | 0.1 | 4 | 13 | 0 | 6 | 0.0 | 46.2 | | 100.0 | | 0.0 |
| 6 | Mihona(Ron) | 0.0 | 5.6 | 8 | 3 | 0 | 0 | 0.0 | 0.0 | | | | |

| Indicators | | 67 | | 68 | | 69 | | 70 | | 71 | | 72 | |
|------------|---------------|--|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % MTPs Conducted at Public Institutions to Total MTPs | | % MTPs Conducted at Private Institutions to Total MTPs | | % Total MTPs (Public) Conducted to Total ANC Registration | | % Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated | | Number of Vasectomies Conducted (Public + Pvt.) | | Number of Tubectomies Conducted (Public + Pvt.) | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 49.7 | 51.7 | 50.3 | 48.3 | 0.6 | 0.5 | 0.0 | 0.0 | 109 | 44 | 3,666 | 2,884 |
| 1 | Ater | | | | | 0.0 | 0.0 | 0.0 | 0.0 | 8 | 1 | 508 | 412 |
| 2 | Bhind (Phoop) | 46.5 | 63.9 | 53.5 | 36.1 | 1.4 | 1.1 | 0.0 | 0.0 | 69 | 26 | 980 | 468 |
| 3 | Gohad | 56.9 | 16.1 | 43.1 | 83.9 | 1.2 | 0.3 | 0.0 | 0.0 | 10 | 9 | 610 | 421 |
| 4 | Lahar | | 100.0 | | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 6 | 3 | 504 | 616 |
| 5 | Mehgaon | | 100.0 | | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 8 | 4 | 697 | 638 |
| 6 | Mihona(Ron) | | | | | 0.0 | 0.0 | | | 8 | 1 | 367 | 329 |

| Indicators | | 73 | | 74 | | 75 | | 76 | | 77 | | 78 | |
|------------|---------------|-------------------------------|---------|---|---------|--------------------------------------|---------|--|---------|--|---------|---|---------|
| | | Total Sterilisation Conducted | | % Male Sterilisation (Vasectomies) to Total sterilisation | | % Tubectomies to Total sterilisation | | Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 3,775 | 2,928 | 2.8 | 1.5 | 97.1 | 98.5 | 1,016 | 992 | 2,040 | 1,721 | 719 | 215 |
| 1 | Ater | 516 | 413 | 1.6 | 0.2 | 98.4 | 99.8 | 11 | 197 | 505 | 216 | | |
| 2 | Bhind (Phoop) | 1,049 | 494 | 6.6 | 5.3 | 93.4 | 94.7 | 509 | 279 | | | 540 | 215 |
| 3 | Gohad | 620 | 430 | 1.6 | 2.1 | 98.4 | 97.9 | 0 | 0 | 620 | 430 | | |
| 4 | Lahar | 510 | 619 | 1.2 | 0.5 | 98.8 | 99.5 | 152 | 225 | 179 | 394 | 179 | |
| 5 | Mehgaon | 705 | 642 | 1.1 | 0.6 | 98.9 | 99.4 | 240 | 200 | 465 | 442 | | |
| 6 | Mihona(Ron) | 375 | 330 | 2.1 | 0.3 | 97.9 | 99.7 | 104 | 91 | 271 | 239 | | |

| Indicators | | 79 | | 80 | | 81 | | 82 | | 83 | | 84 | |
|------------|---------------|--|---------|---|---------|---|---------|---|---------|--|---------|---|---------|
| | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | | | 0 | 0 | 26.9 | 33.9 | 54.0 | 58.8 | 19.0 | 7.3 | 0.0 | 0.0 |
| 1 | Ater | | | | | 2.1 | 47.7 | 97.9 | 52.3 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Bhind (Phoop) | | | | | 48.5 | 56.5 | 0.0 | 0.0 | 51.5 | 43.5 | 0.0 | 0.0 |
| 3 | Gohad | | | 0 | 0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Lahar | | | | | 29.8 | 36.3 | 35.1 | 63.7 | 35.1 | 0.0 | 0.0 | 0.0 |
| 5 | Mehgaon | | | | | 34.0 | 31.2 | 66.0 | 68.8 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Mihona(Ron) | | | | | 27.7 | 27.6 | 72.3 | 72.4 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 85 | | 86 | | 87 | | 88 | | 89 | | 90 | |
|------------|---------------|--|---------|--|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation | | % Laparoscopic sterilisations to Total Female Sterilisations | | % Mini Lap Sterilisations to Total Female Sterilisations | | % Post Partum Sterilisations to Total Female Sterilisations | | % Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations | | % Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 0.0 | 0.0 | 97.4 | 98.9 | 1.6 | 0.7 | 1.0 | 0.3 | 100.0 | 100.0 | 100.0 | 100.0 |
| 1 | Ater | 0.0 | 0.0 | 96.3 | 99.5 | 3.3 | 0.0 | 0.4 | 0.5 | 100.0 | 100.0 | 100.0 | |
| 2 | Bhind (Phoop) | 0.0 | 0.0 | 95.1 | 94.7 | 1.1 | 4.5 | 3.8 | 0.9 | 100.0 | 100.0 | 100.0 | 100.0 |
| 3 | Gohad | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |
| 4 | Lahar | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |
| 5 | Mehgaon | 0.0 | 0.0 | 95.7 | 99.2 | 4.2 | 0.0 | 0.1 | 0.8 | 100.0 | 100.0 | 100.0 | |
| 6 | Mihona(Ron) | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |

| Indicators | | 91 | | 92 | | 93 | | 94 | | 95 | | 96 | |
|------------|---------------|--|---------|--|---------|--|---------|--|---------|--|---------|---|---------|
| | | % Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation | | Total cases of deaths following Sterilisation (Male + Female) | | IUCD Insertions done (public facilities) | | IUCD insertions done (pvt. facilities) | | Total IUCD Insertions done(public+private) | | PP IUCD Insertions done (public facilities) | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 100.0 | 100.0 | 0 | 0 | 10,320 | 9,054 | 0 | 0 | 10,320 | 9,054 | 3,250 | 660 |
| 1 | Ater | 100.0 | 100.0 | 0 | 0 | 1,535 | 1,601 | | | 1,535 | 1,601 | 72 | 0 |
| 2 | Bhind (Phoop) | 100.0 | 100.0 | 0 | 0 | 2,260 | 1,337 | | | 2,260 | 1,337 | 2,372 | 630 |
| 3 | Gohad | | | 0 | 0 | 1,595 | 1,411 | 0 | 0 | 1,595 | 1,411 | 313 | 0 |
| 4 | Lahar | | | 0 | 0 | 1,729 | 1,494 | | | 1,729 | 1,494 | 188 | 12 |
| 5 | Mehgaon | 100.0 | 100.0 | 0 | 0 | 2,644 | 2,473 | | | 2,644 | 2,473 | 247 | 0 |
| 6 | Mihona(Ron) | | | 0 | 0 | 557 | 738 | | | 557 | 738 | 58 | 18 |

| Indicators | | 97 | | 98 | | 99 | | 100 | | 101 | | 102 | |
|------------|---------------|---|---------|--|---------|---|---------|------------------------|---------|---------------------------|---------|-------------------------------|---------|
| | | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | | % PP IUCD Insertions (public) to Total Institutional Deliveries (public) | | % IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent) | | Oral Pills distributed | | Condom pieces distributed | | Centchroman Pills distributed | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 31.4 | 7.2 | 16.1 | 3.6 | 73.2 | 75.5 | 57,027 | 62,987 | 68,379 | 99,346 | 0 | 0 |
| 1 | Ater | 4.7 | 0.0 | 10.9 | 0.0 | 74.8 | 79.5 | 13,233 | 8,968 | 13,431 | 12,177 | 0 | 0 |
| 2 | Bhind (Phoop) | 105.0 | 47.1 | 31.1 | 8.7 | 68.3 | 73.0 | 13,402 | 14,976 | 12,493 | 25,107 | 0 | 0 |
| 3 | Gohad | 19.6 | 0.0 | 9.8 | 0.0 | 72.0 | 76.6 | 2,956 | 4,197 | 3,476 | 5,328 | 0 | 0 |
| 4 | Lahar | 10.9 | 0.8 | 4.6 | 0.5 | 77.2 | 70.7 | 3,698 | 2,602 | 7,467 | 5,896 | 0 | 0 |
| 5 | Mehgaon | 9.3 | 0.0 | 8.0 | 0.0 | 78.9 | 79.4 | 21,368 | 24,164 | 27,689 | 31,374 | 0 | 0 |
| 6 | Mihona(Ron) | 10.4 | 2.4 | 3.7 | 1.2 | 59.8 | 69.1 | 2,370 | 8,080 | 3,823 | 19,464 | 0 | 0 |

Performance of Key HMIS Indicators for Madhya Pradesh-> Bhind (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to December

| Indicators | | 103 | | 104 | | 105 | | 106 | | 107 | | 108 | |
|------------|---------------|--|---------|-----------------------------|---------|---|---------|---|---------|------------------------------|---------|------------------------------|---------|
| | | Number of Infants given OPV 0 (Birth Dose) | | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | % Newborns given BCG to Reported live birth | | Number of Infants given DPT1 | | Number of Infants given DPT2 | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 24,229 | 18,931 | 25,112 | 20,000 | 97.8 | 87.9 | 101.4 | 92.9 | 112 | 19,158 | 393 | 21,844 |
| 1 | Ater | 1,054 | 1,094 | 1,054 | 1,094 | 100.0 | 100.0 | 100.0 | 100.0 | 0 | 2,482 | 0 | 2,735 |
| 2 | Bhind (Phoop) | 9,959 | 7,397 | 10,166 | 7,439 | 101.3 | 88.3 | 103.4 | 88.8 | 85 | 5,245 | 208 | 5,899 |
| 3 | Gohad | 3,755 | 3,342 | 4,018 | 3,736 | 94.8 | 84.0 | 101.4 | 93.9 | 8 | 3,343 | 157 | 3,966 |
| 4 | Lahar | 4,346 | 2,434 | 4,436 | 2,869 | 95.9 | 82.8 | 97.9 | 97.7 | 3 | 2,803 | 11 | 3,144 |
| 5 | Mehgaon | 3,542 | 3,315 | 3,566 | 3,315 | 100.5 | 99.4 | 101.2 | 99.4 | 2 | 3,797 | 0 | 4,455 |
| 6 | Mihona(Ron) | 1,573 | 1,349 | 1,872 | 1,547 | 84.3 | 74.4 | 100.4 | 85.4 | 14 | 1,488 | 17 | 1,645 |

| Indicators | | 109 | | 110 | | 111 | | 112 | | 113 | | 114 | |
|------------|---------------|------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------|---------|---|---------|
| | | Number of Infants given DPT3 | | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | % Infants 0 to 11 months old who received Measles vaccine to reported live births | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 627 | 22,934 | 25,892 | 5,773 | 24,281 | 2,358 | 22,760 | 88 | 26,458 | 26,841 | 106.8 | 124.6 |
| 1 | Ater | 0 | 2,872 | 3,051 | 692 | 2,911 | 296 | 2,702 | 0 | 3,344 | 3,368 | 317.3 | 307.9 |
| 2 | Bhind (Phoop) | 322 | 6,300 | 7,185 | 1,795 | 6,583 | 854 | 6,005 | 60 | 7,089 | 8,612 | 72.1 | 102.9 |
| 3 | Gohad | 253 | 3,995 | 4,526 | 983 | 4,256 | 351 | 3,952 | 0 | 4,703 | 4,241 | 118.7 | 106.6 |
| 4 | Lahar | 29 | 3,269 | 3,869 | 772 | 3,604 | 274 | 3,386 | 0 | 4,045 | 3,804 | 89.3 | 129.5 |
| 5 | Mehgaon | 2 | 4,663 | 5,253 | 1,098 | 5,037 | 401 | 4,851 | 11 | 5,255 | 4,779 | 149.1 | 143.3 |
| 6 | Mihona(Ron) | 21 | 1,835 | 2,008 | 433 | 1,890 | 182 | 1,864 | 17 | 2,022 | 2,037 | 108.4 | 112.4 |

| Indicators | | 115 | | 116 | | 117 | | 118 | | 119 | | 120 | |
|------------|---------------|--|---------|----------------------------------|---------|--------------------|---------|---|---------|---|---------|--|---------|
| | | Number of fully immunized children (9-11 months) | | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | Adverse Events Following Immunisation (Others) | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 26,096 | 26,817 | -5.4 | -34.2 | 27,750 | 26,645 | 112.0 | 123.7 | 87.1 | 67.1 | 11 | 11 |
| 1 | Ater | 3,344 | 3,369 | -217.3 | -207.9 | 3,344 | 3,370 | 317.3 | 308.0 | 133.5 | 67.2 | 0 | 0 |
| 2 | Bhind (Phoop) | 6,732 | 8,601 | 30.3 | -15.8 | 6,846 | 8,490 | 69.6 | 101.4 | 122.8 | 95.0 | 0 | 0 |
| 3 | Gohad | 4,674 | 4,238 | -17.0 | -13.5 | 4,686 | 4,214 | 118.3 | 105.9 | 9.5 | 31.4 | 11 | 9 |
| 4 | Lahar | 4,098 | 3,806 | 8.8 | -32.6 | 5,579 | 3,789 | 123.2 | 129.0 | 98.1 | 24.0 | 0 | 0 |
| 5 | Mehgaon | 5,255 | 4,776 | -47.4 | -44.2 | 5,255 | 4,768 | 149.1 | 142.9 | 77.1 | 91.6 | 0 | 2 |
| 6 | Mihona(Ron) | 1,993 | 2,027 | -8.0 | -31.7 | 2,040 | 2,014 | 109.4 | 111.1 | 65.0 | 47.7 | 0 | 0 |

| Indicators | | 121 | | 122 | | 123 | | 124 | | 125 | | 126 | |
|------------|---------------|---|---------|---|---------|---|---------|--|---------|--|---------|--|---------|
| | | % immunisation Sessions Held to Immunisation Sessions Planned | | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 99.7 | 99.5 | 82.7 | 79.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Ater | 100.0 | 100.0 | 92.8 | 87.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Bhind (Phoop) | 98.1 | 99.3 | 83.6 | 80.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Gohad | 100.7 | 99.4 | 72.5 | 74.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Lahar | 99.2 | 98.7 | 66.6 | 69.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Mehgaon | 100.2 | 99.9 | 91.1 | 81.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Mihona(Ron) | 99.9 | 100.1 | 87.5 | 90.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 127 | | 128 | | 129 | | 130 | | 131 | | 132 | |
|------------|---------------|---|---------|---|---------|---|---------|---|---------|--|---------|---|---------|
| | | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Adult Female Inpatients to Total Adult Inpatient | | % Children Inpatient to Total Inpatient | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 0.0 | 0.0 | 0.0 | 0.0 | 98.9 | 94.1 | 1.1 | 5.9 | 61.2 | 62.4 | 13.4 | 18.8 |
| 1 | Ater | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 100.0 | 100.0 | 1.1 | 0.0 |
| 2 | Bhind (Phoop) | 0.0 | 0.0 | 0.0 | 0.0 | 98.0 | 95.9 | 2.0 | 4.0 | 66.6 | 62.3 | 13.8 | 22.0 |
| 3 | Gohad | 0.0 | 0.0 | 0.0 | 0.0 | 94.8 | 90.0 | 5.2 | 10.0 | 42.4 | 50.3 | 7.3 | 12.0 |
| 4 | Lahar | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 93.2 | 0.0 | 6.8 | 44.8 | 52.4 | 20.3 | 35.9 |
| 5 | Mehgaon | 0.0 | 0.0 | 0.0 | 0.0 | 97.6 | 87.0 | 2.4 | 13.0 | 94.5 | 86.3 | 1.0 | 0.8 |
| 6 | Mihona(Ron) | 0.0 | 0.0 | 0.0 | 0.0 | 99.8 | 89.1 | 0.2 | 10.9 | 84.4 | 79.4 | 5.2 | 8.0 |

| Indicators | | 133 | | 134 | | 135 | | 136 | | 137 | | 138 | |
|------------|---------------|---|---------|---------------------------------|---------|--------------|---------|--------------|---------|--------------|---------|----------------------------|---------|
| | | % Female Inpatient Deaths to Total Inpatient Deaths | | % Inpatient Deaths to Total IPD | | IPD (Number) | | OPD (Number) | | % IPD to OPD | | Number of Major Operations | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 39.6 | 43.7 | 0.6 | 0.7 | 75,586 | 58,911 | 792,618 | 647,178 | 9.5 | 9.1 | 692 | 514 |
| 1 | Ater | | | 0.0 | 0.0 | 2,136 | 965 | 60,572 | 55,613 | 3.5 | 1.7 | 0 | 0 |
| 2 | Bhind (Phoop) | 40.1 | 43.3 | 1.0 | 1.0 | 39,478 | 37,142 | 337,617 | 300,868 | 11.7 | 12.3 | 691 | 514 |
| 3 | Gohad | | 75.0 | 0.0 | 0.0 | 9,600 | 11,575 | 112,052 | 67,704 | 8.6 | 17.1 | 1 | 0 |
| 4 | Lahar | | | 0.0 | 0.0 | 18,989 | 3,613 | 167,326 | 114,423 | 11.3 | 3.2 | 0 | 0 |
| 5 | Mehgaon | 33.3 | | 0.9 | 0.0 | 3,188 | 3,330 | 78,812 | 72,116 | 4.0 | 4.6 | 0 | 0 |
| 6 | Mihona(Ron) | | | 0.0 | 0.0 | 2,195 | 2,286 | 36,239 | 36,454 | 6.1 | 6.3 | 0 | 0 |

| Indicators | | 139 | | 140 | | 141 | | 142 | | 143 | | 144 | |
|------------|---------------|----------------------------|---------|---------------------------------------|---------|----------------------------------|---------|--|---------|--------------------|---------|--------------------------|---------|
| | | Number of Minor Operations | | % Major Operations to Total Operation | | Number of Hysterectomy Surgeries | | % Hysterectomy Surgeries to Total Major Operations | | Ayush OPD (Number) | | % AYUSH OPD to Total OPD | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 7,644 | 3,575 | 8.3 | 12.6 | 87 | 47 | 12.5 | 9.1 | 18,437 | 13,416 | 2.3 | 2.0 |
| 1 | Ater | 3,706 | 1,849 | 0.0 | 0.0 | 0 | 0 | | | 3 | 0 | 0.0 | 0.0 |
| 2 | Bhind (Phoop) | 1,958 | 1,223 | 26.1 | 29.6 | 83 | 47 | 12.0 | 9.1 | 17,413 | 13,402 | 5.2 | 4.5 |
| 3 | Gohad | 647 | 36 | 0.2 | 0.0 | 0 | 0 | 0.0 | | 1,004 | 0 | 0.9 | 0.0 |
| 4 | Lahar | 482 | 32 | 0.0 | 0.0 | 4 | 0 | | | 17 | 14 | 0.0 | 0.0 |
| 5 | Mehgaon | 718 | 435 | 0.0 | 0.0 | 0 | 0 | | | 0 | 0 | 0.0 | 0.0 |
| 6 | Mihona(Ron) | 133 | 0 | 0.0 | | 0 | 0 | | | 0 | 0 | 0.0 | 0.0 |

Performance of Key HMIS Indicators for Madhya Pradesh-> Bhind (Across Sub Districts)
Financial Year: 2015-16
Provisional Figures for the Period April to December

| Indicators | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|------------|---------------|---------------------|---------|---------------------------|---------|--------------------------------|---------|---|---------|---|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 1,328 | 1,604 | 0.2 | 0.2 | 452 | 412 | 3.8 | 5.1 | 1.9 | 3.6 | 0.7 | 0.3 |
| 1 | Ater | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 15.3 | 11.4 | | | 0.5 | 0.0 |
| 2 | Bhind (Phoop) | 1,328 | 1,602 | 0.4 | 0.5 | 303 | 295 | 3.3 | 6.4 | 3.4 | 4.4 | 0.2 | 0.5 |
| 3 | Gohad | 0 | 2 | 0.0 | 0.0 | 0 | 2 | 2.2 | 2.5 | 0.0 | 0.0 | 0.0 | 0.2 |
| 4 | Lahar | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 2.1 | 2.3 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Mehgaon | 0 | 0 | 0.0 | 0.0 | 149 | 104 | 4.5 | 3.9 | | 0.0 | 0.0 | 0.0 |
| 6 | Mihona(Ron) | 0 | 0 | 0.0 | 0.0 | 0 | 11 | 5.8 | 5.8 | | | 6.2 | 0.0 |

| Indicators | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
|------------|---------------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 0.8 | 0.5 | 1.3 | 2.4 | 0.0 | 0.1 | 365 | 138 | 1.7 | 13.3 | 5.4 | 3.9 |
| 1 | Ater | 0.5 | 0.0 | 0.5 | 1.1 | 0.0 | 0.0 | 51 | 8 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Bhind (Phoop) | 0.4 | 0.8 | 0.9 | 1.3 | 0.0 | 0.0 | 160 | 77 | 3.8 | 19.5 | 11.9 | 5.2 |
| 3 | Gohad | 0.0 | 0.1 | 2.2 | 4.6 | 0.0 | 0.3 | 46 | 17 | 0.0 | 16.7 | 0.0 | 0.0 |
| 4 | Lahar | 0.0 | 0.0 | 0.7 | 1.3 | 0.0 | 0.0 | 56 | 29 | 0.0 | 0.0 | 0.0 | 4.2 |
| 5 | Mehgaon | 0.0 | 0.0 | 2.2 | 2.9 | 0.0 | 0.0 | 29 | 6 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Mihona(Ron) | 6.2 | 0.0 | 0.8 | 1.5 | 0.0 | 0.0 | 23 | 1 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|------------|---------------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 | 2015-16 | 2014-15 |
| | _Bhind | 9.9 | 53.1 | 0.6 | 0.8 | 0.8 | 0.8 | 11.3 | 3.1 | 0.0 | 0.0 | 70.4 | 25.0 |
| 1 | Ater | 30.4 | 37.5 | 0.0 | 0.0 | 0.0 | 12.5 | 15.2 | 37.5 | 0.0 | 0.0 | 54.3 | 12.5 |
| 2 | Bhind (Phoop) | 5.0 | 54.5 | 0.0 | 0.0 | 1.3 | 0.0 | 15.0 | 1.3 | 0.0 | 0.0 | 63.1 | 19.5 |
| 3 | Gohad | 0.0 | 41.7 | 0.0 | 8.3 | 0.0 | 0.0 | 2.2 | 0.0 | 0.0 | 0.0 | 97.8 | 33.3 |
| 4 | Lahar | 22.6 | 54.2 | 3.8 | 0.0 | 1.9 | 0.0 | 15.1 | 0.0 | 0.0 | 0.0 | 56.6 | 41.7 |
| 5 | Mehgaon | 3.7 | 83.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 96.3 | 16.7 |
| 6 | Mihona(Ron) | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 |