

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to December

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya	50,603	48,402	97.9	100.3	1,151	1,068	97.8	97.8	35,372	32,838	21,993	18,964
1	East Garo Hills	3,273	2,465	100.0	107.2	33	37	99.0	98.5	1,642	1,015	2,020	1,156
2	East Jaintia Hills												
3	East Khasi Hills	15,971	17,110	96.7	102.5	498	451	97.0	97.4	12,168	12,569	9,888	10,132
4	North Garo Hills												
5	Ri Bhoi	3,841	4,203	99.1	99.6	43	36	98.9	99.2	1,434	1,687	1,222	1,145
6	South Garo Hills	1,491	1,134	100.0	99.6	14	4	99.1	99.6	712	300	955	213
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	11,514	10,811	98.2	98.0	223	240	98.1	97.8	10,820	10,086	3,495	3,192
10	West Jaintia Hills	8,373	7,642	97.9	98.3	234	217	97.3	97.2	5,307	4,129	2,837	1,919
11	West Khasi Hills	6,140	5,037	98.5	98.4	106	83	98.3	98.4	3,289	3,052	1,576	1,207

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to December

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya	59,206	56,665	43.5	39.2	117.0	117.1	58,275	54,634	54,204	50,656	49,601	46,573
1	East Garo Hills	6,805	4,007	61.7	46.9	207.9	162.6	7,057	4,131	6,728	3,499	5,888	3,218
2	East Jaintia Hills												
3	East Khasi Hills	14,715	16,072	61.9	59.2	92.1	93.9	12,214	13,097	11,121	11,985	10,086	10,724
4	North Garo Hills												
5	Ri Bhoi	4,925	4,769	31.8	27.2	128.2	113.5	5,344	5,252	4,943	4,661	4,756	4,266
6	South Garo Hills	2,766	2,740	64.1	18.8	185.5	241.6	2,921	2,488	2,644	2,382	2,301	2,100
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	12,497	12,386	30.4	29.5	108.5	114.6	12,577	12,516	12,348	12,411	11,418	11,978
10	West Jaintia Hills	9,634	9,170	33.9	25.1	115.1	120.0	9,448	9,353	8,567	8,560	7,768	7,845
11	West Khasi Hills	7,864	7,521	25.7	24.0	128.1	149.3	8,714	7,797	7,853	7,158	7,384	6,442

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to December

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya							46,422	40,668	91.7	84.0	42,352	38,922
1	East Garo Hills							5,245	2,790	160.3	113.2	4,006	2,815
2	East Jaintia Hills												
3	East Khasi Hills							8,632	9,642	54.0	56.4	8,369	8,735
4	North Garo Hills												
5	Ri Bhoi							4,146	3,726	107.9	88.7	3,842	3,556
6	South Garo Hills							2,175	1,510	145.9	133.2	1,682	1,837
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills							11,065	10,864	96.1	100.5	10,187	10,488
10	West Jaintia Hills							7,933	6,691	94.7	87.6	7,381	6,381
11	West Khasi Hills							7,226	5,445	117.7	108.1	6,885	5,110

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
 Financial Year: 2010-11  
 Provisional Figures for the Period April to December

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya	21.6	28.2	53,824	27,252	106.4	56.3	29.3	15.7	12	1	81.9	78.5
1	East Garo Hills	22.9	30.4	3,617	1,640	110.5	66.5	84.2	30.0			83.8	75.3
2	East Jaintia Hills												
3	East Khasi Hills	41.3	40.0	12,113	10,148	75.8	59.3	9.2	4.7	12		93.8	89.1
4	North Garo Hills												
5	Ri Bhoi	15.8	21.9	4,922	2,505	128.1	59.6	6.2	8.6			86.8	87.6
6	South Garo Hills	21.4	44.9	2,172	1,044	145.7	92.1	35.7	25.2			68.4	81.4
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	11.5	12.3	11,526	5,875	100.1	54.3	49.2	28.0			80.9	83.4
10	West Jaintia Hills	17.7	27.0	11,606	3,237	138.6	42.4	32.4	28.6		1	89.0	87.2
11	West Khasi Hills	8.1	27.6	7,868	2,803	128.1	55.6	14.2	9.5			62.2	49.8

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to December

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya	62.8	60.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East Garo Hills	72.5	63.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	East Jaintia Hills												
3	East Khasi Hills	64.7	63.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	North Garo Hills												
5	Ri Bhoi	61.2	57.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	South Garo Hills	58.5	75.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	78.6	79.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	West Jaintia Hills	48.8	45.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West Khasi Hills	44.8	36.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to December

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya	1.0	2.2	89.1	76.9	9.9	20.9	1,655	1,283	5.6	4.0	8.7	7.6
1	East Garo Hills	1.5	2.8	56.3	32.7	42.1	64.4	30	49	28.6	10.2	14.3	10.2
2	East Jaintia Hills												
3	East Khasi Hills	0.6	2.7	98.6	92.4	0.8	4.8	785	552	5.0	3.6	9.2	8.4
4	North Garo Hills												
5	Ri Bhoi	1.7	1.2	92.8	91.7	5.5	7.1	48	48	2.3	2.1	4.7	19.1
6	South Garo Hills	1.8	0.1	57.8	42.5	40.4	57.4	40	27	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	2.6	1.7	70.3	52.6	27.2	45.8	334	404	3.3	3.2	7.9	4.3
10	West Jaintia Hills	0.3	3.0	99.1	96.1	0.5	0.8	229	153	12.7	4.8	14.2	9.0
11	West Khasi Hills	0.2	1.5	96.0	89.7	3.8	8.8	189	50	0.0	8.7	2.3	13.0

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to December

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Meghalaya	5.8	6.0	13.1	8.1	3.0	2.2	12.3	16.2	0.2	1.2	51.3	54.7
1	East Garo Hills	0.0	2.0	0.0	2.0	3.6	2.0	21.4	14.3	0.0	8.2	32.1	51.0
2	East Jaintia Hills												
3	East Khasi Hills	3.5	3.4	11.4	6.8	1.8	0.5	4.2	6.6	0.2	0.7	64.8	70.0
4	North Garo Hills												
5	Ri Bhoi	4.7	2.1	9.3	6.4	7.0	8.5	23.3	19.1	0.0	0.0	48.8	42.6
6	South Garo Hills	6.3	0.0	9.4	0.0	0.0	15.4	15.6	76.9	0.0	0.0	68.8	7.7
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	10.5	7.7	21.7	12.0	1.6	0.8	27.6	25.3	0.0	0.5	27.3	46.3
10	West Jaintia Hills	9.4	15.2	10.4	6.9	5.2	3.4	3.3	12.4	0.5	2.8	44.3	45.5
11	West Khasi Hills	0.0	0.0	9.2	4.3	6.9	13.0	18.5	10.9	0.0	0.0	63.1	50.0