

Performance of Key HMIS Indicators for Rajasthan-> Jodhpur (Across Sub Districts)
Financial Year: 2014-15
Provisional Figures for the Period April to December

| Indicators | | 1 | | 2 | | 3 | | 4 | | 5 | | 6 | |
|------------|---------------|---|---------|--|---------|--------------------------------------|---------|---|---------|--|---------|---|---------|
| | | Total number of pregnant women Registered for ANC | | Number of Pregnant women registered within first trimester | | Number of Women registered under JSY | | % 1st Trimester registration to Total ANC Registrations | | % JSY registration to Total ANC Registration | | Number of pregnant women received 3 ANC check ups | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 98,158 | 95,951 | 49,217 | 40,156 | 76,052 | 66,334 | 50.1 | 41.8 | 77.5 | 69.1 | 67,265 | 60,266 |
| 1 | Balesar | 3,599 | 3,401 | 2,356 | 895 | 3,599 | 3,401 | 65.5 | 26.3 | 100.0 | 100.0 | 2,785 | 2,097 |
| 2 | Bap | 2,711 | 2,683 | 884 | 769 | 2,439 | 2,498 | 32.6 | 28.7 | 90.0 | 93.1 | 1,472 | 1,454 |
| 3 | Bawri | 2,887 | 3,156 | 1,198 | 1,076 | 2,762 | 2,915 | 41.5 | 34.1 | 95.7 | 92.4 | 2,192 | 1,898 |
| 4 | Bhopalgarh | 4,174 | 4,204 | 3,285 | 1,583 | 4,173 | 4,146 | 78.7 | 37.7 | 100.0 | 98.6 | 3,703 | 3,076 |
| 5 | Bilara | 4,895 | 5,200 | 1,842 | 1,579 | 4,817 | 5,173 | 37.6 | 30.4 | 98.4 | 99.5 | 3,408 | 3,520 |
| 6 | Jodhpur | 57,117 | 55,676 | 27,271 | 27,204 | 35,646 | 26,796 | 47.7 | 48.9 | 62.4 | 48.1 | 34,695 | 34,017 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 5,254 | 5,149 | 2,642 | 1,700 | 5,254 | 5,142 | 50.3 | 33.0 | 100.0 | 99.9 | 4,948 | 3,787 |
| 9 | Mandor | 3,612 | 3,602 | 1,393 | 1,170 | 3,521 | 3,530 | 38.6 | 32.5 | 97.5 | 98.0 | 2,941 | 2,568 |
| 10 | Osian | 4,949 | 4,811 | 4,381 | 1,497 | 4,945 | 4,813 | 88.5 | 31.1 | 99.9 | 100.0 | 4,744 | 3,164 |
| 11 | Phalodi | 5,442 | 4,835 | 2,542 | 1,748 | 5,391 | 4,707 | 46.7 | 36.2 | 99.1 | 97.4 | 3,597 | 2,671 |
| 12 | Shergarh | 3,518 | 3,234 | 1,423 | 935 | 3,505 | 3,213 | 40.4 | 28.9 | 99.6 | 99.4 | 2,780 | 2,014 |

Performance of Key HMIS Indicators for Rajasthan-> Jodhpur (Across Sub Districts)
Financial Year: 2014-15
Provisional Figures for the Period April to December

| Indicators | | 7 | | 8 | | 9 | | 10 | | 11 | | 12 | |
|------------|---------------|--|---------|--|---------|--|---------|--|---------|--|---------|--|---------|
| | | TT2 or Booster given to Pregnant women (numbers) | | % Pregnant Woman received 3 ANC check ups to Total ANC Registrations | | % Pregnant women received TT2 or Booster to Total ANC Registration | | Number of Pregnant women given 100 IFA tablets | | % Pregnant women given 100 IFA to Total ANC Registration | | Number having Hb level<11 (tested cases) | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 62,909 | 71,179 | 68.5 | 62.8 | 64.0 | 74.1 | 74,453 | 85,223 | 75.8 | 88.8 | 26,250 | 10,121 |
| 1 | Balesar | 3,143 | 3,141 | 77.4 | 61.7 | 87.3 | 92.4 | 3,546 | 2,802 | 98.5 | 82.4 | 496 | 459 |
| 2 | Bap | 2,523 | 2,382 | 54.3 | 54.2 | 93.1 | 88.8 | 2,988 | 2,598 | 110.2 | 96.8 | 168 | 315 |
| 3 | Bawri | 2,854 | 2,841 | 75.9 | 60.1 | 98.9 | 90.0 | 2,798 | 3,246 | 96.9 | 102.9 | 483 | 534 |
| 4 | Bhopalgarh | 3,824 | 3,862 | 88.7 | 73.2 | 91.6 | 91.9 | 4,482 | 4,025 | 107.4 | 95.7 | 171 | 313 |
| 5 | Bilara | 4,626 | 4,974 | 69.6 | 67.7 | 94.5 | 95.7 | 3,739 | 4,018 | 76.4 | 77.3 | 1,682 | 1,126 |
| 6 | Jodhpur | 24,082 | 34,287 | 60.7 | 61.1 | 42.2 | 61.6 | 34,895 | 51,866 | 61.1 | 93.2 | 18,321 | 2,710 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 5,352 | 5,026 | 94.2 | 73.5 | 101.9 | 97.6 | 4,948 | 3,787 | 94.2 | 73.5 | 735 | 666 |
| 9 | Mandor | 3,521 | 3,526 | 81.4 | 71.3 | 97.5 | 97.9 | 3,607 | 2,814 | 99.9 | 78.1 | 917 | 936 |
| 10 | Osian | 5,807 | 4,374 | 95.9 | 65.8 | 117.3 | 90.9 | 5,097 | 3,517 | 103.0 | 73.1 | 1,317 | 744 |
| 11 | Phalodi | 4,204 | 3,914 | 66.1 | 55.2 | 77.3 | 81.0 | 5,244 | 4,172 | 96.4 | 86.3 | 1,143 | 1,830 |
| 12 | Shergarh | 2,973 | 2,852 | 79.0 | 62.3 | 84.5 | 88.2 | 3,109 | 2,378 | 88.4 | 73.5 | 817 | 488 |

| Indicators | | 13 | | 14 | | 15 | | 16 | | 17 | | 18 | |
|------------|---------------|--|---------|--|---------|---|---------|---------------------------|---------|--|---------|--|---------|
| | | Number having severe anaemia (Hb<7) treated at institution | | % Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11 | | % New cases detected at institution for hypertension to Total ANC Registrations | | Number of Home deliveries | | Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM) | | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 2,388 | 475 | 9.1 | 4.7 | 1.2 | 1.1 | 7,181 | 6,796 | 4,472 | 2,801 | 2,709 | 3,995 |
| 1 | Balesar | 23 | 4 | 4.6 | 0.9 | 3.5 | 2.4 | 773 | 964 | 321 | 252 | 452 | 712 |
| 2 | Bap | 72 | 9 | 42.9 | 2.9 | 0.4 | 1.2 | 1,265 | 669 | 761 | 208 | 504 | 461 |
| 3 | Bawri | 4 | 0 | 0.8 | 0.0 | 0.2 | 1.7 | 58 | 60 | 36 | 33 | 22 | 27 |
| 4 | Bhopalgarh | 0 | 0 | 0.0 | 0.0 | 0.0 | 3.7 | 298 | 120 | 175 | 81 | 123 | 39 |
| 5 | Bilara | 26 | 54 | 1.5 | 4.8 | 4.5 | 1.9 | 642 | 389 | 352 | 193 | 290 | 196 |
| 6 | Jodhpur | 2,205 | 261 | 12.0 | 9.6 | 0.6 | 0.7 | | | | | | |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 0 | 0 | 0.0 | 0.0 | 0.1 | 0.2 | 678 | 646 | 677 | 74 | 1 | 572 |
| 9 | Mandor | 0 | 0 | 0.0 | 0.0 | 0.6 | 0.2 | 204 | 184 | 149 | 43 | 55 | 141 |
| 10 | Osian | 9 | 12 | 0.7 | 1.6 | 7.7 | 3.8 | 1,033 | 1,008 | 1,032 | 647 | 1 | 361 |
| 11 | Phalodi | 48 | 128 | 4.2 | 7.0 | 0.3 | 0.4 | 1,847 | 2,295 | 942 | 1,187 | 905 | 1,108 |
| 12 | Shergarh | 1 | 7 | 0.1 | 1.4 | 0.5 | 1.2 | 383 | 461 | 27 | 83 | 356 | 378 |

| Indicators | | 19 | | 20 | | 21 | | 22 | | 23 | | 24 | |
|------------|---------------|--|---------|--|---------|--|---------|---|---------|--|---------|--|---------|
| | | % SBA attended home deliveries to Total Reported Home Deliveries | | Mothers paid JSY incentive for home deliveries | | % Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries | | Deliveries Conducted at Public Institutions | | Number of Women Discharged under 48 hours of delivery in public facilities | | % Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 62.2 | 41.2 | 57 | 30 | 0.8 | 0.4 | 46,115 | 46,371 | 12,647 | 34,937 | 27.4 | 75.3 |
| 1 | Balesar | 41.5 | 26.1 | 1 | 7 | 0.1 | 0.7 | 2,947 | 2,676 | 831 | 1,742 | 28.2 | 65.1 |
| 2 | Bap | 60.2 | 31.1 | 25 | 2 | 2.0 | 0.3 | 1,216 | 1,192 | 425 | 947 | 35.0 | 79.4 |
| 3 | Bawri | 62.1 | 55.0 | 1 | 0 | 1.7 | 0.0 | 1,275 | 1,165 | 293 | 523 | 23.0 | 44.9 |
| 4 | Bhopalgarh | 58.7 | 67.5 | 0 | 0 | 0.0 | 0.0 | 3,422 | 3,491 | 107 | 2,221 | 3.1 | 63.6 |
| 5 | Bilara | 54.8 | 49.6 | 2 | 7 | 0.3 | 1.8 | 3,427 | 3,775 | 810 | 3,294 | 23.6 | 87.3 |
| 6 | Jodhpur | | | | | | | 20,183 | 19,997 | 8,412 | 16,941 | 41.7 | 84.7 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 99.9 | 11.5 | 7 | 4 | 1.0 | 0.6 | 2,043 | 2,258 | 176 | 1,626 | 8.6 | 72.0 |
| 9 | Mandor | 73.0 | 23.4 | 3 | 0 | 1.5 | 0.0 | 2,561 | 2,405 | 271 | 1,628 | 10.6 | 67.7 |
| 10 | Osian | 99.9 | 64.2 | 2 | 0 | 0.2 | 0.0 | 3,753 | 4,179 | 201 | 3,012 | 5.4 | 72.1 |
| 11 | Phalodi | 51.0 | 51.7 | 16 | 9 | 0.9 | 0.4 | 2,436 | 2,521 | 506 | 1,525 | 20.8 | 60.5 |
| 12 | Shergarh | 7.0 | 18.0 | 0 | 1 | 0.0 | 0.2 | 2,852 | 2,712 | 615 | 1,478 | 21.6 | 54.5 |

| Indicators | | 25 | | 26 | | 27 | | 28 | | 29 | | 30 | |
|------------|---------------|---|---------|--|---------|---------------------------|---------|---|---------|--|---------|--|---------|
| | | Institutional deliveries (Public Insts.+Pvt. Insts.) | | % Institutional Deliveries to total ANC registration | | Total reported deliveries | | % Institutional deliveries to Total Reported Deliveries | | % Safe deliveries to Total Reported Deliveries | | % Home deliveries to Total Reported Deliveries | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 53,456 | 54,886 | 54.4 | 57.2 | 60,637 | 61,682 | 88.2 | 89.0 | 95.5 | 93.5 | 11.8 | 11.0 |
| 1 | Balesar | 2,947 | 2,676 | 81.9 | 78.7 | 3,720 | 3,640 | 79.2 | 73.5 | 87.8 | 80.4 | 20.8 | 26.5 |
| 2 | Bap | 1,216 | 1,192 | 44.9 | 44.4 | 2,481 | 1,861 | 49.0 | 64.1 | 79.7 | 75.2 | 51.0 | 35.9 |
| 3 | Bawri | 1,315 | 1,194 | 45.5 | 37.8 | 1,373 | 1,254 | 95.8 | 95.2 | 98.4 | 97.8 | 4.2 | 4.8 |
| 4 | Bhopalgarh | 3,422 | 3,491 | 82.0 | 83.0 | 3,720 | 3,611 | 92.0 | 96.7 | 96.7 | 98.9 | 8.0 | 3.3 |
| 5 | Bilara | 3,489 | 3,792 | 71.3 | 72.9 | 4,131 | 4,181 | 84.5 | 90.7 | 93.0 | 95.3 | 15.5 | 9.3 |
| 6 | Jodhpur | 27,155 | 28,376 | 47.5 | 51.0 | 27,155 | 28,376 | 100.0 | 100.0 | 100.0 | 100.0 | 0.0 | 0.0 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 2,043 | 2,258 | 38.9 | 43.9 | 2,721 | 2,904 | 75.1 | 77.8 | 100.0 | 80.3 | 24.9 | 22.2 |
| 9 | Mandor | 2,561 | 2,405 | 70.9 | 66.8 | 2,765 | 2,589 | 92.6 | 92.9 | 98.0 | 94.6 | 7.4 | 7.1 |
| 10 | Osian | 3,753 | 4,179 | 75.8 | 86.9 | 4,786 | 5,187 | 78.4 | 80.6 | 100.0 | 93.0 | 21.6 | 19.4 |
| 11 | Phalodi | 2,703 | 2,611 | 49.7 | 54.0 | 4,550 | 4,906 | 59.4 | 53.2 | 80.1 | 77.4 | 40.6 | 46.8 |
| 12 | Shergarh | 2,852 | 2,712 | 81.1 | 83.9 | 3,235 | 3,173 | 88.2 | 85.5 | 89.0 | 88.1 | 11.8 | 14.5 |

| Indicators | | 31 | | 32 | | 33 | | 34 | | 35 | | 36 | |
|------------|---------------|---|---------|--|---------|---|---------|--|---------|--|---------|---|---------|
| | | Number of C-section deliveries conducted at public facilities | | Number of C-section deliveries conducted at private facilities | | % C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries | | % C-sections conducted at public facilities to Deliveries conducted at public facilities | | % C-sections conducted at Private facilities to Deliveries conducted at private facilities | | % Deliveries conducted at Public Institutions to Total Institutional Deliveries | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 6,027 | 3,018 | 3,594 | 2,517 | 17.9 | 10.0 | 13.1 | 6.5 | 49.0 | 29.6 | 86.3 | 84.5 |
| 1 | Balesar | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 2 | Bap | 0 | 0 | | 0 | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 3 | Bawri | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 97.0 | 97.6 |
| 4 | Bhopalgarh | 2 | 9 | | | 0.1 | 0.3 | 0.1 | 0.3 | | | 100.0 | 100.0 |
| 5 | Bilara | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 98.2 | 99.6 |
| 6 | Jodhpur | 6,025 | 3,009 | 3,393 | 2,517 | 34.7 | 19.5 | 29.9 | 15.0 | 48.7 | 30.0 | 74.3 | 70.5 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 9 | Mandor | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 10 | Osian | 0 | 0 | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 11 | Phalodi | 0 | 0 | 201 | 0 | 7.4 | 0.0 | 0.0 | 0.0 | 75.3 | 0.0 | 90.1 | 96.6 |
| 12 | Shergarh | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |

| Indicators | | 37 | | 38 | | 39 | | 40 | | 41 | | 42 | |
|------------|---------------|--|---------|---|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries | | % of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries | | % Deliveries conducted at Private Institutions to Total Institutional Deliveries | | Women received post partum check-up within 48 hours of delivery | | Post - Natal Care / Women got a post partum check up between 48 hours and 14 days | | % Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 97.2 | 93.4 | 12.8 | 10.3 | 13.7 | 15.5 | 33,596 | 25,753 | 21,901 | 17,540 | 55.4 | 41.8 |
| 1 | Balesar | 99.9 | 99.8 | 8.3 | 11.5 | 0.0 | 0.0 | 2,309 | 1,679 | 1,448 | 973 | 62.1 | 46.1 |
| 2 | Bap | 101.3 | 98.2 | 14.1 | 7.3 | 0.0 | 0.0 | 1,178 | 1,134 | 789 | 927 | 47.5 | 60.9 |
| 3 | Bawri | 103.5 | 99.8 | 40.6 | 23.5 | 3.0 | 2.4 | 1,030 | 1,316 | 490 | 945 | 75.0 | 104.9 |
| 4 | Bhopalgarh | 99.3 | 98.1 | 39.9 | 27.8 | 0.0 | 0.0 | 1,580 | 3,898 | 1,057 | 1,200 | 42.5 | 107.9 |
| 5 | Bilara | 84.3 | 98.5 | 18.0 | 15.1 | 1.8 | 0.4 | 2,312 | 3,655 | 1,251 | 1,556 | 56.0 | 87.4 |
| 6 | Jodhpur | 96.1 | 87.1 | 0.8 | 0.7 | 25.7 | 29.5 | 12,749 | 2,579 | 5,509 | 2,043 | 46.9 | 9.1 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 99.0 | 99.9 | 44.2 | 30.1 | 0.0 | 0.0 | 974 | 1,292 | 2,510 | 2,671 | 35.8 | 44.5 |
| 9 | Mandor | 100.2 | 98.0 | 45.1 | 46.7 | 0.0 | 0.0 | 2,227 | 1,863 | 1,762 | 1,566 | 80.5 | 72.0 |
| 10 | Osian | 100.0 | 99.5 | 9.2 | 12.4 | 0.0 | 0.0 | 4,960 | 4,491 | 4,338 | 2,827 | 103.6 | 86.6 |
| 11 | Phalodi | 100.4 | 92.4 | 8.1 | 2.7 | 9.9 | 3.4 | 2,682 | 2,482 | 1,705 | 1,891 | 58.9 | 50.6 |
| 12 | Shergarh | 99.8 | 98.6 | 7.1 | 2.1 | 0.0 | 0.0 | 1,595 | 1,364 | 1,042 | 941 | 49.3 | 43.0 |

| Indicators | | 43 | | 44 | | 45 | | 46 | | 47 | | 48 | |
|------------|---------------|--|---------|--------------------------------------|---------|--|---------|---------------------------------------|---------|--------------------------------|---------|-------------------------------------|---------|
| | | % Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries | | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | Total Number of reported Still Births | | % live birth to Reported Birth | | Number of Newborns weighed at birth | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 36.1 | 28.4 | 59,676 | 61,557 | 98.4 | 99.8 | 1,192 | 464 | 98.0 | 99.3 | 48,404 | 56,712 |
| 1 | Balesar | 38.9 | 26.7 | 3,513 | 3,246 | 94.4 | 89.2 | 40 | 47 | 98.9 | 98.6 | 3,446 | 2,887 |
| 2 | Bap | 31.8 | 49.8 | 2,170 | 1,932 | 87.5 | 103.8 | 23 | 26 | 99.0 | 98.7 | 1,745 | 1,747 |
| 3 | Bawri | 35.7 | 75.4 | 1,333 | 1,221 | 97.1 | 97.4 | 22 | 22 | 98.4 | 98.2 | 1,239 | 1,120 |
| 4 | Bhopalgarh | 28.4 | 33.2 | 3,405 | 3,559 | 91.5 | 98.6 | 91 | 90 | 97.4 | 97.5 | 3,394 | 3,349 |
| 5 | Bilara | 30.3 | 37.2 | 3,629 | 4,049 | 87.8 | 96.8 | 29 | 43 | 99.2 | 98.9 | 2,956 | 3,962 |
| 6 | Jodhpur | 20.3 | 7.2 | 27,503 | 29,374 | 101.3 | 103.5 | 774 | 51 | 97.3 | 99.8 | 18,486 | 26,122 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 92.2 | 92.0 | 2,768 | 2,937 | 101.7 | 101.1 | 42 | 47 | 98.5 | 98.4 | 2,768 | 2,933 |
| 9 | Mandor | 63.7 | 60.5 | 2,715 | 2,630 | 98.2 | 101.6 | 35 | 18 | 98.7 | 99.3 | 2,238 | 2,623 |
| 10 | Osian | 90.6 | 54.5 | 5,011 | 5,264 | 104.7 | 101.5 | 18 | 37 | 99.6 | 99.3 | 5,012 | 5,253 |
| 11 | Phalodi | 37.5 | 38.5 | 4,426 | 4,207 | 97.3 | 85.8 | 57 | 26 | 98.7 | 99.4 | 4,387 | 4,057 |
| 12 | Shergarh | 32.2 | 29.7 | 3,203 | 3,138 | 99.0 | 98.9 | 61 | 57 | 98.1 | 98.2 | 2,733 | 2,659 |

| Indicators | | 49 | | 50 | | 51 | | 52 | | 53 | | 54 | |
|------------|---------------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Newborns weighed at birth to live birth | | Number of Newborns having weight less than 2.5 kg | | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | | Number of New Borns Breast Fed within 1 hour | | % Newborns breast fed within 1 hour of birth to Total live birth | | Number of New Borns visited within 24 hrs of Home Delivery | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 81.1 | 92.1 | 14,604 | 15,687 | 30.1 | 27.6 | 46,183 | 53,663 | 77.3 | 87.1 | 4,806 | 3,508 |
| 1 | Balesar | 98.1 | 88.9 | 1 | 146 | 0.0 | 5.1 | 3,473 | 3,004 | 98.9 | 92.5 | 441 | 587 |
| 2 | Bap | 80.4 | 90.4 | 1,829 | 1,018 | 104.8 | 58.3 | 1,902 | 1,773 | 87.6 | 91.8 | 601 | 295 |
| 3 | Bawri | 92.9 | 91.7 | 653 | 519 | 52.7 | 46.3 | 1,196 | 1,182 | 89.7 | 96.8 | 117 | 42 |
| 4 | Bhopalgarh | 99.7 | 94.1 | 73 | 1,227 | 2.2 | 36.6 | 3,391 | 3,410 | 99.6 | 95.8 | 212 | 71 |
| 5 | Bilara | 81.5 | 97.9 | 1,267 | 403 | 42.9 | 10.2 | 3,405 | 3,942 | 93.8 | 97.4 | 362 | 177 |
| 6 | Jodhpur | 67.2 | 88.9 | 9,097 | 10,745 | 49.2 | 41.1 | 14,987 | 22,698 | 54.5 | 77.3 | | |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 100.0 | 99.9 | 11 | 29 | 0.4 | 1.0 | 2,768 | 2,933 | 100.0 | 99.9 | 443 | 407 |
| 9 | Mandor | 82.4 | 99.7 | 1,205 | 1,249 | 53.8 | 47.6 | 2,716 | 2,673 | 100.0 | 101.6 | 123 | 120 |
| 10 | Osian | 100.0 | 99.8 | 0 | 8 | 0.0 | 0.2 | 5,012 | 5,248 | 100.0 | 99.7 | 1,023 | 259 |
| 11 | Phalodi | 99.1 | 96.4 | 227 | 299 | 5.2 | 7.4 | 4,375 | 4,072 | 98.8 | 96.8 | 1,356 | 1,461 |
| 12 | Shergarh | 85.3 | 84.7 | 241 | 44 | 8.8 | 1.7 | 2,958 | 2,728 | 92.4 | 86.9 | 128 | 89 |

| Indicators | | 55 | | 56 | | 57 | | 58 | | 59 | | 60 | |
|------------|---------------|--|---------|--|---------|--|---------|---|---------|--|---------|---|---------|
| | | % newborns visited within 24hrs of home delivery to total reported home deliveries | | Sex Ratio at birth (Female Live Birrths/ Male Births *1000) | | % cases of Pregnant women with Obstetric Complications and attended to reported deliveries | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension | | % Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 66.9 | 51.6 | 930 | 935 | 3.9 | 2.9 | 7.3 | 41.2 | 13.4 | 61.8 | 7.7 | 25.0 |
| 1 | Balesar | 57.1 | 60.9 | 1,005 | 967 | 0.0 | 3.6 | | 0.0 | 0.0 | 0.0 | | 0.0 |
| 2 | Bap | 47.5 | 44.1 | 973 | 973 | 0.0 | 3.6 | | 0.0 | 0.0 | 0.0 | | 0.0 |
| 3 | Bawri | 201.7 | 70.0 | 952 | 941 | 0.7 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | |
| 4 | Bhopalgarh | 71.1 | 59.2 | 925 | 953 | 0.0 | 0.0 | | | 0.0 | 0.0 | | |
| 5 | Bilara | 56.4 | 45.5 | 897 | 916 | 11.3 | 23.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Jodhpur | | | 909 | 936 | 5.2 | 0.9 | 10.5 | 245.3 | 45.0 | 157.0 | 10.8 | 161.9 |
| 7 | Jodhpur Urban | | | 0 | 0 | | | | | | | | |
| 8 | Luni | 65.3 | 63.0 | 933 | 884 | 1.6 | 4.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 9 | Mandor | 60.3 | 65.2 | 927 | 941 | 0.0 | 0.0 | | | 0.0 | 0.0 | | |
| 10 | Osian | 99.0 | 25.7 | 962 | 912 | 0.0 | 0.0 | | | 0.0 | 0.0 | | |
| 11 | Phalodi | 73.4 | 63.7 | 919 | 904 | 8.8 | 7.3 | 1.7 | 30.0 | 21.1 | 271.4 | 3.4 | 1.6 |
| 12 | Shergarh | 33.4 | 19.3 | 1,012 | 995 | 0.0 | 1.3 | | 0.0 | 0.0 | 0.0 | | 0.0 |

| Indicators | | 61 | | 62 | | 63 | | 64 | | 65 | | 66 | |
|------------|---------------|---|---------|--|---------|---|---------|------------------------------|---------|---|---------|---|---------|
| | | % Post - Natal Care / PNC maternal complications attended to Total Deliveries | | Total Number of Abortions (Spontaneous/ Induced) Reported | | Total Number of MTPs (Public) reported | | % MTPs (Public) to Abortions | | % MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions | | % MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 0.4 | 0.4 | 1,881 | 159 | 1,712 | 172 | 91.0 | 108.2 | 74.1 | 98.3 | 25.9 | 1.7 |
| 1 | Balesar | 0.3 | 0.1 | 6 | 2 | 0 | 0 | 0.0 | 0.0 | | | | |
| 2 | Bap | 0.0 | 0.3 | 2 | 1 | 0 | 0 | 0.0 | 0.0 | | | | |
| 3 | Bawri | 0.3 | 0.4 | 7 | 3 | 0 | 3 | 0.0 | 100.0 | | 100.0 | | 0.0 |
| 4 | Bhopalgarh | 0.1 | 0.3 | 2 | 4 | 0 | 6 | 0.0 | 150.0 | | 50.0 | | 50.0 |
| 5 | Bilara | 2.3 | 1.8 | 46 | 44 | 108 | 150 | 234.8 | 340.9 | 96.3 | 100.0 | 3.7 | 0.0 |
| 6 | Jodhpur | 0.2 | 0.2 | 1,724 | 38 | 1,580 | 5 | 91.6 | 13.2 | 72.2 | 100.0 | 27.8 | 0.0 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 0.0 | 0.4 | 31 | 20 | 17 | 0 | 54.8 | 0.0 | 100.0 | | 0.0 | |
| 9 | Mandor | 0.8 | 0.6 | 9 | 9 | 4 | 0 | 44.4 | 0.0 | 100.0 | | 0.0 | |
| 10 | Osian | 0.0 | 0.1 | 2 | 1 | 1 | 0 | 50.0 | 0.0 | 100.0 | | 0.0 | |
| 11 | Phalodi | 0.3 | 0.1 | 37 | 26 | 1 | 5 | 2.7 | 19.2 | 100.0 | 100.0 | 0.0 | 0.0 |
| 12 | Shergarh | 1.2 | 1.2 | 15 | 11 | 1 | 3 | 6.7 | 27.3 | 100.0 | 100.0 | 0.0 | 0.0 |

| Indicators | | 67 | | 68 | | 69 | | 70 | | 71 | | 72 | |
|------------|---------------|--|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % MTPs Conducted at Public Institutions to Total MTPs | | % MTPs Conducted at Private Institutions to Total MTPs | | % Total MTPs (Public) Conducted to Total ANC Registration | | % Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated | | Number of Vasectomies Conducted (Public + Pvt.) | | Number of Tubectomies Conducted (Public + Pvt.) | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 98.0 | 90.5 | 2.0 | 9.5 | 1.7 | 0.2 | 0.7 | 21.7 | 32 | 42 | 11,029 | 9,608 |
| 1 | Balesar | | | | | 0.0 | 0.0 | 0.0 | 33.2 | 0 | 0 | 798 | 769 |
| 2 | Bap | | | | | 0.0 | 0.0 | | | 0 | 0 | 296 | 246 |
| 3 | Bawri | | 100.0 | | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0 | 9 | 431 | 277 |
| 4 | Bhopalgarh | | 100.0 | | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 2 | 0 | 571 | 552 |
| 5 | Bilara | 100.0 | 100.0 | 0.0 | 0.0 | 2.2 | 2.9 | 6.5 | 3.0 | 1 | 0 | 825 | 921 |
| 6 | Jodhpur | 100.0 | 100.0 | 0.0 | 0.0 | 2.8 | 0.0 | 0.0 | 0.0 | 26 | 28 | 3,526 | 2,671 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 100.0 | | 0.0 | | 0.3 | 0.0 | 0.0 | 0.0 | 1 | 0 | 779 | 821 |
| 9 | Mandor | 100.0 | | 0.0 | | 0.1 | 0.0 | 0.0 | 0.0 | 0 | 0 | 761 | 662 |
| 10 | Osian | 100.0 | | 0.0 | | 0.0 | 0.0 | | | 1 | 5 | 1,182 | 1,138 |
| 11 | Phalodi | 2.8 | 21.7 | 97.2 | 78.3 | 0.0 | 0.1 | 0.0 | 3.3 | 0 | 0 | 1,048 | 798 |
| 12 | Shergarh | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 1 | 0 | 812 | 753 |

| Indicators | | 73 | | 74 | | 75 | | 76 | | 77 | | 78 | |
|------------|---------------|-------------------------------|---------|---|---------|--------------------------------------|---------|--|---------|--|---------|---|---------|
| | | Total Sterilisation Conducted | | % Male Sterilisation (Vasectomies) to Total sterilisation | | % Tubectomies to Total sterilisation | | Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 11,061 | 9,650 | 0.2 | 0.4 | 99.7 | 99.6 | 2,644 | 2,675 | 5,005 | 4,409 | 1,343 | 1,486 |
| 1 | Balesar | 798 | 769 | 0.0 | 0.0 | 100.0 | 100.0 | 313 | 203 | 485 | 472 | | |
| 2 | Bap | 296 | 246 | 0.0 | 0.0 | 100.0 | 100.0 | 59 | 141 | 237 | 105 | | |
| 3 | Bawri | 431 | 286 | 0.0 | 3.1 | 100.0 | 96.9 | 145 | 286 | 286 | | | |
| 4 | Bhopalgarh | 573 | 552 | 0.3 | 0.0 | 99.7 | 100.0 | 57 | 83 | 516 | 469 | | |
| 5 | Bilara | 826 | 921 | 0.1 | 0.0 | 99.9 | 100.0 | 195 | 141 | 631 | 780 | | |
| 6 | Jodhpur | 3,552 | 2,699 | 0.7 | 1.0 | 99.3 | 99.0 | 150 | 228 | | | 1,343 | 1,486 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 780 | 821 | 0.1 | 0.0 | 99.9 | 100.0 | 264 | 273 | 516 | 548 | | |
| 9 | Mandor | 761 | 662 | 0.0 | 0.0 | 100.0 | 100.0 | 304 | 251 | 457 | 411 | | |
| 10 | Osian | 1,183 | 1,143 | 0.1 | 0.4 | 99.9 | 99.6 | 398 | 327 | 785 | 816 | | |
| 11 | Phalodi | 1,048 | 798 | 0.0 | 0.0 | 100.0 | 100.0 | 408 | 360 | 630 | 437 | | |
| 12 | Shergarh | 813 | 753 | 0.1 | 0.0 | 99.9 | 100.0 | 351 | 382 | 462 | 371 | | |

| Indicators | | 79 | | 80 | | 81 | | 82 | | 83 | | 84 | |
|------------|---------------|--|---------|---|---------|---|---------|---|---------|--|---------|---|---------|
| | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | | | 2 | 0 | 23.9 | 27.7 | 45.2 | 45.7 | 12.1 | 15.4 | 0.0 | 0.0 |
| 1 | Balesar | | | 0 | | 39.2 | 26.4 | 60.8 | 61.4 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Bap | | | | 0 | 19.9 | 57.3 | 80.1 | 42.7 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Bawri | | | 0 | 0 | 33.6 | 100.0 | 66.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Bhopalgarh | | | | | 9.9 | 15.0 | 90.1 | 85.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Bilara | | | | | 23.6 | 15.3 | 76.4 | 84.7 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Jodhpur | | | 2 | 0 | 4.2 | 8.4 | 0.0 | 0.0 | 37.8 | 55.1 | 0.0 | 0.0 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | | | 0 | 0 | 33.8 | 33.3 | 66.2 | 66.7 | 0.0 | 0.0 | 0.0 | 0.0 |
| 9 | Mandor | | | 0 | 0 | 39.9 | 37.9 | 60.1 | 62.1 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | Osian | | | 0 | 0 | 33.6 | 28.6 | 66.4 | 71.4 | 0.0 | 0.0 | 0.0 | 0.0 |
| 11 | Phalodi | | | 0 | 0 | 38.9 | 45.1 | 60.1 | 54.8 | 0.0 | 0.0 | 0.0 | 0.0 |
| 12 | Shergarh | | | | | 43.2 | 50.7 | 56.8 | 49.3 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 85 | | 86 | | 87 | | 88 | | 89 | | 90 | |
|------------|---------------|--|---------|--|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation | | % Laparoscopic sterilisations to Total Female Sterilisations | | % Mini Lap Sterilisations to Total Female Sterilisations | | % Post Partum Sterilisations to Total Female Sterilisations | | % Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations | | % Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 18.7 | 11.2 | 81.8 | 79.4 | 0.1 | 0.4 | 18.0 | 20.2 | 88.9 | 98.6 | 100.0 | 97.4 |
| 1 | Balesar | 0.0 | 12.2 | 100.0 | 87.8 | 0.0 | 0.0 | 0.0 | 12.2 | 100.0 | 100.0 | | |
| 2 | Bap | 0.0 | 0.0 | 100.0 | 85.0 | 0.0 | 15.0 | 0.0 | 0.0 | 100.0 | 100.0 | | 100.0 |
| 3 | Bawri | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |
| 4 | Bhopalgarh | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |
| 5 | Bilara | 0.0 | 0.0 | 99.9 | 97.5 | 0.0 | 0.0 | 0.1 | 2.5 | 100.0 | 100.0 | | |
| 6 | Jodhpur | 58.0 | 36.5 | 43.5 | 31.6 | 0.4 | 0.0 | 56.1 | 68.4 | 34.6 | 87.8 | 100.0 | |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |
| 9 | Mandor | 0.0 | 0.0 | 99.9 | 100.0 | 0.1 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 100.0 | |
| 10 | Osian | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |
| 11 | Phalodi | 1.0 | 0.1 | 99.0 | 99.9 | 0.0 | 0.1 | 1.0 | 0.0 | 99.9 | 100.0 | | 0.0 |
| 12 | Shergarh | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | | |

| Indicators | | 91 | | 92 | | 93 | | 94 | | 95 | | 96 | |
|------------|---------------|--|---------|--|---------|--|---------|--|---------|--|---------|---|---------|
| | | % Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation | | Total cases of deaths following Sterilisation (Male + Female) | | IUCD Insertions done (public facilities) | | IUCD insertions done (pvt. facilities) | | Total IUCD Insertions done(public+private) | | PP IUCD Insertions done (public facilities) | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 46.5 | 49.8 | 0 | 0 | 12,047 | 10,819 | 634 | 630 | 12,681 | 11,449 | 867 | 58 |
| 1 | Balesar | | 0.0 | 0 | 0 | 893 | 632 | 0 | | 893 | 632 | 6 | 5 |
| 2 | Bap | | | 0 | 0 | 506 | 519 | | 0 | 506 | 519 | 0 | 0 |
| 3 | Bawri | | | 0 | 0 | 698 | 729 | 0 | 0 | 698 | 729 | 9 | 0 |
| 4 | Bhopalgarh | | | 0 | 0 | 1,588 | 1,277 | | | 1,588 | 1,277 | 12 | 0 |
| 5 | Bilara | 100.0 | 100.0 | 0 | 0 | 1,158 | 1,161 | | | 1,158 | 1,161 | 1 | 0 |
| 6 | Jodhpur | 46.7 | 51.7 | 0 | 0 | 1,726 | 1,515 | 634 | 630 | 2,360 | 2,145 | 798 | 48 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | | | 0 | 0 | 1,109 | 1,264 | 0 | 0 | 1,109 | 1,264 | 1 | 0 |
| 9 | Mandor | | | 0 | 0 | 887 | 790 | 0 | 0 | 887 | 790 | 13 | 0 |
| 10 | Osian | | | 0 | 0 | 1,195 | 895 | 0 | 0 | 1,195 | 895 | 23 | 0 |
| 11 | Phalodi | 10.0 | | 0 | 0 | 1,029 | 1,128 | 0 | 0 | 1,029 | 1,128 | 2 | 0 |
| 12 | Shergarh | | | 0 | 0 | 1,258 | 909 | | | 1,258 | 909 | 2 | 5 |

| Indicators | | 97 | | 98 | | 99 | | 100 | | 101 | | 102 | |
|------------|---------------|---|---------|--|---------|---|---------|------------------------|---------|---------------------------|-----------|-------------------------------|---------|
| | | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | | % PP IUCD Insertions (public) to Total Institutional Deliveries (public) | | % IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent) | | Oral Pills distributed | | Condom pieces distributed | | Centchroman Pills distributed | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 7.1 | 0.5 | 1.8 | 0.1 | 53.4 | 54.2 | 188,159 | 177,898 | 1,919,899 | 1,964,287 | 0 | 107 |
| 1 | Balesar | 0.7 | 0.8 | 0.2 | 0.2 | 52.8 | 45.1 | 19,149 | 20,060 | 221,930 | 223,030 | 0 | 0 |
| 2 | Bap | 0.0 | 0.0 | 0.0 | 0.0 | 63.1 | 67.8 | 8,345 | 8,598 | 90,174 | 90,870 | 0 | 0 |
| 3 | Bawri | 1.3 | 0.0 | 0.7 | 0.0 | 61.8 | 71.8 | 7,452 | 5,653 | 77,595 | 59,315 | 0 | 0 |
| 4 | Bhopalgarh | 0.8 | 0.0 | 0.4 | 0.0 | 73.5 | 69.8 | 21,257 | 19,681 | 254,836 | 278,776 | 0 | 10 |
| 5 | Bilara | 0.1 | 0.0 | 0.0 | 0.0 | 58.4 | 55.8 | 29,434 | 27,522 | 188,275 | 245,186 | 0 | 0 |
| 6 | Jodhpur | 46.2 | 3.2 | 4.0 | 0.2 | 39.9 | 44.3 | 11,187 | 8,081 | 87,258 | 95,484 | 0 | 0 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 0.1 | 0.0 | 0.0 | 0.0 | 58.7 | 60.6 | 25,102 | 24,079 | 267,860 | 253,990 | 0 | 0 |
| 9 | Mandor | 1.5 | 0.0 | 0.5 | 0.0 | 53.8 | 54.4 | 8,587 | 10,696 | 90,311 | 132,484 | 0 | 0 |
| 10 | Osian | 1.9 | 0.0 | 0.6 | 0.0 | 50.3 | 43.9 | 13,686 | 12,512 | 149,840 | 136,057 | 0 | 90 |
| 11 | Phalodi | 0.2 | 0.0 | 0.1 | 0.0 | 49.5 | 58.6 | 24,523 | 19,488 | 261,950 | 192,454 | 0 | 7 |
| 12 | Shergarh | 0.2 | 0.6 | 0.1 | 0.2 | 60.7 | 54.7 | 19,437 | 21,528 | 229,870 | 256,641 | 0 | 0 |

| Indicators | | 103 | | 104 | | 105 | | 106 | | 107 | | 108 | |
|------------|---------------|--|---------|-----------------------------|---------|---|---------|---|---------|------------------------------|---------|------------------------------|---------|
| | | Number of Infants given OPV 0 (Birth Dose) | | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | % Newborns given BCG to Reported live birth | | Number of Infants given DPT1 | | Number of Infants given DPT2 | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 47,464 | 48,853 | 67,580 | 66,969 | 79.5 | 79.4 | 113.2 | 108.8 | 44,785 | 60,095 | 50,127 | 56,199 |
| 1 | Balesar | 2,100 | 1,016 | 2,979 | 1,878 | 59.8 | 31.3 | 84.8 | 57.9 | 2,550 | 3,148 | 2,775 | 3,075 |
| 2 | Bap | 1,143 | 1,032 | 2,028 | 1,783 | 52.7 | 53.4 | 93.5 | 92.3 | 1,781 | 2,037 | 1,879 | 1,928 |
| 3 | Bawri | 1,231 | 1,368 | 3,082 | 2,829 | 92.3 | 112.0 | 231.2 | 231.7 | 2,140 | 2,960 | 2,674 | 2,847 |
| 4 | Bhopalgarh | 3,230 | 3,152 | 3,966 | 5,453 | 94.9 | 88.6 | 116.5 | 153.2 | 2,594 | 3,562 | 2,987 | 3,353 |
| 5 | Bilara | 1,879 | 2,003 | 5,030 | 5,030 | 51.8 | 49.5 | 138.6 | 124.2 | 3,544 | 4,648 | 3,900 | 4,586 |
| 6 | Jodhpur | 23,896 | 25,964 | 26,348 | 29,338 | 86.9 | 88.4 | 95.8 | 99.9 | 15,603 | 22,901 | 16,693 | 20,591 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 2,023 | 2,390 | 5,749 | 5,189 | 73.1 | 81.4 | 207.7 | 176.7 | 3,594 | 4,565 | 4,223 | 4,531 |
| 9 | Mandor | 2,572 | 2,612 | 4,413 | 3,171 | 94.7 | 99.3 | 162.5 | 120.6 | 2,890 | 3,615 | 3,389 | 3,647 |
| 10 | Osian | 5,014 | 5,181 | 5,347 | 5,194 | 100.1 | 98.4 | 106.7 | 98.7 | 3,511 | 4,502 | 3,882 | 4,309 |
| 11 | Phalodi | 2,073 | 2,201 | 5,459 | 4,211 | 46.8 | 52.3 | 123.3 | 100.1 | 3,930 | 4,994 | 4,233 | 4,402 |
| 12 | Shergarh | 2,303 | 1,934 | 3,179 | 2,893 | 71.9 | 61.6 | 99.3 | 92.2 | 2,648 | 3,163 | 3,492 | 2,930 |

| Indicators | | 109 | | 110 | | 111 | | 112 | | 113 | | 114 | |
|------------|---------------|------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------|---------|---|---------|
| | | Number of Infants given DPT3 | | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | % Infants 0 to 11 months old who received Measles vaccine to reported live births | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 53,716 | 54,411 | 11,829 | 0 | 4,880 | 0 | 334 | 0 | 54,115 | 52,778 | 90.6 | 85.7 |
| 1 | Balesar | 3,039 | 2,890 | 707 | 0 | 351 | 0 | 0 | 0 | 3,020 | 2,679 | 86.0 | 82.5 |
| 2 | Bap | 1,979 | 1,917 | 411 | 0 | 211 | 0 | 45 | 0 | 1,769 | 1,896 | 81.5 | 98.1 |
| 3 | Bawri | 2,839 | 2,857 | 728 | 0 | 276 | 0 | 0 | 0 | 2,914 | 3,078 | 218.6 | 252.1 |
| 4 | Bhopalgarh | 3,752 | 3,284 | 911 | 0 | 518 | 0 | 0 | 0 | 3,817 | 2,980 | 112.1 | 83.7 |
| 5 | Bilara | 4,390 | 4,572 | 1,057 | 0 | 414 | 0 | 17 | 0 | 4,420 | 4,605 | 121.8 | 113.7 |
| 6 | Jodhpur | 16,739 | 19,882 | 3,433 | 0 | 1,143 | 0 | 246 | 0 | 17,653 | 18,241 | 64.2 | 62.1 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 4,695 | 4,488 | 1,197 | 0 | 508 | 0 | 4 | 0 | 5,011 | 4,852 | 181.0 | 165.2 |
| 9 | Mandor | 3,806 | 3,599 | 798 | 0 | 314 | 0 | 12 | 0 | 3,982 | 3,688 | 146.7 | 140.2 |
| 10 | Osian | 4,326 | 4,188 | 902 | 0 | 472 | 0 | 10 | 0 | 4,384 | 4,386 | 87.5 | 83.3 |
| 11 | Phalodi | 4,315 | 3,985 | 875 | 0 | 319 | 0 | 0 | 0 | 3,882 | 3,678 | 87.7 | 87.4 |
| 12 | Shergarh | 3,836 | 2,749 | 810 | 0 | 354 | 0 | 0 | 0 | 3,263 | 2,695 | 101.9 | 85.9 |

| Indicators | | 115 | | 116 | | 117 | | 118 | | 119 | | 120 | |
|------------|---------------|--|---------|----------------------------------|---------|--------------------|---------|---|---------|---|---------|--|---------|
| | | Number of fully immunized children (9-11 months) | | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | Adverse Events Following Immunisation (Others) | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 50,025 | 51,789 | 19.9 | 21.2 | 45,888 | 44,582 | 76.9 | 72.4 | 73.4 | 62.7 | 6 | 2 |
| 1 | Balesar | 3,020 | 2,681 | -1.4 | -42.7 | 2,587 | 2,237 | 73.6 | 68.9 | 61.8 | 51.9 | 0 | 0 |
| 2 | Bap | 1,618 | 1,665 | 12.8 | -6.3 | 1,473 | 1,597 | 67.9 | 82.7 | 52.1 | 63.7 | 0 | 0 |
| 3 | Bawri | 2,809 | 3,143 | 5.5 | -8.8 | 2,716 | 2,518 | 203.8 | 206.2 | 42.2 | 34.9 | 0 | 0 |
| 4 | Bhopalgarh | 3,788 | 2,571 | 3.8 | 45.4 | 3,203 | 2,675 | 94.1 | 75.2 | 55.4 | 57.7 | 0 | 2 |
| 5 | Bilara | 4,415 | 4,536 | 12.1 | 8.4 | 3,480 | 4,276 | 95.9 | 105.6 | 71.9 | 68.3 | 3 | 0 |
| 6 | Jodhpur | 14,276 | 18,231 | 33.0 | 37.8 | 14,124 | 13,808 | 51.4 | 47.0 | 90.9 | 83.0 | 3 | 0 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 5,011 | 4,852 | 12.8 | 6.5 | 5,011 | 4,862 | 181.0 | 165.5 | 110.4 | 57.0 | 0 | 0 |
| 9 | Mandor | 3,811 | 3,418 | 9.8 | -16.3 | 3,888 | 3,704 | 143.2 | 140.8 | 63.8 | 49.0 | 0 | 0 |
| 10 | Osian | 4,381 | 4,383 | 18.0 | 15.6 | 3,512 | 3,373 | 70.1 | 64.1 | 70.0 | 57.0 | 0 | 0 |
| 11 | Phalodi | 3,680 | 3,752 | 28.9 | 12.7 | 2,940 | 2,913 | 66.4 | 69.2 | 41.6 | 44.0 | 0 | 0 |
| 12 | Shergarh | 3,216 | 2,557 | -2.6 | 6.8 | 2,954 | 2,619 | 92.2 | 83.5 | 46.3 | 44.7 | 0 | 0 |

| Indicators | | 121 | | 122 | | 123 | | 124 | | 125 | | 126 | |
|------------|---------------|---|---------|---|---------|---|---------|--|---------|--|---------|--|---------|
| | | % immunisation Sessions Held to Immunisation Sessions Planned | | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 97.2 | 127.4 | 49.4 | 56.3 | 1.0 | 0.0 | 2.0 | 0.0 | 0.1 | 0.0 | 0.2 | 0.0 |
| 1 | Balesar | 106.5 | 210.0 | 50.8 | 50.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Bap | 99.2 | 117.5 | 34.3 | 28.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Bawri | 82.6 | 110.5 | 54.1 | 62.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Bhopalgarh | 97.8 | 142.7 | 64.6 | 84.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Bilara | 101.2 | 112.2 | 74.1 | 82.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Jodhpur | 89.6 | 66.3 | 45.7 | 41.5 | 1.6 | 0.0 | 3.3 | 0.0 | 0.1 | 0.0 | 0.2 | 0.0 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 100.4 | 140.4 | 54.4 | 68.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 9 | Mandor | 89.7 | 152.2 | 59.1 | 91.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | Osian | 98.0 | 156.0 | 30.1 | 31.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 11 | Phalodi | 108.0 | 141.3 | 42.6 | 44.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 12 | Shergarh | 96.0 | 153.9 | 33.1 | 21.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 127 | | 128 | | 129 | | 130 | | 131 | | 132 | |
|------------|---------------|---|---------|--|---------|---|---------|---|---------|---|---------|---|---------|
| | | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Adult Female Inpatients to Total Adult Inpatient | | % Children Inpatient to Total Inpatient | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 0.0 | 0.0 | 0.7 | 0.4 | 92.3 | 95.2 | 3.7 | 4.4 | 89.4 | 75.7 | 51.3 | 8.6 |
| 1 | Balesar | 0.0 | 0.0 | 0.0 | 1.0 | 69.2 | 93.9 | 30.8 | 5.1 | 96.5 | 98.9 | 14.6 | 0.9 |
| 2 | Bap | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 80.3 | 69.5 | 35.5 | 6.5 |
| 3 | Bawri | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 95.6 | 0.0 | 4.4 | 99.9 | 98.7 | 21.4 | 0.0 |
| 4 | Bhopalgarh | 0.0 | 0.0 | 0.0 | 0.0 | 93.8 | 96.3 | 6.3 | 3.7 | 97.4 | 86.1 | 3.1 | 0.1 |
| 5 | Bilara | 0.0 | 0.0 | 1.7 | 0.0 | 98.3 | 100.0 | 0.0 | 0.0 | 86.6 | 79.5 | 9.1 | 7.4 |
| 6 | Jodhpur | 0.0 | 0.0 | 1.1 | 0.0 | 89.6 | 97.4 | 4.0 | 2.6 | 94.0 | 64.9 | 64.9 | 26.5 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 75.6 | 63.4 | 34.8 | 1.2 |
| 9 | Mandor | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 98.7 | 0.0 | 1.3 | 87.4 | 81.6 | 37.1 | 0.0 |
| 10 | Osian | 0.0 | 0.0 | 0.0 | 0.0 | 97.6 | 100.0 | 2.4 | 0.0 | 94.5 | 90.1 | 24.2 | 0.8 |
| 11 | Phalodi | 0.0 | 0.0 | 0.0 | 6.6 | 85.2 | 72.1 | 14.8 | 21.3 | 59.7 | 59.2 | 44.0 | 17.7 |
| 12 | Shergarh | 0.0 | 0.0 | 0.0 | 0.0 | 89.7 | 80.0 | 10.3 | 20.0 | 98.6 | 88.8 | 36.3 | 10.0 |

| Indicators | | 133 | | 134 | | 135 | | 136 | | 137 | | 138 | |
|------------|---------------|---|---------|---------------------------------|---------|--------------|---------|--------------|-----------|--------------|---------|----------------------------|---------|
| | | % Female Inpatient Deaths to Total Inpatient Deaths | | % Inpatient Deaths to Total IPD | | IPD (Number) | | OPD (Number) | | % IPD to OPD | | Number of Major Operations | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 42.8 | 45.8 | 1.5 | 0.1 | 109,619 | 48,797 | 2,511,820 | 2,270,096 | 4.4 | 2.1 | 2,074 | 1,957 |
| 1 | Balesar | | | 0.0 | 0.0 | 2,618 | 2,150 | 94,894 | 89,481 | 2.8 | 2.4 | 0 | 2 |
| 2 | Bap | 50.0 | | 1.6 | 0.0 | 2,445 | 1,772 | 70,764 | 89,674 | 3.5 | 2.0 | 65 | 7 |
| 3 | Bawri | | | 0.0 | 0.0 | 1,044 | 235 | 43,425 | 47,502 | 2.4 | 0.5 | 0 | 0 |
| 4 | Bhopalgarh | | 100.0 | 0.0 | 0.2 | 3,745 | 4,000 | 156,251 | 154,180 | 2.4 | 2.6 | 360 | 415 |
| 5 | Bilara | | 40.0 | 0.0 | 0.1 | 5,177 | 8,025 | 232,502 | 223,207 | 2.2 | 3.6 | 95 | 300 |
| 6 | Jodhpur | 42.5 | | 2.2 | 0.0 | 69,741 | 7,457 | 1,082,695 | 845,278 | 6.4 | 0.9 | 268 | 253 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | | | 0.0 | 0.0 | 5,270 | 7,921 | 208,402 | 201,680 | 2.5 | 3.9 | 4 | 0 |
| 9 | Mandor | | | 0.0 | 0.0 | 3,402 | 3,618 | 122,297 | 112,226 | 2.8 | 3.2 | 0 | 0 |
| 10 | Osian | 50.0 | | 1.1 | 0.0 | 5,328 | 4,814 | 187,549 | 193,285 | 2.8 | 2.5 | 399 | 430 |
| 11 | Phalodi | 27.3 | 32.4 | 0.1 | 0.6 | 7,641 | 6,053 | 204,940 | 199,146 | 3.7 | 3.0 | 703 | 550 |
| 12 | Shergarh | | 100.0 | 0.0 | 0.1 | 3,208 | 2,752 | 108,101 | 114,437 | 3.0 | 2.4 | 180 | 0 |

| Indicators | | 139 | | 140 | | 141 | | 142 | | 143 | | 144 | |
|------------|---------------|----------------------------|---------|---------------------------------------|---------|----------------------------------|---------|--|---------|--------------------|---------|--------------------------|---------|
| | | Number of Minor Operations | | % Major Operations to Total Operation | | Number of Hysterectomy Surgeries | | % Hysterectomy Surgeries to Total Major Operations | | Ayush OPD (Number) | | % AYUSH OPD to Total OPD | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 7,873 | 10,318 | 20.9 | 15.9 | 0 | | 0.0 | 0.0 | 30,680 | 45,634 | 1.2 | 2.0 |
| 1 | Balesar | 122 | 0 | 0.0 | 100.0 | 0 | | | 0.0 | 3,866 | 3,287 | 4.1 | 3.7 |
| 2 | Bap | 110 | 78 | 37.1 | 8.2 | 0 | | 0.0 | 0.0 | 0 | 0 | 0.0 | 0.0 |
| 3 | Bawri | 10 | 0 | 0.0 | | 0 | | | | 777 | 1,147 | 1.8 | 2.4 |
| 4 | Bhopalgarh | 64 | 0 | 84.9 | 100.0 | 0 | | 0.0 | 0.0 | 6,974 | 9,693 | 4.5 | 6.3 |
| 5 | Bilara | 391 | 1,152 | 19.5 | 20.7 | 0 | | 0.0 | 0.0 | 444 | 1,545 | 0.2 | 0.7 |
| 6 | Jodhpur | 745 | 944 | 26.5 | 21.1 | 0 | | 0.0 | 0.0 | 424 | 67 | 0.0 | 0.0 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 780 | 787 | 0.5 | 0.0 | 0 | | 0.0 | | 4,218 | 7,797 | 2.0 | 3.9 |
| 9 | Mandor | 191 | 344 | 0.0 | 0.0 | 0 | | | | 3,220 | 11,596 | 2.6 | 10.3 |
| 10 | Osian | 1,871 | 1,642 | 17.6 | 20.8 | 0 | | 0.0 | 0.0 | 2,630 | 2,920 | 1.4 | 1.5 |
| 11 | Phalodi | 3,484 | 5,116 | 16.8 | 9.7 | 0 | | 0.0 | 0.0 | 5,919 | 6,172 | 2.9 | 3.1 |
| 12 | Shergarh | 105 | 255 | 63.2 | 0.0 | 0 | | 0.0 | | 2,208 | 1,410 | 2.0 | 1.2 |

| Indicators | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|------------|---------------|---------------------|---------|---------------------------|---------|--------------------------------|---------|---|---------|---|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 13,361 | 16,940 | 0.5 | 0.7 | 1,483 | 1,053 | 5.2 | 4.6 | 0.3 | 0.9 | 0.1 | 0.6 |
| 1 | Balesar | 246 | 392 | 0.3 | 0.4 | 57 | 26 | 6.6 | 5.5 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Bap | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 2.8 | 2.8 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Bawri | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 0.9 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Bhopalgarh | 51 | 220 | 0.0 | 0.1 | 181 | 160 | 3.0 | 4.7 | 0.0 | 0.0 | 0.0 | 7.8 |
| 5 | Bilara | 0 | 11 | 0.0 | 0.0 | 0 | 0 | 4.0 | 6.7 | 0.5 | 5.5 | 0.0 | 0.1 |
| 6 | Jodhpur | 4,449 | 9,111 | 0.4 | 1.1 | 331 | 379 | 7.0 | 4.3 | 0.6 | 1.0 | 0.1 | 0.0 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 560 | 755 | 0.3 | 0.4 | 235 | 54 | 0.9 | 0.6 | 0.3 | 1.1 | 0.5 | 0.0 |
| 9 | Mandor | 33 | 3 | 0.0 | 0.0 | 0 | 0 | 7.5 | 1.6 | 0.0 | 0.9 | 0.0 | 0.0 |
| 10 | Osian | 416 | 0 | 0.2 | 0.0 | 5 | 0 | 1.9 | 14.9 | 0.0 | | 0.0 | 0.0 |
| 11 | Phalodi | 6,949 | 6,403 | 3.4 | 3.2 | 279 | 301 | 6.3 | 7.1 | 0.0 | 0.0 | 0.0 | 0.7 |
| 12 | Shergarh | 657 | 45 | 0.6 | 0.0 | 395 | 133 | 3.0 | 4.1 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
|------------|---------------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 0.1 | 0.6 | 2.5 | 2.5 | 1.7 | 0.2 | 63 | 471 | 5.4 | 0.2 | 0.0 | 0.9 |
| 1 | Balesar | 0.0 | 0.0 | 22.8 | 0.2 | 22.7 | 0.0 | | 71 | | 0.0 | | 0.0 |
| 2 | Bap | 0.0 | 0.0 | 1.0 | 4.7 | 0.0 | 0.0 | | 3 | | 0.0 | | 100.0 |
| 3 | Bawri | 0.0 | 0.0 | 0.2 | 25.1 | 0.0 | 0.0 | 4 | 16 | 0.0 | 0.0 | 0.0 | 6.3 |
| 4 | Bhopalgarh | 0.0 | 5.7 | 1.2 | 7.3 | 0.0 | 0.0 | 2 | 9 | 100.0 | 0.0 | 0.0 | 14.3 |
| 5 | Bilara | 0.1 | 0.7 | 4.1 | 0.2 | 0.0 | 0.0 | 11 | 12 | 0.0 | 0.0 | 0.0 | 10.0 |
| 6 | Jodhpur | 0.1 | 0.1 | 0.4 | 2.1 | 0.0 | 0.0 | 5 | 306 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 0.5 | 0.2 | 0.1 | 0.3 | 0.0 | 0.0 | 37 | 37 | 2.9 | 0.0 | 0.0 | 0.0 |
| 9 | Mandor | 0.0 | 0.2 | 1.1 | 5.4 | 0.0 | 0.0 | 4 | 11 | 0.0 | 10.0 | 0.0 | 0.0 |
| 10 | Osian | 0.0 | 0.0 | 0.4 | 2.6 | 0.0 | 3.1 | | | | | | |
| 11 | Phalodi | 0.0 | 0.6 | 0.3 | 0.3 | 0.0 | 0.0 | | 5 | | 0.0 | | 0.0 |
| 12 | Shergarh | 0.0 | 0.0 | 0.3 | 1.6 | 0.0 | 0.0 | | 1 | | | | |

| Indicators | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|------------|---------------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 | 2014-15 | 2013-14 |
| | _Jodhpur | 3.6 | 2.6 | 1.8 | 0.2 | 0.0 | 0.7 | 0.0 | 0.7 | 0.0 | 0.0 | 89.3 | 94.8 |
| 1 | Balesar | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 100.0 |
| 2 | Bap | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 |
| 3 | Bawri | 0.0 | 6.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 12.5 | 0.0 | 0.0 | 100.0 | 75.0 |
| 4 | Bhopalgarh | 0.0 | 14.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 71.4 |
| 5 | Bilara | 11.1 | 30.0 | 0.0 | 0.0 | 0.0 | 30.0 | 0.0 | 10.0 | 0.0 | 0.0 | 88.9 | 20.0 |
| 6 | Jodhpur | 0.0 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 99.3 |
| 7 | Jodhpur Urban | | | | | | | | | | | | |
| 8 | Luni | 0.0 | 2.8 | 2.9 | 2.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 94.3 | 94.4 |
| 9 | Mandor | 25.0 | 40.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 75.0 | 50.0 |
| 10 | Osian | | | | | | | | | | | | |
| 11 | Phalodi | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 100.0 |
| 12 | Shergarh | | | | | | | | | | | | |