

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to September

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	Meghalaya	36,982	34,164	98.4	98.1	962	759	97.5	97.8	29,017	23,763	17,402	15,111
1	East Garo Hills	3,003	2,007	97.5	100.0	94	18	97.0	99.1	1,726	1,005	1,690	1,277
2	East Jaintia Hills												
3	East Khasi Hills	12,515	11,504	98.6	97.1	388	352	97.0	97.0	10,673	8,712	8,518	7,288
4	North Garo Hills												
5	Ri Bhoi	2,784	2,492	99.1	99.3	33	23	98.8	99.1	1,479	943	805	785
6	South Garo Hills	1,066	930	99.4	100.0	17	9	98.4	99.0	711	371	437	625
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	7,392	7,526	98.4	98.3	194	141	97.4	98.2	7,108	7,170	2,511	2,219
10	West Jaintia Hills	5,862	5,520	97.7	98.0	177	140	97.1	97.5	4,620	3,407	1,979	1,824
11	West Khasi Hills	4,360	4,185	98.9	98.4	59	76	98.7	98.2	2,700	2,155	1,462	1,093

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to September

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	Meghalaya	39,975	40,869	47.1	44.2	108.1	119.6	38,977	39,668	37,377	37,391	34,450	34,199
1	East Garo Hills	4,039	4,740	56.3	63.6	134.5	236.2	4,150	4,824	4,212	4,488	3,436	3,857
2	East Jaintia Hills												
3	East Khasi Hills	11,639	10,721	68.1	63.4	93.0	93.2	9,182	8,720	8,513	8,021	8,093	7,491
4	North Garo Hills												
5	Ri Bhoi	3,059	3,224	28.9	31.5	109.9	129.4	3,489	3,460	3,174	3,186	3,006	3,069
6	South Garo Hills	1,750	1,856	41.0	67.2	164.2	199.6	1,904	2,015	1,946	1,827	1,587	1,636
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	7,667	8,524	34.0	29.5	103.7	113.3	7,505	8,478	7,217	8,593	6,812	7,767
10	West Jaintia Hills	6,578	6,471	33.8	33.0	112.2	117.2	6,713	6,331	6,508	5,956	5,974	5,502
11	West Khasi Hills	5,243	5,333	33.5	26.1	120.3	127.4	6,034	5,840	5,807	5,320	5,542	4,877

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to September

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Meghalaya							31,162	31,081	84.3	91.0	29,154	28,159
1	East Garo Hills							3,016	3,403	100.4	169.6	2,922	2,272
2	East Jaintia Hills												
3	East Khasi Hills							7,028	6,226	56.2	54.1	6,651	6,022
4	North Garo Hills												
5	Ri Bhoi							2,799	2,765	100.5	111.0	2,615	2,614
6	South Garo Hills							1,567	1,381	147.0	148.5	1,264	1,071
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills							6,923	7,217	93.7	95.9	6,636	6,666
10	West Jaintia Hills							5,012	5,269	85.5	95.5	4,674	4,903
11	West Khasi Hills							4,817	4,820	110.5	115.2	4,392	4,611

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to September

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	Meghalaya	22.0	23.9	26,471	36,640	71.6	107.2	34.4	27.6	6		80.9	81.7
1	East Garo Hills	25.3	28.2	2,058	1,695	68.5	84.5	53.6	80.6	0		79.5	84.5
2	East Jaintia Hills												
3	East Khasi Hills	39.6	41.9	7,098	9,306	56.7	80.9	11.8	9.1	6		92.5	94.4
4	North Garo Hills												
5	Ri Bhoi	8.5	14.2	2,798	3,121	100.5	125.2	11.7	2.9	0		82.8	87.6
6	South Garo Hills	10.5	25.6	1,140	1,377	106.9	148.1	44.9	37.5	0		77.0	62.7
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	9.7	15.3	5,783	7,716	78.2	102.5	55.9	51.9	0		79.6	80.6
10	West Jaintia Hills	23.8	18.6	4,777	8,332	81.5	150.9	52.3	31.8	0		91.2	88.4
11	West Khasi Hills	8.1	9.6	2,817	5,093	64.6	121.7	21.0	12.6	0		61.3	60.2

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to September

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Meghalaya	59.9	61.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East Garo Hills	73.0	70.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	East Jaintia Hills												
3	East Khasi Hills	58.4	64.9	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	North Garo Hills												
5	Ri Bhoi	57.6	60.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	South Garo Hills	66.0	54.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	71.6	78.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	West Jaintia Hills	50.6	48.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West Khasi Hills	41.8	43.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to September

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Meghalaya	1.1	1.0	92.8	88.9	6.0	10.1	777	1,190	4.8	5.9	8.1	8.4
1	East Garo Hills	5.3	2.1	60.0	55.1	34.6	42.9	11	14	0.0	25.0	0.0	25.0
2	East Jaintia Hills												
3	East Khasi Hills	0.4	0.6	99.1	98.6	0.5	0.8	397	591	5.9	4.8	6.5	8.7
4	North Garo Hills												
5	Ri Bhoi	0.5	1.3	97.4	92.4	2.0	6.2	37	29	3.8	3.7	3.8	3.7
6	South Garo Hills	1.8	2.6	77.3	52.5	20.9	44.8	20	29	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	2.2	2.7	80.8	68.3	17.0	29.1	118	228	2.0	4.2	25.0	8.5
10	West Jaintia Hills	0.7	0.4	97.6	99.3	1.8	0.3	104	155	8.4	14.7	3.6	12.6
11	West Khasi Hills	0.7	0.2	97.6	96.4	1.7	3.5	90	144	1.5	0.0	0.0	2.1

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to September

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Meghalaya	4.5	4.9	14.1	12.9	2.5	2.4	10.5	13.4	0.0	0.0	55.5	52.2
1	East Garo Hills	0.0	0.0	0.0	0.0	0.0	0.0	100.0	25.0	0.0	0.0	0.0	25.0
2	East Jaintia Hills												
3	East Khasi Hills	2.6	3.6	12.7	12.7	2.9	1.5	5.6	4.3	0.0	0.0	63.7	64.4
4	North Garo Hills												
5	Ri Bhoi	7.7	7.4	3.8	7.4	3.8	3.7	15.4	22.2	0.0	0.0	61.5	51.9
6	South Garo Hills	5.3	4.8	5.3	14.3	0.0	0.0	21.1	19.0	0.0	0.0	68.4	61.9
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	11.0	6.6	16.0	17.9	2.0	1.9	18.0	31.6	0.0	0.0	26.0	29.2
10	West Jaintia Hills	3.6	9.1	27.7	8.4	1.2	4.9	12.0	2.8	0.0	0.0	43.4	47.6
11	West Khasi Hills	3.0	0.0	7.5	12.4	3.0	4.1	13.4	20.6	0.0	0.0	71.6	60.8