		1		2	2		3	4	1		i	6	
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	2,613	3,672	118.7	130.5	120	57	95.6	98.5	2,367	2,724	1,796	3,022
1	East	777	2,035	142.3	155.8	11	11	98.6	99.5	617	1,155	911	1,940
2	North	280	288	175.0	142.6	71	9	79.8	97.0	270	273	232	583
3	South	707	516	112.8	114.4	16	14	97.8	97.4	715	506	192	135
4	West	849	833	97.8	97.4	22	23	97.5	97.3	765	790	461	364

		7	7	8		9)	1	0	11		12	
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	3,243	4,667	68.7	82.3	124.1	127.1	3,741	5,622	3,786	6,307	4,008	6,388
1	East	1,009	2,596	117.2	95.3	129.9	127.6	1,350	3,490	1,383	4,094	1,454	4,126
2	North	306	278	82.9	202.4	109.3	96.5	342	304	372	341	370	356
3	South	996	793	27.2	26.2	140.9	153.7	1,080	790	1,001	762	1,103	728
4	West	932	1,000	54.3	43.7	109.8	120.0	969	1,038	1,030	1,110	1,081	1,178

		13		1	4	1	5	1	6	1	7	18	
In	dicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim							4,042	6,030	154.7	164.2	3,872	3,844
1	East							1,429	3,599	183.9	176.9	1,429	1,415
2	North							311	324	111.1	112.5	102	324
3	South							1,173	895	165.9	173.4	1,212	893
4	West							1,129	1,212	133.0	145.5	1,129	1,212

		19	9	2	0	2	1	2	2	2	3	24	
Indicator		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	-24.6	-29.2	4,020	5,913	153.8	161.0	142.2	0.9			92.9	121.9
1	East	-41.6	-38.6	1,456	3,643	187.4	179.0	110.2	0.0			90.4	
2	North	-1.6	-16.5	294	269	105.0	93.4	68.4	19.0			89.0	
3	South	-17.8	-12.9	1,146	804	162.1	155.8	123.0	0.0			86.3	
4	West	-21.1	-21.2	1,124	1,197	132.4	143.7	222.4	0.0			99.4	94.5

Indicator		25 '% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		9% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		28 Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		29 "% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	89.9	72.9	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East	84.2		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North	78.5		0.0	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	South	91.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	West	99.4	72.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		3	1	3	2	3	3	3	4	3	5	3	6
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	2.5	0.5	96.2	99.0	1.3	0.0	1	6	0.0	0.0	100.0	0.0
1	East	4.0	0.2	93.4	99.8	2.6	0.0						
2	North	0.7	0.4	99.3	93.0	0.0	0.0		4				
3	South	0.0	0.0	100.0	100.0	0.0	0.0	1	2	0.0	0.0	100.0	0.0
4 West		1.4	2.1	98.6	97.9	0.0	0.0						

		37		38			39		0	4	1	42 %	
In	dicator	% Deaths due to LBW to Total Reported Infant Deaths		Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
1	East												
2	North												
3	South	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
4	West												