		1		2	2	6.7	3	4	1	5	5	6	
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Sikkim	3,947	3,794	99.7	101.4	50	40	98.7	99.0	3,865	3,571	3,698	3,128
1	East	2,281	1,923	100.0	101.6	18	4	99.2	99.8	2,242	1,840	2,264	1,995
2	North	167	184	98.8	101.7	3	4	98.2	97.9	156	156	153	148
3	South	896	966	99.3	101.8	15	16	98.4	98.4	884	919	797	475
4	West	603	721	99.3	100.6	14	16	97.7	97.8	583	656	484	510

		7		8	3	9	9	1	10		1	12	
Indicator		Number o		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Sikkim	4,069	3,955	93.7	82.4	103.1	104.2	3,826	3,769	3,771	3,895	3,982	3,998
1	East	2,318	2,113	99.3	103.7	101.6	109.9	1,786	1,679	1,747	1,749	1,813	1,796
2	North	177	180	91.6	80.4	106.0	97.8	270	264	281	282	274	299
3	South	914	750	89.0	49.2	102.0	77.6	914	892	900	909	988	958
4	West	660	912	80.3	70.7	109.5	126.5	856	934	843	955	907	945

		13		1	4	1	5	1	6	1	7	18	
Indicator		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Sikkim	0		0		0		4,552	4,434	115.3	116.9	4,509	4,444
1	East							2,184	1,972	95.7	102.5	2,175	2,085
2	North	0		0		0		299	329	179.0	178.8	296	272
3	South	0		0		0		1,050	1,070	117.2	110.8	1,039	1,055
4	West	0		0		0		1,019	1,063	169.0	147.4	999	1,032

		19		2	0	2	21		22		3	24	
Indicator		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Sikkim	-11.9	-12.1	4,532	4,568	114.8	120.4	101.2	106.8	1	38	99.1	97.4
1	East	5.8	6.7	2,220	1,994	97.3	103.7	60.5	101.2	1	0	99.1	96.8
2	North	-68.9	-82.8	286	335	171.3	182.1	72.0	96.1	0	0	97.7	93.0
3	South	-14.9	-42.7	1,028	1,092	114.7	113.0	134.8	110.4	0	38	99.7	98.9
4	West	-54.4	-16.6	998	1,147	165.5	159.1	165.2	116.3	0	0	99.4	99.4

Indicator		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		26 % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		27 Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		28 Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		29 "% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Sikkim	83.7	87.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East	73.4	77.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North	89.2	83.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	South	98.5	96.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	West	88.3	98.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Sikkim	0.4	0.8	99.5	99.2	0.1	0.0	30	5	3.8	0.0	23.1	0.0
1	East	0.1	0.7	99.7	99.2	0.1	0.1	15		8.3		0.0	
2	North	1.1	2.8	98.9	97.2	0.0	0.0	1	1	0.0	0.0	100.0	0.0
3	South	0.0	0.5	100.0	99.5	0.0	0.0	8		0.0		62.5	
4	West	1.1	0.4	98.9	99.6	0.0	0.0	6	4	0.0	0.0	0.0	0.0

Indicator		% Deaths due to LBW to Total Reported Infant Deaths		38 "W Deaths due to Pneumonia to Total Reported Infant Deaths		39 % Deaths due to Diarrhoea to Total Reported Infant Deaths		40 % Deaths due to Fever to Total Reported Infant Deaths		41 % Deaths due to Measles to Total Reported Infant Deaths		42 % Deaths due to Other Causes to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Sikkim	34.6	50.0	11.5	0.0	0.0	0.0	0.0	50.0	0.0	0.0	26.9	0.0
1	East	41.7		25.0		0.0		0.0		0.0		25.0	
2	North	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	South	25.0		0.0		0.0		0.0		0.0		12.5	
4	West	40.0	33.3	0.0	0.0	0.0	0.0	0.0	66.7	0.0	0.0	60.0	0.0