

Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to June

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	Himachal Pradesh	22,178	22,710	99.3	102.2	283	215	98.7	99.1	21,074	19,951	6,842	5,122
1	Bilaspur	1,465	1,536	99.5	104.6	15	6	99.0	99.6	1,462	1,257	264	404
2	Chamba	1,845	1,902	99.0	98.5	23	25	98.8	98.7	1,738	1,822	610	356
3	Hamirpur	1,493	1,790	99.1	95.4	16	15	98.9	99.2	1,466	1,817	794	906
4	Kangra	4,265	3,819	99.1	110.2	46	30	98.9	99.2	4,265	3,812	1,120	529
5	Kinnaur	210	275	97.2	103.8	6	1	97.2	99.6	180	262	17	
6	Kullu	1,745	1,643	99.4	104.4	14	7	99.2	99.6	1,718	1,618	536	479
7	Lahul Spiti	51	31	96.2	100.0	2		96.2	100.0	51	25	41	21
8	Mandi	3,175	3,347	99.2	99.4	42	36	98.7	98.9	2,937	3,225	821	475
9	Shimla	2,855	2,830	98.6	98.5	67	42	97.7	98.5	2,588	1,509	1,317	1,103
10	Sirmaur	1,839	1,776	98.9	103.7	22	17	98.8	99.1	1,769	1,651	241	221
11	Solan	1,721	1,955	100.7	101.0	23	17	98.7	99.1	1,581	1,944	565	183
12	Una	1,514	1,806	100.1	104.6	7	19	99.5	99.0	1,319	1,009	516	445

Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to June

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	Himachal Pradesh	29,225	29,524	30.9	22.6	131.8	130.0	28,633	29,480	28,956	29,394	29,640	30,667
1	Bilaspur	1,842	1,888	18.0	26.3	125.7	122.9	1,663	1,742	1,593	1,649	1,674	1,672
2	Chamba	2,576	2,451	33.1	18.7	139.6	128.9	2,713	2,597	2,574	2,418	2,292	2,338
3	Hamirpur	2,080	2,050	53.2	50.6	139.3	114.5	1,913	1,936	1,912	1,967	2,032	2,151
4	Kangra	5,926	5,702	26.3	13.9	138.9	149.3	5,703	5,930	6,128	6,286	6,586	6,804
5	Kinnaur	336	335	8.1	0.0	160.0	121.8	407	376	408	384	372	376
6	Kullu	2,096	1,913	30.7	29.2	120.1	116.4	1,926	2,017	1,993	1,953	1,979	1,943
7	Lahul Spiti	95	63	80.4	67.7	186.3	203.2	129	120	124	117	87	85
8	Mandi	3,882	3,911	25.9	14.2	122.3	116.9	3,998	4,046	4,010	4,236	4,235	4,453
9	Shimla	3,893	4,238	46.1	39.0	136.4	149.8	3,581	3,818	3,410	3,525	3,384	3,517
10	Sirmaur	2,232	2,381	13.1	12.4	121.4	134.1	2,405	2,457	2,471	2,437	2,465	2,577
11	Solan	2,202	2,456	32.8	9.4	127.9	125.6	2,247	2,431	2,316	2,397	2,322	2,497
12	Una	2,065	2,136	34.1	24.6	136.4	118.3	1,948	2,010	2,017	2,025	2,212	2,254

Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts)
 Financial Year: 2010-11
 Provisional Figures for the Period April to June

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	Himachal Pradesh							29,792	30,951	134.3	136.3	29,686	30,792
1	Bilaspur							1,728	1,761	118.0	114.6	1,714	1,747
2	Chamba							2,237	2,497	121.2	131.3	2,223	2,487
3	Hamirpur							2,206	2,203	147.8	123.1	2,206	2,195
4	Kangra							6,330	6,405	148.4	167.7	6,330	6,362
5	Kinnaur							380	360	181.0	130.9	357	359
6	Kullu							1,971	1,982	113.0	120.6	1,955	1,961
7	Lahul Spiti							145	141	284.3	454.8	129	134
8	Mandi							4,313	4,405	135.8	131.6	4,313	4,405
9	Shimla							3,492	3,773	122.3	133.3	3,469	3,755
10	Sirmaur							2,323	2,495	126.3	140.5	2,323	2,487
11	Solan							2,423	2,498	140.8	127.8	2,423	2,488
12	Una							2,244	2,431	148.2	134.6	2,244	2,412

Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to June

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	Himachal Pradesh	-1.9	-4.8	29,519	31,179	133.1	137.3	139.5	120.5	22		98.2	97.4
1	Bilaspur	6.2	6.7	1,728	1,772	118.0	115.4	136.3	92.3			98.4	91.1
2	Chamba	13.2	-1.9	2,220	2,480	120.3	130.4	153.2	107.9			97.3	95.9
3	Hamirpur	-6.1	-7.5	2,202	2,216	147.5	123.8	157.3	107.1			100.5	98.4
4	Kangra	-6.8	-12.3	6,324	6,411	148.3	167.9	134.8	137.6			97.7	98.7
5	Kinnaur	-13.1	-7.5	377	756	179.5	274.9	113.8	144.8			89.3	100.0
6	Kullu	6.0	-3.6	1,949	1,935	111.7	117.8	126.3	112.8	2		99.3	100.0
7	Lahul Spiti	-52.6	-123.8	144	170	282.4	548.4	99.3	135.9			90.4	97.5
8	Mandi	-11.1	-12.6	4,313	4,406	135.8	131.6	159.9	163.6			99.0	98.0
9	Shimla	10.3	11.0	3,418	3,773	119.7	133.3	97.9	87.5	19		99.1	
10	Sirmaur	-4.1	-4.8	2,305	2,338	125.3	131.6	112.7	48.7			96.8	96.5
11	Solan	-10.0	-1.7	2,295	2,497	133.4	127.7	111.5	149.5	1		98.6	102.8
12	Una	-8.7	-13.8	2,244	2,425	148.2	134.3	223.4	130.2			98.3	95.3

Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to June

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Himachal Pradesh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Bilaspur	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Chamba	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Hamirpur	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Kangra	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Kinnaur	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Kullu	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Lahul Spiti	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	Mandi	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	Shimla	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	Sirmaur	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	Solan	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	Una	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to June

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	Himachal Pradesh	0.6	0.2	99.3	99.5	0.2	0.3	184	77	3.7	5.6	9.7	15.3
1	Bilaspur	0.2	0.0	99.8	100.0	0.0	0.0	14	11	0.0	14.3	0.0	57.1
2	Chamba	0.2	0.0	99.8	100.0	0.0	0.0	35	36	2.9	8.3	11.8	2.8
3	Hamirpur	0.0	0.0	100.0	100.0	0.0	0.0	19		10.0		50.0	
4	Kangra	1.3	0.0	98.7	100.0	0.0	0.0	41	2	0.0	0.0	5.3	50.0
5	Kinnaur	0.0	0.0	100.0	100.0	0.0	0.0						
6	Kullu	1.3	0.0	97.4	100.0	1.3	0.0	5		0.0		0.0	
7	Lahul Spiti	0.0	0.0	100.0	100.0	0.0	0.0						
8	Mandi	0.9	0.0	99.1	100.0	0.0	0.0	5	19	0.0	0.0	0.0	27.8
9	Shimla	0.5	0.2	98.5	98.1	1.0	1.7	4		0.0		0.0	
10	Sirmaur	0.4	1.2	99.6	98.8	0.0	0.0	28	9	4.3	0.0	0.0	0.0
11	Solan	0.5	0.0	99.5	100.0	0.0	0.0	16		13.3		13.3	
12	Una	0.0	0.0	100.0	100.0	0.0	0.0	17		0.0		7.7	

Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to June

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Himachal Pradesh	11.2	15.3	4.5	6.9	3.7	5.6	2.2	0.0	0.0	0.0	64.9	51.4
1	Bilaspur	10.0	28.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	90.0	0.0
2	Chamba	0.0	5.6	0.0	13.9	5.9	5.6	0.0	0.0	0.0	0.0	79.4	63.9
3	Hamirpur	30.0		0.0		0.0		0.0		0.0		10.0	
4	Kangra	10.5	0.0	5.3	0.0	5.3	50.0	0.0	0.0	0.0	0.0	73.7	0.0
5	Kinnaur												
6	Kullu	0.0		0.0		33.3		0.0		0.0		66.7	
7	Lahul Spiti												
8	Mandi	75.0	38.9	0.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	25.0	27.8
9	Shimla	0.0		0.0		0.0		0.0		0.0		100.0	
10	Sirmaur	13.0	0.0	8.7	0.0	0.0	0.0	8.7	0.0	0.0	0.0	65.2	100.0
11	Solan	20.0		0.0		0.0		0.0		0.0		53.3	
12	Una	0.0		23.1		7.7		7.7		0.0		53.8	