

Performance of Key HMIS Indicators for Assam-> Dima Hasao (Across Sub Districts)

Financial Year: 2016-17

Provisional Figures for the Period April to March

| Indicators | | 1 | | 2 | | 3 | | 4 | | 5 | | 6 | |
|------------|----------------|---|---------|--|---------|--------------------------------------|---------|---|---------|--|---------|---|---------|
| | | Total number of pregnant women Registered for ANC | | Number of Pregnant women registered within first trimester | | Number of Women registered under JSY | | % 1st Trimester registration to Total ANC Registrations | | % JSY registration to Total ANC Registration | | Number of pregnant women received 3 ANC check ups | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 5,425 | 5,450 | 3,360 | 3,185 | 4,387 | 4,224 | 61.9 | 58.4 | 80.9 | 77.5 | 3,634 | 3,638 |
| 1 | Gunjung BPHC | 1,414 | 1,634 | 822 | 877 | 1,369 | 1,584 | 58.1 | 53.7 | 96.8 | 96.9 | 1,007 | 996 |
| 2 | Langting BPHC | 1,319 | 1,346 | 842 | 763 | 981 | 858 | 63.8 | 56.7 | 74.4 | 63.7 | 1,054 | 1,051 |
| 3 | Mahur BPHC | 1,494 | 1,592 | 969 | 997 | 1,409 | 1,441 | 64.9 | 62.6 | 94.3 | 90.5 | 1,095 | 1,147 |
| 4 | NC Hills Urban | 1,198 | 878 | 727 | 548 | 628 | 341 | 60.7 | 62.4 | 52.4 | 38.8 | 478 | 444 |

Performance of Key HMIS Indicators for Assam-> Dima Hasao (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

| Indicators | | 7 | | 8 | | 9 | | 10 | | 11 | | 12 | |
|------------|----------------|--|---------|--|---------|--|---------|--|---------|--|---------|--|---------|
| | | TT2 or Booster given to Pregnant women (numbers) | | % Pregnant Woman received 3 ANC check ups to Total ANC Registrations | | % Pregnant women received TT2 or Booster to Total ANC Registration | | Number of Pregnant women given 100 IFA tablets | | % Pregnant women given 100 IFA to Total ANC Registration | | Number having Hb level<11 (tested cases) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 4,214 | 4,566 | 66.9 | 66.7 | 77.6 | 83.7 | 4,044 | 3,715 | 74.5 | 68.1 | 2,547 | 2,827 |
| 1 | Gunjung BPHC | 1,271 | 1,366 | 71.2 | 61.0 | 89.9 | 83.6 | 1,069 | 1,241 | 75.6 | 75.9 | 1,092 | 1,079 |
| 2 | Langting BPHC | 1,069 | 1,238 | 79.9 | 78.1 | 81.0 | 92.0 | 1,075 | 928 | 81.5 | 68.9 | 473 | 888 |
| 3 | Mahur BPHC | 1,261 | 1,408 | 73.3 | 72.0 | 84.4 | 88.4 | 1,165 | 1,047 | 78.0 | 65.8 | 419 | 439 |
| 4 | NC Hills Urban | 613 | 554 | 39.9 | 50.6 | 51.2 | 63.1 | 735 | 499 | 61.4 | 56.8 | 563 | 421 |

| Indicators | | 13 | | 14 | | 15 | | 16 | | 17 | | 18 | |
|------------|----------------|--|---------|--|---------|---|---------|---------------------------|---------|--|---------|--|---------|
| | | Number having severe anaemia (Hb<7) treated at institution | | % Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11 | | % New cases detected at institution for hypertension to Total ANC Registrations | | Number of Home deliveries | | Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM) | | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 0 | 2 | 0.0 | 0.1 | 1.6 | 0.8 | 1,463 | 1,730 | 355 | 246 | 1,108 | 1,484 |
| 1 | Gunjung BPHC | 0 | 0 | 0.0 | 0.0 | 1.0 | 0.6 | 307 | 467 | 46 | 62 | 261 | 405 |
| 2 | Langting BPHC | 0 | 1 | 0.0 | 0.1 | 2.3 | 1.3 | 591 | 640 | 128 | 88 | 463 | 552 |
| 3 | Mahur BPHC | | | 0.0 | 0.0 | 0.5 | 0.4 | 565 | 623 | 181 | 96 | 384 | 527 |
| 4 | NC Hills Urban | 0 | 1 | 0.0 | 0.2 | 2.8 | 1.0 | | | | | | |

| Indicators | | 19 | | 20 | | 21 | | 22 | | 23 | | 24 | |
|------------|----------------|--|---------|--|---------|---|---------|--|---------|---|---------|---|---------|
| | | % SBA attended home deliveries to Total Reported Home Deliveries | | Mothers paid JSY incentive for home deliveries | | % Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries | | Deliveries Conducted at Public Institutions | | Number of Women Discharged under 48 hours of delivery in public facilities | | % Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 24.2 | 14.2 | 0 | 0 | 0.0 | 0.0 | 2,636 | 2,404 | 540 | 550 | 20.4 | 22.8 |
| 1 | Gunjung BPHC | 15.0 | 13.3 | 0 | 0 | 0.0 | 0.0 | 726 | 661 | 255 | 238 | 35.1 | 36.0 |
| 2 | Langting BPHC | 21.7 | 13.8 | 0 | 0 | 0.0 | 0.0 | 451 | 341 | 164 | 61 | 36.4 | 17.9 |
| 3 | Mahur BPHC | 32.0 | 15.4 | 0 | 0 | 0.0 | 0.0 | 429 | 381 | 103 | 145 | 24.0 | 38.1 |
| 4 | NC Hills Urban | | | | | | | 1,030 | 1,021 | 18 | 106 | 1.7 | 10.4 |

| Indicators | | 25 | | 26 | | 27 | | 28 | | 29 | | 30 | |
|------------|----------------|---|---------|--|---------|---------------------------|---------|---|---------|--|---------|--|---------|
| | | Institutional deliveries (Public Insts.+Pvt. Insts.) | | % Institutional Deliveries to total ANC registration | | Total reported deliveries | | % Institutional deliveries to Total Reported Deliveries | | % Safe deliveries to Total Reported Deliveries | | % Home deliveries to Total Reported Deliveries | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 2,697 | 2,432 | 49.7 | 44.6 | 4,160 | 4,162 | 64.8 | 58.4 | 73.4 | 64.3 | 35.2 | 41.6 |
| 1 | Gunjung BPHC | 726 | 661 | 51.3 | 40.5 | 1,033 | 1,128 | 70.3 | 58.6 | 74.7 | 64.1 | 29.7 | 41.4 |
| 2 | Langting BPHC | 451 | 341 | 34.2 | 25.3 | 1,042 | 981 | 43.3 | 34.8 | 55.6 | 43.7 | 56.7 | 65.2 |
| 3 | Mahur BPHC | 429 | 381 | 28.7 | 23.9 | 994 | 1,004 | 43.2 | 37.9 | 61.4 | 47.5 | 56.8 | 62.1 |
| 4 | NC Hills Urban | 1,091 | 1,049 | 91.1 | 119.5 | 1,091 | 1,049 | 100.0 | 100.0 | 100.0 | 100.0 | 0.0 | 0.0 |

| Indicators | | 31 | | 32 | | 33 | | 34 | | 35 | | 36 | |
|------------|----------------|---|---------|--|---------|---|---------|--|---------|--|---------|---|---------|
| | | Number of C-section deliveries conducted at public facilities | | Number of C-section deliveries conducted at private facilities | | % C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries | | % C-sections conducted at public facilities to Deliveries conducted at public facilities | | % C-sections conducted at Private facilities to Deliveries conducted at private facilities | | % Deliveries conducted at Public Institutions to Total Institutional Deliveries | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 505 | 457 | | | 18.7 | 18.7 | 19.2 | 19.0 | 0.0 | 0.0 | 97.7 | 98.8 |
| 1 | Gunjung BPHC | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 2 | Langting BPHC | 0 | 0 | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 3 | Mahur BPHC | | | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 4 | NC Hills Urban | 505 | 457 | | | 46.3 | 43.6 | 49.0 | 44.8 | 0.0 | 0.0 | 94.4 | 97.3 |

| Indicators | | 37 | | 38 | | 39 | | 40 | | 41 | | 42 | |
|------------|----------------|--|---------|---|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries | | % of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries | | % Deliveries conducted at Private Institutions to Total Institutional Deliveries | | Women received post partum check-up within 48 hours of delivery | | Post - Natal Care / Women got a post partum check up between 48 hours and 14 days | | % Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 98.1 | 98.4 | 62.4 | 51.5 | 2.3 | 1.2 | 3,058 | 2,848 | 2,554 | 2,191 | 73.5 | 68.4 |
| 1 | Gunjung BPHC | 98.8 | 99.7 | 31.8 | 81.7 | 0.0 | 0.0 | 481 | 490 | 315 | 303 | 46.6 | 43.4 |
| 2 | Langting BPHC | 100.0 | 99.4 | 94.7 | 80.4 | 0.0 | 0.0 | 907 | 791 | 597 | 581 | 87.0 | 80.6 |
| 3 | Mahur BPHC | 100.0 | 100.0 | 160.8 | 75.3 | 0.0 | 0.0 | 617 | 494 | 596 | 507 | 62.1 | 49.2 |
| 4 | NC Hills Urban | 96.0 | 96.7 | 28.9 | 13.3 | 5.6 | 2.7 | 1,053 | 1,073 | 1,046 | 800 | 96.5 | 102.3 |

| Indicators | | 43 | | 44 | | 45 | | 46 | | 47 | | 48 | |
|------------|----------------|--|---------|--------------------------------------|---------|--|---------|---------------------------------------|---------|--------------------------------|---------|-------------------------------------|---------|
| | | % Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries | | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | Total Number of reported Still Births | | % live birth to Reported Birth | | Number of Newborns weighed at birth | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 61.4 | 52.6 | 4,090 | 4,149 | 98.3 | 99.7 | 100 | 68 | 97.6 | 98.4 | 4,074 | 4,101 |
| 1 | Gunjung BPHC | 30.5 | 26.9 | 1,022 | 1,119 | 98.9 | 99.2 | 18 | 12 | 98.3 | 98.9 | 1,022 | 1,115 |
| 2 | Langting BPHC | 57.3 | 59.2 | 1,016 | 965 | 97.5 | 98.4 | 33 | 20 | 96.9 | 98.0 | 1,013 | 960 |
| 3 | Mahur BPHC | 60.0 | 50.5 | 975 | 997 | 98.1 | 99.3 | 19 | 10 | 98.1 | 99.0 | 962 | 958 |
| 4 | NC Hills Urban | 95.9 | 76.3 | 1,077 | 1,068 | 98.7 | 101.8 | 30 | 26 | 97.3 | 97.6 | 1,077 | 1,068 |

| Indicators | | 49 | | 50 | | 51 | | 52 | | 53 | | 54 | |
|------------|----------------|---|---------|---|---------|--|---------|--|---------|---|---------|--|---------|
| | | % Newborns weighed at birth to live birth | | Number of Newborns having weight less than 2.5 kg | | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | | Number of New Borns Breast Fed within 1 hour | | % Newborns breast fed within 1 hour of birth to Total live birth | | Number of New Borns visited within 24 hrs of Home Delivery | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 99.6 | 98.8 | 326 | 324 | 8.0 | 7.9 | 4,074 | 4,138 | 99.6 | 99.7 | 834 | 690 |
| 1 | Gunjung BPHC | 100.0 | 99.6 | 106 | 112 | 10.4 | 10.0 | 1,022 | 1,119 | 100.0 | 100.0 | 135 | 209 |
| 2 | Langting BPHC | 99.7 | 99.5 | 37 | 29 | 3.7 | 3.0 | 1,010 | 962 | 99.4 | 99.7 | 324 | 160 |
| 3 | Mahur BPHC | 98.7 | 96.1 | 21 | 23 | 2.2 | 2.4 | 965 | 989 | 99.0 | 99.2 | 375 | 321 |
| 4 | NC Hills Urban | 100.0 | 100.0 | 162 | 160 | 15.0 | 15.0 | 1,077 | 1,068 | 100.0 | 100.0 | | |

| Indicators | | 55 | | 56 | | 57 | | 58 | | 59 | | 60 | |
|------------|----------------|--|---------|---|---------|--|---------|---|---------|--|---------|---|---------|
| | | % newborns visited within 24hrs of home delivery to total reported home deliveries | | Sex Ratio at birth (Female Live Births/ Male Births *1000) | | % cases of Pregnant women with Obstetric Complications and attended to reported deliveries | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension | | % Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 57.0 | 39.8 | 955 | 977 | 32.9 | 25.6 | 10.9 | 8.3 | 114.1 | 126.8 | 29.4 | 43.7 |
| 1 | Gunjung BPHC | 44.0 | 44.8 | 954 | 949 | 43.5 | 25.1 | 15.8 | 10.8 | 357.1 | 200.0 | 0.0 | 0.0 |
| 2 | Langting BPHC | 54.8 | 25.0 | 977 | 881 | 0.0 | 0.0 | | | 0.0 | 0.0 | | |
| 3 | Mahur BPHC | 66.4 | 51.5 | 908 | 1,081 | 0.0 | 0.0 | | | 0.0 | 0.0 | | |
| 4 | NC Hills Urban | | | 980 | 1,004 | 52.5 | 43.8 | 8.2 | 7.4 | 138.2 | 377.8 | 45.5 | 59.5 |

| Indicators | | 61 | | 62 | | 63 | | 64 | | 65 | | 66 | |
|------------|----------------|---|---------|--|---------|---|---------|------------------------------|---------|---|---------|---|---------|
| | | % Post - Natal Care / PNC maternal complications attended to Total Deliveries | | Total Number of Abortions (Spontaneous/ Induced) Reported | | Total Number of MTPs (Public) reported | | % MTPs (Public) to Abortions | | % MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions | | % MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 0.1 | 0.2 | 321 | 416 | 190 | 232 | 59.2 | 55.8 | 80.5 | 79.7 | 19.5 | 20.3 |
| 1 | Gunjung BPHC | 0.2 | 0.7 | 79 | 51 | 64 | 45 | 81.0 | 88.2 | 98.4 | 100.0 | 1.6 | 0.0 |
| 2 | Langting BPHC | 0.0 | 0.0 | 33 | 14 | 18 | 8 | 54.5 | 57.1 | 100.0 | 100.0 | 0.0 | 0.0 |
| 3 | Mahur BPHC | 0.0 | 0.0 | 1 | 3 | 0 | 0 | 0.0 | 0.0 | | | | |
| 4 | NC Hills Urban | 0.1 | 0.0 | 208 | 348 | 108 | 179 | 51.9 | 51.4 | 66.7 | 73.7 | 33.3 | 26.3 |

| Indicators | | 67 | | 68 | | 69 | | 70 | | 71 | | 72 | |
|------------|----------------|--|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % MTPs Conducted at Public Institutions to Total MTPs | | % MTPs Conducted at Private Institutions to Total MTPs | | % Total MTPs (Public) Conducted to Total ANC Registration | | % Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated | | Number of Vasectomies Conducted (Public + Pvt.) | | Number of Tubectomies Conducted (Public + Pvt.) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 100.0 | 100.0 | 0.0 | 0.0 | 3.5 | 4.3 | 0.0 | 0.0 | 0 | 0 | 146 | 60 |
| 1 | Gunjung BPHC | 100.0 | 100.0 | 0.0 | 0.0 | 4.5 | 2.8 | | | 0 | 0 | 15 | 0 |
| 2 | Langting BPHC | 100.0 | 100.0 | 0.0 | 0.0 | 1.4 | 0.6 | | 0.0 | 0 | 0 | 18 | 0 |
| 3 | Mahur BPHC | | | | | 0.0 | 0.0 | | | 0 | 0 | 0 | 0 |
| 4 | NC Hills Urban | 100.0 | 100.0 | 0.0 | 0.0 | 9.0 | 20.4 | 0.0 | 0.0 | 0 | 0 | 113 | 60 |

Performance of Key HMIS Indicators for Assam-> Dima Hasao (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

| Indicators | | 73 | | 74 | | 75 | | 76 | | 77 | | 78 | |
|------------|----------------|-------------------------------|---------|---|---------|--------------------------------------|---------|--|---------|--|---------|---|---------|
| | | Total Sterilisation Conducted | | % Male Sterilisation (Vasectomies) to Total sterilisation | | % Tubectomies to Total sterilisation | | Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 146 | 60 | 0.0 | 0.0 | 100.0 | 100.0 | 0 | 0 | 33 | 0 | 113 | 60 |
| 1 | Gunjung BPHC | 15 | 0 | 0.0 | | 100.0 | | 0 | 0 | 15 | 0 | | |
| 2 | Langting BPHC | 18 | 0 | 0.0 | | 100.0 | | 0 | 0 | 18 | 0 | | |
| 3 | Mahur BPHC | 0 | 0 | | | | | 0 | 0 | | | | |
| 4 | NC Hills Urban | 113 | 60 | 0.0 | 0.0 | 100.0 | 100.0 | 0 | 0 | | | 113 | 60 |

| Indicators | | 79 | | 80 | | 81 | | 82 | | 83 | | 84 | |
|------------|----------------|--|---------|---|---------|---|---------|---|---------|--|---------|---|---------|
| | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | | | 0 | 0 | 0.0 | 0.0 | 22.6 | 0.0 | 77.4 | 100.0 | 0.0 | 0.0 |
| 1 | Gunjung BPHC | | | | | 0.0 | | 100.0 | | 0.0 | | 0.0 | |
| 2 | Langting BPHC | | | | | 0.0 | | 100.0 | | 0.0 | | 0.0 | |
| 3 | Mahur BPHC | | | | | | | | | | | | |
| 4 | NC Hills Urban | | | 0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 |

| Indicators | | 85 | | 86 | | 87 | | 88 | | 89 | | 90 | |
|------------|----------------|--|---------|--|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation | | % Laparoscopic sterilisations to Total Female Sterilisations | | % Mini Lap Sterilisations to Total Female Sterilisations | | % Post Partum Sterilisations to Total Female Sterilisations | | % Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations | | % Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 0.0 | 0.0 | 27.4 | 0.0 | 1.4 | 5.0 | 71.2 | 95.0 | 100.0 | | 100.0 | 100.0 |
| 1 | Gunjung BPHC | 0.0 | | 100.0 | | 0.0 | | 0.0 | | 100.0 | | | |
| 2 | Langting BPHC | 0.0 | | 100.0 | | 0.0 | | 0.0 | | 100.0 | | | |
| 3 | Mahur BPHC | | | | | | | | | | | | |
| 4 | NC Hills Urban | 0.0 | 0.0 | 6.2 | 0.0 | 1.8 | 5.0 | 92.0 | 95.0 | 100.0 | | 100.0 | 100.0 |

Performance of Key HMIS Indicators for Assam-> Dima Hasao (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

| Indicators | | 91 | | 92 | | 93 | | 94 | | 95 | | 96 | |
|------------|----------------|--|---------|--|---------|--|---------|--|---------|--|---------|---|---------|
| | | % Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation | | Total cases of deaths following Sterilisation (Male + Female) | | IUCD Insertions done (public facilities) | | IUCD insertions done (pvt. facilities) | | Total IUCD Insertions done(public+private) | | PP IUCD Insertions done (public facilities) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 100.0 | 100.0 | 0 | 0 | 657 | 535 | 0 | 0 | 657 | 535 | 234 | 181 |
| 1 | Gunjung BPHC | | | 0 | 0 | 160 | 148 | | | 160 | 148 | 0 | 0 |
| 2 | Langting BPHC | | | 0 | 0 | 72 | 31 | | | 72 | 31 | 0 | 0 |
| 3 | Mahur BPHC | | | 0 | 0 | 106 | 85 | | | 106 | 85 | 0 | 1 |
| 4 | NC Hills Urban | 100.0 | 100.0 | 0 | 0 | 319 | 271 | 0 | 0 | 319 | 271 | 234 | 180 |

| Indicators | | 97 | | 98 | | 99 | | 100 | | 101 | | 102 | |
|------------|----------------|---|---------|--|---------|---|---------|------------------------|---------|---------------------------|---------|-------------------------------|---------|
| | | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | | % PP IUCD Insertions (public) to Total Institutional Deliveries (public) | | % IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent) | | Oral Pills distributed | | Condom pieces distributed | | Centchroman Pills distributed | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 35.6 | 33.8 | 8.8 | 7.5 | 81.8 | 89.9 | 9,616 | 10,976 | 23,329 | 24,398 | 14 | 14 |
| 1 | Gunjung BPHC | 0.0 | 0.0 | 0.0 | 0.0 | 91.4 | 100.0 | 2,667 | 2,704 | 6,186 | 7,178 | 0 | 0 |
| 2 | Langting BPHC | 0.0 | 0.0 | 0.0 | 0.0 | 80.0 | 100.0 | 2,111 | 2,782 | 5,473 | 4,380 | 0 | 0 |
| 3 | Mahur BPHC | 0.0 | 1.2 | 0.0 | 0.3 | 100.0 | 100.0 | 4,245 | 4,435 | 10,352 | 10,044 | 7 | 4 |
| 4 | NC Hills Urban | 73.4 | 66.4 | 22.7 | 17.6 | 73.8 | 81.9 | 593 | 1,055 | 1,318 | 2,796 | 7 | 10 |

Performance of Key HMIS Indicators for Assam-> Dima Hasao (Across Sub Districts)
Financial Year: 2016-17
Provisional Figures for the Period April to March

| Indicators | | 103 | | 104 | | 105 | | 106 | | 107 | | 108 | |
|------------|----------------|--|---------|-----------------------------|---------|---|---------|---|---------|------------------------------|---------|------------------------------|---------|
| | | Number of Infants given OPV 0 (Birth Dose) | | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | % Newborns given BCG to Reported live birth | | Number of Infants given DPT1 | | Number of Infants given DPT2 | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 2,804 | 2,712 | 4,303 | 4,448 | 68.6 | 65.4 | 105.2 | 107.2 | 33 | 68 | 11 | 202 |
| 1 | Gunjung BPHC | 704 | 710 | 1,034 | 1,238 | 68.9 | 63.4 | 101.2 | 110.6 | 0 | 5 | 0 | 39 |
| 2 | Langting BPHC | 637 | 534 | 1,046 | 974 | 62.7 | 55.3 | 103.0 | 100.9 | 0 | 23 | 0 | 84 |
| 3 | Mahur BPHC | 396 | 466 | 1,130 | 1,193 | 40.6 | 46.7 | 115.9 | 119.7 | 33 | 39 | 11 | 66 |
| 4 | NC Hills Urban | 1,067 | 1,002 | 1,093 | 1,043 | 99.1 | 93.8 | 101.5 | 97.7 | 0 | 1 | 0 | 13 |

| Indicators | | 109 | | 110 | | 111 | | 112 | | 113 | | 114 | |
|------------|----------------|------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------|---------|---|---------|
| | | Number of Infants given DPT3 | | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | % Infants 0 to 11 months old who received Measles vaccine to reported live births | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 9 | 592 | 4,358 | 4,447 | 4,218 | 4,103 | 4,175 | 3,554 | 3,990 | 3,874 | 97.5 | 93.3 |
| 1 | Gunjung BPHC | 0 | 158 | 1,268 | 1,368 | 1,256 | 1,273 | 1,255 | 1,081 | 1,180 | 1,034 | 115.5 | 92.4 |
| 2 | Langting BPHC | 0 | 205 | 1,190 | 1,120 | 1,095 | 969 | 1,150 | 793 | 1,035 | 1,018 | 101.9 | 105.5 |
| 3 | Mahur BPHC | 9 | 175 | 1,587 | 1,555 | 1,568 | 1,510 | 1,492 | 1,369 | 1,473 | 1,520 | 151.1 | 152.5 |
| 4 | NC Hills Urban | 0 | 54 | 313 | 404 | 299 | 351 | 278 | 311 | 302 | 302 | 28.0 | 28.3 |

| Indicators | | 115 | | 116 | | 117 | | 118 | | 119 | | 120 | |
|------------|----------------|--|---------|----------------------------------|---------|--------------------|---------|---|---------|---|---------|--|---------|
| | | Number of fully immunized children (9-11 months) | | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | Adverse Events Following Immunisation (Others) | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 3,989 | 3,874 | 7.3 | 12.9 | 3,974 | 3,925 | 97.2 | 94.6 | 38.1 | 47.9 | 53 | 548 |
| 1 | Gunjung BPHC | 1,179 | 1,034 | -14.1 | 16.5 | 1,172 | 1,034 | 114.7 | 92.4 | 34.6 | 52.6 | 11 | 22 |
| 2 | Langting BPHC | 1,035 | 1,018 | 1.1 | -4.5 | 1,032 | 1,069 | 101.6 | 110.8 | 48.9 | 38.8 | 1 | 5 |
| 3 | Mahur BPHC | 1,473 | 1,520 | -30.4 | -27.4 | 1,468 | 1,521 | 150.6 | 152.6 | 37.4 | 58.8 | 41 | 519 |
| 4 | NC Hills Urban | 302 | 302 | 72.4 | 71.0 | 302 | 301 | 28.0 | 28.2 | 18.2 | 8.6 | 0 | 2 |

| Indicators | | 121 | | 122 | | 123 | | 124 | | 125 | | 126 | |
|------------|----------------|---|---------|---|---------|---|---------|--|---------|--|---------|--|---------|
| | | % immunisation Sessions Held to Immunisation Sessions Planned | | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 96.9 | 93.5 | 88.7 | 87.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Gunjung BPHC | 92.5 | 94.0 | 86.6 | 86.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Langting BPHC | 89.3 | 86.8 | 83.0 | 80.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Mahur BPHC | 98.4 | 97.2 | 93.7 | 93.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | NC Hills Urban | 395.5 | 96.3 | 100.0 | 60.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicators | | 127 | | 128 | | 129 | | 130 | | 131 | | 132 | |
|------------|----------------|---|---------|--|---------|---|---------|---|---------|---|---------|---|---------|
| | | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Adult Female Inpatients to Total Adult Inpatient | | % Children Inpatient to Total Inpatient | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 0.0 | 0.0 | 1.2 | 1.4 | 96.6 | 94.5 | 2.1 | 4.1 | 64.2 | 62.1 | 21.7 | 20.2 |
| 1 | Gunjung BPHC | 0.0 | 0.0 | 0.5 | 1.0 | 99.2 | 96.2 | 0.3 | 2.8 | 71.3 | 70.7 | 16.7 | 16.2 |
| 2 | Langting BPHC | 0.0 | 0.0 | 0.4 | 0.3 | 97.0 | 92.7 | 2.6 | 7.1 | 60.6 | 57.6 | 31.0 | 29.3 |
| 3 | Mahur BPHC | 0.0 | 0.0 | 0.9 | 0.1 | 97.3 | 99.7 | 1.8 | 0.2 | 82.5 | 82.7 | 11.4 | 20.9 |
| 4 | NC Hills Urban | 0.0 | 0.0 | 4.2 | 7.4 | 92.5 | 89.2 | 3.2 | 3.5 | 61.9 | 60.2 | 19.8 | 18.0 |

| Indicators | | 133 | | 134 | | 135 | | 136 | | 137 | | 138 | |
|------------|----------------|---|---------|---------------------------------|---------|--------------|---------|--------------|---------|--------------|---------|----------------------------|---------|
| | | % Female Inpatient Deaths to Total Inpatient Deaths | | % Inpatient Deaths to Total IPD | | IPD (Number) | | OPD (Number) | | % IPD to OPD | | Number of Major Operations | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 40.8 | 37.0 | 1.2 | 1.4 | 13,713 | 13,464 | 230,648 | 207,141 | 5.9 | 6.5 | 764 | 695 |
| 1 | Gunjung BPHC | 66.7 | 41.7 | 0.3 | 0.6 | 2,005 | 1,872 | 47,315 | 46,816 | 4.2 | 4.0 | 0 | 0 |
| 2 | Langting BPHC | 44.4 | 44.4 | 0.3 | 0.3 | 3,343 | 2,863 | 42,893 | 37,204 | 7.8 | 7.7 | 0 | 0 |
| 3 | Mahur BPHC | | | 0.0 | 0.0 | 638 | 468 | 51,245 | 48,909 | 1.2 | 1.0 | | |
| 4 | NC Hills Urban | 39.6 | 36.2 | 2.0 | 2.0 | 7,727 | 8,261 | 89,195 | 74,212 | 8.7 | 11.1 | 764 | 695 |

| Indicators | | 139 | | 140 | | 141 | | 142 | | 143 | | 144 | |
|------------|----------------|----------------------------|---------|---------------------------------------|---------|----------------------------------|---------|--|---------|--------------------|---------|--------------------------|---------|
| | | Number of Minor Operations | | % Major Operations to Total Operation | | Number of Hysterectomy Surgeries | | % Hysterectomy Surgeries to Total Major Operations | | Ayush OPD (Number) | | % AYUSH OPD to Total OPD | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 502 | 434 | 60.3 | 61.6 | 8 | 5 | 1.0 | 0.7 | 8,979 | 8,063 | 3.8 | 3.8 |
| 1 | Gunjung BPHC | 0 | 0 | | | 0 | 0 | | | 0 | 0 | 0.0 | 0.0 |
| 2 | Langting BPHC | 0 | 0 | | | 0 | 0 | | | 3,866 | 1,077 | 9.0 | 2.9 |
| 3 | Mahur BPHC | 0 | 0 | | | | | | | 0 | 0 | 0.0 | 0.0 |
| 4 | NC Hills Urban | 502 | 434 | 60.3 | 61.6 | 8 | 5 | 1.0 | 0.7 | 5,113 | 6,986 | 5.7 | 9.4 |

| Indicators | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|------------|----------------|---------------------|---------|---------------------------|---------|--------------------------------|---------|---|---------|---|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 658 | 306 | 0.3 | 0.1 | 0 | 182 | 3.1 | 4.5 | 1.3 | 0.7 | 0.1 | 0.2 |
| 1 | Gunjung BPHC | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 1.6 | 1.9 | 0.0 | | 0.3 | |
| 2 | Langting BPHC | 0 | 0 | 0.0 | 0.0 | 0 | 40 | 1.0 | 1.5 | 1.1 | 0.0 | 0.0 | 0.0 |
| 3 | Mahur BPHC | 0 | 0 | 0.0 | 0.0 | 0 | 0 | 3.4 | 4.6 | 0.0 | | 0.0 | |
| 4 | NC Hills Urban | 658 | 306 | 0.7 | 0.4 | 0 | 142 | 6.5 | 8.5 | 1.4 | 0.9 | 0.1 | 0.2 |

| Indicators | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
|------------|----------------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 0.3 | 0.3 | 0.2 | 1.1 | 1.4 | 3.8 | 67 | 77 | 0.0 | 5.5 | 10.6 | 8.2 |
| 1 | Gunjung BPHC | 0.3 | | 0.6 | 0.7 | 0.9 | 2.3 | 14 | 35 | 0.0 | 0.0 | 0.0 | 3.1 |
| 2 | Langting BPHC | 0.2 | 0.0 | 0.0 | 0.3 | 0.9 | 2.4 | 6 | 5 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Mahur BPHC | 0.0 | | 0.2 | 4.0 | 1.8 | 2.2 | 27 | 14 | 0.0 | 0.0 | 7.7 | 0.0 |
| 4 | NC Hills Urban | 0.4 | 0.3 | 0.1 | 2.1 | 4.5 | 12.4 | 20 | 23 | 0.0 | 17.4 | 25.0 | 21.7 |

| Indicators | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|------------|----------------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 | 2016-17 | 2015-16 |
| | _Dima Hasao | 10.6 | 6.8 | 15.2 | 9.6 | 1.5 | 0.0 | 1.5 | 6.8 | 0.0 | 0.0 | 60.6 | 63.0 |
| 1 | Gunjung BPHC | 28.6 | 6.3 | 7.1 | 3.1 | 7.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 57.1 | 87.5 |
| 2 | Langting BPHC | 0.0 | 25.0 | 33.3 | 25.0 | 0.0 | 0.0 | 0.0 | 25.0 | 0.0 | 0.0 | 66.7 | 25.0 |
| 3 | Mahur BPHC | 3.8 | 0.0 | 3.8 | 0.0 | 0.0 | 0.0 | 0.0 | 21.4 | 0.0 | 0.0 | 84.6 | 78.6 |
| 4 | NC Hills Urban | 10.0 | 8.7 | 30.0 | 21.7 | 0.0 | 0.0 | 5.0 | 4.3 | 0.0 | 0.0 | 30.0 | 26.1 |