| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---------------|--|--|--|--|--|--|---|--|--|---|---|---|
| ı | Indicators | Total number of pregnant women Registere d for ANC | Number of Pregnant women registere d within first trimester | % 1st Trimeste r registrati on to Total ANC Registrati ons | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers | TT Booster given to Pregnant women (numbers | % Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2+ TT Booster to Total ANC Registrati on | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registrati on | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Hardwar | 39,101 | 22,142 | 56.6 | 16,808 | 26,972 | 5,966 | 42.9 | 84.2 | 23,964 | 61.2 | 22,985 | 408 |
| 1 | Bahadrabad | 17,867 | 8,666 | 48.5 | 4,988 | 10,514 | 2,395 | 27.9 | 72.3 | 16,142 | 90.3 | 12,154 | 296 |
| 2 | Bhagwanpur | 4,355 | 2,622 | 60.2 | 2,736 | 3,959 | 532 | 62.8 | 103.1 | 1,377 | 31.6 | 1,181 | 3 |
| 3 | Hardwar-Urban | | | | | | | | | | | | |
| 4 | Khanpur | 932 | 650 | 69.7 | 614 | 563 | 334 | 65.9 | 96.2 | 411 | 44.1 | 632 | 0 |
| 5 | Laksar | 2,885 | 1,596 | 55.3 | 1,196 | 1,681 | 781 | 41.5 | 85.3 | 652 | 22.6 | 922 | 0 |
| 6 | Narsan | 4,540 | 2,539 | 55.9 | 2,112 | 4,009 | 565 | 46.5 | 100.7 | 3,310 | 72.9 | 353 | |
| 7 | Roorkee | 8,522 | 6,069 | 71.2 | 5,162 | 6,246 | 1,359 | 60.6 | 89.2 | 2,072 | 24.3 | 7,743 | 109 |

| | | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
|---|---------------|--|--|---------------------------------|--|--|--|--|--|--|---|---|---|
| | Indicators | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7 | % New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrati ons | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducte d at Public Institutio ns | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Deliveries Conducte d at Private Institutio ns | Number of Women Discharge d under 48 hours of delivery in private institutio ns | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Hardwar | 35.9 | 1.4 | 4,417 | 443 | 3,974 | 10.0 | 8,892 | 5,392 | 60.6 | 8,317 | 0 | 0.0 |
| 1 | Bahadrabad | 65.8 | 2.5 | 1,059 | 78 | 981 | 7.4 | 4,469 | 3,152 | 70.5 | 8,317 | 0 | 0.0 |
| 2 | Bhagwanpur | 9.4 | 1.1 | 737 | 39 | 698 | 5.3 | 306 | 104 | 34.0 | | | |
| 3 | Hardwar-Urban | | | | | | | | | | | | |
| 4 | Khanpur | | 1.4 | 113 | 18 | 95 | 15.9 | 200 | 114 | 57.0 | | | |
| 5 | Laksar | 0.0 | 1.0 | 417 | 36 | 381 | 8.6 | 665 | 108 | 16.2 | | | |
| 6 | Narsan | 0.0 | 0.0 | 702 | 253 | 449 | 36.0 | 1,642 | 422 | 25.7 | | | |
| 7 | Roorkee | 19.4 | 0.2 | 1,389 | 19 | 1,370 | 1.4 | 1,610 | 1,492 | 92.7 | | | |

| | | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
|---|---------------|---|---|---------------------------------|--|---|---|---|--|--|---|---|--|
| | Indicators | Institutio nal deliveries (Public Insts.+Pvt . Insts.) | % Institutio nal Deliveries to total ANC registrati on | Total reported deliveries | % Institutio nal deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducte d at public facilities | Number of C-section deliveries conducte d at private facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section s conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Hardwar | 17,209 | 44.0 | 21,626 | 79.6 | 81.6 | 20.4 | 383 | 1,943 | 13.5 | 4.3 | 23.4 | 51.7 |
| 1 | Bahadrabad | 12,786 | 71.6 | 13,845 | 92.4 | 92.9 | 7.6 | 383 | 1,943 | 18.2 | 8.6 | 23.4 | 35.0 |
| 2 | Bhagwanpur | 306 | 7.0 | 1,043 | 29.3 | 33.1 | 70.7 | | | 0.0 | 0.0 | | 100.0 |
| 3 | Hardwar-Urban | | | | | | | | | | | | |
| 4 | Khanpur | 200 | 21.5 | 313 | 63.9 | 69.6 | 36.1 | 0 | | 0.0 | 0.0 | | 100.0 |
| 5 | Laksar | 665 | 23.1 | 1,082 | 61.5 | 64.8 | 38.5 | 0 | | 0.0 | 0.0 | | 100.0 |
| 6 | Narsan | 1,642 | 36.2 | 2,344 | 70.1 | 80.8 | 29.9 | | | 0.0 | 0.0 | | 100.0 |
| 7 | Roorkee | 1,610 | 18.9 | 2,999 | 53.7 | 54.3 | 46.3 | 0 | | 0.0 | 0.0 | | 100.0 |

| | | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 |
|---|---------------|---|--|--|---|---|---|---|--|--|---|--|---|
| | Indicators | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Hardwar | 48.3 | 11,937 | 8,306 | 270.3 | 38.4 | 22,729 | 105.1 | 236 | 99.0 | 18,579 | 81.7 | 872 |
| 1 | Bahadrabad | 65.0 | 9,518 | 2,711 | 898.8 | 19.6 | 13,803 | 99.7 | 89 | 99.4 | 10,663 | 77.3 | 381 |
| 2 | Bhagwanpur | 0.0 | 552 | 795 | 74.9 | 76.2 | 1,022 | 98.0 | 23 | 97.8 | 892 | 87.3 | 69 |
| 3 | Hardwar-Urban | | | | | | | | | | | | |
| 4 | Khanpur | 0.0 | 226 | 461 | 200.0 | 147.3 | 318 | 101.6 | 9 | 97.2 | 285 | 89.6 | 38 |
| 5 | Laksar | 0.0 | 442 | 706 | 106.0 | 65.2 | 1,154 | 106.7 | 14 | 98.8 | 850 | 73.7 | 117 |
| 6 | Narsan | 0.0 | 360 | 480 | 51.3 | 20.5 | 2,322 | 99.1 | 49 | 97.9 | 2,249 | 96.9 | 15 |
| 7 | Roorkee | 0.0 | 839 | 3,153 | 60.4 | 105.1 | 4,110 | 137.0 | 52 | 98.8 | 3,640 | 88.6 | 252 |

| | | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 |
|---|---------------|--|--|--|---|---|---|--|---|--|---|---|---|
| | Indicators | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) | % cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries 2017-18 | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrati on | Number of PW given one Albendaz ole tablet after 1st trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on |
| | _Hardwar | 4.6 | 17,405 | 76.5 | 908 | 0.1 | 1475.6 | 21,965 | 56.2 | 1,943 | 5.0 | 0 | 0.0 |
| 1 | Bahadrabad | 3.6 | 9,349 | 67.7 | 895 | 0.3 | 1395.0 | 10,209 | 57.1 | 1,784 | 10.0 | 0 | 0.0 |
| 2 | Bhagwanpur | 7.7 | 875 | 85.6 | 925 | 0.0 | | 1,386 | 31.8 | 23 | 0.5 | | 0.0 |
| 3 | Hardwar-Urban | | | | 0 | | | | | | | | |
| 4 | Khanpur | 13.3 | 296 | 93.1 | 817 | 0.0 | | 159 | 17.1 | 0 | 0.0 | 0 | 0.0 |
| 5 | Laksar | 13.8 | 944 | 81.8 | 943 | 0.0 | | 4,991 | 173.0 | 47 | 1.6 | 0 | 0.0 |
| 6 | Narsan | 0.7 | 2,301 | 99.1 | 1,051 | 0.0 | | 1,710 | 37.7 | 56 | 1.2 | | 0.0 |
| 7 | Roorkee | 6.9 | 3,640 | 88.6 | 872 | 0.0 | 4700.0 | 3,510 | 41.2 | 33 | 0.4 | 0 | 0.0 |

| | | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 |
|---|---------------|--|---|--|---|---|--|--|---------------------------------|---|---|---|------------------------------------|
| | Indicators | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontan eous) Reported | Total Number of MTPs (Public) conducte d | % MTPs to total Abortions |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Hardwar | 0 | 0.0 | 12,416 | 13 | 31.8 | 0.0 | | 23 | 0 | 273 | 121 | 30.7 |
| 1 | Bahadrabad | 0 | 0.0 | 10,626 | 2 | 59.5 | 0.0 | | 8 | 0 | 76 | 121 | 61.4 |
| 2 | Bhagwanpur | | 0.0 | | | 0.0 | | | 5 | | 37 | | 0.0 |
| 3 | Hardwar-Urban | | | | | | | | | | | | |
| 4 | Khanpur | 0 | 0.0 | 0 | 0 | 0.0 | | | 0 | 0 | 36 | 0 | 0.0 |
| 5 | Laksar | 0 | 0.0 | 0 | 11 | 0.0 | | | 6 | 0 | 30 | 0 | 0.0 |
| 6 | Narsan | | 0.0 | 0 | 0 | 0.0 | | | 3 | | 32 | | 0.0 |
| 7 | Roorkee | 0 | 0.0 | 1,790 | 0 | 21.0 | 0.0 | | 1 | | 62 | 0 | 0.0 |

| | | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 |
|---|---------------|---|---|---|--|---|--|--|---|---|--|---|---|
| | Indicators | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number of Vasectom ies Conducte d | Number of Tubecto mies Conducte d | Total Sterilisati on Conducte d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Female Serlisatio n (Tubecto mies) to Total sterilisati on | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Hardwar | 100.0 | 0.0 | 100.0 | 0.0 | 0.3 | 13 | 131 | 144 | 9.0 | 91.0 | | |
| 1 | Bahadrabad | 100.0 | 0.0 | 100.0 | 0.0 | 0.7 | 13 | 74 | 87 | 14.9 | 85.1 | | |
| 2 | Bhagwanpur | | | | | 0.0 | | | | | | | |
| 3 | Hardwar-Urban | | | | | | | | | | | | |
| 4 | Khanpur | | | | | 0.0 | 0 | 0 | 0 | | | | |
| 5 | Laksar | | | | | 0.0 | 0 | 0 | 0 | | | | |
| 6 | Narsan | | | | | 0.0 | | 17 | 17 | 0.0 | 100.0 | | |
| 7 | Roorkee | | | | | 0.0 | 0 | 40 | 40 | 0.0 | 100.0 | | _ |

| | | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 |
|---|---------------|---|--|---|---|---|--|--|--|--|--|---|---|
| | Indicators | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Steriisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on | % Laparosc opic sterlisati ons to Total Female Sterilisati ons | % Mini Lap Sterlisati ons to Total Female Sterilisati ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Post Abortion Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Hardwar | | | 30 | 114 | 20.8 | 79.2 | 87.8 | 0.0 | 12.2 | 0.0 | 80.9 | |
| 1 | Bahadrabad | | | 30 | 57 | 34.5 | 65.5 | 78.4 | 0.0 | 21.6 | 0.0 | 62.1 | |
| 2 | Bhagwanpur | | | | | | | | | | | | |
| 3 | Hardwar-Urban | | | | | | | | | | | | |
| 4 | Khanpur | | | | 0 | | | | | | | | |
| 5 | Laksar | | | | 0 | | | | | | | | |
| 6 | Narsan | | | | 17 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |
| 7 | Roorkee | | | | 40 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |

| | | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 | 105 | 106 | 107 | 108 |
|---|---------------|--|--|---|--|--|---|---|--|--|--|--|---|
| | Indicators | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterlisati on (Male + Female) | Total cases of deaths following Male Sterlisati on | Total cases of deaths following Female Sterlisati on | Total cases of failure following Male Sterlisati on | Total cases of failure following Female Sterlisati on | Total cases of complicat ion following Male Sterlisati on | Total cases of complicat ion following Female Sterlisati on | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Hardwar | 100.0 | | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 4,299 | 707 | 31.5 |
| 1 | Bahadrabad | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1,601 | 707 | 61.4 |
| 2 | Bhagwanpur | | | | | | | | | | 710 | | 2.0 |
| 3 | Hardwar-Urban | | | | | | | | | | | | |
| 4 | Khanpur | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 184 | | 21.7 |
| 5 | Laksar | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 189 | | 48.7 |
| 6 | Narsan | | | | | | | | 0 | 0 | 208 | | 76.9 |
| 7 | Roorkee | | | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1,407 | | 4.9 |

| | | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 |
|---|---------------|---|--|---|--|---------------------------------------|---|--|-------------------------------------|--|--|--|--|
| | Indicators | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permane nt) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combine d Oral Pills distribute d | Emergenc y pills distribute d | Condom pieces distribute d | Centchro man (weekly pills) distribute d | Number of beneficia ries given 1st dose of Injectabl e (Antara Program) | Number of beneficia ries given 2nd dose of Injectabl e (Antara Program) | Number of beneficia ries given 3rd dose of Injectabl e (Antara Program) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Hardwar | 15.2 | 97.2 | 3,213 | 1,777 | 16 | 32,193 | 4,848 | 490,846 | 29 | 0 | 0 | 0 |
| 1 | Bahadrabad | 22.0 | 96.4 | 892 | 1,402 | 14 | 10,706 | 1,277 | 171,122 | 19 | 0 | 0 | 0 |
| 2 | Bhagwanpur | 4.6 | 100.0 | 696 | 14 | | 1,288 | 84 | 41,147 | | | | |
| 3 | Hardwar-Urban | | | | | | | | | | | | |
| 4 | Khanpur | 20.0 | 100.0 | 143 | 40 | 1 | 1,566 | 603 | 24,080 | 0 | 0 | 0 | 0 |
| 5 | Laksar | 13.8 | 100.0 | 96 | 92 | 1 | 3,917 | 837 | 40,856 | 0 | 0 | 0 | 0 |
| 6 | Narsan | 9.7 | 92.4 | 48 | 160 | | 4,051 | 174 | 52,502 | 0 | 0 | 0 | 0 |
| 7 | Roorkee | 4.3 | 97.2 | 1,338 | 69 | 0 | 10,665 | 1,873 | 161,139 | 10 | 0 | 0 | 0 |

| | | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 |
|---|---------------|---|------------------------------------|---|-----------------------------------|---|---|---|---|---------------------------------------|---------------------------------------|---------------------------------------|--|
| | Indicators | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc y testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPV0 at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Hardwar | 0 | 10,231 | 18,133 | 29,264 | 8,950 | 79.8 | 128.8 | 39.4 | 101 | 113 | 150 | 30,247 |
| 1 | Bahadrabad | 0 | 3,115 | 9,307 | 11,545 | 6,223 | 67.4 | 83.6 | 45.1 | 88 | 97 | 113 | 11,568 |
| 2 | Bhagwanpur | | 417 | 1,471 | 3,558 | 171 | 143.9 | 348.1 | 16.7 | | | | 4,261 |
| 3 | Hardwar-Urban | | | | | | | | | | | | |
| 4 | Khanpur | 0 | 405 | 481 | 788 | 158 | 151.3 | 247.8 | 49.7 | 2 | 2 | 0 | 831 |
| 5 | Laksar | 0 | 1,165 | 802 | 1,933 | 444 | 69.5 | 167.5 | 38.5 | 0 | 0 | 0 | 2,180 |
| 6 | Narsan | 0 | 351 | 1,911 | 4,355 | 1,034 | 82.3 | 187.6 | 44.5 | 2 | 8 | 26 | 4,553 |
| 7 | Roorkee | 0 | 4,778 | 4,161 | 7,085 | 920 | 101.2 | 172.4 | 22.4 | 9 | 6 | 11 | 6,854 |

| | | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 | 144 |
|---|---------------|--|--|--|----------------------------------|---|---|---|---|--|--|---|---|
| | Indicators | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | Number of Infants given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dose1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Abcess) | Adverse Events Following Imunisati on (Deaths) | Adverse Events Following Imunisati on (Others) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Hardwar | 29,351 | 29,339 | 20,101 | 688 | 91.4 | 21,936 | 31.3 | 17.3 | 12.6 | 129 | 0 | 0 |
| 1 | Bahadrabad | 11,195 | 10,912 | 6,439 | 688 | 51.6 | 8,381 | 44.2 | 4.0 | 0.0 | 75 | 0 | 0 |
| 2 | Bhagwanpur | 4,088 | 4,128 | 3,124 | | 305.7 | 3,115 | 12.2 | 0.0 | | | | |
| 3 | Hardwar-Urban | | | | | | | | | | | | |
| 4 | Khanpur | 795 | 821 | 614 | 0 | 193.1 | 578 | 22.1 | 107.5 | 0.0 | 0 | 0 | 0 |
| 5 | Laksar | 2,104 | 2,315 | 1,858 | 0 | 161.0 | 1,785 | 3.9 | 16.7 | 0.0 | 38 | 0 | 0 |
| 6 | Narsan | 4,496 | 4,376 | 3,247 | 0 | 139.8 | 3,247 | 25.4 | 0.4 | 0.0 | 0 | 0 | 0 |
| 7 | Roorkee | 6,673 | 6,787 | 4,819 | 0 | 117.3 | 4,830 | 32.0 | 69.1 | 17.4 | 16 | 0 | 0 |

| Indicators | | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|------------|---------------|---|---|---|--|--|--|--|---|---|---|--|---|
| | | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | Pneumoni a in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheri a in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonator um in Children 0-5 Years of Age | Tubercul osis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Hardwar | 89.6 | 89.1 | 68 | 35 | 5 | 0 | 0 | 0 | 10 | 10 | 1 | 68 |
| 1 | Bahadrabad | 81.3 | 75.9 | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 18 |
| 2 | Bhagwanpur | 98.5 | 99.2 | | | | | | | | | | |
| 3 | Hardwar-Urban | | | | | | | | | | | | |
| 4 | Khanpur | 93.2 | 97.8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | Laksar | 89.2 | 84.6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | Narsan | 98.0 | 97.8 | 0 | | | | | | 0 | 0 | 0 | 0 |
| 7 | Roorkee | 92.7 | 96.7 | 50 | 35 | 5 | 0 | 0 | 0 | 10 | 10 | 1 | 50 |

| Indicators | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 |
|------------|---------------|--|--|---|---|---|---|--|--|---|---|---|---|
| | | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3nd dose | No of children 16-24 months age given Measles 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Hardwar | 2,757 | 40 | 688 | 0 | 0 | 0 | 17,582 | 438 | 81.7 | 12.7 | 18.5 | 0.9 |
| 1 | Bahadrabad | 424 | 3 | 688 | 0 | 0 | 0 | 5,079 | 438 | 82.5 | 5.7 | 18.5 | 1.3 |
| 2 | Bhagwanpur | 229 | | | | | | 2,620 | | 99.2 | 49.4 | | 0.0 |
| 3 | Hardwar-Urban | | | | | | | | | | | | |
| 4 | Khanpur | 0 | 0 | 0 | 0 | 0 | 0 | 603 | 0 | 99.5 | 48.7 | | 0.0 |
| 5 | Laksar | 25 | 0 | 0 | 0 | 0 | 0 | 1,761 | 0 | 96.1 | 0.0 | | 0.0 |
| 6 | Narsan | 44 | | 0 | 0 | 0 | 0 | 2,742 | 0 | 94.6 | 0.8 | | 0.0 |
| 7 | Roorkee | 2,035 | 37 | 0 | 0 | 0 | 0 | 4,777 | 0 | 67.2 | 30.1 | 18.8 | 0.3 |

| Indicators | | 169 | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 |
|------------|---------------|-----------------|-------------------------|--------------------------|-------------------------------|--------------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------------------|---------------------------|
| | | IPD (Number) | OPD (Allopathi c) | Ayush OPD (Number) | OPD (Ayush+Al lopathic) | % IPD to OPD | Number of Major Operatio ns | Number of Minor Operatio ns | % Major Operatio ns to Total Operatio n | Number of Hysterect omy Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | % AYUSH OPD to Total OPD | Dental OPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Hardwar | 21,003 | 764,551 | 100,133 | 864,684 | 2.4 | 896 | 1,045 | 46.2 | 396 | 44.1 | 11.5 | 9,954 |
| 1 | Bahadrabad | 12,859 | 309,480 | 48,859 | 358,339 | 3.6 | 738 | 987 | 42.8 | 383 | 51.9 | 13.6 | 3,829 |
| 2 | Bhagwanpur | 492 | 100,051 | 5,625 | 105,676 | 0.5 | | | | | | 5.3 | 1,037 |
| 3 | Hardwar-Urban | | | | | | | | | | | | |
| 4 | Khanpur | 392 | 12,630 | 266 | 12,896 | 3.0 | 0 | 0 | | 0 | | 2.1 | 844 |
| 5 | Laksar | 590 | 26,792 | 624 | 27,416 | 2.2 | 0 | 0 | | 0 | | 2.3 | 28 |
| 6 | Narsan | 1,759 | 81,763 | 27,050 | 108,813 | 1.6 | | | | | | 24.9 | 1,179 |
| 7 | Roorkee | 4,911 | 233,835 | 17,709 | 251,544 | 2.0 | 158 | 58 | 73.1 | 13 | 8.2 | 7.0 | 3,037 |

| | | 181 | 182 | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 |
|------------|---------------|---------------------------------------|--|--|--|---|---|--|--|--|--|--|--|
| Indicators | | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducte d | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Hardwar | 1.2 | 3.9 | 2.0 | 8.1 | 0.9 | 1.5 | 8.9 | 1.1 | 148 | 2.0 | 0.7 | 0.7 |
| 1 | Bahadrabad | 1.1 | 5.0 | 2.2 | 10.4 | 1.1 | 1.6 | 11.1 | 1.4 | 48 | 2.1 | 2.1 | 0.0 |
| 2 | Bhagwanpur | 1.0 | 0.9 | 1.1 | 4.2 | 0.0 | 0.4 | 2.7 | 0.0 | 17 | 0.0 | 0.0 | 0.0 |
| 3 | Hardwar-Urban | | | | | | | | | | | | |
| 4 | Khanpur | 6.5 | 0.1 | 0.0 | 1.1 | 0.0 | 0.0 | 2.7 | 0.0 | 12 | 0.0 | 0.0 | 0.0 |
| 5 | Laksar | 0.1 | 1.7 | 0.0 | 7.0 | 0.0 | 0.0 | 0.1 | 0.0 | 20 | 0.0 | 0.0 | 0.0 |
| 6 | Narsan | 1.1 | 2.4 | 0.0 | 5.7 | 0.0 | 0.0 | | | 19 | 5.3 | 0.0 | 0.0 |
| 7 | Roorkee | 1.2 | 3.8 | 3.4 | 7.7 | 1.1 | 2.5 | | | 32 | 3.1 | 0.0 | 3.1 |

| Indicators | | 193 | 194 | 195 | 196 | 197 | 198 |
|------------|---------------|---|---|---|--|--|---|
| | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths | Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH | Institutio nal Deliveries at District Hospitals | Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Hardwar | 0.0 | 2.0 | 1.4 | 10,856 | | |
| 1 | Bahadrabad | 0.0 | 0.0 | 2.1 | 8,317 | | |
| 2 | Bhagwanpur | 0.0 | 0.0 | 0.0 | | | |
| 3 | Hardwar-Urban | | | | | | |
| 4 | Khanpur | 0.0 | 0.0 | 0.0 | | | |
| 5 | Laksar | 0.0 | 0.0 | 5.0 | | | |
| 6 | Narsan | 0.0 | 0.0 | 0.0 | 1,162 | | |
| 7 | Roorkee | 0.0 | 9.4 | 0.0 | 1,377 | | |