| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|----|---------------|--|--|--|--|--|--|---|--|--|---|---|--|
| | Indicators | Total number of pregnant women Registere d for ANC | Number of Pregnant women registere d within first trimester | % 1st Trimeste r registrati on to Total ANC Registrati ons | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers | TT Booster given to Pregnant women (numbers | % Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2+ TT Booster to Total ANC Registrati on | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registrati on | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n |
| | 6 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Shahjahanpur | 86,635 | 47,200 | 54.4 | 51,788 | 54,243 | 22,192 | 59.7 | 88.2 | 78,090 | 90.1 | 53,014 | 961 |
| 1 | Banda | 5,229 | 2,558 | 48.9 | 4,421 | 3,852 | 492 | 84.5 | 83.1 | 4,482 | 85.7 | 3,458 | 0 |
| 2 | Bhawalkheda | 6,594 | 3,006 | 45.6 | 4,500 | 5,114 | 1,225 | 68.2 | 96.1 | 5,913 | 89.7 | 5,803 | 20 |
| 3 | DHQ | 9,695 | 2,997 | 30.9 | 2,829 | 4,910 | 2,121 | 29.2 | 72.5 | 6,839 | 70.5 | 9,701 | 849 |
| 4 | Jaitipur | 4,124 | 2,720 | 66.0 | 2,054 | 2,417 | 1,312 | 49.8 | 90.4 | 3,634 | 88.1 | 639 | 0 |
| 5 | Jalalabad | 7,227 | 3,538 | 49.0 | 2,960 | 4,722 | 2,198 | 41.0 | 95.8 | 6,807 | 94.2 | 245 | 0 |
| 6 | Kalan | 5,626 | 2,719 | 48.3 | 3,103 | 4,234 | 957 | 55.2 | 92.3 | 4,961 | 88.2 | 4,026 | 4 |
| 7 | Kanth | 4,122 | 2,862 | 69.4 | 1,411 | 2,978 | 893 | 34.2 | 93.9 | 3,810 | 92.4 | 2,784 | 0 |
| 8 | Khutar | 3,570 | 1,405 | 39.4 | 2,583 | 2,058 | 1,078 | 72.4 | 87.8 | 3,406 | 95.4 | 1,009 | 2 |
| 9 | Kuhudaganj | 6,708 | 3,997 | 59.6 | 4,547 | 3,372 | 2,499 | 67.8 | 87.5 | 6,595 | 98.3 | 4,725 | 0 |
| 10 | Madenapur | 4,186 | 2,619 | 62.6 | 3,022 | 2,771 | 1,172 | 72.2 | 94.2 | 4,209 | 100.5 | 1,587 | |
| 11 | Mirzapur | 4,875 | 2,756 | 56.5 | 3,122 | 2,566 | 1,738 | 64.0 | 88.3 | 4,561 | 93.6 | 980 | 20 |
| 12 | Nigohi | 4,828 | 3,512 | 72.7 | 2,531 | 3,117 | 1,210 | 52.4 | 89.6 | 4,488 | 93.0 | 3,551 | 2 |
| 13 | Powayan | | | | | | | | | | | | |
| 14 | Puwaya | 4,285 | 2,321 | 54.2 | 2,816 | 2,343 | 1,556 | 65.7 | 91.0 | 4,147 | 96.8 | 5,740 | 4 |
| 15 | Sidhouli | 4,067 | 3,205 | 78.8 | 3,691 | 2,679 | 989 | 90.8 | 90.2 | 3,539 | 87.0 | 1,308 | |
| 16 | Tilhar | 5,559 | 3,140 | 56.5 | 3,048 | 3,666 | 1,142 | 54.8 | 86.5 | 5,096 | 91.7 | 3,694 | 32 |
| 17 | dadroul | 5,940 | 3,845 | 64.7 | 5,150 | 3,444 | 1,610 | 86.7 | 85.1 | 5,603 | 94.3 | 3,764 | 28 |

| | | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
|----|---------------|--|---|---------------------------------|--|--|--|--|--|--|---|---|---|
| | Indicators | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7 | % New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrations | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducte d at Public Institutio ns | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Deliveries Conducte d at Private Institutio ns | Number of Women Discharge d under 48 hours of delivery in private institutio ns | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Shahjahanpur | 26.5 | 3.2 | 19,940 | 125 | 19,815 | 0.6 | 39,079 | 18,981 | 48.5 | 7,090 | 0 | 0.0 |
| 1 | Banda | 0.0 | 1.4 | 1,830 | 0 | 1,830 | 0.0 | 2,131 | 696 | 32.7 | | | |
| 2 | Bhawalkheda | 8.4 | 1.4 | 1,907 | 4 | 1,903 | 0.2 | 1,653 | 68 | 4.1 | | | |
| 3 | DHQ | 44.1 | 1.4 | 111 | 79 | 32 | 71.2 | 7,479 | 6,421 | 85.9 | 6,576 | 0 | 0.0 |
| 4 | Jaitipur | 0.0 | 1.6 | 1,347 | 0 | 1,347 | 0.0 | 1,672 | 519 | 31.0 | | | |
| 5 | Jalalabad | 0.0 | 1.2 | 2,132 | 0 | 2,132 | 0.0 | 3,676 | 0 | 0.0 | | | |
| 6 | Kalan | 1.6 | 0.4 | 1,441 | 0 | 1,441 | 0.0 | 2,568 | 1,788 | 69.6 | | | |
| 7 | Kanth | 0.0 | 0.0 | 910 | 0 | 910 | 0.0 | 3,141 | 756 | 24.1 | | | |
| 8 | Khutar | 6.5 | 23.6 | 734 | 0 | 734 | 0.0 | 1,638 | 660 | 40.3 | | | |
| 9 | Kuhudaganj | 0.0 | 13.7 | 1,264 | 36 | 1,228 | 2.8 | 2,227 | 852 | 38.3 | | | |
| 10 | Madenapur | 0.0 | 0.5 | 793 | 0 | 793 | 0.0 | 308 | 86 | 27.9 | | | |
| 11 | Mirzapur | 21.7 | 4.7 | 1,276 | 0 | 1,276 | 0.0 | 2,051 | 912 | 44.5 | | | |
| 12 | Nigohi | 2.6 | 0.4 | 946 | 2 | 944 | 0.2 | 3,248 | 2,709 | 83.4 | | | |
| 13 | Powayan | | | | | | | | | | | | |
| 14 | Puwaya | 2.9 | 1.2 | 1,104 | 0 | 1,104 | 0.0 | 1,722 | 1,009 | 58.6 | | | |
| 15 | Sidhouli | 0.0 | 0.1 | 1,063 | 0 | 1,063 | 0.0 | 2,147 | 1,233 | 57.4 | | | |
| 16 | Tilhar | 41.0 | 0.6 | 1,452 | 4 | 1,448 | 0.3 | 2,427 | 1,203 | 49.6 | | | |
| 17 | dadroul | 15.0 | 2.5 | 1,630 | 0 | 1,630 | 0.0 | 991 | 69 | 7.0 | 514 | | 0.0 |

| | | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
|----|---------------|---|---|---------------------------------|--|---|---|---|--|--|---|---|--|
| | Indicators | Institutio nal deliveries (Public Insts.+Pvt . Insts.) | % Institutio nal Deliveries to total ANC registrati on | Total reported deliveries | % Institutio nal deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducte d at public facilities | Number of C-section deliveries conducte d at private facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section s conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Shahjahanpur | 46,169 | 53.2 | 66,109 | 69.8 | 70.0 | 30.2 | 469 | 0 | 1.0 | 1.2 | 0.0 | 84.6 |
| 1 | Banda | 2,131 | 40.8 | 3,961 | 53.8 | 53.8 | 46.2 | 0 | | 0.0 | 0.0 | | 100.0 |
| 2 | Bhawalkheda | 1,653 | 25.1 | 3,560 | 46.4 | 46.5 | 53.6 | 0 | | 0.0 | 0.0 | | 100.0 |
| 3 | DHQ | 14,055 | 145.0 | 14,166 | 99.2 | 99.8 | 0.8 | 311 | 0 | 2.2 | 4.2 | 0.0 | 53.2 |
| 4 | Jaitipur | 1,672 | 40.5 | 3,019 | 55.4 | 55.4 | 44.6 | 0 | | 0.0 | 0.0 | | 100.0 |
| 5 | Jalalabad | 3,676 | 50.9 | 5,808 | 63.3 | 63.3 | 36.7 | | | 0.0 | 0.0 | | 100.0 |
| 6 | Kalan | 2,568 | 45.6 | 4,009 | 64.1 | 64.1 | 35.9 | 158 | | 6.2 | 6.2 | | 100.0 |
| 7 | Kanth | 3,141 | 76.2 | 4,051 | 77.5 | 77.5 | 22.5 | | | 0.0 | 0.0 | | 100.0 |
| 8 | Khutar | 1,638 | 45.9 | 2,372 | 69.1 | 69.1 | 30.9 | 0 | | 0.0 | 0.0 | | 100.0 |
| 9 | Kuhudaganj | 2,227 | 33.2 | 3,491 | 63.8 | 64.8 | 36.2 | 0 | | 0.0 | 0.0 | | 100.0 |
| 10 | Madenapur | 308 | 7.4 | 1,101 | 28.0 | 28.0 | 72.0 | | | 0.0 | 0.0 | | 100.0 |
| 11 | Mirzapur | 2,051 | 42.1 | 3,327 | 61.6 | 61.6 | 38.4 | 0 | | 0.0 | 0.0 | | 100.0 |
| 12 | Nigohi | 3,248 | 67.3 | 4,194 | 77.4 | 77.5 | 22.6 | 0 | | 0.0 | 0.0 | | 100.0 |
| 13 | Powayan | | | | | | | | | | | | |
| 14 | Puwaya | 1,722 | 40.2 | 2,826 | 60.9 | 60.9 | 39.1 | 0 | | 0.0 | 0.0 | | 100.0 |
| 15 | Sidhouli | 2,147 | 52.8 | 3,210 | 66.9 | 66.9 | 33.1 | 0 | | 0.0 | 0.0 | | 100.0 |
| 16 | Tilhar | 2,427 | 43.7 | 3,879 | 62.6 | 62.7 | 37.4 | 0 | | 0.0 | 0.0 | | 100.0 |
| 17 | dadroul | 1,505 | 25.3 | 3,135 | 48.0 | 48.0 | 52.0 | 0 | | 0.0 | 0.0 | 0.0 | 65.8 |

| | | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 |
|----|---------------|---|--|--|---|---|---|---|--|--|---|--|---|
| | Indicators | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Shahjahanpur | 15.4 | 29,791 | 23,529 | 149.4 | 35.6 | 57,150 | 86.4 | 1,529 | 97.4 | 56,642 | 99.1 | 5,860 |
| 1 | Banda | 0.0 | 3,654 | 3,073 | 199.7 | 77.6 | 3,688 | 93.1 | 96 | 97.5 | 3,556 | 96.4 | 402 |
| 2 | Bhawalkheda | 0.0 | 1,340 | 843 | 70.3 | 23.7 | 3,503 | 98.4 | 71 | 98.0 | 3,507 | 100.1 | 134 |
| 3 | DHQ | 46.8 | 1,749 | 24 | 1575.7 | 0.2 | 6,899 | 48.7 | 677 | 91.1 | 7,294 | 105.7 | 466 |
| 4 | Jaitipur | 0.0 | 624 | 789 | 46.3 | 26.1 | 2,893 | 95.8 | 56 | 98.1 | 2,793 | 96.5 | 160 |
| 5 | Jalalabad | 0.0 | 1,080 | 943 | 50.7 | 16.2 | 5,620 | 96.8 | 83 | 98.5 | 5,217 | 92.8 | 1,237 |
| 6 | Kalan | 0.0 | 3,821 | 3,970 | 265.2 | 99.0 | 3,961 | 98.8 | 29 | 99.3 | 3,924 | 99.1 | 177 |
| 7 | Kanth | 0.0 | 2,920 | 3,937 | 320.9 | 97.2 | 4,029 | 99.5 | 33 | 99.2 | 4,022 | 99.8 | 884 |
| 8 | Khutar | 0.0 | 1,042 | 653 | 142.0 | 27.5 | 2,335 | 98.4 | 43 | 98.2 | 2,183 | 93.5 | 140 |
| 9 | Kuhudaganj | 0.0 | 1,528 | 1,692 | 120.9 | 48.5 | 3,584 | 102.7 | 4 | 99.9 | 3,494 | 97.5 | 265 |
| 10 | Madenapur | 0.0 | 77 | 295 | 9.7 | 26.8 | 1,101 | 100.0 | 0 | 100.0 | 1,101 | 100.0 | 192 |
| 11 | Mirzapur | 0.0 | 1,523 | 672 | 119.4 | 20.2 | 3,285 | 98.7 | 81 | 97.6 | 3,282 | 99.9 | 129 |
| 12 | Nigohi | 0.0 | 2,719 | 497 | 287.4 | 11.9 | 4,142 | 98.8 | 70 | 98.3 | 4,140 | 100.0 | 113 |
| 13 | Powayan | | | | | | | | | | | | |
| 14 | Puwaya | 0.0 | 1,161 | 1,164 | 105.2 | 41.2 | 2,784 | 98.5 | 58 | 98.0 | 2,779 | 99.8 | 344 |
| 15 | Sidhouli | 0.0 | 2,820 | 2,316 | 265.3 | 72.1 | 3,175 | 98.9 | 89 | 97.3 | 3,121 | 98.3 | 669 |
| 16 | Tilhar | 0.0 | 2,663 | 1,482 | 183.4 | 38.2 | 3,570 | 92.0 | 88 | 97.6 | 3,651 | 102.3 | 228 |
| 17 | dadroul | 34.2 | 1,070 | 1,179 | 65.6 | 37.6 | 2,581 | 82.3 | 51 | 98.1 | 2,578 | 99.9 | 320 |

| | | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 |
|----|---------------|--|--|--|--|--|---|--|---|--|---|---|---|
| | Indicators | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) | % cases of Pregnant women with Obstetric Complications and attended to reported deliveries | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrati on | Number of PW given one Albendaz ole tablet after 1st trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Shahjahanpur | 10.3 | 54,499 | 95.3 | 904 | 4.3 | 9.8 | 55,811 | 64.4 | 13,540 | 15.6 | 7 | 0.0 |
| 1 | Banda | 11.3 | 3,520 | 95.4 | 939 | 4.5 | 0.0 | 4,557 | 87.1 | 244 | 4.7 | 0 | 0.0 |
| 2 | Bhawalkheda | 3.8 | 3,507 | 100.1 | 917 | 1.7 | 0.0 | 2,511 | 38.1 | 1,141 | 17.3 | 0 | 0.0 |
| 3 | DHQ | 6.4 | 5,610 | 81.3 | 894 | 7.9 | 24.8 | 3,527 | 36.4 | 706 | 7.3 | 7 | 0.1 |
| 4 | Jaitipur | 5.7 | 2,796 | 96.6 | 922 | 0.1 | 0.0 | 1,550 | 37.6 | 0 | 0.0 | 0 | 0.0 |
| 5 | Jalalabad | 23.7 | 4,965 | 88.3 | 990 | 5.7 | 0.0 | 4,443 | 61.5 | 877 | 12.1 | 0 | 0.0 |
| 6 | Kalan | 4.5 | 3,810 | 96.2 | 903 | 0.0 | | 2,428 | 43.2 | 201 | 3.6 | 0 | 0.0 |
| 7 | Kanth | 22.0 | 4,019 | 99.8 | 900 | 0.0 | | 2,307 | 56.0 | 502 | 12.2 | | 0.0 |
| 8 | Khutar | 6.4 | 2,275 | 97.4 | 931 | 2.6 | 0.0 | 3,196 | 89.5 | 1,797 | 50.3 | 0 | 0.0 |
| 9 | Kuhudaganj | 7.6 | 3,571 | 99.6 | 879 | 0.0 | | 6,005 | 89.5 | 817 | 12.2 | 0 | 0.0 |
| 10 | Madenapur | 17.4 | 1,101 | 100.0 | 857 | 0.0 | | 3,379 | 80.7 | 1,675 | 40.0 | | 0.0 |
| 11 | Mirzapur | 3.9 | 3,279 | 99.8 | 864 | 12.7 | 0.0 | 1,364 | 28.0 | 2 | 0.0 | 0 | 0.0 |
| 12 | Nigohi | 2.7 | 4,140 | 100.0 | 927 | 1.1 | 4.3 | 2,824 | 58.5 | 870 | 18.0 | 0 | 0.0 |
| 13 | Powayan | | | | 0 | | | | | | | | |
| 14 | Puwaya | 12.4 | 2,767 | 99.4 | 902 | 10.8 | 0.0 | 3,588 | 83.7 | 2,747 | 64.1 | 0 | 0.0 |
| 15 | Sidhouli | 21.4 | 3,132 | 98.6 | 824 | 0.3 | 0.0 | 3,548 | 87.2 | 1,412 | 34.7 | | 0.0 |
| 16 | Tilhar | 6.2 | 3,634 | 101.8 | 868 | 1.3 | 0.0 | 5,028 | 90.4 | 549 | 9.9 | 0 | 0.0 |
| 17 | dadroul | 12.4 | 2,373 | 91.9 | 885 | 8.1 | 0.0 | 5,556 | 93.5 | 0 | 0.0 | 0 | 0.0 |

| | | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 |
|----|---------------|--|---|--|---|---|--|--|---------------------------------|---|---|---|------------------------------------|
| | Indicators | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontan eous) Reported | Total Number of MTPs (Public) conducte d | % MTPs to total Abortions |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Shahjahanpur | 120 | 0.1 | 4,654 | 9 | 5.4 | 0.0 | | 21 | 7 | 1,035 | 98 | 8.8 |
| 1 | Banda | 0 | 0.0 | 0 | 0 | 0.0 | | | 4 | 0 | 1 | 0 | 0.0 |
| 2 | Bhawalkheda | 0 | 0.0 | 0 | 0 | 0.0 | | | 3 | | 189 | 0 | 0.0 |
| 3 | DHQ | 120 | 1.2 | 2,630 | 0 | 27.1 | 0.0 | | 0 | 0 | 106 | 98 | 48.5 |
| 4 | Jaitipur | 0 | 0.0 | 0 | 0 | 0.0 | | | 2 | 0 | 19 | 0 | 0.0 |
| 5 | Jalalabad | 0 | 0.0 | 0 | 0 | 0.0 | | | 0 | | 2 | 0 | 0.0 |
| 6 | Kalan | 0 | 0.0 | 0 | 0 | 0.0 | | | 0 | 0 | 3 | 0 | 0.0 |
| 7 | Kanth | | 0.0 | 978 | 0 | 23.7 | 0.0 | | | | 5 | | 0.0 |
| 8 | Khutar | 0 | 0.0 | 0 | 0 | 0.0 | | | 0 | 0 | 1 | 0 | 0.0 |
| 9 | Kuhudaganj | 0 | 0.0 | 47 | 9 | 0.7 | 0.0 | | 0 | 0 | 4 | 0 | 0.0 |
| 10 | Madenapur | | 0.0 | | | 0.0 | | | | | 19 | | 0.0 |
| 11 | Mirzapur | 0 | 0.0 | 0 | 0 | 0.0 | | | 2 | 0 | 121 | 0 | 0.0 |
| 12 | Nigohi | 0 | 0.0 | 0 | 0 | 0.0 | | | 0 | 0 | 3 | 0 | 0.0 |
| 13 | Powayan | | | | | | | | | | | | |
| 14 | Puwaya | 0 | 0.0 | 0 | 0 | 0.0 | | | 3 | 0 | 380 | 0 | 0.0 |
| 15 | Sidhouli | | 0.0 | 0 | 0 | 0.0 | | | 0 | | 21 | 0 | 0.0 |
| 16 | Tilhar | 0 | 0.0 | 999 | 0 | 18.0 | 0.0 | | 0 | 0 | 32 | 0 | 0.0 |
| 17 | dadroul | 0 | 0.0 | 0 | 0 | 0.0 | | | 7 | 7 | 129 | 0 | 0.0 |

| | | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 |
|----|---------------|---|---|---|--|---|--|--|---|---|--|---|---|
| | Indicators | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number of Vasectom ies Conducte d | Number of Tubecto mies Conducte d | Total Sterilisati on Conducte d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Female Serlisatio n (Tubecto mies) to Total sterilisati on | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Shahjahanpur | 67.3 | 32.7 | 98.0 | 2.0 | 0.1 | 39 | 3,029 | 3,068 | 1.2 | 98.7 | | |
| 1 | Banda | | | | | 0.0 | 8 | 182 | 190 | 4.2 | 95.8 | | |
| 2 | Bhawalkheda | | | | | 0.0 | 0 | 40 | 40 | 0.0 | 100.0 | | |
| 3 | DHQ | 67.3 | 32.7 | 98.0 | 2.0 | 1.0 | 22 | 1,384 | 1,406 | 1.6 | 98.4 | | |
| 4 | Jaitipur | | | | | 0.0 | 0 | 138 | 138 | 0.0 | 100.0 | | |
| 5 | Jalalabad | | | | | 0.0 | | 156 | 156 | 0.0 | 100.0 | | |
| 6 | Kalan | | | | | 0.0 | 0 | 137 | 137 | 0.0 | 100.0 | | |
| 7 | Kanth | | | | | 0.0 | | 142 | 142 | 0.0 | 100.0 | | |
| 8 | Khutar | | | | | 0.0 | 0 | 105 | 105 | 0.0 | 100.0 | | |
| 9 | Kuhudaganj | | | | | 0.0 | 0 | 134 | 134 | 0.0 | 100.0 | | |
| 10 | Madenapur | | | | | 0.0 | | | | | | | |
| 11 | Mirzapur | | | | | 0.0 | 0 | 122 | 122 | 0.0 | 100.0 | | |
| 12 | Nigohi | | | | | 0.0 | 0 | 94 | 94 | 0.0 | 100.0 | | |
| 13 | Powayan | | | | | | | | | | | | |
| 14 | Puwaya | | | | | 0.0 | 1 | 149 | 150 | 0.7 | 99.3 | | |
| 15 | Sidhouli | | | | | 0.0 | | 73 | 73 | 0.0 | 100.0 | | |
| 16 | Tilhar | | | | | 0.0 | 8 | 87 | 95 | 8.4 | 91.6 | | |
| 17 | dadroul | | | | | 0.0 | 0 | 86 | 86 | 0.0 | 100.0 | | |

| | | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 |
|----|---------------|---|--|---|--|---|--|--|--|--|--|---|---|
| | Indicators | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on | % Laparosc opic sterlisati ons to Total Female Sterilisati ons | % Mini Lap Sterlisati ons to Total Female Sterilisati ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Post Abortion Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Shahjahanpur | | | 1,300 | 1,768 | 42.4 | 57.6 | 91.3 | 8.0 | 0.7 | 0.0 | 61.9 | 2.5 |
| 1 | Banda | | | | 190 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |
| 2 | Bhawalkheda | | | | 40 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |
| 3 | DHQ | | | 1,290 | 116 | 91.7 | 8.3 | 81.7 | 17.3 | 1.0 | 0.0 | 6.8 | 2.5 |
| 4 | Jaitipur | | | | 138 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |
| 5 | Jalalabad | | | | 156 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |
| 6 | Kalan | | | | 137 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |
| 7 | Kanth | | | | 142 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |
| 8 | Khutar | | | | 105 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |
| 9 | Kuhudaganj | | | | 134 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |
| 10 | Madenapur | | | | | | | | | | | | |
| 11 | Mirzapur | | | | 122 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |
| 12 | Nigohi | | | | 94 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |
| 13 | Powayan | | | | | | | | | | | | |
| 14 | Puwaya | | | | 150 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |
| 15 | Sidhouli | | | | 73 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |
| 16 | Tilhar | | | | 95 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |
| 17 | dadroul | | | 10 | 76 | 11.6 | 88.4 | 88.4 | 2.3 | 9.3 | 0.0 | 100.0 | 0.0 |

| | | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 | 105 | 106 | 107 | 108 |
|----|---------------|--|--|---|--|--|---|---|--|--|--|--|---|
| | Indicators | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterlisati on (Male + Female) | Total cases of deaths following Male Sterlisati on | Total cases of deaths following Female Sterlisati on | Total cases of failure following Male Sterlisati on | Total cases of failure following Female Sterlisati on | Total cases of complicat ion following Male Sterlisati on | Total cases of complicat ion following Female Sterlisati on | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Shahjahanpur | 50.0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 19,666 | 3,137 | 34.0 |
| 1 | Banda | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1,675 | | 26.6 |
| 2 | Bhawalkheda | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1,213 | | 26.9 |
| 3 | DHQ | 78.6 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1,820 | 2,177 | 58.2 |
| 4 | Jaitipur | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 641 | | 42.9 |
| 5 | Jalalabad | | | | | | | | 0 | 0 | 2,073 | | 29.1 |
| 6 | Kalan | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 681 | | 26.9 |
| 7 | Kanth | | | | | | | | 0 | 0 | 1,082 | | 51.8 |
| 8 | Khutar | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1,761 | | 19.8 |
| 9 | Kuhudaganj | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 981 | | 33.8 |
| 10 | Madenapur | | | | | | | | 0 | 0 | 38 | | 5.3 |
| 11 | Mirzapur | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 857 | | 18.3 |
| 12 | Nigohi | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 787 | | 50.6 |
| 13 | Powayan | | | | | | | | | | | | |
| 14 | Puwaya | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2,040 | | 14.1 |
| 15 | Sidhouli | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1,581 | | 42.4 |
| 16 | Tilhar | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1,481 | | 56.7 |
| 17 | dadroul | 0.0 | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 955 | 960 | 22.4 |

| | | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 |
|----|---------------|---|--|---|--|---------------------------------------|---|--|-------------------------------------|--|--|--|--|
| | Indicators | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permane nt) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combine d Oral Pills distribute d | Emergenc y pills distribute d | Condom pieces distribute d | Centchro man (weekly pills) distribute d | Number of beneficia ries given 1st dose of Injectabl e (Antara Program) | Number of beneficia ries given 2nd dose of Injectabl e (Antara Program) | Number of beneficia ries given 3rd dose of Injectabl e (Antara Program) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Shahjahanpur | 17.1 | 88.1 | 16,039 | 6,703 | 61 | 23,028 | 3,936 | 127,296 | 1,111 | 252 | 38 | 0 |
| 1 | Banda | 20.9 | 89.8 | 1,230 | 445 | 0 | 842 | 26 | 11,772 | 70 | 0 | 0 | 0 |
| 2 | Bhawalkheda | 19.7 | 96.8 | 887 | 326 | 0 | 642 | 44 | 3,509 | 34 | 0 | 0 | 0 |
| 3 | DHQ | 14.2 | 74.0 | 2,879 | 1,062 | 56 | 5,367 | 669 | 31,155 | 281 | 248 | 38 | 0 |
| 4 | Jaitipur | 16.4 | 82.3 | 366 | 275 | 0 | 860 | 54 | 2,761 | 0 | 0 | 0 | 0 |
| 5 | Jalalabad | 16.4 | 93.0 | 1,470 | 603 | 0 | 846 | 5 | 4,228 | 55 | 0 | 0 | 0 |
| 6 | Kalan | 7.1 | 83.3 | 498 | 183 | 0 | 572 | 522 | 4,093 | 33 | 0 | 0 | 0 |
| 7 | Kanth | 17.8 | 88.4 | 522 | 560 | 0 | 771 | 686 | 6,283 | 156 | 0 | 0 | 0 |
| 8 | Khutar | 21.3 | 94.4 | 1,412 | 349 | 0 | 1,317 | 165 | 5,400 | 0 | 0 | 0 | 0 |
| 9 | Kuhudaganj | 14.9 | 88.0 | 644 | 332 | 5 | 564 | 107 | 9,080 | 216 | 0 | 0 | 0 |
| 10 | Madenapur | 0.6 | 100.0 | 36 | 2 | | 658 | 253 | 1,968 | 5 | 0 | 0 | 0 |
| 11 | Mirzapur | 7.7 | 87.5 | 700 | 157 | 0 | 1,880 | 77 | 3,918 | 0 | 0 | 0 | 0 |
| 12 | Nigohi | 12.3 | 89.3 | 389 | 398 | 0 | 545 | 63 | 1,975 | 6 | 0 | 0 | 0 |
| 13 | Powayan | | | | | | | | | | | | |
| 14 | Puwaya | 16.7 | 93.2 | 1,753 | 287 | 0 | 2,991 | 99 | 8,650 | 199 | 0 | 0 | 0 |
| 15 | Sidhouli | 31.2 | 95.6 | 911 | 670 | 0 | 1,478 | 143 | 10,869 | 56 | 0 | 0 | 0 |
| 16 | Tilhar | 34.6 | 94.0 | 641 | 840 | 0 | 1,035 | 123 | 8,135 | 0 | 4 | 0 | 0 |
| 17 | dadroul | 21.6 | 95.7 | 1,701 | 214 | 0 | 2,660 | 900 | 13,500 | 0 | 0 | 0 | 0 |

| | | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 |
|----|---------------|---|------------------------------------|---|-----------------------------------|---|---|--|---|---------------------------------------|---------------------------------------|---------------------------------------|--|
| | Indicators | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc y testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPV0 at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Shahjahanpur | 0 | 23,274 | 47,204 | 75,679 | 33,077 | 82.6 | 132.4 | 57.9 | 728 | 570 | 621 | 74,971 |
| 1 | Banda | 0 | 122 | 2,745 | 3,839 | 1,981 | 74.4 | 104.1 | 53.7 | 0 | 0 | 0 | 4,178 |
| 2 | Bhawalkheda | 0 | 2,018 | 2,215 | 4,527 | 1,259 | 63.2 | 129.2 | 35.9 | 36 | 14 | 9 | 5,865 |
| 3 | DHQ | 0 | 13,665 | 7,934 | 10,085 | 5,647 | 115.0 | 146.2 | 81.9 | 374 | 249 | 231 | 7,599 |
| 4 | Jaitipur | 0 | 343 | 1,868 | 3,515 | 1,367 | 64.6 | 121.5 | 47.3 | 25 | 19 | 19 | 3,610 |
| 5 | Jalalabad | 0 | 14 | 4,267 | 7,372 | 3,576 | 75.9 | 131.2 | 63.6 | 11 | 1 | 4 | 6,961 |
| 6 | Kalan | 0 | 349 | 3,243 | 5,459 | 1,945 | 81.9 | 137.8 | 49.1 | 60 | 59 | 170 | 5,248 |
| 7 | Kanth | 0 | 41 | 3,748 | 4,901 | 2,737 | 93.0 | 121.6 | 67.9 | 0 | 0 | 0 | 3,706 |
| 8 | Khutar | 0 | 192 | 1,782 | 2,995 | 1,395 | 76.3 | 128.3 | 59.7 | 0 | 3 | 4 | 3,034 |
| 9 | Kuhudaganj | 0 | 272 | 2,654 | 4,930 | 2,126 | 74.1 | 137.6 | 59.3 | 126 | 106 | 117 | 5,129 |
| 10 | Madenapur | 0 | 201 | 794 | 2,474 | 35 | 72.1 | 224.7 | 3.2 | 13 | 9 | 8 | 3,884 |
| 11 | Mirzapur | 0 | 2,825 | 2,681 | 4,318 | 1,590 | 81.6 | 131.4 | 48.4 | 0 | 0 | 0 | 4,521 |
| 12 | Nigohi | 0 | 422 | 3,380 | 4,729 | 3,012 | 81.6 | 114.2 | 72.7 | 25 | 32 | 24 | 4,519 |
| 13 | Powayan | | | | | | | | | | | | |
| 14 | Puwaya | 0 | 86 | 1,861 | 3,906 | 1,453 | 66.8 | 140.3 | 52.2 | 17 | 25 | 13 | 3,795 |
| 15 | Sidhouli | 0 | 10 | 2,824 | 3,278 | 1,868 | 88.9 | 103.2 | 58.8 | 0 | 0 | 0 | 3,527 |
| 16 | Tilhar | 0 | 550 | 3,708 | 5,556 | 2,105 | 103.9 | 155.6 | 59.0 | 41 | 53 | 22 | 4,927 |
| 17 | dadroul | 0 | 2,164 | 1,500 | 3,795 | 981 | 58.1 | 147.0 | 38.0 | 0 | 0 | 0 | 4,468 |

| | | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 | 144 |
|----|---------------|--|--|--|----------------------------------|---|---|---|---|--|--|---|---|
| | Indicators | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | Number of Infants given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dost1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Abcess) | Adverse Events Following Imunisati on (Deaths) | Adverse Events Following Imunisati on (Others) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Shahjahanpur | 73,389 | 74,342 | 74,039 | 158 | 129.8 | 73,608 | 2.2 | 128.0 | 58.6 | 73 | 1 | 1 |
| 1 | Banda | 4,042 | 4,133 | 4,026 | 34 | 110.1 | 4,026 | -4.9 | 109.4 | 0.0 | 0 | 0 | 0 |
| 2 | Bhawalkheda | 5,934 | 5,891 | 6,018 | 0 | 171.8 | 6,018 | -32.9 | 169.3 | 0.0 | 0 | 0 | 0 |
| 3 | DHQ | 7,605 | 7,742 | 8,051 | 95 | 118.1 | 7,863 | 20.2 | 111.4 | 41.1 | 16 | 0 | 0 |
| 4 | Jaitipur | 3,358 | 3,327 | 3,213 | 0 | 111.1 | 3,135 | 8.6 | 111.1 | 0.0 | 0 | 0 | 0 |
| 5 | Jalalabad | 6,968 | 7,026 | 6,816 | 15 | 121.5 | 6,822 | 7.5 | 120.8 | 98.8 | 0 | 0 | 0 |
| 6 | Kalan | 5,144 | 5,081 | 5,095 | 0 | 128.6 | 5,081 | 6.7 | 126.4 | 44.7 | 9 | 0 | 0 |
| 7 | Kanth | 3,484 | 3,439 | 3,170 | 0 | 78.7 | 3,169 | 35.3 | 79.5 | 0.0 | 0 | 0 | 0 |
| 8 | Khutar | 2,982 | 3,154 | 2,963 | 14 | 127.5 | 2,985 | 1.1 | 128.3 | 145.1 | 0 | 0 | 0 |
| 9 | Kuhudaganj | 4,875 | 5,142 | 5,397 | 0 | 150.6 | 5,219 | -9.5 | 148.4 | 0.2 | 17 | 0 | 0 |
| 10 | Madenapur | 3,703 | 3,522 | 3,489 | 0 | 316.9 | 3,489 | -41.0 | 317.4 | 10.1 | | | |
| 11 | Mirzapur | 4,557 | 4,515 | 4,182 | 0 | 127.3 | 4,201 | 3.1 | 126.5 | 422.3 | 0 | 1 | 1 |
| 12 | Nigohi | 4,574 | 4,709 | 4,586 | 0 | 110.7 | 4,587 | 3.0 | 109.8 | 0.0 | 0 | 0 | 0 |
| 13 | Powayan | | | | | | | | | | | | |
| 14 | Puwaya | 3,671 | 3,709 | 3,853 | 0 | 138.4 | 3,843 | 1.4 | 137.9 | 34.2 | 0 | 0 | 0 |
| 15 | Sidhouli | 3,347 | 3,398 | 3,818 | 0 | 120.3 | 3,895 | -16.5 | 113.7 | 7.4 | 29 | 0 | 0 |
| 16 | Tilhar | 4,823 | 5,033 | 4,643 | 0 | 130.1 | 4,556 | 16.4 | 128.6 | 150.8 | 2 | 0 | 0 |
| 17 | dadroul | 4,322 | 4,521 | 4,719 | 0 | 182.8 | 4,719 | -24.3 | 182.8 | 0.0 | 0 | 0 | 0 |

| | | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|------------|---------------|---|---|---|--|--|--|--|---|---|---|--|---|
| Indicators | | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | Pneumoni a in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheri a in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonator um in Children 0-5 Years of Age | Tubercul osis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Shahjahanpur | 98.1 | 87.0 | 1,727 | 751 | 17 | 0 | 0 | 5 | 406 | 406 | 28 | 1,727 |
| 1 | Banda | 99.3 | 103.0 | 0 | 0 | 0 | 0 | 0 | 0 | 49 | 49 | 0 | 0 |
| 2 | Bhawalkheda | 98.5 | 99.8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| 3 | DHQ | 95.2 | 57.6 | 1,662 | 724 | 0 | 0 | 0 | 5 | 349 | 349 | 25 | 1,662 |
| 4 | Jaitipur | 97.9 | 98.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | Jalalabad | 97.7 | 78.1 | 0 | | 0 | 0 | | 0 | 0 | 0 | 0 | 0 |
| 6 | Kalan | 99.3 | 95.2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | Kanth | 93.8 | 80.1 | 0 | | | | | | 0 | 0 | 0 | 0 |
| 8 | Khutar | 98.4 | 92.7 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 0 | 0 |
| 9 | Kuhudaganj | 99.5 | 80.4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 | Madenapur | 93.9 | 75.7 | | | | | | | | | | |
| 11 | Mirzapur | 99.3 | 84.9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12 | Nigohi | 98.5 | 98.4 | 46 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 46 |
| 13 | Powayan | | | | | | | | | | | | |
| 14 | Puwaya | 100.2 | 85.2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 | Sidhouli | 100.0 | 100.0 | 0 | | | | | | 0 | 0 | 0 | 0 |
| 16 | Tilhar | 98.7 | 86.9 | 19 | 17 | 17 | 0 | 0 | 0 | 5 | 5 | 1 | 19 |
| 17 | dadroul | 100.0 | 97.3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 |
|----|---------------|--|--|---|---|---|---|--|--|---|---|---|---|
| | Indicators | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3nd dose | No of children 16-24 months age given Measles 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Shahjahanpur | 17,601 | 410 | 158 | 0 | 0 | 0 | 70,046 | 167 | 69.8 | 26.7 | 44.9 | 1.2 |
| 1 | Banda | 95 | 0 | 34 | 0 | 0 | 0 | 4,082 | 0 | 39.5 | 29.9 | | 0.0 |
| 2 | Bhawalkheda | 2,688 | 0 | 0 | 0 | 0 | 0 | 6,175 | 29 | 74.8 | 16.1 | | 0.0 |
| 3 | DHQ | 1,896 | 410 | 95 | 0 | 0 | 0 | 7,092 | 40 | 66.9 | 33.4 | 44.5 | 2.1 |
| 4 | Jaitipur | 437 | 0 | 0 | 0 | 0 | 0 | 2,979 | 0 | 46.2 | 38.9 | | 0.0 |
| 5 | Jalalabad | 0 | 0 | 15 | 0 | 0 | 0 | 6,565 | 0 | 58.3 | 15.9 | | 0.0 |
| 6 | Kalan | 19 | 0 | 0 | 0 | 0 | 0 | 4,542 | 0 | 93.1 | 5.2 | | 0.0 |
| 7 | Kanth | 0 | | 0 | 0 | 0 | 0 | 3,255 | 49 | 84.3 | 27.9 | | 0.0 |
| 8 | Khutar | 4 | 0 | 14 | 0 | 0 | 0 | 2,999 | 0 | 90.2 | 2.0 | | 0.0 |
| 9 | Kuhudaganj | 8 | 0 | 0 | 0 | 0 | 0 | 4,886 | 49 | 87.7 | 14.7 | | 0.0 |
| 10 | Madenapur | | | 0 | 0 | 0 | 0 | 3,170 | 0 | 96.4 | 3.2 | | 0.0 |
| 11 | Mirzapur | 1,831 | 0 | 0 | 0 | 0 | 0 | 4,020 | 0 | 98.4 | 0.0 | | 0.0 |
| 12 | Nigohi | 43 | 0 | 0 | 0 | 0 | 0 | 4,129 | 0 | 94.4 | 4.3 | | 0.0 |
| 13 | Powayan | | | | | | | | | | | | |
| 14 | Puwaya | 3,905 | 0 | 0 | 0 | 0 | 0 | 3,670 | 0 | | 100.0 | | 0.0 |
| 15 | Sidhouli | 82 | | 0 | 0 | 0 | 0 | 3,579 | 0 | 90.4 | 33.0 | | 0.0 |
| 16 | Tilhar | 150 | 0 | 0 | 0 | 0 | 0 | 4,563 | 0 | 66.1 | 14.1 | | 0.0 |
| 17 | dadroul | 6,443 | 0 | 0 | 0 | 0 | 0 | 4,340 | 0 | 67.2 | 0.0 | 100.0 | 0.5 |

| Indicators | | 169 | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 |
|------------|---------------|-----------------|-------------------------|--------------------------|-------------------------------|--------------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------------------|---------------------------|
| | | IPD (Number) | OPD (Allopathi c) | Ayush OPD (Number) | OPD (Ayush+Al lopathic) | % IPD to OPD | Number of Major Operatio ns | Number of Minor Operatio ns | % Major Operatio ns to Total Operatio n | Number of Hysterect omy Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | % AYUSH OPD to Total OPD | Dental OPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Shahjahanpur | 92,591 | 1,944,792 | 425,736 | 2,370,528 | 3.9 | 1,929 | 3,297 | 36.9 | 367 | 19.0 | 17.9 | 49,148 |
| 1 | Banda | 4,309 | 103,971 | 23,462 | 127,433 | 3.4 | 0 | 0 | | 0 | | 18.4 | 3,200 |
| 2 | Bhawalkheda | 2,328 | 79,081 | 48,676 | 127,757 | 1.8 | 0 | 0 | | 0 | | 38.1 | 0 |
| 3 | DHQ | 52,318 | 721,726 | 71,705 | 793,431 | 6.6 | 1,846 | 3,057 | 37.7 | 303 | 16.4 | 9.0 | 31,541 |
| 4 | Jaitipur | 2,813 | 62,417 | 11,184 | 73,601 | 3.8 | 0 | 0 | | 0 | | 15.2 | 349 |
| 5 | Jalalabad | 6,306 | 137,787 | 41,375 | 179,162 | 3.5 | | | | | | 23.1 | 369 |
| 6 | Kalan | 1,262 | 81,097 | 27,259 | 108,356 | 1.2 | 0 | 0 | | 0 | | 25.2 | 0 |
| 7 | Kanth | 3,856 | 91,151 | 28,524 | 119,675 | 3.2 | | | | | | 23.8 | 5,447 |
| 8 | Khutar | 1,817 | 67,406 | 0 | 67,406 | 2.7 | 48 | 0 | 100.0 | 0 | 0.0 | 0.0 | 24 |
| 9 | Kuhudaganj | 2,590 | 65,010 | 30,689 | 95,699 | 2.7 | 0 | 235 | 0.0 | 0 | | 32.1 | 0 |
| 10 | Madenapur | 315 | 14,687 | 0 | 14,687 | 2.1 | | | | | | 0.0 | |
| 11 | Mirzapur | 1,912 | 38,848 | 21,258 | 60,106 | 3.2 | 0 | 0 | | 0 | | 35.4 | 0 |
| 12 | Nigohi | 2,634 | 98,400 | 33,241 | 131,641 | 2.0 | 0 | 0 | | 0 | | 25.3 | 0 |
| 13 | Powayan | | | | | | | | | | | | |
| 14 | Puwaya | 115 | 90,074 | 26,973 | 117,047 | 0.1 | 0 | 0 | | 0 | | 23.0 | 1,163 |
| 15 | Sidhouli | 2,499 | 74,287 | 16,917 | 91,204 | 2.7 | 0 | 0 | | 0 | | 18.5 | 990 |
| 16 | Tilhar | 6,153 | 147,081 | 29,211 | 176,292 | 3.5 | 35 | 5 | 87.5 | 64 | 182.9 | 16.6 | 4,018 |
| 17 | dadroul | 1,364 | 71,769 | 15,262 | 87,031 | 1.6 | 0 | 0 | | 0 | | 17.5 | 2,047 |

| Indicators | | 181 | 182 | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 |
|------------|---------------|---------------------------------------|--|--|--|---|---|--|--|--|--|--|--|
| | | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducte d | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Shahjahanpur | 2.1 | 6.7 | 0.5 | 11.0 | 6.4 | 4.1 | 0.1 | 0.1 | 272 | 8.1 | 25.7 | 0.4 |
| 1 | Banda | 2.5 | 0.6 | 0.0 | 11.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0 | | | |
| 2 | Bhawalkheda | 0.0 | 3.2 | 0.0 | 16.8 | 0.0 | 0.0 | 0.0 | 0.0 | 5 | 0.0 | 0.0 | 0.0 |
| 3 | DHQ | 4.0 | 12.2 | 0.6 | 49.3 | 12.6 | 6.6 | 0.2 | 0.2 | 214 | 7.0 | 32.7 | 0.0 |
| 4 | Jaitipur | 0.5 | 1.0 | 0.0 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 3 | 0.0 | 0.0 | 0.0 |
| 5 | Jalalabad | 0.2 | 1.5 | | 10.8 | 0.0 | 0.0 | 0.0 | 0.0 | 39 | 15.4 | 0.0 | 0.0 |
| 6 | Kalan | 0.0 | 1.0 | 0.0 | 4.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0 | | | |
| 7 | Kanth | 4.6 | 2.0 | | 23.7 | 0.0 | 0.0 | 0.0 | 0.0 | | | | |
| 8 | Khutar | 0.0 | 0.0 | 0.0 | 2.1 | 0.0 | 0.0 | 0.0 | 0.0 | 1 | 0.0 | 0.0 | 0.0 |
| 9 | Kuhudaganj | 0.0 | 6.9 | | 0.0 | | | | | 4 | 25.0 | 0.0 | 25.0 |
| 10 | Madenapur | 0.0 | 1.6 | | 0.0 | | | 0.0 | 0.0 | | | | |
| 11 | Mirzapur | 0.0 | | | 0.0 | | | 0.0 | 0.0 | 0 | | | |
| 12 | Nigohi | 0.0 | 1.4 | | 0.0 | | | 0.1 | 0.0 | 0 | | | |
| 13 | Powayan | | | | | | | | | | | | |
| 14 | Puwaya | 1.0 | 1.3 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 3 | 0.0 | 0.0 | 0.0 |
| 15 | Sidhouli | 1.1 | 1.2 | | 4.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0 | | | |
| 16 | Tilhar | 2.3 | 3.9 | 1.1 | 12.1 | 0.1 | 0.5 | 0.1 | 0.0 | 3 | 0.0 | 0.0 | 0.0 |
| 17 | dadroul | 2.4 | 2.3 | | 0.0 | | | 0.0 | 0.0 | 0 | | | |

| | | 193 | 194 | 195 | 196 | 197 | 198 |
|------------|---------------|---|---|---|--|--|---|
| | Indicators | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths | Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH | Institutio nal Deliveries at District Hospitals | Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH |
| | | 2017-18 2017-18 | | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Shahjahanpur | 0.0 | 0.0 | 0.0 | 7,091 | | |
| 1 | Banda | | | | | | |
| 2 | Bhawalkheda | 0.0 | 0.0 | 0.0 | | | |
| 3 | DHQ | 0.0 | 0.0 | 0.0 | 6,577 | | |
| 4 | Jaitipur | 0.0 | 0.0 | 0.0 | | | |
| 5 | Jalalabad | 0.0 | 0.0 | 0.0 | | | |
| 6 | Kalan | | | | | | |
| 7 | Kanth | | | | | | |
| 8 | Khutar | 0.0 | 0.0 | 0.0 | | | |
| 9 | Kuhudaganj | 0.0 | 0.0 | 0.0 | | | |
| 10 | Madenapur | | | | | | |
| 11 | Mirzapur | | | | | | |
| 12 | Nigohi | | | | | | |
| 13 | Powayan | | | | | | |
| 14 | Puwaya | 0.0 | 0.0 | 0.0 | | | |
| 15 | Sidhouli | | | | | | |
| 16 | Tilhar | 0.0 | 0.0 | 0.0 | | | |
| 17 dadroul | | | | | 514 | | |