		•	1	2	2	:	3	4	4	!	5		5
Indicators		Total nu pregnant Registered	women	Number of women re within first	egistered	1st Trii registratio ANC Regi	mester n to Total	Number of women rec more ANC	ceived 4 or	TT2 given t		TT Booste Pregnant (num	t women
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	1,644	1,633	1,385	1,373	84.2	84.0	1,442	1,385	1,311	1,363	118	138
1	Block Keller	478	435	397	358	83.1	82.3	403	361	411	392	52	58
2	Block Shopain	1,064	1,098	925	917	86.9	83.5	1,019	860	852	854	61	76
3	District HQ Shopian	102	100	63	98	61.8	98.0	20	164	48	117	5	4

	Indicators	;	7	8	3		9	1	0	1	1	1	2
Indicators		Pregnant received 4 ups to To Registr	ANC check otal ANC	Pregnant receive TT Booste ANC Regi	r to Total	Number of women give	-	Pregnant given 180 I ANC Reg	t women FA to Total	Number of Women h leve (tested	aving Hb l<11	Number of Women hav anae (Hb treated at	ving severe emia <7)
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	87.7	84.8	86.9	91.9	508	1,360	30.9	83.2	1,255	1,169	29	47
1	Block Keller	84.3	83.0	96.9	103.4	79	355	16.5	81.6	114	123	18	4
2	Block Shopain	95.8	78.3	85.8	84.7	388	867	36.5	79.0	768	765	11	0
3	District HQ Shopian	19.6	164.0	52.0	121.0	41	138	40.2	138.0	373	281	0	43

		1	3	1	4	1	5	1	6	1	7	1	8
Indicators		treated at to women	t women ere anaemia <7) institution	New cases o Women de institut hypertensio ANC Regi	etected at ion for on to Total	Number deliv	of Home eries	deliveries a SBA tr	of home attended by rained urse/ANM)	Number deliveries a Non SBA (trained	ttended by	SBA atten deliverie Reporte Deliv	ded home s to Total d Home
	Shopian		2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	14.4	44.3	0.9	0.4	39	39	0	0	39	39	0.0	0.0
1	Block Keller	81.8	18.2	2.9	1.1	30	25	0	0	30	25	0.0	0.0
2	Block Shopain	32.4	0.0	0.0	0.2	9	14	0	0	9	14	0.0	0.0
3	District HQ Shopian	0.0	57.3	1.0	0.0								

		1	9	2	0	2	1	2	2	2	3	2	4
	Indicators	Deliveries at Public II		Number of discharged hours of dispublic for	d under 48 delivery in	Women dis	8 hours of to Total Deliveries	Deliveries at Private I		hours of o	of Women d under 48 delivery in stitutions		8 hours of to Total Deliveries
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	2018-19 _Shopian 495		455	346	340	69.8	74.7						
1	Block Keller	100	109	89	109	89.0	100.0						
2	Block Shopain	56	73	29	46	51.8	63.0						
3	District HQ Shopian	339	273	228	185	67.3	67.8						

		2	5	2	6	2	7	2	8	2	9	3	0
	Indicators		ntional veries nsts.+Pvt. ts.)	Institu Deliverie ANC regi	itional s to total	Total re deliv	eported eries	Institu deliveries Reported	tional to Total	Safe deli Total Re Deliv	veries to eported	Home del Total Re Deliv	iveries to eported
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	495	455	30.1	27.8	534	494	92.7	92.1	92.7	92.1	7.3	7.9
1	Block Keller	100	109	20.9	25.1	130	134	76.9	81.3	76.9	81.3	23.1	18.7
2	Block Shopain	56	73	5.3	6.6	65	87	86.2	83.9	86.2	83.9	13.8	16.1
3	District HQ Shopian	339	273	332.4	273.0	339	273	100.0	100.0	100.0	100.0	0.0	0.0

		3	1	3	2	3	3	3	4	3	5	3	6
Indicators		Number of deliveries at public	conducted	Number of deliveries at private	conducted	to rep institu (Public	+ Pvt.)	C-sections at public f Deliveries at public	acilities to conducted	C-sections at Private f Deliveries at private	acilities to conducted	Deliveries at Public In to Total In	nstitutions stitutional
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	149	121			30.1	26.5	30.1	26.6			100.0	100.0
1	Block Keller	11	0			11.0	0.0	11.0	0.0			100.0	100.0
2	Block Shopain	27	33			48.2	45.2	48.2	45.2			100.0	100.0
3	District HQ Shopian	111	88			32.7	32.2	32.7	32.2			100.0	100.0

	Indicators  _Shopian  Block Keller	3	7	3	8	3	9	4	0	4	1	4	2
Indicators		Deliveries at Private I to Total In Deliv	conducted nstitutions	post partur within 48	ceived 1st n check-up I hours of delivery	Women rec post partur between 48	n check up	Women go post partur	n check-up hours of livery to rted Home	Women ge Post Partur between 48 14 days Reported	m Checkup 3 hours and to Total	Total Nu reported l	
Shonian		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	0.0	0.0	48	265	1,061	942	123.1	679.5	198.7	190.7	529	481
1	Block Keller	0.0	0.0	26	80	234	78	86.7	320.0	180.0	58.2	130	130
2	Block Shopain	0.0	0.0	22	53	734	723	244.4	378.6	1129.2	831.0	64	87
3	District HQ Shopian	0.0	0.0	0	132	93	141			27.4	51.6	335	264

	43  Indicators  Live Births to 7  Deliveries		3	4	4	4	5	4	6	4	7	4	8
	Indicators			Total Nu reported S		live birth to	% Reported rth	Number of weighed		Newborns birth to l	weighed at	Number of having we than 2	eight less
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	99.1	97.4	6	13	98.9	97.4	529	474	100.0	98.5	12	11
1	Block Keller	100.0	97.0	0	4	100.0	97.0	130	123	100.0	94.6	0	0
2	Block Shopain	98.5	100.0	1	0	98.5	100.0	64	87	100.0	100.0	0	0
3	District HQ Shopian	98.8	96.7	5	9	98.5	96.7	335	264	100.0	100.0	12	11

		4	9	5	0	5	1	5	2	5	3	5	4
	Indicators	Newborr weight les kg to Ne weighed	ns having s than 2.5 wborns	Number of Breast Fec ho	within 1	Newborns	% breast fed our of birth live birth	Birt Male Liv	male Live ths/	cases of women wit Complica attended to	h Obstetric tions and	Compl Pregnancie with I Transfusion Women Obst Complie	icated es treated Blood n to Total n with etric cations
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	2.2	2.3	529	479	100.0	99.5	952	1,100	17.4	3.4	0.0	17.6
1	Block Keller	0.0	0.0	130	128	100.0	98.5	857	970	0.0	0.0		
2	Block Shopain	0.0	0.0	64	87	100.0	100.0	1,286	1,559	0.0	0.0		
3	District HQ Shopian	3.6	4.2	335	264	100.0	100.0	936	1,047	27.4	6.2	0.0	17.6

		5	5	5	6	5	7	5	8	5	9	6	0
Indicators		Number of 360 Calciu	f PW given ım tablets	given 360	6 t women Calcium to ANC ration	Number of one Albe tablet a trime	endazole fter 1st	Pregnant	to Total		ugar using	Pregnant tested for busing OGT ANC Reg	olood sugar T to Total
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	106	195	6.4	11.9	66	183	4.0	11.2	69	30	4.2	1.8
1	Block Keller	51	31	10.7	7.1	3	41	0.6	9.4	17		3.6	0.0
2	Block Shopain	39	164	3.7	14.9	63	142	5.9	12.9	0	0	0.0	0.0
3	District HQ Shopian	16		15.7	0.0	0		0.0	0.0	52	30	51.0	30.0

	Indicators	6	1	6	2	6	3	6	4	6	5	6	6
		Number of positive		Pregnant tested po GDM to T Regist	sitive for otal ANC	Number of women to Syp		Number of women tes sero pos Syp	sted found	Pregnant tested for Total Regist	t women Syphilis to ANC	treatd for Total sero	t women Syphilis to
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	0	2	0.0	0.1	610	669	0	0	37.1	41.0	0.0	0.0
1	Block Keller	0		0.0	0.0	95	95	0	0	19.9	21.8	0.0	0.0
2	Block Shopain	0	0	0.0	0.0	8	14	0	0	0.8	1.3	0.0	0.0
3	District HQ Shopian	0	2	0.0	2.0	507	560	0	0	497.1	560.0	0.0	0.0

	Indicators Shopian	6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	of babies t congenital babies tota with Co	reated for Syphilis to I diagnosed	Tota materna	l no. Il deaths	Total Faci Materna Revi (FBMDF	al Death iews	Abort	aneous)	Total Nu MTPs ( condi	Public)	MTPs t Abor	-
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian			0	1	0	0	66	43	0	0	0.0	0.0
1	Block Keller			0	0	0	0	21	1	0	0	0.0	0.0
2	Block Shopain			0	1	0	0	3	0	0	0	0.0	
3	District HQ Shopian							42	42	0		0.0	0.0

		7	3	7	4	7	'5	7	6	7	7	7	8
	Indicators	MTPs up to of Pregn Total MTP: Institu	12 weeks ancy to s at Public	MTPs mor weeks of F to Total Public Ins	Pregnancy MTPs at	MTPs Con Public Insti		MTPs Con Private Ins to Tota	stitutions	% Tota (Pul Conducted ANC Regi	olic) to Total	Numb Vasect Condi	omies
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian									0.0	0.0	0	0
1	Block Keller									0.0	0.0	0	0
2	Block Shopain									0.0	0.0	0	0
3	District HQ Shopian									0.0	0.0	0	

		7	9	8	0	8	1	8	2	8	3	8	4
Indicators		Numb Tubect Condi	tomies	Total Ste Condi		% Male St (Vasect to Total st	tomies)	% Female ! (Tubect to Total st	omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	11	13	11	13	0.0	0.0	100.0	100.0				
1	Block Keller	0	0	0	0								
2	Block Shopain	6	10	6	10	0.0	0.0	100.0	100.0				
3	District HQ Shopian	5	3	5	3	0.0	0.0	100.0	100.0				

	Indicators  _Shopian  Block Keller	8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	Total Ste (Tubecto Vasect conducte	mies and omies)	(Tubecto	erlisation mies and omies) ed at DH	` Vasect	mies and omies) at Private	Total Ste (Tubecto Vasect conducted institu	mies and omies) I at Public	% Total Sto (Tubecto Vasecto conducted institutions Sterlis	mies and omies) at Private s to Total	% Total Sto (Tubecto Vasect conducted institution Sterlis	mies and omies) I at Public is to Total
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian							11	13	0.0	0.0	100.0	100.0
1	Block Keller							0	0				
2	Block Shopain							6	10	0.0	0.0	100.0	100.0
3	District HQ Shopian							5	3	0.0	0.0	100.0	100.0

	_Shopian  Block Keller  Block Shopain	9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	Laparo sterlisation Female Ste	scopic	Mini Lap St to Total Sterilis	Female	Post P Sterlisation	% Partum es to Total erilisations	Post Ab Sterlisation Female Ste	oortion ns to Total	Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public to Total scopic	Mini Lap st at Public Ir to Total Sterilis	stitutions Mini Lap
	_Shopian	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	0.0	0.0	72.7	84.6	27.2	15.3	0.0	0.0			100.0	100.0
1	Block Keller												
2	Block Shopain	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0			100.0	100.0
3	District HQ Shopian	0.0	0.0	40.0	33.3	60.0	66.7	0.0	0.0			100.0	100.0

	Indicators _Shopian	9	7	9	8	9	9	10	00	10	01	10	02
	Indicators	sterlisation Institution	artum as at Public s to Total artum	sterlisation Institution	s to Total artum	follo Sterlisatio	s of deaths wing on ( Male + oale)	Total cases following Sterlis	ng Male	Total cases following Sterlis		followi	s of failure ng Male sation
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	100.0	100.0			0	0	0	0	0	0	0	0
1	Block Keller						0		0		0		0
2	Block Shopain					0	0	0	0	0	0	0	0
3	District HQ Shopian	100.0	100.0			0		0		0		0	

	Indicators follo	10	03	10	04	10	05	10	06	10	07	10	08
	Indicators	Total cases following Sterlis		Total c compli followin Sterlis	ication ng Male	compli	g Female	IUCD Inser (public f	tions done acilities)	IUCD inser (pvt. fa	tions done	% PP IUCD (pul to Tota Insertion	olic) al IUCD
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	0	0	0	0	0	0	43	102			4.6	0.0
1	Block Keller		0		0		0	2	17			100.0	0.0
2	Block Shopain	0	0	0	0	0	0	38	57			0.0	0.0
3	District HQ Shopian	0		0		0		3	28			0.0	0.0

Indicators	10	09	11	10	11	11	11	12	11	13	11	14	
Indicators		to Total In	blic)	IUCD insert family p methods ( perma	olanning IUCD plus	Total Inte		Total P Insertio		Total F insertio		Combined distril	
Chanian		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	0.4	0.0	79.6	88.6	41	102	2	0	0	0	2,630	2,717
1	Block Keller	2.0	0.0	100.0	100.0	0	17	2	0	0	0	1,245	746
2	Block Shopain	0.0	0.0	86.4	85.1	38	57	0	0	0	0	1,385	1,970
3	District HQ Shopian	0.0	0.0	37.5	90.3	3	28	0		0		0	1

		11	15	11	16	1	17	11	18	11	19	13	20
	Indicators	Emerge distril	ncy pills buted	Condom distrib		Centch ( week distril	ly pills)	Numb beneficiarie dose of Ir (Antara F	es given 1st njectable	Numb beneficia 2nd o Injec (Antara I	ries given lose of table	3rd d Injec	ries given ose of
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	227	114	13,764	16,617	114	16	44	0	2	0	0	0
1	Block Keller	180	40	4,698	4,769	114	0	43	0	2	0	0	0
2	Block Shopain	47	74	9,066	11,848	0	16	1	0	0	0	0	0
3	District HQ Shopian	0		0		0		0		0		0	

		13	21	12	22	12	23	12	24	12	25	13	26
	Indicators	beneficia 4th or mo doses of I		Pregnancy us		Number o given (Birth		Number o		Number of given H	lep- B0	Newborns g at birth to live	given OPV0
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	0	0	1,237	702	512	827	509	927	491	770	96.8	171.9
1	Block Keller	0	0	420	171	121	74	162	157	100	38	93.1	56.9
2	Block Shopain	0	0	817	531	59	516	59	533	59	495	92.2	593.1
3	District HQ Shopian	0		0		332	237	288	237	332	237	99.1	89.8

		12	27	12	28	13	29	1:	30	1:	31	1:	32
	Indicators	Newborns to Repo		Newborn Hep-B0(Birn birth to Re	th Dose)at	Number (		Number (	of Infants DPT2	Number ( given		Number ( given Pen	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	96.2	192.7	92.8	160.1	0	0	0	0	0	0	1,775	1,825
1	Block Keller	124.6	120.8	76.9	29.2	0	0	0	0	0	0	467	412
2	Block Shopain	92.2	612.6	92.2	569.0	0	0					1,308	1,413
3	District HQ Shopian	86.0	89.8	99.1	89.8								

	Indicators	13	33	13	34	13	35	1:	36	13	37	1:	38
	Indicators	Number o		Number o			of Infants Measles	Number o		Infants months received MR vac reported I	0 to 11 old who Measles+ cine to	Number immunize (9-11 n	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	1,549	1,753	1,567	1,802	1,617	1,683			305.6	349.8	1,617	1,685
1	Block Keller	460	393	447	363	475	389			365.4	299.2	475	389
2	Block Shopain	1,089	1,360	1,120	1,439	1,142	1,294			1784.4	1487.4	1,142	1,296
3	District HQ Shopian									0.0	0.0		

		13	39	14	40	14	41	14	12	14	43	14	14
	Indicators	9 Drop Out BCG & Me	between	Children g dose1 to live l	iven Vit A Reported		iven Vit A	Adverse Following I	munisation	Adverse Following I	munisation	Adverse Following I	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	-217.7	-81.6	305.7	355.7	98.5	94.7	0	3	0	0	0	0
1	Block Keller	-193.2	-147.8	365.4	320.8	52.2	54.2	0	0	0	0	0	0
2	Block Shopain	-835.6	-142.8	1784.4	1487.4	117.7	107.8	0	3	0	0	0	0
3	District HQ Shopian	0.0	0.0	0.0	0.0								

			45	146		147		148		149		150	
Indicators		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		Pneumonia in Children 0-5 Years of Age		Asthma in Children 0-5 Years of Age		Sepsis in Children 0-5 Years of Age		Diphtheria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	95.0	92.5	97.6	93.5	15	0	186	0	6	0	0	0
1	Block Keller	100.0	95.4	90.9	88.3	13	0	178	0	6	0	0	0
2	Block Shopain	93.8	91.6	99.3	95.0	0	0	0	0	0	0	0	0
3	District HQ Shopian					2		8		0		0	

Indicators		1!	151		152		153		154		155		56
		Pertussis in Children 0-5 Years of Age		Tetanus Neonatorum in Children 0-5 Years of Age		Tuberculosis (TB) in Children 0-5 Years of Age		Acute Flaccid Paralysis(AFP)in Children 0-5 Years of Age		Measles ir 0-5 Year		Malaria in C Years	Children 0-5 of Age
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	0	0	0	0	5	0	5	0	23	0	15	0
1	Block Keller	0	0	0	0	0	0	0	0	0	0	13	0
2	Block Shopain	0	0	0	0	0	0	0	0	0	0	0	0
3	District HQ Shopian	0		0		5		5		23		2	

Indicators		157		158		159		160		161		162	
		Diarrhoea in Children 0-5 Years of Age		Diarrhoea treated in Inpatients in Children 0-5 Years of Age		of infan Measles	No. of infants given Measles Rubella vaccine 1st dose		No. of infants received Rotavirus Vaccine 1st dose		o. received accine 2nd se	No. of infants received Rotavirus Vaccine 3nd dose	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	1,782	1,076	81	42								
1	Block Keller	90	2	7	2								
2	Block Shopain	126	212	0	23								
3	District HQ Shopian	1,566	862	74	17								

Indicators		163		16	164		165		166		57	168	
		No of children 16-24 months age given Measles 2nd dose		No of children 16-24 months age given Measles Rubella Vaccine 2nd dose		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	1,419	1,262	0	0	55.3	56.9	25.9	21.6			0.0	0.0
1	Block Keller	393	330	0	0	41.9	56.1	14.5	8.3			0.0	0.0
2	Block Shopain	1,026	932	0	0	54.4	54.6	14.3	13.6			0.0	0.0
3	District HQ Shopian					63.6	60.2	41.3	33.4			0.0	0.0

		169		170		171		172		173		174	
Indicators		IPD (Number)		OPD (Allopathic)		Ayush OPD	Ayush OPD (Number)		OPD (Ayush+Allopathic)		to OPD	Number Opera	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	6,651	7,268	199,859	168,944	17,720	17,420	217,579	186,364	3.1	3.9	588	624
1	Block Keller	1,038	974	35,813	25,099	641	683	36,454	25,782	2.8	3.8	53	139
2	Block Shopain	2,755	3,111	69,946	45,204	11,781	10,071	81,727	55,275	3.4	5.6	114	94
3	District HQ Shopian	2,858	3,183	94,100	98,641	5,298	6,666	99,398	105,307	2.9	3.0	421	391

		175		176		177		178		179		180	
Indicators			Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		6 D to Total PD	Dental OPD	) (Number)
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	2,693	4,232	17.9	12.9	33	0	5.6	0.0	8.1	9.3	10,377	11,166
1	Block Keller	216	233	19.7	37.4	2	0	3.8	0.0	1.8	2.6	1,277	2,074
2	Block Shopain	1,451	2,269	7.3	4.0	31	0	27.2	0.0	14.4	18.2	3,758	3,933
3	District HQ Shopian	1,026	1,730	29.1	18.4	0	0	0.0	0.0	5.3	6.3	5,342	5,159

Indicators		18	181		182		183		184		185		186	
		% Dental OPD to Total OPD		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female screened for HIV to Total ANC Registration		% Female HIV Positive to Total Females Tested		% Total HIV Positive to Total Tested ( Male + Female)		
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	
	_Shopian	4.8	6.0	2.4	3.6	0.0	0.0	77.6	37.1	0.0	0.0	0.0	0.0	
1	Block Keller	3.5	8.0	1.8	2.8	0.0	0.0	4.6	2.3	0.0	0.0	0.0	0.0	
2	Block Shopain	4.6	7.1	0.3	0.2	0.0	0.0	28.4	7.6	0.0	0.0	0.0	0.0	
3	District HQ Shopian	5.4	4.9	8.9	8.2	0.0	0.0	932.4	513.0	0.0	0.0	0.0	0.0	

		18	187		188		189		190		91	192	
Indicators		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Infant	Total Number of Infant Deaths reported		%  Deaths due to Sepsis to Total Reported Infant Deaths		6 due to to Total d Infant iths	% Deaths due to Pneumonia to Total Reported Infant Deaths	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian					5	9	0.0	0.0	0.0	0.0	0.0	0.0
1	Block Keller					1	1	0.0	0.0	0.0	0.0	0.0	0.0
2	Block Shopain					4	8	0.0	0.0	0.0	0.0	0.0	0.0
3	District HQ Shopian												

Indicators		19	193		194		195		96	197		198	
		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		Institutional Deliveries at Urban Heatlh Facilities i.e SC+PHC+CHC+SDH		t Urban Institutional ities i.e Deliveries at Distric		Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+D H	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Shopian	0.0	11.1	0.0	0.0	0.0	0.0						
1	Block Keller	0.0	0.0	0.0	0.0	0.0	0.0						
2 Block Shopain		0.0	12.5	0.0	0.0	0.0	0.0						
3	District HQ Shopian												