| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|-------------------|--|--|--|--|--|--|---|--|--|---|---|--|--|
| | Indicators | Total number of pregnant women Registere d for ANC | Number of Pregnant women registere d within first trimester | % 1st Trimeste r registrati on to Total ANC Registrati ons | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers | TT Booster given to Pregnant women (numbers | % Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2+ TT Booster to Total ANC Registrati on | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registrati on | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Harda | 9,085 | 5,308 | 58.4 | 5,535 | 4,874 | 2,690 | 60.9 | 83.2 | 7,718 | 84.9 | 4,963 | 92 | 29.8 |
| 1 | Handia (Harda) | 4,191 | 2,402 | 57.3 | 2,365 | 1,723 | 1,516 | 56.4 | 77.3 | 2,843 | 67.8 | 2,308 | 80 | 31.7 |
| 2 | Harda urban | | | | | | | | | | | | | |
| 3 | Khirkiya | 2,312 | 1,386 | 59.9 | 1,470 | 1,601 | 469 | 63.6 | 89.5 | 2,296 | 99.3 | 1,137 | 5 | 12.8 |
| 4 | Timarni | 2,582 | 1,520 | 58.9 | 1,700 | 1,550 | 705 | 65.8 | 87.3 | 2,579 | 99.9 | 1,518 | 7 | 38.9 |

| | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
|---|-------------------|--|---------------------------------|--|--|--|--|--|--|---|---|---|---|---|
| | Indicators | % New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrati ons | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducte d at Public Institutio ns | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Deliveries Conducte d at Private Institutio ns | Number of Women Discharge d under 48 hours of delivery in private institutio ns | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns | Institutio nal deliveries (Public Insts.+Pvt . Insts.) | % Institutio nal Deliveries to total ANC registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Harda | 2.0 | 898 | 0 | 898 | 0.0 | 5,705 | 33 | 0.5 | 1,062 | | 0.0 | 6,767 | 74.4 |
| 1 | Handia (Harda) | 4.0 | 175 | 0 | 175 | 0.0 | 3,300 | 26 | 0.8 | 1,062 | | 0.0 | 4,362 | 104.1 |
| 2 | Harda urban | | | | | | | | | | | | | |
| 3 | Khirkiya | 0.3 | 256 | 0 | 256 | 0.0 | 1,450 | 0 | 0.0 | | | | 1,450 | 62.7 |
| 4 | Timarni | 0.4 | 467 | 0 | 467 | 0.0 | 955 | 7 | 0.7 | | | | 955 | 37.0 |

| | | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
|---|-------------------|---------------------------------|--|--|---|---|--|--|---|---|--|---|--|--|
| | Indicators | Total reported deliveries | % Institutio nal deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducte d at public facilities | Number of C-section deliveries conducte d at private facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section s conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Harda | 7,665 | 88.3 | 88.3 | 11.7 | 592 | 542 | 16.7 | 10.4 | 51.0 | 84.3 | 15.7 | 3,167 | 3,736 |
| 1 | Handia (Harda) | 4,537 | 96.1 | 96.1 | 3.9 | 592 | 542 | 26.0 | 17.9 | 51.0 | 75.7 | 24.3 | 180 | 909 |
| 2 | Harda urban | | | | | | | | | | | | | |
| 3 | Khirkiya | 1,706 | 85.0 | 85.0 | 15.0 | | | 0.0 | 0.0 | | 100.0 | 0.0 | 1,685 | 1,685 |
| 4 | Timarni | 1,422 | 67.2 | 67.2 | 32.8 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 1,302 | 1,142 |

| | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
|---|-------------------|---|---|---|---|--|--|---|--|---|--|--|--|--|
| | Indicators | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Harda | 352.7 | 48.7 | 7,571 | 98.8 | 124 | 98.4 | 7,562 | 99.9 | 617 | 8.1 | 7,419 | 97.9 | 949 |
| 1 | Handia (Harda) | 102.9 | 20.0 | 4,475 | 98.6 | 90 | 98.0 | 4,469 | 99.9 | 213 | 4.8 | 4,326 | 96.7 | 944 |
| 2 | Harda urban | | | | | | | | | | | | | 0 |
| 3 | Khirkiya | 658.2 | 98.8 | 1,688 | 98.9 | 20 | 98.8 | 1,686 | 99.9 | 196 | 11.6 | 1,686 | 99.9 | 920 |
| 4 | Timarni | 278.8 | 80.3 | 1,408 | 99.0 | 14 | 99.0 | 1,407 | 99.9 | 208 | 14.8 | 1,407 | 99.9 | 1,000 |

| | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
|---|-------------------|--|---|--|---|--|---|---|---|--|---|--|---|---|
| | Indicators | % cases of Pregnant women with Obstetric Complications and attended to reported deliveries | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrati on | Number of PW given one Albendaz ole tablet after 1st trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Harda | 7.5 | 19.6 | 7,127 | 78.4 | 4,607 | 50.7 | 0 | 0.0 | 0 | 0.0 | 2,376 | 2 | 26.2 |
| 1 | Handia (Harda) | 8.2 | 30.2 | 2,256 | 53.8 | 2,165 | 51.7 | 0 | 0.0 | 0 | 0.0 | 589 | 2 | 14.1 |
| 2 | Harda urban | | | | | | | | | | | | | |
| 3 | Khirkiya | 11.7 | 0.0 | 2,295 | 99.3 | 1,371 | 59.3 | 0 | 0.0 | 0 | 0.0 | 5 | 0 | 0.2 |
| 4 | Timarni | 0.3 | 0.0 | 2,576 | 99.8 | 1,071 | 41.5 | | 0.0 | 0 | 0.0 | 1,782 | 0 | 69.0 |

| | | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 |
|---|-------------------|--|--|---------------------------------|---|--|--|------------------------------------|---|---|---|--|---|--|
| | Indicators | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontan eous) Reported | Total Number of MTPs (Public) conducte d | % MTPs to total Abortions | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number of Vasectom ies Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Harda | 0.1 | | 8 | 2 | 370 | 174 | 69.7 | 99.4 | 0.6 | 20.4 | 79.6 | 1.9 | 14 |
| 1 | Handia (Harda) | 0.3 | | 6 | 2 | 187 | 100 | 80.6 | 99.0 | 1.0 | 12.9 | 87.1 | 2.4 | 4 |
| 2 | Harda urban | | | | | | | | | | | | | |
| 3 | Khirkiya | 0.0 | | 2 | | 49 | 50 | 50.5 | 100.0 | 0.0 | 100.0 | 0.0 | 2.2 | 4 |
| 4 | Timarni | 0.0 | | 0 | | 134 | 24 | 15.2 | 100.0 | 0.0 | 100.0 | 0.0 | 0.9 | 6 |

| | | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 |
|---|-------------------|--|---|---|--|---|---|---|--|---|--|---|--|--|
| | Indicators | Number of Tubecto mies Conducte d | Total Sterilisati on Conducte d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Female Serlisatio n (Tubecto mies) to Total sterilisati on | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on | % Laparosc opic sterlisati ons to Total Female Sterilisati ons |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Harda | 1,541 | 1,555 | 0.9 | 99.1 | | | | | 124 | 1,431 | 8.0 | 92.0 | 58.5 |
| 1 | Handia (Harda) | 685 | 689 | 0.6 | 99.4 | | | | | 124 | 565 | 18.0 | 82.0 | 6.6 |
| 2 | Harda urban | | | | | | | | | | | | | |
| 3 | Khirkiya | 434 | 438 | 0.9 | 99.1 | | | | | | 438 | 0.0 | 100.0 | 100.0 |
| 4 | Timarni | 422 | 428 | 1.4 | 98.6 | | | | | | 428 | 0.0 | 100.0 | 100.0 |

| | | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 |
|---|-------------------|--|--|--|---|---|--|--|--|--|--|---|---|--|
| | Indicators | % Mini Lap Sterlisati ons to Total Female Sterilisati ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Post Abortion Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterlisati on (Male + Female) | Total cases of deaths following Male Sterlisati on | Total cases of deaths following Female Sterlisati on | Total cases of failure following Male Sterlisati on | Total cases of failure following Female Sterlisati on | Total cases of complicat ion following Male Sterlisati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Harda | 24.7 | 16.8 | 0.0 | 100.0 | 100.0 | 52.1 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | Handia (Harda) | 55.6 | 37.8 | 0.0 | 100.0 | 100.0 | 52.1 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Harda urban | | | | | | | | | | | | | |
| 3 | Khirkiya | 0.0 | 0.0 | 0.0 | 100.0 | | | | | | | | | · |
| 4 | Timarni | 0.0 | 0.0 | 0.0 | 100.0 | | | | | | | | | 0 |

| | | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
|---|-------------------|--|--|--|---|---|---|---|--|---------------------------------------|---|--|-------------------------------------|--|
| | Indicators | Total cases of complicat ion following Female Sterlisati on | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permane nt) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combine d Oral Pills distribute d | Emergenc y pills distribute d | Condom pieces distribute d | Centchro man (weekly pills) distribute d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Harda | 0 | 1,646 | | 17.4 | 5.0 | 51.4 | 1,359 | 287 | 0 | 48,616 | 65 | 453,690 | 0 |
| 1 | Handia (Harda) | 0 | 487 | | 25.1 | 3.7 | 41.4 | 365 | 122 | 0 | 26,286 | 15 | 240,200 | 0 |
| 2 | Harda urban | | | | | | | | | | | | | |
| 3 | Khirkiya | | 316 | | 52.2 | 11.4 | 41.9 | 151 | 165 | | 3,655 | 44 | 7,489 | |
| 4 | Timarni | 0 | 843 | | 0.0 | 0.0 | 66.3 | 843 | 0 | 0 | 18,675 | 6 | 206,001 | 0 |

| | | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 |
|---|-------------------|--|--|--|---|------------------------------------|---|-----------------------------------|---|---|--|---|---------------------------------------|---------------------------------------|
| | Indicators | Number of beneficia ries given 1st dose of Injectabl e (Antara Program) | Number of beneficia ries given 2nd dose of Injectabl e (Antara Program) | Number of beneficia ries given 3rd dose of Injectabl e (Antara Program) | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc y testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPV0 at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Harda | 0 | 0 | 0 | 0 | 6,282 | 5,696 | 7,297 | 5,130 | 75.2 | 96.4 | 67.8 | 0 | 0 |
| 1 | Handia (Harda) | 0 | 0 | 0 | 0 | 3,433 | 3,595 | 4,014 | 2,809 | 80.3 | 89.7 | 62.8 | 0 | 0 |
| 2 | Harda urban | | | | | | | | | | | | | |
| 3 | Khirkiya | | | | | 1,391 | 1,421 | 1,734 | 1,421 | 84.2 | 102.7 | 84.2 | 0 | 0 |
| 4 | Timarni | 0 | 0 | 0 | 0 | 1,458 | 680 | 1,549 | 900 | 48.3 | 110.0 | 63.9 | 0 | 0 |

| | | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 |
|---|-------------------|---------------------------------------|--|--|--|--|----------------------------------|---|---|---|---|---|--|---|
| | Indicators | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | Number of Infants given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dose1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Abcess) | Adverse Events Following Imunisati on (Deaths) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Harda | 0 | 7,577 | 6,982 | 6,715 | 7,114 | 0 | 93.9 | 7,138 | 2.5 | 94.9 | 33.8 | 0 | 0 |
| 1 | Handia (Harda) | 0 | 3,167 | 2,951 | 2,849 | 3,096 | 0 | 69.2 | 3,120 | 22.9 | 70.5 | 23.8 | 0 | 0 |
| 2 | Harda urban | | | | | | | | | | | | | |
| 3 | Khirkiya | 0 | 2,255 | 2,038 | 1,961 | 1,956 | 0 | 115.9 | 1,956 | -12.8 | 116.3 | 85.5 | 0 | 0 |
| 4 | Timarni | 0 | 2,155 | 1,993 | 1,905 | 2,062 | 0 | 146.4 | 2,062 | -33.1 | 146.4 | 0.0 | 0 | 0 |

| | | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|---|-------------------|---|---|---|---|--|--|--|--|---|---|---|--|---|
| | Indicators | Adverse Events Following Imunisati on (Others) | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | Pneumoni a in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheri a in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonator um in Children 0-5 Years of Age | Tubercul osis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Harda | 0 | 84.4 | 83.5 | 138 | 82 | 81 | 0 | 0 | 1 | 17 | 17 | 0 | 138 |
| 1 | Handia (Harda) | 0 | 88.9 | 80.7 | 37 | 59 | 0 | 0 | 0 | 0 | 17 | 17 | 0 | 37 |
| 2 | Harda urban | | | | | | | | | | | | | |
| 3 | Khirkiya | 0 | 68.3 | 87.8 | | | | | | | | | | |
| 4 | Timarni | 0 | 95.3 | 83.6 | 101 | 23 | 81 | 0 | 0 | 1 | 0 | 0 | 0 | 101 |

| Indicators | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 |
|------------|-------------------|--|--|---|---|---|---|--|--|---|---|---|---|-----------------|
| | | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3nd dose | No of children 16-24 months age given Measles 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Harda | 2,401 | 236 | 0 | 7,201 | 6,467 | 6,467 | 7,023 | 0 | 72.4 | 29.0 | | 0.0 | 31,939 |
| 1 | Handia (Harda) | 669 | 121 | 0 | 2,796 | 2,612 | 2,612 | 3,170 | 0 | 70.1 | 31.7 | | 0.0 | 20,738 |
| 2 | Harda urban | | | | | | | | | | | | | |
| 3 | Khirkiya | 336 | | 0 | 2,254 | 1,880 | 1,880 | 1,938 | 0 | 75.2 | 17.4 | | 0.0 | 6,027 |
| 4 | Timarni | 1,396 | 115 | 0 | 2,151 | 1,975 | 1,975 | 1,915 | 0 | 77.7 | 31.6 | | 0.0 | 5,174 |

Updated On Weekly Basis Status As On: 23 Nov 2018, 2:06 PM

| Indicators | | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 |
|------------|-------------------|-------------------------|--------------------------|-------------------------------|--------------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------------------|---------------------------|---------------------------------------|--|
| | | OPD (Allopathi c) | Ayush OPD (Number) | OPD (Ayush+Al lopathic) | % IPD to OPD | Number of Major Operatio ns | Number of Minor Operatio ns | % Major Operatio ns to Total Operatio n | Number of Hysterect omy Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | % AYUSH OPD to Total OPD | Dental OPD (Number) | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Harda | 274,927 | 9,139 | 284,066 | 11.2 | 821 | 845 | 49.3 | 110 | 13.3 | 3.2 | 1,624 | 0.6 | 4.4 |
| 1 | Handia (Harda) | 148,948 | 3,986 | 152,934 | 13.6 | 474 | 845 | 35.9 | 110 | 23.2 | 2.6 | 1,505 | 1.0 | 9.1 |
| 2 | Harda urban | | | | | | | | | | | | | |
| 3 | Khirkiya | 58,090 | 0 | 58,090 | 10.4 | 324 | | 100.0 | | 0.0 | 0.0 | 66 | 0.1 | 3.1 |
| 4 | Timarni | 67,889 | 5,153 | 73,042 | 7.1 | 23 | 0 | 100.0 | 0 | 0.0 | 7.1 | 53 | 0.1 | 0.6 |

| Indicators | | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 |
|------------|-------------------|--|--|---|---|--|--|--|--|--|--|---|---|---|
| | | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Harda | 0.2 | 52.1 | 0.1 | 0.1 | 0.2 | 0.1 | 177 | 1.1 | 0.0 | 1.1 | 0.6 | 2.3 | 0.0 |
| 1 | Handia (Harda) | 0.1 | 38.6 | 0.1 | 0.1 | 0.3 | 0.1 | 54 | 0.0 | 0.0 | 0.0 | 0.0 | 7.4 | 0.0 |
| 2 | Harda urban | | | | | | | | | | | | | |
| 3 | Khirkiya | 1.1 | 66.4 | 0.3 | 0.4 | 0.0 | 0.0 | 57 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | Timarni | 0.0 | 61.0 | 0.0 | 0.0 | 0.1 | 0.2 | 66 | 3.0 | 0.0 | 3.0 | 1.5 | 0.0 | 0.0 |

| | | 196 | 197 | 198 | | |
|---|-------------------|--|--|---|--|--|
| | Indicators | Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH | Institutio nal Deliveries at District Hospitals | Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH | | |
| | | 2017-18 | 2017-18 | 2017-18 | | |
| | _Harda | 1,257 | | | | |
| 1 | Handia (Harda) | 1,257 | | | | |
| 2 | Harda urban | | | | | |
| 3 | Khirkiya | | | | | |
| 4 | Timarni | | | | | |